



Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation


JUST ISSUED FROM THE PRESS



A WORK ENTITLED

THE
GREAT PYRAMID
JEEZEH


This cut shows the Pyramid



By Caleph Al Mamoun and his followers, when forcing an entrance into its northern base.

By LOUIS P. McCARTY

Author and Publisher of "The Statistician and Economist"
for the last thirty-two years, and other kindred publications



The above plate shows the geography of Upper Egypt, with the different mouths of the Nile river as it enters the Mediterranean Sea, from the sector-shaped land showing the line of the Great Pyramid to be placed in the exact center. Also the map of the world on the "Mercator projection," showing the Great Pyramid to be located near the center of all the land of the earth, and at the exact center of its weight above water.

NO LIBRARY CAN AFFORD TO BE WITHOUT IT

To Antiquarians, Egyptologists, and Pyramidal Students, together with the Scientific, Astronomical, Mathematical and Fraternal Public, Greeting:

THE

GREAT PYRAMID JEEZEH

FOR WHAT PURPOSE WAS IT BUILT?

BY WHOM WAS IT BUILT?

AND ABOUT WHEN WAS IT BUILT?

Satisfactorily answered in this work of 588 pages, containing twenty full page illustrations on the finest of paper, in new 10 point type. The printed page is $3\frac{5}{8}$ inches wide by $6\frac{1}{8}$ inches long; the binding is full gilt, in red cloth and red leather.

Every fraternal organization, whithersoever dispersed, will be interested in the contents of this work, as it undertakes to show the origin of all fraternities.

The Subject of the Great Pyramid

has been a life study of the author, and for over thirty-five years has occupied all of his spare moments. For the ability to prepare this work, his researches have extended to nearly every printed authority on the subject, presented in the last two thousand years.

The theory of the purpose for which it was built, when it was built, and by whom, is original with the author, and should add a new phase to the pages of history.

A Few Lines on the Theory of the Author

"It was built for an **Initiatory Asylum**, and **Depository of Weights and Measures**, by a race of people that preceded our race, or any of the races now in existence, on the face of the earth. And that over 50,000 years have elapsed since its erection. The race of people that built the first pyramid were swept away by the **Last Cataclysm**.

"In the building of this 'First Great Wonder of the World' they exhibited a knowledge so much superior to the wisest of our present population that a comparison can scarcely be made between the extremes of intelligence and ignorance on the face of our globe today. Nor will we **attain** as a race to their standard of scientific knowledge until such time has elapsed as will equal the past genealogy of this lost race, which was most certainly thousands of years."

There is Only One Pyramid

"All others are mere imitations, the erection of which any ordinary mechanic could superintend."

The Measurements of the Great Pyramid, as used in this work, are corroborated by the eminent authors of the past on Egyptology and pyramidal building.

To prove the Theories indulged in, nearly all the sciences of today are treated at some length in this work; Mathematics, Weights and Measures, and Astronomy alone occupying over 150 pages.

A new Theory for Earthquakes is appended, together with a complete list of all principal earth disturbances (such as earthquakes, volcanic eruptions, and tidal waves) from the Christian Era down to date.

Under the Astronomical section a new theory for the sun's heat is offered, and corroborative evidence induced to prove that the **sun is cold** and covered with snow, the sequel for the cause of "**sun spots**."

This history connects the **Sphinx** with the Great Pyramid.

PRICES: IN RED CLOTH, \$5; RED LEATHER, \$6

Sent postpaid on receipt of price

Address All Orders to

Louis P. McCarty, Author and Publisher
3238 Twenty-First St., SAN FRANCISCO, CAL.

THE Great Pyramid Jeezeh

BY

Louis P. McCarty

Author of the "Statistician and Economist,"
"Health, Happiness and Longevity," Etc.

* * * * * to "know
That which before us lies in daily life,
Is the prime wisdom; What is more, is fume,
Or emptiness, or fond impertinence;
And renders us, in things that most concern,
Unpractised, unprepared, and still to seek."

— Milton's Adam to Angel.



SAN FRANCISCO

Louis P. McCarty

1907

581-
10123

The Great Pyramid Jeezeh

For What Purpose Was it Built ?

By Whom Was it Built?

And About When Was it Built ?

Satisfactorily answered in the following pages.

Butcher

Entered according to the Act of Congress, in the year 1907, by
from **LOUIS P. McCARTY,**
In the office of the Librarian of Congress, at Washington.

In the pages that follow, many other subjects are treated with copious notes from different authors, but all are of interest to prove our theory.

PRICE

In Cloth.....\$5.00

In Leather.....\$6.00



PREFACE

"Wer Vieles bringt, wird Jedem etwas bringen."
(Who brings many things, brings something for each.)
Goethe.

NEARLY every thinking human being has some secondary subject, outside of his regular calling, upon which he devotes his spare moments.

With some, it consists in attempting to solve the hidden mysteries of the future life, through the agency of some one of the eleven hundred different faiths, as to who, or what, is Deity.

With others, the mineralogical fields are explored, with the expectation of finding the original atom of matter, without combination, with side issues of all other "isms" and "ologies" that exist.

The astronomer delights in his calling, peering into space, and every now and then astounds us with the discovery of a new world, or one at least, that has passed within the reach of our strongest magnifiers; while the antiquarians and anthropologists are not idle. Through the findings of the students of all the foregoing subjects mentioned, a fair minority of the thinking public are found to be followers. There are, however, a very few people, living in this 20th century, who believe in or agree with the *theories* of any of the (over) one hundred prominent writers of the past, regarding the purpose for which the *Great Pyramid Jeezeh* was built, much less when, or by whom it was built.

Having spent nearly all of our spare moments for the past thirty-five years in studying the works of the principal writers on the subjects of Antiquity, Egyptology, and Pyramidal building, we now present the following pages of fact and theory for the criticism of an intelligent public, the gist of which theory is our own.

984 =
M123

The Great Pyramid Jeezeh

For What Purpose Was it Built ?

By Whom Was it Built?

And About When Was it Built ?

Satisfactorily answered in the following pages.

Belcher

Entered according to the Act of Congress, in the year 1907, by
from **LOUIS P. McCARTY,**
In the office of the Librarian of Congress, at Washington.

In the pages that follow, many other subjects are treated with copious notes from different authors, but all are of interest to prove our theory.

PRICE

In Cloth.....\$5.00

In Leather.....\$6.00



PREFACE

"Wer Vieles bringt, wird Jedem etwas bringen."
(Who brings many things, brings something for each.)
Goethe.

NEARLY every thinking human being has some secondary subject, outside of his regular calling, upon which he devotes his spare moments.

With some, it consists in attempting to solve the hidden mysteries of the future life, through the agency of some one of the eleven hundred different faiths, as to who, or what, is Deity.

With others, the mineralogical fields are explored, with the expectation of finding the original atom of matter, without combination, with side issues of all other "isms" and "ologies" that exist.

The astronomer delights in his calling, peering into space, and every now and then astounds us with the discovery of a new world, or one at least, that has passed within the reach of our strongest magnifiers; while the antiquarians and anthropologists are not idle. Through the findings of the students of all the foregoing subjects mentioned, a fair minority of the thinking public are found to be followers. There are, however, a very few people, living in this 20th century, who believe in or agree with the *theories* of any of the (over) one hundred prominent writers of the past, regarding the purpose for which the *Great Pyramid Jeezeh* was built, much less when, or by whom it was built.

Having spent nearly all of our spare moments for the past thirty-five years in studying the works of the principal writers on the subjects of Antiquity, Egyptology, and Pyramidal building, we now present the following pages of fact and theory for the criticism of an intelligent public, the gist of which theory is our own.

To present our subject properly, two volumes should precede this; one on the theory of "world building," and the other on "man's advent on the earth."

But life is precarious; we must hurry on, and ask a generous public to accept our theories in a single volume.

We offer no apology, however, for treating so many different contemporaneous subjects in the following pages, for we consider them all necessary to prove our theory.

All we desire of our critical readers to believe is: that the "Great Pyramid Jeezeh" really exists at this time; that it is placed at or near the "geographical center" of all the continents on the face of the earth; and that the measurements as quoted from the principal authorities are approximately correct.

Our theory, then, (that it was built by a race of people that preceded our race, with vastly more intelligence than we now possess, or will possess at the end of the 20th century,) will be susceptible of proof, and much light will be conveyed to our (apparent) mysterious subject, in opposition to the theory of the principal writers, "that it was built by a Deified architect, assisted by Deified workmen in an age of absolute ignorance (as to most things on the face of the earth)."

So much has been written and said about the Pyramids of Egypt, and the principal publications contain so many references to other publications and reports that students of this subject should live next door to one of our largest "reference libraries," or spend a small fortune on a personal collection of books, in order to be able to comprehend the information that they attempt to furnish.

We shall try in this work, however, to reduce that feature to a minimum, and place within this one volume all the information we wish to convey. It is taken for granted, however, that all readers, writers and investigators of the subject before us, the building of the "First Great Pyramid," will accept as *approximately* correct, the measurements of that great structure as verified and accepted

by such eminent Egyptologists, astronomers, and mathematicians as: Col. Howard Vyse, Prof. Piazza Smyth, the French Academicians, Dr. Grant, Prof. John Greaves, Sir John Herschel, Dr. Lepsius, W. Osburn, Mr. James Sinipson, Prof. H. L. Smith, Mr. John Taylor, Sir Gardner Wilkinson, and others, thus making the remaining portion of our task approximately light.

More than two hundred eminent mathematicians and astronomers have visited and measured this pyramid since the year 820 A. D.; some of them spending only a day and measuring only a single passageway, while others camped there and worked steadily for months. The net results, however, can be summed up from the figures furnished by the professors above mentioned, which we give you in the body of this work.

No one will attempt to question the perfect sanity of those professional measurers, as to their mathematics; but when you analyze their opinions regarding the date of the building of that structure, critically, you will discover that they had boxed their science, and appealed to "miracle" to help them out. Most of them were devout Christians, and, in their interpretation of the sacred writings, could not permit of any event antedating the year 4004 B.C.

As we differ so widely from the opinions of the above mentioned "noted authors," regarding the purpose for which it was built, and the possible date of its erection, we ask suspension of personal opinion, until the reader has thoroughly investigated our argument brought forward in this work.

A table of contents follows this preface, also a table of illustrations. And at the close of this work will be found a copious index, which the reader is asked to consult on all occasions, when in doubt regarding any subject herein treated. All principal subjects are indexed direct, as well as by subsections treated. Individuals are indexed under their surnames. The whole is respectfully submitted by the author.

ILLUSTRATIONS OF THE GREAT PYRAMID

Plate I.	Vertical section of the Great Pyramid, showing the original outline, and inner chambers	9
II.	Geography of Upper Egypt, the World and location of the Great Pyramid	11
III.	Chorography of Great Pyramid and its neighbors	13
IV.	Vertical sections of all Pyramids on Jeezeh Hill	15
V.	Vertical sections of all the residual pyramids of Egypt	17
VI.	Ground plan of the Great Pyramid	19
VII.	Casing-stone remnants of the Great and 2nd Pyramids	21
VIII.	Present entrance into the Great Pyramid, front elevation and side section	23
IX.	Chamber and passage system of the Great Pyramid	25
X.	Lower end of the Grand Gallery in Great Pyramid	27
XI.	View of the 7 sides of the so-called Queen's Chamber	29
XII.	Ante-chamber and upper end of Grand Gallery	31
XIII.	Walls of the Ante-chamber opened out, and the Boss on the Granite Leaf	33
XIV.	King's Chamber, Ante-chamber, and upper (southern) end of Grand Gallery	35
XV.	Walls of the King's Chamber opened out, and ground plan of the Coffin	37
XVI.	Size and shape of Great Pyramid measured without	39
XVII.	Size and shape of Great Pyramid from testimony within	41
XVIII.	Construction hypothesis of passage angles and chamber emplacements in Great Pyramid	43
XIX.	Tomb of King Cheops far outside the Great Pyramid	45
XX.	The starry skies as seen at the Great Pyramid in 2170 B. C.; 27,970 B. C.; and 53,770 B. C.	47
XXI.	Reverse side of the Great Seal of the U. S.	48
XXII.	The Great Pyramid as seen by Caliph Al Mamoun (minus the astronomical) in 822 A. D.	48
	For minor mathematical illustrations, see index.	

TABLE OF CONTENTS

Illustrations and their explanatory notes extend from page 8 to page 48

PART I.

Sections.

Past rulers and history of Egypt.....	1 & 2
The Seven Wonders of the World, etc.....	3 & 4
Earthquakes, Tidal Waves, and Cataclysms.....	5 & 6
Astronomy and the Solar System.....	7
The Earth and World Building.....	8
Condensed Measures of the Pyramid.....	9
The Only Real Pyramid.....	10
Miscellaneous measurements, with proofs furnished.....	11 & 12
Standard of Length.....	13 & 14
Great Pyramids Numbers.....	15 & 16
Astronomical and Geographical positions.....	17 to 20
Exterior Measures and Masonry Courses.....	21

PART II.

The Source of Measures.....	22 to 60
-----------------------------	----------

PART III.

History of the Interior of the Pyramid.....	61 & 62
Great Pyramid entered first time, since original builders sealed it up. Wise men differ as to what is limestone or granite.....	63 to 67
Wall courses of the King's Chamber, as described by different travelers.....	68 to 70
Interior details of measurement, temperature, vibration of the King's Chamber, Symbolism of the Ante-Chamber, Granite Leaf 'Inch' Measurement. Together with detailed information regarding the Subterranean Unfinished Chamber, Ascending Passage-way, Grand Gallery, Ante-Chamber, King's Chamber, Horizontal Passage to Queen's Chamber, The Queen's Chamber, Well, etc.....	71 to 76

PART IV.


Details of the Capacity Measure of the Coffin in the King's Chamber, Tables of Pyramid Capacity Measure and Pyramid Weight Measure, and System of Specific Gravities, Linear Elements of the Pyramid, and the Earth together with the Pound Weight Measure of Most Nations. International Linear Measure; Thermometers, etc.....	77 to 84
Pyramid Angle Measure, Money on the Pyramid System; Pyramid Astronomy, Ark of the Covenant of Moses, Solomon's Molten Sea, Other Chambers still undiscovered in the Pyramid, Queen's Chamber now open once concealed, Queen's Chamber Air Channels, Further from the Critics of the Great Sphinx, Cubic Contents of Chambers, Chronology of Egyptologists, Architectural facts of the Great Pyramid, Noachian Deluge of the Bible, Future of the Great Pyramid.....	85 to 100
Seven Natural Wonders of the World, Weights and Measures of different countries reduced to U. S. Standard.....	101 & 102
Ancient Free Masonry, Conclusion, Index.....	103

SEE PLATE I., opposite page, showing vertical section of the Great Pyramid, from south to north, looking west. At the time of day and season when it devours its own shadow.

The limestone base upon which the pyramid stands is elevated about 146 feet above the average water level surrounding it, and 215 feet above the level of the Mediterranean Sea.





PLATE I



SEE PLATE II. Showing the geography of Upper Egypt, with the different mouths of the Nile river as it enters the Mediterranean Sea, from the sector-shaped land showing the line of the Great Pyramid to be placed in the exact center. Also the map of the world on the "Mercator projection," showing the Great Pyramid to be located near the center of all the land of the earth, and at the exact center of its weight above water.



PLATE II




SEE PLATE III. Chorography of the Great Pyramid and its neighbors. Showing also the location of Cheops' tomb, the Great Sphinx, and the relative position of the second and third pyramids.

This is known as the flat-topped hill of Jeezeh. The Great Pyramid is represented in the center near the top of the illustration.



PLATE III

LONGITUDE MERIDIAN OF THE GREAT PYRAMID.



LONGITUDE MERIDIAN OF THE GREAT PYRAMID.


SCALE 1/16000 NEARLY

MAP OF THE PYRAMIDS OF JEEZEH, ON THEIR FLAT TOPPED HILL OF ROCK, RISING JUST SOUTH OF THE LOW DELTA LAND OF LOWER EGYPT, AND WEST OF THE NORTHERN END OF THE SINGLE LONGITUDINAL VALLEY, BY WHICH THE NILE BRINGS ITS WATERS THROUGH 36° OF LATITUDE, FROM THE EQUATORIAL LAKES.

SEE PLATE IV. Showing the vertical sections of all the (9) Jeezeh group of pyramids. Their ancient size and shape being shown by the dotted triangles over them.

1. The only one of this group that was built (outside of the Great Pyramid itself) with any order as to its sloping sides, was the *third*, which see.

PLATE IV




SEE PLATE V. Showing all the pyramids of Egypt outside of the Jeezeh group. This illustration represents them in the order as they will be found passing from north to south, together with their location by latitude.

For their height and date of erection, see table of Pyramids of Egypt, in index.



PLATE V




ALL THE PYRAMIDS OF EGYPT, other than those of Thebes beginning from the North and going to the South of the country

SCALE OF FEET

SEE PLATE VI. Ground plan of the Great Pyramid, together with the horizontal sectional area at the level of the King's Chamber. Also exhibits the spot on the south side of the pyramid, where Prof. Howard Vyse, made an unsuccessful attempt to force an entrance.




PLATE VI





SEE PLATE VII. The upper part of this illustration exhibits the casing stone remnants of the second pyramid. The lower part of this picture exhibits the first three layers of stone on the north side of the Great Pyramid, including the first layer of the original angle casing stones, as discovered by Col. Howard Vyse, in 1857 A. D.

PLATE VII




EXAMPLE OF THE CASING-STONES OF A PYRAMID, SUPER-POSED.
ON THE RECT-ANGULAR MASONRY COURSES: FROM A PHOTOGRAPH BY P.S. OF THE SUMMIT OF THE 2^d PYR.



REMNANT OF THE ORIGINAL CASING-STONE SURFACE OF THE GREAT PYRAMID
NEAR THE MIDDLE OF ITS NORTHERN FOOT. AS DISCOVERED BY THE EXCAVATIONS OF COL HOWARD VYSE IN 1837


SEE PLATE VIII. Exhibiting a front, also a vertical longitudinal section of the present entrance to the Great Pyramid, and a line drawn showing where the original casing stones reached too, as seen by Caliph Al Mamoun in the year 822 A. D.

PLATE VIII



FRONT ELEVATION. Looking South.
OF THE ANGLE STONES AND PRESENTLY DILAPIDATED MASONRY,
OVER THE ONE AND SOLE ORIGINAL ENTRANCE PASSAGE INTO THE GREAT PYRAMID.

From a "PHOTOGRAPH by P.S."



VERTICAL LONGITUDINAL SECTION.

looking West.

OF THE UPPER, NORTH, END, OR BEGINNING, OF THE ENTRANCE PASSAGE
INTO GREAT PYRAMID.



SCALE OF BRITISH INCHES
0 100 200 400 600

SEE PLATE IX. Illustrating the chamber and passage system of the Great Pyramid. Also includes the forced hole made by the followers of Caliph Al Mamoun and the unfinished state of the subterranean chamber in the base rock, under the exact center of the Great Pyramid.

SEE PLATE X. By placing the upper half of this illustration to the right or north side of Plate XIV, a continuous passage is exhibited, and the intention of its original purpose made plain.

The lower half of this plate exhibits a displaced Ramp stone and entrance to the well. See Plate IX.


PLATE X



SEE PLATE XI. The Queen's Chamber, so-called, in the Great Pyramid. The only chamber exhibiting seven sides. Through the niche in the east wall of which, we expect to find an entrance to other chambers.


Prof. H. L. Smith, of Hobart College, Geneva, N. Y., (in a private letter) speaking of the Queen's Chamber, in the Great Pyramid, remarks, "Either there is proof in that chamber of supernatural inspiration granted to the architect," or "that primeval official possessed, without inspiration, in an age of absolute scientific ingorance 4,000 years ago, scientific knowledge equal to, if not surpassing, that of the present highly developed state of science in the modern world."

PLATE XI




SEE PLATE XII. Showing the upper end of the Grand Gallery and the ante-chamber. Also exhibiting the great 36 inch step and the low passage way into the King's Chamber; compelling all who enter there to stoop and bow his head, though he might be ruler of the whole world

PLATE XII



VERTICAL MERIDIAN SECTION from Gr Gallery through ANTE-CHAMBER to Kings Ch. Looking Eastward



100 50 0 100 200 300


Scale of British Inches

PIAZZI SWYTH, DEL.

A RITCHIE & SON, EDIN.

SEE PLATE XIII. The Ante-Chamber and its walls opened out; also the Boss on the Granite Leaf. In this chamber all candidates received their preparatory lectures before entering the King's Chamber, and other chambers later on.

PLATE XIII




SEE PLATE XIV. The King's Chamber and its accessories, which include the ante-chamber, and the southern end of the Grand Gallery. Also Howard Vyse's hollows of construction above the King's Chamber. The crossed lines indicate granite. Some idea of the magnitude of this portion of pyramid construction may be had when we tell you that the first cross tie of granite seen over the King's Chamber is about 4 1-2 feet square, by 25 feet long and it takes 9 of these slabs or ties to form the ceiling to the King's Chamber; each slab of which weighs about 42 tons.

See Plate X. with explanation on page 26. It will be noticed that even a king would have to stoop to enter this chamber.




PLATE XIV



SEE PLATE XV. This illustration indicates the entire plot for which the Great Pyramid was built. Exhibiting the walls of the King's Chamber opened out, also the sunk portion of walls, the coffer, etc.


It will be noted that there are just 100 blocks of granite in the four walls of this chamber, nine in the ceiling, and there were eighteen in the floor before they were pried out and taken away. No two of which are of the same size. On the north wall will be noticed one granite block that is twice the size (in height) of any other wall stone, the east edge of which, forms one angle of the N. E. corner of this chamber. This we predict will be found to be a door, and outlet to other chambers, which we have suggested in the body of this work, exist in other parts of this great building. No latches, hinges, locks or bolts exist, but when the secret is re-discovered, it will be opened without force.

PLATE XV




SEE PLATE XVI. Size and shape of Great Pyramid measured without. Showing geometrically direct vertical section; diagonal vertical section; equality of boundaries; angles of casing stones and equality of areas Nos. 1 and 2.

PLATE XVI




DIRECT VERTICAL SECTION OF
GREAT PYRAMID.



DIAGONAL VERTICAL SECTION OF
GREAT PYRAMID.

EQUALITY OF BOUNDARIES.



Great Pyramid's square base,
and circle with radius = Pyr.^s Vert. height


π ANGLES OF CASING STONES OF
GREAT PYRAMID;

As affected by its external slope
and horizontal masonry courses

$$\pi = 3 \cdot 14159 \ 26535 + \&c.$$

$$= \log 0 \cdot 49714 \ 98726 + \&c.$$

EQUALITY OF AREAS N° 1.



Area of square base of Great Pyramid =
= area of a Circle whose diameter is given
 $\div 100$ in the Ante-chamber.

P I - PYRAMID INCHES.

EQUALITY OF AREAS N° 2.




Area of Circle with G. Pyr.^s height for radius =
= Area of square whose length of side is given.
 $\div 100$ in the Ante-chamber

S C - SACRED CUBIT.


SEE PLATE XVII. Size and shape of Great Pyramid from testimony within; equality of areas No. 3. Showing equation of boundaries and areas, circles and squares, inches inside and pyramid cubits outside Great Pyramid.

PLATE XVII

EQUALITY OF AREAS N° 3



$11626.02 = \text{Ante chamber length} \times 100 = \text{Sun's distance from the earth}$
in terms of the "breadth of the Earth" from Pole to Pole.



EQUATION OF BOUNDARIES AND AREAS.

CIRCLES AND SQUARES INCHES INSIDE AND SACRED CUBITS
OUTSIDE GREAT PYRAMID.

SEE PLATE XVIII. Showing construction hypothesis of passage angles and chamber emplacements in Great Pyramid.

PLATE XVIII

Fig 1






Fig 2




SEE PLATE XIX. Tomb of King Cheops, far outside the Great Pyramid. Showing plan and vertical section of the tomb and hydraulic reference data, with regard to the different water levels surrounding the same.

PLATE XIX



SEE PLATE XX. Showing the starry skies as seen at the Great Pyramid at the date of its foundation, and other anniversaries of that ancient period: *viz.*, 53,770 B. C.; 27,970 B. C.; and 2,170 B. C. This position of the stars occur but once in every 25,800 years.

PLATE XX



GROUND PLAN OF THE
CIRCLES OF THE HEAVENS ABOVE THE GREAT PYRAMID, AT ITS EPOCH
OF FOUNDATION AT MIDNIGHT OF AUTUMNAL EQUINOX
2170 B.C.


Q. DRACONIS ON MERIDIAN BELOW POLE AT ENTRANCE PASSAGE ANGLE;
AND PLEIADES ON MERIDIAN ABOVE POLE IN 0^h R.A.,
OR COINCIDENTLY WITH VERNAL EQUINOX.

PLATE XXI



The above illustration shows the Reverse side of the "Great Seal" of the U. S.; it shows a pyramid unfinished. In the zenith an eye in a triangle, surrounded with a glory, proper; over the eye these words, "Annuit Coeptis," meaning God has favored the undertaking. On the base of the pyramid the numerical letters M D C C L X X V I., (1776) and underneath the following motto: "Novus Ordo Seclorum," meaning the beginning of a new series of ages.

The pyramid signifies strength and duration; the eye over it and the motto alludes to the many and signal interpositions of Providence in favor of the American cause. The date underneath is that of the Declaration of Independence; and the words under it signify the beginning of the new era. (This side of the Great Seal is not used.)



By Caleph Al Mamoun and his followers, when forcing an entrance into the northern base of the Great Pyramid. See article in part first regarding the same.

EGYPT

NOTE.—Egypt was called Mizraim down to 1485 B. C.

The first seat of political civilization is now conceded by most historians to have been in Egypt; the only difference being the date that it occurred, or the time that has elapsed since the political organization of men.

A few of the authorities for the above statement are: "Champolion," discoverer of the "Key" to the "Hieroglyphics" on the "Rosetta Stone," which, with the aid of other history, indicate to him that "Isis," the first prominent ruler of men (see Ancient Masonry, this work), flourished 250,000 years B. C. The first ruler over all Egypt, by other authorities, was "Menes," the founder of the first thirty dynasties; the dates and authorities for the founder of "Memphis" (Menes) are: Bunsen, 3,643 B. C.; Lepsius, 3,892; Poole, 2,717; and others varying some 1,000 years more. The first epoch (for which we have written history) is the dynasty of the Pharaohs, commencing with Mizraim, son of Ham, second son of Noah, 2,188 B. C., to the conquest of Cambyzes, 525 B. C.; second epoch, to the death of "Alexander the Great," and establishment of the Ptolemies, 323 B. C.; third epoch to the death of "Cleopatra," and the subjugation by the Romans, 30 B. C.

RULERS.	GENEALOGY, HISTORY, ETC.	REIGN.	
		TIME.	Yrs.
Isis (conjectured).....	Builder of "Memphis," 250,000 B. C. Building of the original "Cheops," conjectured, 150,000 to 25,000 B. C.	B. C.	
Menes.....	First dynasty, conjectured, 3643 or Builds Memphis, (Blair).....	2717—	
Mizraim.....	Egypt divided into four kingdoms, viz: "Egypt proper, Upper Egypt, Lower Egypt, and Memphis".....	2188—	
Busiris.....	Builds "Thebes," (Usher).....	—2126	62
Osymandyas.....	First warlike king; conquers Bactria, Asia. (Usher, Lenglet).....	2126—2111	15
(Shepherd Kings).....	Phoenicians invade "Lower Egypt," and hold it from.....	2111—2080	31
Amenophis I.....	Acknowledged king of all Egypt.....	2080—1821	259
Rameses III., or Sesostris.....	King; conquers many countries, builds walls and pyramids.....	1821—	
Amenophis II.....	Drowned in "Red Sea" with army.....	1618—	126
Egyptus.....	Egypt, changes name from Mizraim.....	1492—1491	1
Thuaris.....	Reigns, "the Proteus of the Greeks.".....	1491—1485	6
Pseusennes (Shishak).....	Enters Palestine, ravishes Judea.....	1189—	
Petubastes.....	Of the Tanite Kings.....	971—825	146
Saites.....	Dynasty of. (Blair).....	825—781	44
Bocchoris.....	Roasted alive by "Sebacon".....	781—760	21
Sebacon.....	Ethiopian, subdues Bocchoris.....	760—737	23
The Dodekarchy (12 rulers).....	Expelled by "Psammetichus".....	737—650	87
Psammetichus.....	He invests Azoth; it holds out 19 y'rs.....	650—647	3
Necho.....	Begins a canal, between the Arabian Gulf and Mediterranean Sea.....	647—610	37
Apries.....	Deposed by Nebuchadnezzar.....	610—601	9
Nebuchadnezzar.....	Of Babylon. The line of the Pharaoh's ends.....	601—591	10
Cambyzes.....	An excessive, cruel tyrant.....	591—526	65
Xerxes.....	Also king of Persia.....	526—487	39
Inarus.....	Incited a revolt. (Blair).....	487—465	22
Amyrtaeus.....	Proclaimed King. (Lenglet).....	465—463	2
Orchus.....	Also King of Persia.....	414—350	64
Alexander the Great.....	Conquers Egypt, founds Alexandria.....	350—332	18
Ptolemy I., Lagus.....	Soter, re-establishes the monarchy (With his father).....	332—323	9
Ptolemy II., Philadelphus.....	King, reigns.....	323—285	38
Ptolemy III., Euergetes.....	Defeats Antiochus, King of Syria.....	285—247	38
Ptolemy IV., Philopator.....	Sends an Embassy to Rome.....	247—222	25
Ptolemy V., Epiphanes.....	His Queen marries his brother.....	222—205	17
Ptolemy VI., Philometor.....	Murders his brother's child; driven from his throne for his many cruelties in 130; regains throne, 128.....	205—181	24
Ptolemy VII., Euergetes.....		181—146	35
Ptolemy VIII., Soter II., and Cleopatra.....	Son and mother, rule.....	146—117	29
Alexander I.....	Ptolemy VIII. deposed.....	117—107	10
Ptolemy VIII.....	Son of Cleopatra, restored.....	107—89	18
		89—81	8

EGYPT--Continued.

RULERS	GENEALOGY, HISTORY, ETC.	REIGN	
		TIME	Yrs.
Alexander II. and Cleopatra I	Rule jointly.....	81—80	1
Ptolemy IX., Auletes.....	Deposed.....	80—58	22
Berenice and Tryhoena.....	Rule 3 years and fly the throne.....	58—55	3
Ptolemy IX., Auletes.....	Restored.....	55—51	4
Ptolemy and Cleopatra II.....	Brother and sister.....	51—43	8
Cleopatra II.....	Poisons her brother, rules alone. She and Mark Antony kill themselves.....	43—30	13
Octavius, Caesar.....	Enters Egypt, the Empire becomes a Roman province..... "See Rulers of Rome".....	30 B. C.	
Chosroes II.....	Of Persia, conquers Egypt.....	A. D. 616	646
Amrou.....	Of the Saracens, invades Egypt.....	616—638	22
(Conquest of the Turks). (Mamelukes rule).....	"See Saracens, rulers of Rome." Turkish rulers..... Their government established, 1250.....	638—163	525
Selim I.....	Emperor of the Turks.....	1163—1196	33
(Turkish rulers).....	conquer Egypt. "See Turkey,".....	1196—1517	321
Bonaparte.....	Napoleon I. of the French holds the country for 11 years.....	1517—1520	3
(Turkish rulers).....	The British restore Egypt to Turkey in 1801.....	1520—1790	270
Mehemet Ali Pacha.....	Khedive, hereditary Viceroy.....	1790—1801	11
Ibrahim.....	(Adopted.) Son of Mehemet.....	1801—1806	5
Abbas.....	Son of Ibrahim, Khedive.....	1806—1848	42
Said.....	Brother of Abbas, Khedive.....	1848—1848	2m
Ismail.....	Nephew of Said, Khedive.....	1848—1854	6
Mohammed Tewfik.....	Son of Ismail, Khedive.....	1854—1863	9
Abbas II, Hilmi.....	Son of Said.....	1863—1879	16
		1879—1892	13
		1892—	

(Sec. I.) EGYPT (in Greek, Aiguptos; in Hebrew Misr or Misraim; in the language of the country in hieroglyphics, Kemi—which signifies the black land; and by the Arabs of the present day called Misr), a country in the northeastern part of Africa. Egypt was conquered by the Turks in 1517. The Viceroyalty was made hereditary in 1841. The Sultan granted to the Khedive the rights of concluding treaties with foreign powers and of maintaining armies June 8, 1873. The annual tribute paid to Turkey is about \$3,000,000. Egypt proper extends from the Mediterranean Sea south to lat. 22° N., and from the latter region, known as the Egyptian Soudan, is governed by Egypt and Great Britain jointly. The eastern boundary is the Red Sea, and on the extreme northeast Syria. The western boundary runs northwest to Tripoli, and thence southeast to a point 200 miles west of Wady-Halfa. One-third of the Libyan Desert also belongs to Egypt. The area of Egypt is about 383,800 square miles. It extends about 675 miles north and south, and 500 miles east and west. Its population is about 10,500,000.

TOPOGRAPHY.—In ancient as in modern times, Egypt was always divided into the Upper and the Lower, or the Southern and the Northern country; and at a very early period it was further subdivided into a number of nomes, or departments, varying in different ages; 42 was probably the usual number. A third great division, the Heptanomis, or seven nomes, preserved in modern "Middle Egypt" (Wustani), was introduced at the time of the geographer Ptolemy. Each nome or department had a separate local government. In the 5th century A. D., Egypt was divided into Augusta Prima and Secunda on the east, and Ægyptiaca on the west, Arcadia (the Heptanomis), Thebais Proxima as far as Panapolis, and Thebais Supra to Philæ. Under the Mohammedans, the triple division into Misr el-Bahri (Lower Egypt), el-Wustani (Middle) and es-Said (Upper) has prevailed, but the number

of subdivisions has varied; at present there are altogether thirteen provinces. Egypt is connected with Asia by the Isthmus of Suez, across which runs the great ship canal without locks now connecting the Mediterranean with the Red Sea; running from Port Said on the former to Suez on the latter, a distance of 99 miles. According to Herodotus a large canal from the Red Sea to the Nile was constructed about 600 B. C. This canal, which seems never to have been of much use, was finally blocked up about 767 A. D. Napoleon I. had conceived the idea of making a ship canal across the Isthmus of Suez. In 1854, the French engineer, M. Ferdinand de Lesseps, obtained a concession for that purpose, and in 1858 was able to form a company for carrying on the work. Operations were begun on April 25, 1859, and on Nov. 17, 1869, the canal was opened; the total cost of construction was \$102,750,000. There were 75 miles of actual excavation, the remaining 24 miles being through shallow lakes (Lakes Menzaleh, Lake Timsah, and Bitter Lakes), which usually had to be deepened. For about four-fifths of its length it was originally 327 ft. wide at the surface of the water, 72 feet at the bottom, and 26 feet deep; for the remainder only 196 ft. wide at the top, the other dimensions being the same; but the increase of traffic led to its being widened and deepened several years ago. By an agreement signed Oct. 29, 1888, the canal was exempted from blockade, and vessels of all nations, whether armed or not, are to be allowed to pass through it in peace or war. During the year 1906, some 4000 ships passed through this canal, for which privilege the company received over \$20,000,000. A canal was also constructed for bringing fresh water from the Nile at a point near Cairo. This canal reaches the salt water canal at Ismailia, and then runs almost parallel to the ship canal to Suez. It is almost 40 ft. wide and 9 deep, and is used for navigation as well as for domestic purposes and irrigation. The land on both sides of the ship canal is to be retained by the company for ninety-nine years. Navigation at night by the


aid of electric light began on March 1, 1887, and has shortened the time of passage by about one-half, viz., to about sixteen to twenty hours. Steamships are allowed to sail at a speed of five to six knots an hour along the canal. The inhabited portion of Egypt is mainly confined to the valley and delta of the Nile, which where widest does not exceed 120 miles, while in many parts of the valley it is only from 10 to 15 miles wide, and at the southern frontier of Egypt only two miles. West of the Nile are several oases. Two ranges of lofty mountains, the Arabian Hills on the east and the Libyan on the west, enclose this valley. The delta of the Nile is traversed by a network of primary and secondary channels, and is also intersected by numerous canals. Seven principal channels, or mouths, were usually recognized in ancient times, the names of which, going from east to west, were the Pelusiatic mouth, the Tanitic, the Mendesian, the Phatnitic (Damietta), the Sebennytic, the Bolbitic (Rosetta), and the Canoptic. The Nile has a current running seaward at the rate of 2 1-2 or 3 miles an hour, and the stream is always deep enough for navigation. The water becomes a reddish brown during the annual overflow; it is esteemed highly salubrious. Near the sea are Lakes Menzaleh, Mariut (Mareotis), and other extensive but shallow lagoons. The openings or lateral valleys of the hills confining the valley of the Nile are comparatively few, or, being little frequented, are not well known. Those on the east side are the Valley of the Wanderings (of the children of Israel), leading from the neighborhood of Cairo to the head of the Gulf of the Suez, and that through which passes the road from Koptos to Kosseir on the Red Sea. A short distance west of the Nile and above the delta is the fertile valley of Fayoum, in the northwest and lowest part of which is the Birket-Kerun Lake or Birket-el-Kerun, fed by a canal or branch from the Nile. The level of the lake is now 130 feet below that of the Mediterranean. This lake, formerly known as Lake Moeris, anciently covered a far larger area.

and by means of sluices and other works was utilized for irrigation purposes. The deserts on the west bank of the Nile generally present to view plains of gravel or of fine drifting sand; on the east the scene is varied by rocks and mountains.

CLIMATE.—The atmosphere in Egypt is extremely clear and dry, the temperature regular and hot, though the heat is tempered during the daytime for seven or eight months of the year by the strong wind which blows from the north, and which enables sailing vessels to ascend the river against the stream. The winter months are the most delightful of the year, the air being cool and balmy, and the ground covered with verdure; later, the ground becomes parched and dry, and in spring the suffocating khamseen, or simoon, frequently blows into the Nile valley from the desert plains on each side of it, raising clouds of fine sand, and causing great annoyance, until the rising of the river again comes to bless the land. It rains but rarely, except near the seashore. At Memphis, the rain falls perhaps three or four times in the course of a year, and in Upper Egypt only once or twice, if at all; showers of hail sometimes reach the borders of Egypt, but the formation of ice is very uncommon. Earthquakes are rare occurrences and so slight as to be seldom recorded (see article on earthquakes in another portion of this work), and thunder and lightning are neither frequent nor violent. Egypt is not remarkably healthy, especially in the delta—ophthalmia, diarrhœa, dysentery, and boils being somewhat prevalent. But many invalids now winter in Egypt, especially in the neighborhood of Cairo, or higher up the river, where the air is dry and pure.

THE NILE AND IRRIGATION.—The great historic river Nile, anciently called the Nilus, is 4,100 miles in length, and one of the few great rivers and second longest in the world. It is only exceeded by the Missouri and Mississippi (from its junction) which combined are 4,575 miles long. It divides, at lat. $30^{\circ} 15'$, just below the

first cataract, into two main streams, one entering the sea by the Rosetta mouth on the west, the other by the Damietta mouth on the east. These two streams carry the bulk of the Nile water to the Mediterranean, and enclose a large portion of the territory known as the delta, from its resemblance to the Greek letter Δ , and which owes its existence to the deposits of alluvial matter brought down by the stream. A most remarkable phenomenon connected with the Nile is its annual regular increase, rising from its periodical rains, which fall within the equatorial regions and the Abyssinian mountains. As rain rarely falls in Egypt, the prosperity of the country entirely depends on this overflowing of the river. On the subsiding of the water the land is found to be covered with a brown slimy deposit, which so enriches the soil that with a sufficiency of water it produces two crops a year, while beyond the limits of the inundation and irrigation there is no cultivation whatever. The Nile begins to rise in June, and continues to increase until about the end of September, overflowing the lowlands along its course, the water being conveyed to the fields by artificial courses where natural channels fail. After remaining stationary for a short time, the river rises again still further, and subsequently begins to subside, showing a markedly lower level in January, February and March, and reaching its lowest in April, May, and early June. The overflow of the water is now to a great extent managed artificially by means of an extensive system of reservoirs and canals, so that after the river subsides it may be used as required. A certain proportion of the fields, after receiving the overflow and being sown, can ripen the crop without future moisture; but many others always require artificial irrigation. Steam pumps are now largely used in Northern Egypt. Latterly the government has tried to make the farmer less and less directly dependent on the inundation, and the great barrage of the Nile below Cairo, the largest weir in the world, is one means to this end, a great barrage or dam at Assouan being another.



The native methods of raising water for irrigation are chiefly by the sakieh, or water wheel, and the shadoof. The first consists of a horizontal wheel turned by one or two oxen, which sets in motion a vertical wheel, around which are hung a number of earthen jars, this wheel being sunk into a reservoir connected with the river. The jars thus scoop up the water and bring it to a trough on a level with the top. Into this trough each jar empties itself in succession, and the water is conducted by an inclined channel into the cultivated ground adjoining, which may have been previously divided into compartments of 1 or 2 yards square by raising the mold into walls or ridges of 5 or 6 inches in height. Into these compartments the cultivator forms an entrance for the water, by depressing a little space in the ridge or wall with the sole of his foot; and this overlooking of the channels of irrigation, and the adjustment of the openings from one compartment to another with the foot, is continued until the cultivator is assured by the growth of the plants that each compartment is daily and duly supplied with its proper quantity of water. The second means of raising water, namely, the shadoof, consists of a leathern bucket slung at one end of a pole which has a weight at the other and sways up and down on a vertical support, a contrivance by which the cultivator is enabled to scoop up the water considerably below his feet and raise it with comparative ease to the mouth of a channel on a level with his breast. The latter mode of raising water is of great antiquity, and is depicted on the walls of the ancient tombs of Egypt, and also in the sculptures of Nineveh. A sufficient rise of the river (the rise varies at different points) is essential to secure the prosperity of the country; and as the water subsides the chaplet of buckets on the sakieh is lengthened, or several shadoofs, rising one above the other on the river banks, are required. Should the Nile rise above the requisite height it may do great damage; while if it should not attain the ordinary height there is a deficiency of crops; but so re-

gular are the operations of nature that, with rare exceptions, the inundations are nearly uniform.

OASES.—The fertile spots peculiar to the deserts of Africa are found in Egypt along the hollow region of the Libyan Desert, parallel to the general direction of the valley of the Nile, and about 80 miles west of it. The Great Oasis, or El Wah (the oasis) el Khargeh, lies immediately west of the Thebaid, and has a length of 100 miles. About 50 miles west of the northern extremity of this oasis, lies the Wah el Dakhileh, 24 miles long and 10 miles broad. West by south from the Fayoum, the date groves of the Little Oasis, or Wah el Baharieh, display their usual verdure. In this fertile spot artesian wells are numerous, and some of ancient construction have been discovered which have depths exceeding 400 feet. On the road between this oasis and that of El Dakhileh, inclining to the west, occurs half-way the Wah el Farafrah, of small extent. West of the Fayoum, and about 200 miles from the Nile, lies the oasis of Siwah. The inhabitants of this secluded spot, though tributary to Egypt, are in language and manners wholly Libyan. The region of the oases terminates toward the north in the desert of the Natron lakes.

ZOOLOGY.—Owing to the absence of forests in Egypt there are few wild animals, the principal species being the wolf, fox, jackal, hyena, the wild ass, and several kinds of antelope. The chief domestic animals are camels, horses, asses, horned cattle, and sheep. The hippopotamus is no longer found in Egypt, though it is met with in the Nile above the cataracts, and the crocodile has abandoned the lower part of the river, and is becoming rare even in Upper Egypt. Among the birds are three species of vultures (one of which is very large, individuals sometimes measuring 15 feet across the wings), eagles, falcons, hawks, buzzards, kites, crows, linnets, larks, sparrows and the beautiful hoopoe, which is regarded with superstitious reverence. Pigeons and various kinds of poultry are very abundant. The ostrich is found in the deserts. Among

the reptiles are the cerastes and naja haje, both deadly poisonous. Fishes abound in the Nile and in the lakes, and furnish a common and favorite article of food. Water-fowl are plentiful and were anciently prepared and salted like fish. The sacred ibis is still a regular visitor during the inundation, and the pelican is found in the northern lagoons. Among the countless insects are the sacred beetle, the locust and mosquito. Many of the animals, birds and reptiles were held sacred by the people; whoever killed a sacred animal, an ibis or a hawk, was put to death. If a cat died a natural death every person in the house shaved his eyebrows; if a dog died, the whole body and head was shaved. The cats were buried at Bubastis, the dogs in the vaults of their own cities, field mice and hawks at Buto, the ibis at Hermopolis, and other animals where they were found lying. Of all animals, the sacred calf Apis was the most revered. His chief temple was at Memphis. The females, being sacred to Isis, were thrown into the Nile, which was considered sacred, and the males were buried at Sakkara.

BOTANY.—The few trees found in Egypt include the date palm, tamarisk, sycamore, Christ's-Thorn, carob, and two species of acacia. Many trees have been planted in recent times, especially about Cairo, such as the lebbek (*Albizzia Lebbek*) and the eucalyptus. The papyrus plant, once so important, is now to be found only in one or two spots. Of it was manufactured a paper, which was supplied to all the ancient world. Boats, baskets, cords and shoes were also made of it. Wine was abundantly produced in ancient Egypt, and the sculptures bear ample testimony to the extent to which the ancient Egyptians indulged in wine and beer or other intoxicating beverages. The vine is still cultivated, but little or no wine is made, as it can easily be imported. The following plants are sown immediately after the inundation begins to subside, and are harvested three or four months later: wheat, barley, beans, peas, lentils, vetches, lupins, clover, flax, lettuce, hemp, coriander, poppies, tobacco, watermelons and cucumbers. The

following plants are raised in summer chiefly by artificial irrigation: durra, maize, onions, henna, sugarcane, cotton, coffee, indigo, and madder. Grapes are plentiful, and other fruits abound, of which the most common are dates, figs, pomegranates, apricots, peaches, oranges, lemons, citrons, bananas, mulberries, and olives. The lotus or water-lily is the chief species of flora found in Egypt. There is a high coarse grass called halfa and various kinds of reeds and canes.

GEOLOGY AND MINEROLOGY.—Granite, limestone and sandstone are the principal rock formations found in Egypt. In the Nile Valley sandstone prevails, from the quarries of which most of the temples of Egypt have been built. At Syene, at the southern extremity of the country, granite predominates, and the quarries there have furnished chiefly the materials for the obelisks and colossal statues of Egypt. Over a great extent of the country the rocks are covered with moving sands, and in the lands bordering on the Nile by the alluvium deposited during the inundations which consists of an argillaceous earth or loam, more or less mixed with sand. This sedimentary deposit has no traces of stratification. Various other minerals in addition to those already mentioned, and which were used in the ancient buildings, sculpture, vases, etc., include syenite, basalt, alabaster, breccia and porphyry. Among other valuable products were emeralds, gold from the mines in Upper Egypt, iron from the desert plains of Nubia, and natron from the lakes in the Oasis of Ammon, hence called sal ammoniac. Bitumen, salt and sulphur are also among the minerals of Egypt.

INHABITANTS.—Of the inhabitants of Egypt those of the peasant class, or Fellahs, as they are called, are undoubtedly indigenous, and may be regarded as descendants of the ancient Egyptians. They have mostly embraced Mohammedanism. The Copts are the descendants of the ancient Egyptians who embrace and still cling to the Christian religion. Though compara-

tively few in number (about 600,000), their education and useful talents enable them to hold a respectable position in society. The Fellahs are generally peasants and laborers; the Copts fill the posts of clerks, accountants, etc. With these aboriginal inhabitants are mingled, in various proportions, Turks, Arabs (partly Bedouins), Armenians, Bérbers, negroes and a considerable number of Europeans. The Turks hold many of the principal offices under the government. The great bulk of the people are Mohammedans, the Christians being only about 7.5 per cent. The Egyptians in the mass are quite illiterate, but under the supervision of the ministry of public instruction progress is being made. In 1902 there were about 10,000 schools with 228,000 pupils. The language in general use is Arabic.

The Fellahs, the most superior type of the Egyptian, are a fine race, handsome, of excellent physique, and courteous in their manners. In northern Egypt they are of a yellowish complexion, growing darker toward the south, until the hue becomes a deep bronze. Mr. Lane, the best authority upon the subject, speaks highly of their mental capacity and gives them credit for uncommon quickness of apprehension and readiness of wit. They are highly religious, and are generally honest, cheerful, humane, and hospitable. But these are exceptions in a mixed population of Bedouins, negroes, Abyssinians, Jews and Europeans. The dominant population appears, from the language, and from the physical confirmation of the mummies, to have been of mixed origin, part Asiatic and part Nigritic; and there seems to have been an aboriginal race of copper color, with rather thin legs, large feet, high cheek bones, and large lips; both types are represented on the monuments. The statements of Greek writers that a system of castes prevailed in Egypt are erroneous. What they took for castes were really conditions of society, and the different classes not only intermarried, but even, as in the case of priests and soldiers, held both employments.

As in all bureaucracies, the sons often obtained the same employments as their fathers. The population must have been very large at the earliest period. It has been placed at 7,000,000 under the Pharaohs, distributed in 1,800 towns, which had increased to 2,000 under Amasis (525 B. C.), and upwards of 3,000 under the Ptolemies. In the reign of Nero it amounted to 7,800,000. The population in 1844 was 2,500,000; in 1859, 5,125,000; in 1882, 6,817,265, and in 1897, 9,734,405. The population in 1906 is estimated at 10,500,000, which includes 41,000 Greeks, 25,000 Italians, 20,000 British and 18,500 French. The chief towns of Egypt proper are Cairo, (population 625,000); Alexandria (350,000); Damietta (47,000); Tintah (57,500); Assiut (42,000); Mansurah (34,000); Fayum (31,500); Damanhur (32,000); Zagazig (20,000); Rosetta (17,500); Port Said (18,500); Suez (12,500).

GOVERNMENT.—The ancient government of Egypt was a monarchy, limited by strict laws and by the influence of powerful hereditary privileged classes of priests and soldiers. The priests were the ruling class. They were restricted to a single wife, and if polygamy was permitted to the rest of the people, it must have been very seldom practiced. The marriage of brothers and sisters was permitted. The laws generally were wise and equitable, and appear to have been rigidly enforced. Murder was punished with death, adultery by bastinadoing the man and by cutting off the nose of the woman, forgery by cutting off the culprit's hands. Imprisonment for debt was not permitted, but a man could pledge to his creditors the mummies of his ancestors, and if he failed in his life-time to redeem them, he was himself deprived of burial. Women were treated with respect, and the laws and customs seem to have been so favorable to them that their conditions in Egypt were much higher than in any other nation of antiquity. The military force of Egypt was a species of hereditary militia, which formed one of the leading classes or castes, and in time of peace cultivated the

land of which it held a large portion. The king's guards, some few thousands in number, formed the only standing army. The number of soldiers in the military caste is stated by Herodotus at 410,000, which probably included all the men of that class able to bear arms. It is not probable that the whole of them ever were or could have been brought into the field at once. Their arms were spears and swords, and they were protected by large shields.

At the present day the government is in the hands of the viceroy or khedive, as supreme ruler, who pays an annual tribute of about \$3,000,000 to Turkey and is assisted by a ministry formed on the model of those of western Europe. The capital is Cairo. The government is carried on under the supervision of Great Britain, the rebellion of Arabi Pasha in 1882 having been put down and the authority of the khedive restored by British troops. For some years previous to this, two controllers-general, appointed respectively by France and Britain, had extensive powers of control in the administration of the country. The British have initiated various reforms in the administration, such as the establishment of new native tribunals. The administration of justice is somewhat complicated, there being native tribunals, consular courts, mixed tribunals, and religious courts. The financial condition of Egypt is being slowly improved under British management. The Egyptian army is under the command of an English general, and officered partly by Englishmen and partly by Egyptians; its total strength is 18,100, while the English army of occupation, which, since the rebellion of 1882, has remained in Egypt, has a strength of 5,600.

HISTORY.—The history of Egypt, prior to the beginning of the ancient empire 4000 B. C., is entirely mythical. The history divides itself into six great periods: (1) The Pharaohs or native kings; (2) the Persians; (3) the Ptolemies; (4) the Romans; (5) the Arabs; (6) the Turks.

The main sources of its history under the Pharaohs are the Scriptures, the Greek writers Herodotus, Dio-

dorus, and Eratosthenes, some fragments of the writing of Manetho, an Egyptian priest in the 3rd century B. C. From the Scriptures we learn that the Hebrew patriarch, Abraham, went into Egypt with his family because of a famine that prevailed in Canaan. He found the country ruled by a Pharaoh, the Egyptian term for king. The date of Abraham's visit, according to the chronology of the Hebrew text of the Bible, was 1920 B. C.; according to the Septuagint, 2551; while Bunsen fixes it at 2876. Nearly two centuries later, Joseph, a descendant of Abraham, was sold into Egypt as a slave to the captain of the guards of another Pharaoh, whose prime minister or grand vizier the young Hebrew eventually became. Joseph's father, Jacob, and his family, to the number of 70, accompanied, as Bunsen conjectures, by 1000 or 2000 dependents, followed their former kinsman into Egypt where they settled in a district called the land of Goshen. There they remained until their numbers had multiplied into two or three millions, when under the lead of Moses they revolted and quitted Egypt to conquer Canaan.

Menes was the first king of Egypt and was succeeded by 330 monarchs, of whom one, Nitocris, was a queen. None of them were distinguished, and none of them left any monuments worthy of note, except Moeris, the last of the 330, who constructed the artificial lake which bears his name. He was succeeded by Sesostris, who conquered Ethiopia and the greater part of Europe and Asia. His successors were Pheron, Proteus (who was contemporary with the Trojan war), Rhampsinitus, Cheops, Cephren, and Mycerinus. Mycerinus was succeeded by Asychis, and Asychis by Anysis, in whose reign Egypt was conquered by the Ethiopians, who held it for 50 years under King Sabacon. At the expiration of the half century, they voluntarily abandoned the country and retired to Ethiopia. The next king of Egypt was Sesthos, between whom and the first king, Menes, the priest told Herodotus, there had been 341 generations, during a period of 11,340 years. Sesthos

was succeeded by 12 kings, who reigned jointly, and together built the Labyrinth, which Herodotus thought surpassed all the works of the Greeks. After the lapse of some years, Psammetichus, one of the 12 kings, dethroned the others and made himself sole sovereign of Egypt. He was succeeded by Nechos, Psammis, and Apries, the last of whom Herodotus calls the most prosperous king that ever ruled over Egypt. But in the 25th year of his reign a rebellion broke out which was headed by Amasis. Apries was defeated and put to death and Amasis became king. Amasis was succeeded by his son Psammenitus, at the very beginning of whose reign, 525 B. C., Egypt was invaded and conquered by the Persians under Cambyses.

Cambyses treated Egypt with considerable moderation, but after an unsuccessful expedition against the Ethiopians, lost his reason, stabbed the bull Apis, and committed various atrocities. His successor, Darius I., governed Egypt with more prudence; but Xerxes I. and Artaxerxes I., had successively to reduce it to subjection, which they did in spite of assistance rendered to it by the Athenians. The 27th dynasty of the Persians was followed by another Saite line, the 28th, who still held ground against the Persians; the 29th, Mendesian dynasty of Nephherches and Achoris, maintained a Greek alliance; and the 30th, Sebennyitic, consisted of Nectanebes I., who successfully resisted Pharnabazus and Iphicrates; of Teos, who employed Agesilaus; and of Nectanebes II., who fled into Ethiopia before the Persians (340 B. C.). In 332 B. C., the Persians were driven out by Alexander the Great, with whom begins a new period, the Greco-Roman, in the history of the country.

When Alexander's army occupied Memphis the numerous Greeks who had settled in Lower Egypt found themselves the ruling class. Egypt became at once a Greek kingdom, and Alexander showed his wisdom in the regulations by which he guarded the prejudices and religion of the Egyptians. He founded Alexandria as

the Greek capital, and this city became the great center of commerce and Greek civilization that it long continued to be. The court of the Ptolemies became the center of learning and philosophy; and Ptolemy Philadelphus, successful in external wars, built the Museum, founded the library of Alexandria, purchased the most valuable manuscripts, engaged the most celebrated professors, and had the Septuagint translation made of the Hebrew Scriptures, and the Egyptian History of Manetho drawn up. His successor, Euergetes, pushed the southern limits of his empire to Axum. Philopator (221-204 B. C.) warred with Antiochus, persecuted the Jews, and encouraged learning. Epiphanes (204-180 B. C.) encountered repeated rebellions, and was succeeded by Philometor (180-145 B. C.) and Euergetes II. (145-116 B. C.), by Soter II. and Cleopatra till 106 B. C., and by Alexander (89 B. C.), under whom Thebes rebelled; then by Cleopatra Berenice, and Alexander II. (80 B. C.), and Neos Dionysus (51 B. C.), and finally by the celebrated Cleopatra. After the battle of Actium (31 B. C.) Egypt passed into the condition of a province of Rome, governed always by a Roman governor of the equestrian, not senatorial rank. The Egyptians had continued building temples and covering them with hieroglyphics as of old; but on the spread of Christianity the older religions lost their sway. Now arose in Alexandria the Christian catechetical school, which produced Clemens and Origen. Monasteries were built all over Egypt; Christian monks took the place of the pagan hermits and the Bible was translated into Coptic.

On the division of the Great Roman empire (337 A. D.), in the time of Theodosius, into the Western and Eastern empires, Egypt became a province of the latter, and sank deeper and deeper into barbarism and weakness. It then became the prey of the Saracens, Amru, their general, under the Caliph Omar, taking Alexandria, the capital, by assault. This happened 640 A. D., when Heraclius was the emperor of the east. As a province of the caliphs, it

was under the government of the celebrated Abbassides—Harun Al-Rsahid and Al-Mamon—and that of the heroic Sultan Saladin. The last dynasty was, however, overthrown by the Mamelukes (1240), and under these formidable despots the last shadow of former greatness and civilization disappeared.

ANCIENT ARCHITECTURE.—The monuments and traces of a past civilization found in Egypt are of three periods; that of the "Great Pyramid Jeezeh," built by a previous race of people, those built in the times of the Pharaohs, and those built during the sway of the Greek and Roman rulers of the country. Although the temples of the three periods differ considerably in plan and other particulars, there is yet sound reason for believing that those built under the Greeks and Romans were constructed after designs, as they certainly occupy the sites of Pharaonic temples still more ancient than any now existing; and they were, in fact, mere restorations of temples built by the earlier Pharaohs.

The leading features of the now existing temples of the time of the Pharaohs are these: First, a gateway or pylon, flanked by two truncated pyramids. These occupy the entire width of the building, and form the entrance to a square court, surrounded by a portico supported by a double or single row of columns. Crossing this court the visitor passes through a second pylon into the inner court, which was likewise surrounded either by columns or by piers, against which were figures of the king. Beyond this second court it would appear the public were not admitted, for the spaces before the front row of columns or piers facing the gateway are occupied by a dwarf wall, which effectually barred entrance except at either one of three points where there were gates. This inner court led immediately into the largest of the temples called the Hall of Columns, the roof of which was always supported by columns representing a grove of papyrus. The center avenue was higher than

the rest of the hall, and consisted usually of 12 columns, the capitals being imitated from the full-blown expanded papyrus, while the columns which sustained the lower roof were in the form of a bud of the same plant. To the Hall of Columns succeeded a series of smaller chambers, the roofs of which were generally supported by six or four columns, imitating the bud of the papyrus, either as a single plant or as several bound together; or else by square piers or columns with 8, 12 or 16 faces. These apartments frequently surrounded a dark chamber—the most sacred in the temple—the holy of holies. Whether the roof of the portico which surrounded the court was supported by piers or columns, the structural arrangement was always precisely the same. There was first the pier or column, ordinarily made of several pieces of stone solidly united by mortar and wooden clamps; then came the architrave or frieze, of one block, stretching from column to column and lastly the blocks forming the cornice, concealing the ends of the roof stones which rested upon the architrave. The bulk of the column in proportion to the weight it had to sustain, was extremely ample; and the pressure being always perpendicular, these ancient structures have come down to us with their roofs sound, while arched buildings of much less antiquity have been entirely ruined by the lateral pressure which that mode of construction exerts on the walls. The Egyptian gate was peculiarly simple. The lintel was always of one stone, and the door-posts were also very frequently of only one block, while each of the three portions had its appropriate decoration. Above the entrance was sculptured the winged globe or protecting divinity of entrances, with the names of the divinities to whom the temple was dedicated, and of the Pharaoh who built it. The door-posts also bore the name and title of the builder. The surface of each architectural feature was engraved with its particular ornament appropriately colored.

The temples built during the reigns of the Greek and Roman rulers may be thus described: First, the propylon with its truncated pyramidal towers, which were sometimes adorned with narrow flags on tall poles; then a court surrounded on three sides with a colonade. At the extreme of the court, and facing the gateway, was an elevated portico of six columns in line, and three or four deep. The uninitiated obviously were not permitted to enter beyond the court, for the columns of the first row of the portico are invariably joined by a dwarf wall, the only opening being between the center intercolumniation, to which were attached the valves of the gate. To the portico succeeded a series of small chambers, the roofs of which were supported by four or by two columns. The center chambers were lighted by small square openings in the roof, and those at the side by small openings in the walls; but in no example is there that kind of clereastory perforated with large openings that occurs in the Hall of Columns of the Pharaonic temples. Besides the foregoing characteristics, there is an elaborate form of capital, representing the papyrus in three stages of growth; in one capital, or sometimes a collection of lotus flowers, or the full-blown papyrus alone; but in no instance do we find the pier with the attached figure, nor the single bud of the papyrus, nor that form of column which represents several buds of the plant joined together. The palm tree capital, however, belongs to both periods.

Among the most remarkable structures erected by the ancient Egyptians are the great pyramids, the last thirty-seven of which were erected to serve both as monuments and as tombs. These are not to be confounded with the First Great Pyramid which was built for an entirely different purpose by a different race of people. (See further on.) Strong buildings containing one or more rooms were also erected as tombs, in which food and other articles were deposited for the use of the dead, the inner walls being embellished with inscriptions and representations, and statues of the dead being also placed in the interi-

or. Tombs cut in the rock were also common. In connection with architecture should be mentioned the obelisks, the oldest known being erected by Usertesen I. Sphinxes, often forming avenues, were a common accessory of temples, the greatest being that known as *the* Sphnix, a colossal companion of the Great Pyramid Jeezeh.

ANCIENT SCULPTURE.—In portrait sculpture the Egyptians attained extraordinary perfection at an early date, the skill with which they worked in hard stone, such as diorite and basalt, being surprising. Some of the early statues are of colossal size, but a higher type of art is shown in those of ordinary size, though a certain conventional treatment is always apparent. The most usual kind of mural sculpture, a kind peculiar to the Egyptians, is that known as hollow or sunk relief (*cavo-rilievo*). The general outline of the object intended to be represented is cut into the smooth surface of the stone, while at the same time the minor forms and rotundity are represented within the incised outline. By this contrivance the details of the sculptures are protected. Sometimes the outline is excessively deep, at others the surface of the figures is altogether much lower than the general surface of the wall and in others the outline is but slightly incised with a corresponding flatness within. Wherever the Egyptians practiced the true *bas-relief* the sculpture is almost invariably in very low relief. The back view of the human figure is never represented in the sculptures excepting in the case of an enemy, and then rarely; the figure is generally represented in profile, and there are but few attempts at delineating the front view of the foot or of the face; however, whether the face be represented in front or side view, a profile eye is never found. The figures of the kings in battle pieces, and of the landed proprietor in domestic scenes, are always on a much larger scale than the other actors in the piece. Statues and reliefs were always painted, and when wall painting is employed it is always as a substitute for sculpture. There is no proper perspective, and certain

conventionalities of color are employed. The Egyptians are represented with red and yellow complexions, red ochre for the men and yellow for the women. The hair of the king is frequently painted blue, but that of ordinary men black. In representing the various nations with whom Egypt had intercourse, the artists seem to have endeavored to imitate the complexions peculiar to each. Ammon-Re, the chief divinity of Thebes, is always painted blue, and he is further distinguished by two high feathers which he wears in his cap. The inferior divinities are not uncommonly of the complexion of mortals. The sky or heavens are invariably indicated by a strip of blue coming downward at the lower side of each extremity, and occasionally having upon it a row of five-pointed stars. Water, seas and rivers are represented by zig-zag lines of a blue or green color. Mountains have a yellow color, with red spots upon it. Egyptian art was at its highest during the period between the dynasties four and six, and notwithstanding its defects it was superior to that of Nineveh and Babylon.

ARCHÆOLOGY.—The attention of the world was drawn to Egypt as a rich field for scientific exploration in the early part of the 19th century. In 1799, M. Boussard, one of Napoleon's captains, found a large block of black granite in the trenches of Fort Julien near Rosetta; hence the Rosetta stone. On this were the remains of three inscriptions in hieroglyphic, demotic, and Greek characters. The stone was given to the British Museum by George III.

Emanuel de Rouge, of France, was the first to translate whole Egyptian books and inscriptions. His influence was felt in France by such men as Mariette, Chabas, Deveria, Pierret, Maspero, and by Revillout, the great demotic scholar of France, and by Birch, Hincks, Lepage, and Renouf in England. The practical Archæologists of the German school, notably Lepsius, Bunsen, and Brugsch, translated the texts in the Egyptian temples in their relation to history and religion. The German school has devoted itself more to grammars and philology, while the French school has

made history and archæology its special study since Emanuel de Rouge's death. To Auguste Mariette (Mariette Pasha) is due the discovery of the Serapeum of Memphis. He cleared the temples of Edfu, Karnak, Denderah and Abydos. He explored the Nile valley from Tanis to Napata, and his collection of antiquities was moved in 1889 to Jeezeh from Boulak. The museum there is famous. In 1896, Col. G. E. Raum, of San Francisco, Cal., discovered the cap of the Sphnix at Jeezeh, which had been missing for centuries. After Mariette the work of excavation was carried on by Maspero, Grebaut, and De Morgan, the first who resumed his post as director-general of antiquities in 1899. There is an archæological mission in Cairo, founded in 1880 by Maspero, who placed at its head successively Lefebure, Grebaut, and Bouriant. Students go every year to Egypt to excavate. The Egyptian Research Account under Petrie trains students as explorers. The Egyptian Exploration Fund was founded in 1883 by Sir Erasmus Wilson, Prof. R. Stuart Poole, and Miss Amelia B. Edwards, and its American branch at the close of that year by the Rev. Dr. William C. Winslow, of Boston, who had spent several months of archæological research in Egypt and attended the removal of the obelisk in Alexandria for Central Park, New York. Edouard Naville, of Geneva, was the first agent sent out. In 1883 he cleared the site of Pithom, near the land of Goshen. The work of Naville, Griffith, Gardner and Newberry resulted in important discoveries at Nauceatis, Tanis, Bubastis, Tal paug, Ahnas, Denderah, Deir-el Bahari, and Tel-el-Amarna.

RECENT DISCOVERIES.—The last few years have seen wonderful discoveries in Egypt, for the tombs of the kings at Abydos have been opened and the treasures which have been found place us face to face with the beginnings of history. Among the remarkable finds were a carved slate slab showing King Narmer smiting his enemy, an ebony table, a bar of gold, gold jewelry, including bracelets, and a royal scepter. The oldest group of

jewelry in the world is undoubtedly the four bracelets of the queen of King Zer (4715 B.C.) which were discovered with a portion of the mummy in a hole in a wall. This is 2000 years earlier than any other jewelry thus far identified. The bracelets show a wonderful perfection in the soldering of the gold. The bracelets show the turning point in the development of Egyptian art, the finest bracelets being formed of alternate plaques of gold and turquoise, each surmounted with a royal hawk. The turquoise plaques have a more archaic and lumpy form of hawk than do the gold pieces, and show that during a comparatively short period, little more than half a century, rapid crystallization in art took place, and at the end of his reign the forms are practically identical with what continued for more than 4,000 years later. Dr. Flinders-Petrie considers that this is comparable to the sudden fixation of the final forms which is seen in Greek art, where an interval of only 40 years, between the time of the Persian war and the Parthenon, sufficed for the evolution from archaic work to the greatest perfection. Each of the royal tombs had two large tombstones, bearing the name of the king, and private tombs of all the court and domestics were placed around that of their royal master. They are nearly all built of brick, in most cases with a timber lining to the chamber sunk in the ground. They were originally roofed over with beams, matting and sand. They lie about a mile back from the Temple of Abydos and they were excavated by the Egyptian Exploration Fund.

An American archaeologist, Theodore M. Davies, has made one of the most interesting discoveries of recent years in excavating the tomb of one of the Pharaohs of the 18th dynasty, Thothmes IV. In this tomb was found the chariot in which Thothmes rode at Thebes. Like the other royal tombs, Thothmes' tomb consists of a gallery cut in the heart of the mountain. After sloping downward for a considerable distance it is interrupted by a deep square well, on one of the walls of which is a band of paintings. On the further side of the well the passage turns back, and finally

opens into a large chamber, at the extreme end of which is a magnificent sarcophagus of granite covered with texts from "The Book of the Dead." On either side are smaller chambers, the floor of one of which was found to be covered with mummified loins of beef, legs of mutton, and trussed ducks and geese, offerings made to the dead king. Clay seals with the name of Pharaoh had been attached to the doors of the chambers, and it is stated, these seals contain proof that the Egyptians of between 3,000 and 4,000 years ago had to some extent anticipated the invention of printing, the raised portions of the seals having been smeared with blue ink before being pressed on the clay. A great many of the objects in the tomb of Thothmes were found to be broken, and this was explained by a hieroglyphic inscription on one of the paintings which adorn the walls of the vestibule to the chamber in which the sarcophagus was found. This inscription states that the tomb was plundered by robbers, but that it had been restored as far as possible to its original condition by Hor-em-heb, the reigning Pharaoh. The floor was covered with vases, dishes, symbols of life, and other objects of blue faience. Unfortunately, nearly all of them had been wantonly broken, though in some cases the breakage had been repaired in the time of Hor-em-heb. Equally interesting is a piece of textile fabric into which the hieroglyphic characters of different colors have been woven with such wonderful skill as to present the appearance of painting on linen. It is, however, of course, Pharaoh's chariot which is regarded as the great find. The body of it alone is preserved, but in perfect condition. The wooden frame was first covered with papier mache made from papyrus, and this again with stucco, which had been carved, both inside and out, into scenes from the battles fought by the Pharaoh in Syria. The art is of a very high order, every detail being exquisitely finished and the faces of the Syrians being clearly portraits taken from captives at Thebes. The chariot is, in fact, one of the finest specimens of art that have come down to us from antiquity. Along with the chariot

was found the leather gauntlet with which the king protected his hand and wrist when using the bows or reins.

Recent excavations at Abydos have brought to light the royal tomb of Menes, of the first dynasty, in which was found a large globular vase of green glaze, with Menes' name inlaid in purple. Thus polychrome glazing is taken back thousands of years before it was previously known to exist. There are also several pieces of this age in the highest art of delicate ivory carving, especially the figure of an aged king, which for subtlety of character, stands in the first rank of such work, and is comparable to the finest work of Greece and Italy. This fresh connection illustrates the trade chronology of the period. A camel's head modeled in pottery takes back its relation to Egypt some 4,000 years. Hitherto no trace of the camel appeared before Greek times. The ivory carving of a bear also extends the fauna of early Egypt.

CAIRO.

(Sec. 2.) CAIRO (Arabic, El Kahira, "The Victorious," or Masr el Kahira), Egypt, capital of the country and largest city of Africa, situated on the east bank of the Nile, about seven miles above the point where it divides to form the two main branches of its delta. The town is built between the river-bank and the northwestern end of the hills known as Jebel Mokattam, on whose most advanced spur stands the citadel in a commanding position well above the rest of the city. During the last 46 years the town has lost much of its Oriental character, but the Arab quarters still present a maze of very narrow streets lined by curious buildings in endless variety of style. The houses are mostly built of yellow limestone, with flat roofs; and many of them have small gardens behind. In the more modern parts of the city the streets are broader, and many of them are lined by trees and lighted by gas. The European quarter, known as Ismailiyeh, forms the western part of the modern Cairo, and its center is the octagonal Ezbekiveh Garden (20 1-2 acres), with plants from many regions and with an artificial pond.

Here, too, are many cafes, concert halls and other similar buildings. Among the more notable buildings of the European quarter are the consulates, the opera-house, open in winter, the Italian summer theater, English and German churches, the ministerial offices and the barracks. The chief business street, known as Muski, runs east-southeastward from the neighborhood of the Ezbekiveh and the Boulevard Mehemet Ali extends from about the same place southeastward to the citadel. Cairo has more than 500 mosques, (places of prayer, Mohammedan temples or houses of worship) but many of them are wholly or partly in ruins. The finest of all is the Sultan Hasan Mosque, a truly noble building with a lofty minaret. Others worthy of mention are that built in the 9th century by Ahmed ibn Tulun in imitation of the one at Mecca; the Hakim Mosque, dating from the beginning of the 11th century; the Hosen Mosque of the son of Ali, Mohammed's son-in-law; the Sitti-Zeynab Mosque, named after a grandchild of the prophet; the Azhar Mosque, famous for its schools of theology, which are attended by Mohammedans from all parts of the world; and the Alabaster Mosque of the citadel, with the tomb of Mehemet Ali, the finest of the modern mosques. The tombs in the burying grounds outside the city, many of them in the form of mosques, also deserve mention, especially those known as the tombs of the caliphs. The most important gate of the city is the Bab-en-Nasr, through which large numbers of pilgrims pass every year on their way to Mecca. The mosques contain valuable libraries, but the chief library of the city is the viceregal one, founded in 1870, and now containing about 60,000 volumes, largely manuscript. The trade of Cairo is large and the bazaars and markets are numerous, there being special bazaars for gold and silver smiths, tapestry merchants, saddlers, armourers, shoemakers, etc. Beside the numerous Mohammedan places of worship, Cairo contains English, French, German, Coptic, and other churches and Jewish synagogues, and there are European schools and

hospitals. The Egyptian Institute, founded at Alexandria in 1859, is now located in Cairo.

The suburb of Bulak, in the northwest of the town, opposite the island of Bulak, forms the port of Cairo, and its narrow streets present a busy scene of Oriental life. The island of Bulak and the left bank of the Nile are reached by a great iron bridge, and there is also a railway and general traffic bridge below the island. To the southwest of the modern town and also on the Nile bank stands the suburb of old Cairo, or Masr-el-Atika. On the left bank of the river, almost directly opposite old Cairo, is the suburb of Jeezeh. It has government buildings, a zoological garden, etc., but its chief attraction is the great Egyptological museum formerly in Bulak, but removed here in 1889. From Jeezeh a road and a tramway leads southwestward to the famous group of pyramids, called the pyramids of Jeezeh. On the island of Roda, between Jeezeh and old Cairo, the celebrated Nilometer still stands. Cairo enjoys a very mild climate, and is in consequence visited in winter by many Europeans suffering from chest and lung ailments. Many of these stay at Helwan, a small place about 14 miles south-southeast of the town. Cairo is in railway communication with Alexandria, Damietta, Suez, etc., and with Upper Egypt, and the fresh water canal connects it with Ismailia and Suez. In 1896 electric tramways were introduced in the most important streets. Cairo is the residence of the Khedive, the seat of a Coptic and a Greek orthodox patriarch, and it contains all the highest public offices of the country. El-Fostat, "tent", now Old Cairo, was founded by Amru, lieutenant of Caliph Omar, in 640 A. D. In 969 when the Fatimite dynasty gained possession of the country, the new city to the north was founded. Saladin surrounded it with walls of stone and built a citadel. He also constructed a wooden aqueduct from the Nile to the citadel, a work afterwards replaced by the still existing aqueduct of stone. Cairo was taken by the French in 1798, and was occupied by the British in 1882, after the battle

of Teb-el-Kebir. Population (1907) 625,000, including Fellahin, Copts, Turks, Arabs, and other Orientals, besides about 25,000 foreigners from the chief European countries, especially Italy, Greece, France, Austria, England, and Germany.

THE SEVEN WONDERS OF THE WORLD.

(Sec. 3.) A phrase that has been applied for ages to the seven historical monuments of the constructive skill and art of the antique world. They are:

I. THE GREAT PYRAMID JEEZEH OF EGYPT,

the most gigantic of the three pyramids near the village of Jeezeh, about eleven miles from the banks of the Nile, forming a line to the westward of the city of Cairo. Herodotus was informed by the priests of Memphis that the great pyramid was built by Cheops, king of Egypt, about 900 B. C., or about 450 years before he visited that country; that the body of Cheops was placed in a room beneath the bottom of the pyramid; and that the chamber was surrounded by a vault, to which the waters of the Nile were conveyed by a subterranean tunnel. Pliny and Diodorus Siculus agree in stating that 360,000 men were employed twenty years in erecting this pyramid; and in contrast with this vast labor Sir John Herschel, calculating the weight of the pyramid to be 12,760 million pounds of granite (3 times that of the stone in Plymouth Breakwater) at a medium height of 125 feet, adds that it could have been raised by the effort of about 630 chaldrons of coal, a quantity consumed in some foundries in a week.

Herodotus states that 1,600 talents of silver were expended in providing the workmen with leeks, onions, and other food; and one great object of the Egyptian rulers in erecting this and other stupendous monuments was to prevent the evils of over-populousness by accustoming the lower orders to a spare diet and severe labor. It may here be sufficient to state, that the pyramid consists of a series of platforms, each smaller than the one on which

it rests, and consequently presenting the appearance of steps, which diminish in length from the bottom to the top; and of these steps there are 203. The entrance is in the north face. Within are passages leading to chambers lined with granite; in one of which, the king's chamber, is a red granite sarcophagus in which Cheops is supposed to have been entombed. This pyramid, the largest building in the world, has lost its apex and its casing. There is a second pyramid, retaining at its apex a portion of its casing, which is the tomb of Sensuphis. The third pyramid, the least ancient, was built by Mycerinus, according to Herodotus, and by Queen Nitocris, according to Manetho. The date of the pyramids is, according to the Newtonian chronology, between 1451 and 1153 B. C., or nearly 800 years after Abraham's visit to Egypt. It has been supposed by some, says Wilkinson, that from the pyramids not being mentioned in the Bible or Homer, they did not exist before the exodus, or in the time of the poet. The presence of the name of Rameses the Great (who preceded the Trojan war) sufficiently answers the latter objection. The base of the great Pyramid has been often stated to equal that of the area of Lincoln's Inn Fields; but the fact is otherwise: the base of the pyramid measures in figures 764 feet on each side; whereas Lincoln's Inn Fields, although 821 feet on one side is only 625 1-2 feet on the other, so that the area of the pyramid is greater by many thousand square feet. (The above statement regarding the "*First Great Wonder of the World*," appears in many of our modern cyclopedias. The author desires to state that the above account is scarcely correct in a single particular, and only approximately so in regard to its size. As this work is being published to particularly demonstrate the above mentioned Great Pyramid, the reader is asked to withhold his opinion until he has at least perused the closing chapter of this work.)

2. WALLS AND HANGING GARDENS OF BABYLON.

Babylon derives its name from the Hebrew word signifying Babel, the confusion of tongues (Genesis XI., 1 to 9); or from another expression signifying the court or city

of Belus. In Daniel IV.-27, it is termed Babylon the Great; and by Josephus (*Antiq.* VIII-VI-I) the Lady of the Kingdoms; the glory of the whole earth. It was the metropolis of the province of Babylon, and of the Babylonio-Chaldean Empire. Its foundations were laid with those of the Tower of Babel. Herodotus states that the walls of Babylon were sixty miles in circumference, built of large bricks, cemented with bitumen, and raised round the city in the form of a square, protected on the outside with a ditch lined with the same material. They were 87 feet thick and 350 feet high. According to Quintus Curtius, four horse chariots could pass each other on them. The city was entered by 25 gates on each side, of solid brass and strengthened by 250 towers. The palace of Nebuchadnezzar was the most magnificent and stupendous work. Its outer wall embraced six miles. Within were two other embattled walls, besides a great tower. The hanging gardens were attributed by Diodorus to Cyrus, who constructed them in compliance with the wish of his queen to possess elevated groves such as she had enjoyed on the hills around her native ecbatana; for Babylon was flat. To gratify this wish an artificial mountain was reared, 400 feet on each side; while terraces, five in number, one above another, each containing four acres, rose to a height that overtopped the wall of the city some fifty feet, or about four hundred feet elevation. The ascent from terrace to terrace was by flights of steps; while the terraces themselves were reared to their various stages, sustained by vast arches raised on other arches and on the top were flat stones closely cemented together with plaster of bitumen and that covered with sheets of lead upon which lay the mould of the garden where there were large trees, shrubs, and flowers, and various sorts of vegetables. Mr. Rich found upon the site a hollow pier, 60 feet square, lined with fine brick laid in bitumen and filled with earth; this corresponds with Strabo's description of the hollow brick piers which supported the hanging gardens, and in which piers the large trees grew.

3. THE GOLD AND IVORY STATUE OF JUPITER BY PHIDIAS AT OLYMPUS.

The masterpiece of Phidias, the greatest artist that ever lived, was executed by him for the people of Elis, and rivalled his celebrated statue of Minerva in the Parthenon. The Jupiter was set up in the temple of that deity at Olympia, near Elis, where the Olympic games were celebrated. The temple was 68 feet in height, 95 in width, and 230 in length. Pausanias describes the statue from personal observation, which Strabo corroborates. The god was formed of gold and ivory, 58 feet in height, seated on a throne, and almost touching the roof of the temple. Upon his head was an olive crown; in his right hand he bore a winged figure of Victory, also of gold and ivory, crowned and holding a wreath. In the god's left hand he bore a lofty sceptre surmounted with an eagle. His sandals and robe were of gold, the latter painted with animals and flowers, particularly lilies. The throne was formed of ivory and ebony, inlaid with gold, set with precious stones, and sculptured with graceful figures. The faces of the steps bore bas-reliefs of classic myths, and the footstool rested upon four couchant lions. In this work Phidias followed Homer's impersonation of the god:

"He spoke, and awful bends his sable brows,
Shakes his ambrosial curls, and gives the nod,
The stamp of fate, and sanction of the god;
High Heaven with trembling the dread signal took,
And all Olympus in the center shook."

The heathen historians tell us that Phidias received for his skill the testimony of Jupiter himself; when the artist prayed the god would make known if he was satisfied, immediately the pavement of the temple was struck by lightning, and the spot was afterwards marked by a bronze vase. Crowds flocked to Elis to behold this wonder; and in Greece and Italy it was held as a calamity to die without seeing it. Nor was the admiration merely the superstition of the multitude; for a Roman senator, when looking at this Jupiter of ivory and gold, had his mind moved as

though the god were present. The able restoration of this figure has been learnedly commented on by M. Quatremere de Quincy.

The Doric temple in which this statue was placed was in the extreme length 369 feet, breadth 182 feet, as traced by Mr. Cockerell, from the foundation; many of the blocks of marble weigh nearly nine tons each and each of the two remaining capitals is computed to weigh more than twenty-one tons. These masses were raised 70 feet, and the flutings of the columns would contain a man in their hollow as in a niche. The pediments were sculptured with the wars of the Giants and the siege of Troy; upon the entablature stood a row of Atlantes, each 25 feet high, and supporting an upper entablature at 110 feet above the floor. The chest of one of these giants restored measured more than six feet. The nave of the temple was 18 feet higher and 2 feet broader than the nave of St. Paul's Cathedral, in London. Of this splendid edifice the basement alone remains.

4. THE TEMPLE OF DIANA OF THE EPHESIANS.

At Ephesus (the modern Natolia), the capital of the twelve Ionian cities in Asia Minor, was built around the famous image of the goddess. This edifice was burned down on the night in which Alexander was born by an obscure person named Eratostratus, who thus sought to transmit his name to posterity. Alexander made an offer to rebuild the temple, provided he was allowed to inscribe his name on the front; which the Ephesians refused. Aided, however, by the whole of Asia Minor, they erected a still more magnificent temple, which occupied them two hundred and twenty years. Pliny describes it as 425 feet long by 225 broad, and supported by 127 columns, furnished by that number of kings, each column was of Parian marble 60 feet high, and weighed 150 tons, and was contributed by some prince; thirty of them were richly carved. Chersiphron was the architect. The altar was the work of Praxiteles. The famous sculptor, Scopas,

is said to have chiselled one of the columns. Apelles contributed a splendid picture of Alexander the Great. The temple was built of cedar, cypress, and even gold; and within it were treasured offerings to the goddess, as paintings, statues, etc., the value of which almost exceed computation. Nero is said to have despoiled the temple of much of these treasures; but it continued to exist until it was burnt, 356 B. C.; again rebuilt and again burnt by the Goths, A. D. 262, during the reign of Gallienus, A. D. 254-268.

Vitruvius considers this temple as the first edifice in which architecture was brought to perfection, and the first in which the Ionic order was employed. Soon after it was rebuilt with additional splendor. Its remains consist of several walls of immense blocks of marble, in the fronts of which are small perforations wherein were sunk the shanks of the brass and silver plates with which the walls were faced. Some of the vast porphyry columns of the front portico lie prostrate upon the site; others were taken by Constantine to build his new city at Constantinople. The heathen temple was also dilapidated to erect the Christian church of Santa Sophia, in which these columns again support an anti-Christian edifice.

"But," says the Rev. Dr. Walsh, the traveller, "the most interesting circumstance of this building to me is, the great illustration it gives to the Acts of the Apostles. Here is the place where St. Paul excited the commotion among the silver and brass smiths who worked for the temple; and over the way was the theater, into which the people rushed, carrying with them Caius and Aristarchus, Paul's companions. Hence they had a full view of the front of the temple which they pointed out as that 'which all Asia worshipped'; and in their enthusiasm they cried out, 'Great is Diana of the Ephesians to whom such a temple belongeth.' "

5. THE MAUSOLEUM, OR TOMB OF MAUSOLUS, KING OF CARIA.

This king, the eldest of the three sons of Hecatomnus, the wealthiest of the Carian dynasty, died B. C. 353; when his widow and sister, Artemisia, erected to his memory, at Halicarnassus (now Budrun) a superb tomb, which, by its artistic celebrity, has given the name of mausoleum to tombs and sepulchres of stately character. The tomb of Mausolus was designed by Phiteus and Satyrus; it was nearly square in plan, 113 by 93 feet; around its base was a peristyle of 36 Doric columns, said to have been 60 feet high, while the superstructure rose in a pyramidal form to the height of 140 feet. To adorn its sides with sculpture, Artemisia employed Bryazis, Timotheus, Leochares, Scopas, Praxiteles and Pythis. Artemisia died before the monument was completed; when the artists are said to have finished the work for their own honor and the glory of art. Mr. Vaux, in his admirable work, "Handbook of Antiquities in the British Museum" says, "Strabo in the first, Pausanias in the second, Gregory of Nazianzus in the fourth, Constantine Porphyrogenitus in the tenth, and Eudokia in the eleventh centuries, respectively speak of it in terms which imply that it was still existing during those periods; while Fontanus, the historian of the siege of Rhodes, states that a German knight, named Henry Schelegelhott, constructed the citadel at Budrun out of the Mausoleum," and decorated its walls with the marbles and bas-reliefs. The existence of these marbles had long been known, when, in 1846, they were, through the exertions of Sir Stratford Canning, presented by the Turks to the British nation, and are now in the British Museum, which thus possesses fragments of two of the seven wonders of the world—the Mausoleum, and a fragment of the casing of the Great Pyramid of Egypt. That the bas-reliefs now in the Museum were inserted in the Budrun walls by the Knights of Rhodes, is proved by the escutcheons, Latin sentences, and the date 1510, as well as by an inscription on a shield borne by one

of the figures. The marbles consist of 11 slabs, 64 feet 11 inches long, sculptured with a battle between the Greeks and Amazons, Heracles, too, appearing among the combatants. The sculptures in style considerably resemble the Choragic monument of Lysicrates at Athens. There were between the columns, statues of Parian marble; at each angle of the basement a portico, surmounted with a colossal equestrian statue; bas-reliefs on the terrace; two octagonal towers on the second terrace, which was planted with cypresses, and from the third terrace, rose the crown of the pyramid, with a colossal group in marble of Phæton in his quadriga. When Anaxagoras saw this costly work he exclaimed, "How much money is changed into stone."

The Mausoleum seems to have existed in the time of Strabo and from its description by Pliny has been modeled the steeple of St. George's church, Bloomsbury, London.

6. THE PHAROS OF ALEXANDRIA.

So named from the island on which it stood, was surrounded by water (a watch tower or light house). It consisted of several stories of galleries of a prodigious height, with a lantern at the top continually burning. It was built by Ptolemy Philadelphus, King of Egypt, about 270 B. C., and the architect, as the inscription stated, was Sostratus Onidius. How long this structure stood is not very certain but was so famous that all light houses after it were called by the common name of Pharos. "The modern Pharos" according to Mr. Land, "is a poor successor to the ancient building erected by Sostratus Onidius, though from a distance it has a rather imposing appearance. Several Arab historians mention the telescopic mirror of metal which was placed at the summit of the ancient Pharos. In this mirror, vessels might be discerned at sea at a very great distance. El Makreezee relates that part of the Pharos was thrown down by an earthquake in the year of the Flight (A. D. 793-4); that Ahmad Ibn-Tooloon surmounted it with a dome of wood and that an inscription

upon a plate of lead was found upon the northern side, buried in the earth, written in ancient Greek characters, every letter of which was a cubit in height and a span in breadth. This was perhaps the inscription placed by the original architect, and which, according to Strabo, was to this effect: "Sostratus Onidius, the son of Dexiphanes, to the protecting Gods for the sake of the mariners." It is also related by Es-Sooyootee, that the inhabitants of Alexandria likewise made use of the mirror above mentioned to burn the vessels of their enemies by directing it so as to reflect the concentrated rays of the sun upon them. The Ancient Pharos was 450 feet in height and its cost was 800 talents, or \$13,656,000.

7. THE COLOSSUS OF RHODES.

In the days of its prosperity, the Island of Rhodes is said to have been adorned with 300 statues and upward of 100 colossal figures; of the latter, there was one distinguished as "the Colossus of Rhodes." It was erected with the spoil which Demetrius left behind him when he raised the siege which he had so long carried on against the city. This famous colossus was erected at the port of Rhodes, 300 B. C., and consecrated to the sun, tutelar deity of Rhodes. It was, according to Pliny, a work of Chares, of Lindus, one of the cities of Rhodes, a pupil of Lysippus; its height was seventy cubits (about 105 feet), the cost of its erection about 300 talents, silver (about \$477,000) and the time consumed in it about 12 years. Fifty-six years after its completion (244 B. C.) this statue was thrown down by an earthquake, and in Pliny's time it was still lying on the ground, a wonder to behold. Few persons, he says could embrace the thumbs and the fingers were longer than the bodies of most statues; through the fractures were seen huge cavities in the interior, in which immense stones had been placed to balance it while standing. Bigenaire and Du Choul, two antiquaries of the 16th century, imaginatively describe the statue to have been placed across the harbor of Rhodes, with a stride of fifty feet from rock to

rock. Vessels passed under it in full sail, a lamp blazed in its right hand and an internal spiral staircase led to its summit and round its neck was suspended a glass in which ships might be discerned as far off as the coast of Egypt. After the overthrow of the Colossus, Greece and Egypt offered to contribute large sums to restore the figure, but the Rhodians declined, alleging that they were forbidden by an oracle to do so and the fragments of the statue lay scattered on the ground until the Saracens became masters of the island—a period of nearly 900 years. In the year 655, an officer of the Caliph Othman collected the valuable materials and sold them to a Jewish merchant of Edessa, who is said to have laden 900 camels with the brass.

THE GREAT PYRAMID JEEZEH

(Sec. 4.) Through the aid of a map or globe containing the different grand divisions of the earth, any person can trace for themselves the different continents and islands, and note their relative positions to each other, also those who keep themselves posted on current events know that every now and then an island sinks into the sea, or a mountain subsides to the level of the valley in which it is located; or, *vice versa*, an island or a mountain is thrown up on some portion of the earth, and we are led to remark, “it has come to stay.” But it requires a little greater stretch of imagination to *think* and *say* that the North Pole has some day been the South Pole and that the east side has faced the setting sun at different intervals; or, still more wonderful to say, that such a continent was once an ocean, or such an ocean was once a continent. Yet evidence exists on the top of nearly every mountain, by the presence there of shells and fossil fish, that they once inhabited the bottom of the sea. It is not quite so clear, however, or susceptible of proof, that an ocean had once been a continent and the scene of even greater human activity than now exists on land elsewhere. This we believe nevertheless, and further on will state our reasons for such belief.

For a change of polarity we offer as evidence the fact that fossils of the polar bear, walrus, etc., have been found at points near the equator, and in portions of both the north and south temperate zones. On the other hand, not only the fossils of tropical animals, but the entire carcass of the mastodon, elephant and camel have been found in the polar regions and adjacent territory. We have not time here or space to note even the principal discoveries of the different species, with day and date. During the summer of 1862, however, we assisted in the unearthing of a mastodon's tusk at or near Kincaid Flat, Tuolumne County, Cal., that measured over 14 feet in length, and over 10 inches in diameter at the root. At this place snow falls nearly every winter and the mercury goes down below the freezing point. Also note the tracks of the elephant on the floor of the yard of the state prison at Carson, in the State of Nevada, and then say, if you think that such animals ever *voluntarily* inhabited such territory. Noted geologists estimate that it took over 40,000 years to form the mineral covering of the tracks of both human beings and animals in the Carson prison yard. While on this subject we note the fact that no fossils of animals or birds indigenous to any *cold* climate have ever been found within a radius of fifty miles of the Great Pyramid, and the strata of rock and earth lay as originally formed, straight and level with the surface of the earth, thus proving that no general seismic disturbance or cataclysmal upturning of the earth has occurred there, at least, since the advent of man. An explanation for the cause of this phenomena will be given further on.

While the *Great Pyramid Jezech* is the theme to which we are directing your attention in this work, and as the clearness with which we shall herein describe it depends our success as a writer and thinker, we must first give you a condensed history of all the pyramids collectively; the better to be able to segregate the only one upon which we desire to rivet your attention.

Some authorities assert that there are from fifty to one hundred pyramidal structures scattered throughout the length and breadth of Egypt, but as Professors Howard Vyse, John Taylor, and Piazzzi Smyth state in their different writings that there are but *thirty-eight*, and a number of them are only so in name, we append the list (see next page), and feel confident that the statement will prove to be a correct one. After a study of over thirty years on this mysterious subject, we are firmly convinced that there is but one perfect pyramidal structure now standing on the face of the earth, and that is what is now known as the "Great Pyramid Jeezeh"; the other 37 are mere imitations, not one of which has been built with a perfectly square base, nor do they stand facing the cardinal points of the compass; further, no one of the last 37 pyramids has been built with any two of their sides sloping at the same angle. Neither has any one of them been constructed entirely of stone, but are filled in with both brick and earth. One thing may be depended upon, however, and that is, that the last 37 pyramids were all built for one and the same purpose, *viz.*—to be the final resting place for the remains of the ruler (be they King, Queen, Emperor or Empress) that ruled over Egyptian territory at or about the dates as mentioned in the statement in table on next page.

We shall use the names of the different pyramids in this work as chronicled by the principal writers on this subject, but at the same time hold to a belief within that their builders may have called them by any other name. You will notice in the preceding table that the first nine pyramids are named Jeezeh, and are known numerically; the name Jeezeh, as applied here, is derived from the village of that name (Jeezeh or Geezeh), located in the vicinity of Jeezeh Hill and within a few miles of the location of the first nine of the Egyptian pyramids. The same reasoning may be indulged in for those pyramids standing near Abooseir, Saccara, Dashoor and Biahmoo.

TABLE OF THE PYRAMIDS OF EGYPT, all standing in the Libyan Desert, but bordering close on the Western side of the Nile Valley.

All of which are situated between 29°17' and 30°4' N. Lat. and 31°1' to 31°50' E. Lon.

Number...	NAME OF PYRAMID.	Ancient Vertical Height in English Inches.	Ancient Base-side Length in English Inches.	Angle of Rise of the Faces to horizon, from Howard Vyse	Rude approximation to the absolute Date of Erection.
1..	Great Pyramid of Jeezeh.....	5,835.08	9,165.72	51° 51' 14''	Yr's B. C. 2,170
2..	Second Pyramid of Jeezeh....	5,451.	8,493.	52° 20' 0''	2,130
3..	Third Pyramid of Jeezeh.....	2,616.	4,254.	51° 00' 0''	2,130
4..	Fourth Pyramid of Jeezeh.....	1,562.	2,562.	51° 42' 35''	2,130
5..	Fifth Pyramid of Jeezeh.....	1,250.	1,718.	52° 15' 0''
6..	Sixth Pyramid of Jeezeh.....	1,700.	2,187.	in steps
7..	Seventh Pyramid of Jeezeh....	1,562.	2,490.	52° 10' 0''
8..	Eighth Pyramid of Jeezeh.....	1,562.	2,180.	52° 10' 0''
9..	Ninth Pyramid of Jeezeh.....	1,328.	1,953.	52° 10' 0''	2,100
10..	So-called Pyramid of Abou Roash, a ruined commencement only, and never an actual Pyramid either in shape, mathematics, or tombic use.....	(ruins about * 625.)	4,875.	no casing.	z
11..	Pyramid of Zowyat El Arrian..	* 860.	2,109.	ruins only	2,100
12..	Pyramid of Reegah, with two successive slopes.....	1,328.	1,562.	{ 75° 20' 0'' 50° 00' 0''
13..	Northern Pyramid of Abooseir.	2,031.	3,281.	51° 42' 35''
14..	Middle Pyramid of Abooseir....	2,056.	3,281.	51° (?)
15..	Great Pyramid of Abooseir.....	2,734.	4,375.	52° (?)
16..	Small Pyramid of Abooseir....	564.	1,094.	60° (?)	2,050
17..	Pyramid 1 at Saccara.....	* 781.	† 2,650.	rub'ish only	2,050
18..	Pyramid 2 at Saccara.....	1,875.	2,578.	52° (?)
19..	Great Pyramid, or Pyramid 3 at Saccara.....	2,405.	4,875.	{ 73° 30' 0'' in steps	2,050
20..	Pyramid 4 at Saccara.....	* 781.	† 2,890.	ruined
21..	Pyramid 5 at Saccara.....	* 547.	† 2,812.	ruined
22..	Pyramid 6 at Saccara.....	* 937.	† 3,375.	ruined
23..	Pyramid 7 at Saccara.....	* 469.	† 2,187.	ruined
24..	Pyramid 8 at Saccara.....	* 1,094.	† 3,437.	ruined
25..	Pyramid 9 at Saccara.....	* 859.	† 3,360.	ruined	2,000
26..	Pyramid base, or mere pyramidal platform, of Mustabat el Pharaon.....	720.	3,750.	in steps	1,950
27..	Northern Brick Pyramid of Dashoor.....	2,586.	4,062.	51° 20' 25''	1,950
28..	Northern Stone Pyramid of Dashoor.....	4,111.	7,500.	43° 36' 11''
29..	Southern Stone Pyramid of Dashoor, with two successive slopes.....	4,029.	7,187.	{ 54° 14' 46'' 42° 59' 26''
30..	Small Pyramid of Dashoor.....	1,250.	1,875.	50° 11' 41''
31..	Southern Brick Pyramid of Dashoor.....	3,208.	4,062.	57° 20' 2''	1,900
32..	Northern Pyramid of Lisht....	* 1,093.	† 4,687.	ruined	1,900
33..	Southern Pyramid of Lisht....	* 937.	† 6,250.	ruined
34..	The False Pyramid, or that of Meydoon, flat-topped and in steps; well built as mere masonry, but not as a monumentalization of angle, the casing-stones being inclined to the horizon.....	1,562.	2,265.	74° 10' 0''	1,850
35..	Pyramid of Illahoon.....	* 1,718	† 4,922.	ruined
36..	Pyramid of Howara.....	* 2,812	3,700.	ruined
37..	Pyramid 1 of Biahmoo, with two successive slopes.....	937.	1,560.	{ 63° 30' 0'' 50° (?)
38..	Pyramid 2 of Biahmoo, with two successive slopes.....	937.	1,560.	{ 63° 30' 0'' 50° (?)	1,806

* Present height of ruins, about.

† Present length of base line of ruins.

Pyramid Number 2 is located about 600 feet (in a S. W. direction) from the southwest corner of the Great Pyramid and Pyramid Number 3 is situated about 2,300 feet away from the Great Pyramid, in the same direction. The other Jeezeh pyramids are located still further away.

All modern Egyptologists assert that the floor condition of the King's Chamber in the Great Pyramid precludes the possibility that any stone sarcophagus could have ever been decently, and in order, established there. In the second and third Jeezeh Pyramids, on the contrary, the subterranean rooms *were* finished, floors and all, and sarcophagi *were* introduced. Their architects, moreover, attempted to adorn those chambers with a large amount of complication, but it was only useless and confusing without any very sensible object; unless it was to allow a second king to make himself a burial chamber in the Pyramid cellar already occupied by a predecessor, and then it was bad. Gradually, therefore, as the researches of Col. Howard Vyse have shown, on the fourth, fifth, sixth, seventh, eighth and ninth Jeezeh Pyramids (all these being, moreover, very small ones) the native Egyptians exhibited their utter inability to imitate in any particular the parts of the Great Pyramid, except the one single, partly descending and partly horizontal passage, with a subterranean chamber at its further end. This chamber they furnished with a flat, smooth floor, in their own manner, and not in the Great Pyramid manner, using thereupon for burial purposes; and that use they kept to, so long as they practiced their petty pyramid building at all (down to, perhaps, 1800 B. C.) most religiously.

(Sec. 5.) EARTHQUAKES AND CATAclysms.—As the disrupting of the surface of the earth by earthquakes and other causes have much to do with our theory regarding the reason for placing the Great Pyramid Jeezeh in its present location, and not somewhere else, we now proceed to discuss that subject. Before doing so, however, it might be well to define, or outline, our *entire position*. We have

intimated in our "preface" that we believe and assert, that it was built by a race of people that preceded our race, with knowledge superior to that of any living human being today; but we have not intimated the purpose for which it was built, nor about when it was built. The last cataclysm of any importance, which sank the continent that connected Central and a portion of South America with the land that once occupied the surface of the Atlantic Ocean from the Equator to the Arctic Circle, occurred at least 50,000 years ago and the Great Pyramid Jeezeh was built at *least* 5,731 years previous to that date for the purpose of an "Initiatory Asylum" of the "*Architects, Builders and Masons*," who, in their day, ruled the world in every particular from the moral to the political and educational. As a consequence it became the depository of National Weights and Measures. To lead up to this "theory" we will first take up the "location" of the Pyramid. It is situated in the center, and at the same time at the border, of the sector-shaped land of Lower Egypt, in the *geographical center* of the whole world, and about 9 miles south of west of Cairo, the present capital of Egypt, on the west bank of the Nile river, in $29^{\circ} 58' 51''$ N. lat. and $31^{\circ} 10' 1''$ E. long. Theory for placing this remarkable structure there and not somewhere else is: That so long as the earth stands, does not disintegrate, or fall back into the sun (which it will do sometime in the next 10,000,000 years) it will stand and answer every physical question that mathematicians can ask or mathematics can solve, and the builders of this phenomenal structure knew it when they placed it there and why (?) Because they had lived through and were the result of a civilization that had extended back for thousands of years and had reached a state of enlightenment and civilization such as we are coming too, and may possibly reach, in the next 25,000 years; progressing at the same increased ratio that we have exhibited in the past fifty years. It is not strange that the principal writers who have investigated this remarkable stone build-

ing should have concluded that the architects and builders were *deified*, placing the date of its erection when they did, in 2170 B. C., which was about the most primitive period that "sacred history" gives us any account of. For a 100,000 years to have elapsed between the visit of Cain to the land of Nod, and Noah completing the Ark, was not dreamed of in their researches and we have lost the benefit of their most valuable scientific investigations from their dwarfed biblical interpretation. The *scientist* critic will smile and query as to what became of all this enlightened race (?) and where are the relics of their history? The answer is: That they and their history lie buried beneath five hundred feet of chalk at the bottom of the Atlantic and adjacent waters, with the single exception of the Great Pyramid and its monitor, the Sphinx, that stand as a sermon incorporated in stone to tell the story.

The weakness of our imagination precludes any attempt on our part to paint a written picture of the intelligence of this ancient race of people, which (for the lack of a more appropriate name) we will call them the "*Atlanteans*." That they had constructed other pyramids, castles and domes and spires, together with the building of great cities, we feel confident of. That they not only knew all that we now know, but that they successfully navigated the air, could temper copper harder than steel, knew the exact circumference of a circle, the distance to all the fixed planets, and could overcome gravitation. Further, that they had solved the social and political problems—they were all of one mind.

They knew the north pole and the south pole as perfectly as we know the equatorial region. With such knowledge and ability, they naturally posted themselves upon all the geographical changes of the different continents and islands. They knew all it was possible for human beings to know about earthquakes, cataclysms, the procession of the equinoxes, etc. With such knowledge, they must have arrived at the conclusion that, as every portion of the

earth above water had some day been beneath the waves, and that possibly every portion then covered by water, had at some previous time been dry land, the very wise men of those days came together and debated something after this manner: "Although we are now on dry land, and we and our fore-fathers have been for over 25,000 years, yet this land beneath our feet will again become the sea and that sea in time again become a continent although thousands of years may have to elapse to accomplish it. It is self evident that different races of people have preceded our race but they have left nothing behind them to last long enough for a new race created after them to come up and see and know. Let *us* not be so thoughtless." They further argued: "The principal land of the whole earth once surrounded the south pole, but that was over 750,000 years ago, when it sank—leaving only a few thousand little islands scattered south of the equator, the principal continents coming to the surface then, are those we are now enjoying; extending as they do from a few degrees south of the Equator northerly and easterly, reaching through the North temperate and frigid zones, and surrounding the North-pole.¹ The central or pivotal point of which, is located (at this time) near the Tropic of Cancer, in 29° 58' 51" N. Lat. and 31° 10' 1" E. Lon.; and as a consequence is the center of all the land of the Earth, and will continue to be for the next 600,000 years; although portions of it will continue to rise and fall at intervals of from 13,000 to 26,000 years, the central portion will not be perceptibly disturbed by any earth movement for over 600,000 years." (About 500,000 years from 1907 A. D.) They therefore resolved to immediately visit that spot, and erect thereon one of their Initiatory Asylums and General Depositories of Weights and Measures; this they did, and it stands today, and is known to us as the *Great Pyramid Jeezeh*."

SUBMERSIONS AND EMERSIONS OF THE EARTH DURING THE CARBONIFEROUS AGE AND OTHER PERIODS.—Referring to the cause of the appar-

ent many submersions and emersions that parts of the earth (dry land) have undergone, geological changes, which cause is not absolutely certain, it has been supposed by some scientists, that the precession of the equinoxes and the motions of the earth's axis (or poles of the earth) caused a part of the waters of the globe to change places periodically about the surface of the earth (or once in about each 13,000 years). Or at least this is the time required for the equinoctial points of the earth to move half way around the ecliptic. (See cut "Changes of the Seasons.") The latitude of places is said not to be changed or affected by the precession of the equinoxes. Prof. Pepper in his "Playbook of Metals," says it is "stated that when Cæsar invaded Britain, more than 1900 years ago, that the site of London was then in latitude $40^{\circ} 30'$, whereas now it is in latitude $51^{\circ} 28'$." Mr. Pepper further states that "wines were formerly made of the grapes grown in the open fields of England, and that the remains of elephants are found in abundance in Siberia." To which we would say that it is pretty certain that the waters of the earth have moved about the globe, caused either by the motion of the earth's axis or by the shortening and crimping of the earth's diameter from time to time, or by both of these causes; for much of the dry land of the earth has been submerged periodically, or this operation occurred many times all through the period of the deposits of the carboniferous age—and it is very probable that it has taken place periodically during all time of the earth's existence, and it might have happened from the cause of the motion of the earth's axis during the carboniferous age, and from other causes since that time—or from the shortening of the earth's diameter from time to time during all ages—as there are few if any persons who can study the subject of Geology, especially the carboniferous period and formation, without coming strongly to the conclusion that much of the dry land of the earth has been submerged at many different times during the deposits occurring during said carboniferous age. The very regularity with which

the submergence occurred in many cases through that age and the coal measures, would indicate to some extent that the cause was invested in the motion of the earth's axis during that period of time. There is no doubt but parts of the dry lands of the globe have been submerged from time to time by the bending and partial doubling up of the earth's crust and strata—but we must confess that we see no chance for the apparent regularity of submersions and emersions to occur so regularly by the shortening of the earth's diameter—as there is or appears to be by the earth's axis motion process. This motion of the earth's axis is such that the north pole at this time appears to describe a circle about the northern heavens, which has a diameter of 47° across it, once in about each 26,000 years, which is about the same length of time that it takes the equinoxes to fall back 360 degrees by precession. These axis and precession motions may have affected the latitudes of places and affected the submersions of dry land from time to time during the carboniferous and coal measure age and ceased to have such effects since that period. In many coal strata there is very distinct pause—partings occurring every eighteen inches or two feet, or seldom exceeding thirty inches without such a pause parting with more or less impurities in the seams between the layers of coal, which (layers) are generally from fifteen to twenty or twenty-four inches thick, or a little more or less, and these layers lying within the main coal bed (or beds) itself.

It has been estimated that it requires about 40,000 years to grow vegetation enough to constitute a stratum of coal four feet thick, but it appears to us that in a warm and somewhat moist or wet climate that enough vegetation (calamites) may grow up and fall down each year to compose a ton of coal to the acre in a coal stratum and this would give us a coal bed between two and three feet thick in about 5,000 years, but if the vegetable accumulations occurred at only about half this rate we would have such

a bed of coal in about 10,000 years. The deposits of coal (beds) are numerous in some coal fields and they are laid down, together with their coverings, tolerably regular in places, and appearing as though they had been produced or affected in their positions by some tolerably regular motion or movements of the earth.

The carboniferous formation is from nothing to a few feet thick in places and from this ranging from hundreds of feet to 15,000 or 20,000 feet thick in other parts, which (20,000 feet) is possibly about one-third of the solid contents of the earth's crust, and most of this comprises a movable mixture of mud, sand, gravel, limestone, magnesia, clays, marls and some primary and secondary rocks and animal and vegetable matter. There is in this thickness in some parts about eighty strata of coal of various thicknesses, each of which must have been covered up in its turn through the process of the submergence of the earth through probably some of the causes named above. There are some reasons to suppose that the earth has not been free from submersions, or some other somewhat violent disturbance, long enough for vegetation sufficiently abundant to grow to form or compose a workable stratum of coal since the close of the carboniferous age.

Much of the silurian strata appears to have been deposited under water, as its layers are found tolerably even bedded in most places or where it has not been disturbed by convulsions. But on rising and approaching the carboniferous formation we come in contact with great accumulations of movable matter or strata. It is in and through the period from the lower silurian to the top of the carboniferous or coal measures that much of this heavy sedimentary matter was deposited, and it appears to be during the latter part of this same time that the earth's crust commenced more forcibly to bend and yield to the heavy deposits of this matter that had accumulated on and about different parts of the earth's surface or in its seas and valleys. *Prof. R. Mansill* asserts: "since the inauguration of the coal meas-

ures and carboniferous formations the earth's crust has grown greatly thicker and denser and the waters have accumulated about the valleys and the tropics, and it is the volatility and activity of these waters that maintains a higher temperature about the tropics than there is about the poles of the earth. The volatile expansive force of these waters absorbs currents of electricity from both poles of the earth and from the sun to support the expansion of these volatile waters with, which waters are converted into vapors, and this again chills the poles of the earth, and also increases the elevation of temperature about the tropics while it decreases it about the poles. The increase of a higher temperature about the tropics and a decrease of temperature about the poles commenced with the increased thickness and increased density of the earth's crust; and this process will continue so long as the earth's crust continues to grow thicker and denser. Therefore the difference of temperature between the tropics and poles is a local or earthly cause and not (strictly) a solar cause at all. The idea of philosophers attributing so much potency to the sun by saying that that body radiates heat (so-called) and fills all solar space by spontaneous emission, and can raise a temperature about the earth's equator so high (80 to 90 degrees of temperature) at a distance of 91,840,000 miles, but can not warm the earth's poles, which are only about 6,000 miles from its tropics, is rather degrading, we think, to the present age of scientific philosophy." Or we may add: why does the snow not melt on the tops of the high mountains, even in the tropics? *See explanation in another part of this work.* It appears to us that the inhabitants of some parts of this globe are in more danger from a sinking and crimping and submergence of the earth's crust, than from a burning up of the globe, which doubling of strata would still be apt to shorten the earth's diameter to some extent and back its ocean waters over valleys and lowlands, as it apparently has done from time to time since the commencement of the carboniferous period, and these

(submerging) periods have apparently been growing shorter and shorter between such convulsions since the close of the coal measures period.

PERMANENCE OF CONTINENTAL AREAS.—

Prof. Lyell, in his "Manual of Geology" speaks of the permanence of continental and oceanic areas as being somewhat permanent, or that the present configuration of the earth's surface has been pretty well maintained, or the present lands, mountains and oceans have gradually come into existence moderately and naturally through long periods of time, or without the whole mass being jumbled and mixed up together so that they could not be classified and divided into sections and recognizable divisions and ages, as they have been or as they are at this time. There is no doubt in our mind but the quantity of oxygen in the atmosphere surrounding the earth has always been limited during the time of the construction of the earth up to this date, and those elements, as previously stated, having the strongest absorbing power for oxygen would take possession of it and unite with it in about the same order as their uniting and absorbing forces take place with that element at this time—therefore, through the carboniferous age, carbon appeared to have the greatest absorbing power for oxygen, hence its very great prominence and influence throughout that long period of time. There is no doubt but some of the upper silurian, much of the devonian and carboniferous limestone formations, excepting those under and near to the coal measures, were contemporary in growth with much of the deposits of the lower coal measures, as the juices from the decaying vegetation of the early coal epoch supplied the beaches with rich carbonaceous juices that generated the lower orders of animal types and life, and these juices and the low orders of this small animal life, or such as that which we find in and from the upper silurian to the coal measures, or such as the *coccosteus*, *pterichthys*, *cephalaspis*, *holophychious*, *osteolepis*, and a

few other species of the devonian and mountain limestone formations.”

EARTHQUAKES.—The regions that are at present comparatively free from sensible earthquakes are: Egypt, the eastern and southern portion of Africa, northern Europe and Asia, Australia, Easter Island, eastern portion of South America, Greenland, and northern portion of North America. The least vibrations, however, and the lightest are those experienced in and around Cairo, Egypt. Earthquakes are recorded, however, as having occurred in Cairo, in 1301 A. D., also in 1856, and in 1874 A. D., but there is no record extant for the last 10,000 years that a single stone was disturbed, or an ounce of material displaced in or around the Great Pyramid Jeezeh; and this state of tranquility, we predict, will continue in that locality for 500,000 years to come.

THE EARTHQUAKE ZONE (so considered) around the earth is: Central America, the West Indies, the Azores, Italy, Syria, Persia, Afghanistan, Tibet, Japan and Hawaiian Islands.

As the theory expressed by Prof. David, of Sydney, regarding the inside formation of the earth, and his views on the cause of earthquakes, or some of them, so nearly coincide with our own, we with pleasure copy the following article from the San Francisco *Daily Chronicle* of September 28, 1906:

“It is my firm belief that the earth is composed in the manner of an egg, with three different homogeneous substances. The outer, or the crust of the earth corresponds to the shell of the egg, then there is a softer, perhaps gelatinous substance which corresponds to the white of an egg, and in the center of the earth is still another which is like the yolk of an egg.” These are the words of Professor T. W. Edgeworth David, of Sydney University, Australia, one of the world’s great geologists, who is at the St. Francis. Professor David has just returned from attending the National Congress of Geologists at Mexico City. He has

traveled around the world and read papers before the Royal Society in London. While there he came in contact with Professor Milne, one of the great earthquake experts, and was led to believe the new theory as expounded by Milne.

SAYS PROOF IS EASY.—"The proof is easy and simple and the idea is a complete departure from former theories of the earth's interior," said Professor David, his eyes shining with excitement. "It has come to Milne as the result of life long experiments with earthquakes and motion of the earth. The proof is adduced from the lines of the seismograph during an earthquake shock which results in the destruction of buildings, that is, one of extraordinary violence. If the lines of the seismograph during such a shock are examined it will be found that they are divided into three sets of curves. The shock begins with very slight vibrations, suddenly these are increased to about twice the length without any gradual transition. After these have continued there comes another equally sharp increase in which the lines become about twice the length of those preceding. It is during the last period of the shock that buildings are wrecked. It is from the study of these lines that Milne has arrived at the theory which has astounded the scientific world."

MILNE FATHER OF THEORY.—"Milne was the first man who saw the value of studying earthquakes, and brought scientific treatment to the subject. He noticed at once this similarity in all impressions of the seismograph, and thought there must be some reason for the three sets of vibrations. Then he investigated. He found that the slight vibrations continue about 10 degrees from the center of the shock. Then the next set begins and continues about 120 degrees from the center of shock, then the third set start and are heaviest at that point directly opposite the center of shock.

"If the earth is represented by a circle drawn on a paper, and a point is marked as the center of shock, then

if ten degrees are marked off along the circumference, it will be found that the distance from this arc to its chord is about thirty miles. In other words the crust is thirty miles thick. Then as soon as the vibrations get through the crust, they strike the white of the egg, and the first quick jump comes. It is found that the substance under the crust of the earth takes up about four-tenths of the diameter on each side, and the inside substance corresponds to the yolk of the egg. It is supposed that the substance immediately under the crust of the earth is softer than the crust, and that when the vibrations reach it, the crust rises and falls on it in much the same manner of a ship on the water. This accounts for the waves in the ground familiar when earthquake shocks are in progress. It seems to me beyond a doubt that the theory is a true one and will have a great effect on science, as it will revolutionize the theory of wave motion. The whole lecture, in which Milne expressed this great theory, took only about six minutes."

We do not know Prof. Milne's theory beyond that as expressed above, so what we may add are our own crude ideas. Our ideas coincide with the Professor regarding the three different conditions inside of the crust of the earth, but he does not go far enough. We would compare the earth in shape to that of an average apple, being shortest the long way. With the earth, we believe the polar diameter to be at least 20 miles shorter than the equatorial diameter, and that this condition is caused by the fluid condition of the third, or yolk compartment, inside this flattened, egg shaped earth of ours. If the earth was solid to its center, no velocity given its perimeter would flatten it at the poles, and increase its equatorial diameter, as is the case with the earth today. Conceding this point, then of what does this inner fluid consist? We believe it consists of all the heavier metals—not only of those with which we are familiar but metals with such excessive specific gravity that they have never been thrown to the surface of the earth. We firmly believe that there is

enough gold in a molten state, in the center of the earth that would make a globe the size of our satellite, the moon. A feather of proof to substantiate this theory is: that gold is found in greatest quantities at the extreme ends of continents; we believe it was thrown there in a molten state, during a cataclysm or sudden changing of the poles of the earth. Finding gold in large quantities elsewhere, is proof to us that the ends of continents have been in different positions, in past disturbances of this same character. In future polar changes, continents may be expected to change accordingly.

Between 8,000 and 10,000 earthquakes have been chronicled by different publishers since the year 1606 A. D., as follows: "The Earthquake Catalogue" of the British Association, contains between 6,000 and 7,000 earthquakes that occurred from the year 1606 down to 1842 A. D.; the "Catalogue of Earthquakes" compiled by Perry, and published by the "Belgian Royal Academy" bring the list from 1842 down to 1872; and from 1872 down to June 30, 1905, may be found in the different editions of the Statistician and Economist, published between the year 1876 and 1905.

We believe that a surprise is in store for even the most careful student of seismology, in the following carefully prepared list of all important earthquakes that have occurred since the Christian Era to date.

(Sec. 6.) EARTHQUAKES.—The following is a list of some of the principal earthquakes and volcanic eruptions that have occurred since the Christian era, with the loss of life, no account being taken of the property destroyed, which is variously estimated at from \$100,000 to \$10,000,000 for every 100 lives lost. Records exist of many convulsions of nature having occurred in the past, where millions of dollars worth of property have been destroyed and not a life sacrificed, *viz.*, at New Madrid, Mo., on December 16, 1811, and continued with more or less vibration for 54 days; portions of the country sunk, islands were formed in the Mississippi, and \$20,000,000 would not cover the loss.

YEAR.	PLACE.	PERSONS KILLED.
17—(A. D.)	Ephesus and other cities over- turned	Thousands
63—	Pompeii	Hundreds
79—(Aug. 24)	Total destruction of Pompeii, Herculaneum and Stabiæ (eruption of Vesuvius)	280,000
105—	Four cities in Asia, 2 in Greece, and 2 in Galatia overturned	Many thousands
115—	Antioch destroyed	
126—	Nicomedia, Cæsarea, and Nicea, dest'd	Thousands
157—	In Asia, Pontus, and Macedonia 150 cities and towns injured	
358—	Nicomedia again destroyed	
543—	Universal; felt over the whole earth	
557—	Constantinople, Turkey, over	15,000
560—	In South Africa, many cities injured	
742—	In Syria, Palestine and Asia, over 500 towns destroyed (estimated) loss of life	400,000
801—	Heavy loss of life in Fran., Ger. and Italy	
936—	Constantinople again overturned, all Greece shaken	
1089—	Severe throughout England	
1114—	Severe at Antioch, many towns destroyed	
1137—	Cantania, Sicily	15,000
1158—	In Syria, etc.	20,000
1268—	Cilicia, Asia Minor	60,000
1274—	Felt over England, Glastonbury destroyed	
1318—(Nov. 14)	In Eng., greatest known to date	
1456—(Dec. 5.)	At Naples	40,000
1509—(Sept. 14)	At Constantinople	Thousands
1531—(Feb. 26)	At Lisbon, 1500 houses buried, nearby towns engulfed, loss of life	30,000
1580—(April 6.)	In London; part of St. Paul's and Temple churches fell	
1596—(July 2)	In Japan; several cities made ruins, loss of life over	10,000

YEAR.	PLACE.	PERSONS KILLED.
1626—	In Naples; 30 towns ruined, loss of life over	70,000
1638—	(March 27) Awful at Calabria.....	
1647—	(May 13) Santiago, Chile.....	4,000
1667—	(April 6) Ragusa ruined.....	5,000
1667—	Also at Schamaki, lasted 3 mos.....	80,000
1672—	(April 14) At Rimini over.....	15,000
1690—	(Oct. 17) Severely felt in Dublin.....	
1692—	Total destruction of Port Royal, Jamaica, (June 7) houses engulfed 40 fathoms deep	3,000
1693—	(Sept.) In Sicily, 54 cities and 300 villages overturned; in Cantaria, of 18,000 inhabi- tants, not a trace could be found; loss..	100,000
1703—	(Feb. 2) Aquila, Italy.....	5,000
1703—	Jeddo, Japan ruined.....	200,000
1706—	(Nov. 3) In the Abruzzi.....	15,000
1716—	(May and June) At Algiers.....	20,000
1726—	(Sept. 1) Palermo, Sicily, Italy.....	6,000
1731—	(Nov. 30) Pekin, China.....	95,000
1732—	(Nov. 29) In Naples, Italy.....	1,940
1746—	(Oct. 28) Lima and Callao, Peru.....	18,000
1751—	(Nov. 21) Port-au-Prince, St. Domingo	Thousands
1752—	(July 29) Adrianople, European Turkey	Thousands
1754—	(Sept.) At Grand Cairo.....	40,000
1755—	(April) Quito, Ecuador, destroyed, over	30,000
1755—	(June 7) Kaschan, N. Persia, destroyed	40,000
1755—	(Nov. 1) Great earthquake at Lisbon, Portugal, (50,000) extending over 5,000 miles, from the Madeira Islands to Scot- land. Total loss of life over.....	70,000
1759—	(Oct. 30) In Syria; Baalbec destroyed..	20,000
1767—	(August) At Martinico, W. I.....	1,600
1773—	(June 7) In Guatemala, great loss; Santiago, Chile swallowed up over	50,000
1778—	(July 3) At Smyrna, Asia, very destructive	
1780—	At Tauris (15,000 houses destroyed) engulfs	45,000

YEAR.	PLACE.	PERSONS KILLED.
1783—(Feb. 5)	Messina and many towns in Italy and Sicily destroyed; life loss.	Thousands
NOTE.—The earth was not perfectly quiet from earthquake tremors, in Calabria, S. E. Italy, from 1783—1787, a period of four years, during which period thousands of lives were sacrificed, and millions of dollars of property destroyed.		
1784—(July 23)	Erzengan, Armenia	5,000
1788—(Oct. 12)	At St. Lucia, W. I.	900
1789—(Sept. 30)	At Borgo di San Sepolcro.	1,000
1794—(June)	In Naples; and Torre del Greco, Italy, overwhelmed, over	10,000
1797—(Feb. 4)	Quito, Ecuador; Cuzco, Peru, and Panama almost totally destroyed.	41,000
1800—(Sept. 26)	At Constantinople, Turkey, de- stroyed the Royal Palace.	Hundreds
1805—(July 26)	At Frosolone, Naples	6,000
1810—(August 11)	At the Azores; a town of St. Michael's sunk, and a lake of boiling water appeared in its place.	
1811—(Dec. 16)	San Juan Capistrano, Cal.	50
1812—(March 26)	Caracas, Venezuela	12,000
1819—(June 16)	District of Kutch, India, sunk	2,000
1819—Throughout Italy,	thousands perish.	
1822—(Aug. 10 and 13 and Sept. 5)	Aleppo, Syria	22,000
1822—(Nov. 19)	Coast of Chile permanently raised from 1 to 12 miles wide.	
1828—(Feb. 2)	Island of Ischia, severe.	28
1829—(Mar. 21)	Murcia and other towns in Spain	6,000
1830—(May 26–27)	Canton, China, and vicinity	6,000
1835—(Feb. 20)	Concepcion, Chile, destroyed, over	20,000
1835—(April 29)	Cosenza, Calabria; etc.	1,000
1835—(Oct. 12)	Castiglione, Calabria	100
1839—(Jan. 11)	Port Royal, Martinique	700
1840—(Feb. 14)	At Ternate, total destruction	Thousands
1840—(July 27)	Mt. Ararat, Armenia over	800

YEAR.	PLACE.	PERSONS KILLED,
1842—(May 7)	At Cape Haytien, St. Domingo	5,000
1851—(Feb. 28 and March 7)	At Rhodes and Macri	600
1851—(April 2)	Valparaiso, Chile, 400 houses	
1851—(Aug. 14)	Melfi, Italy	14,000
1853—(Aug. 18)	Thebes, Greece, nearly destroyed	
1854—(April 16)	St. Salvador, S. Am., destroyed	
1854—(Dec. 23)	Anasaca, Japan, and Samoda, Niphon, destroyed	
1855—(Feb. 28)	Broussa, Turkey, destroyed	
1855—(Nov. 11)	Jeddo, Japan, nearly destroyed	
1856—(Mar. 2)	Volcanic eruption on Great San- ger Island	3,000
1856—(Oct. 12)	In the Mediterranean; at Candia and Rhodes, etc.	750
1857—(Dec. 16)	In Calabria,* Montemurro, and other towns of Naples	10,000
	(*From the year 1783 to 1857, a period of 75 years, the Kingdom of Naples lost over 111,000 inhabitants by earthquakes.)	
1858—(Feb. 21)	Corinth nearly destroyed	
1859—(Mar. 22)	At Quito, Ecuador	5,000
1859—(June 2 and July 17)	At Ezeroum, Asia Minor, thousands perish	
1860—(Mar. 20)	At Mendoza, Argentine	7,000
1861—	Mendoza, South America	12,000
1862—(Dec. 19)	Guatemala; 150 buildings and 14 churches; some lives	
1863—(April 22)	Rhodes; 13 villages	300
1863—(July 2 and 3)	Manila, P. I.	1,000
1865—(July 18)	At Macchia, Bendinella, and Sicily; 200 houses and life loss	64
1867—(Feb. 4)	Argostoli, Cephalonia	50
1867—(March 8 and 9)	At Mitylene	1,000
1867—(June 10)	Djoeja, Java; town destroyed	400

1868—(Aug. 13-15)	Arequipa, Iquique, Tacna, and Chenchu, and many towns of Peru and Ecuador destroyed; loss \$300,000,000 and 30,000 rendered homeless; life loss	25,000
1869—(Dec. 28)	Santa Maura, Ionian Islands	17
1870—(Oct. 9-15)	In Calabria, several towns destroyed	
1872—(March 26-27)	Inyo County, Cal., 1,000 shocks in 3 days and 7,000 to April 4th, life loss	34
1872—(Dec. 14-15)	At Lehree, India	500
1873—(Mar. 19)	San Salvador, Cen. America	50
1873—(June 29)	At Feletto, Northern Italy, etc.	75
1874—(July 22)	At Azagra, Spain, land slip	200
1874—	Antigua, etc., Guatemala; great life loss	
1875—(May 3-5)	Kara Hissar, etc., Asia Minor great destruction of life	
1875—(May 12)	At Smyrna, Asia Minor, over	2,000
1875—(May 16-18)	At San Jose de Cucuta, etc., Colombia, South America	14,000
1877—(May 9-10)	Callao, Peru, and other towns destroyed by tidal wave, life loss slight	
1878—(April 14)	Cua, Venezuela, nearly destroyed	300
1879—(June 17)	Cantania, Sicily, 5 villages destroyed; loss of life slight	10
1880—(July 4-24)	Several killed in Switzerland, and Manila, P. I.; cathedral destroyed	3,000
1880—(Sept. 13)	At Valparaiso and Illapel, Chile	200
1880—(Nov. 9)	At Agram, Croatia, many lives	
1881—(Jan. 27 and Mar. 3)	Much damage in Switzerland	
1881—(Mar. 4 and 15)	Severe in S. Italy; at Casamicciola, Isle of Ischia	114
1881—(April 3)	Chios (now Scio) Greek Archipelago, and several other towns	4,000
1882—(Mar. 13)	In Costa Rica, thousands of lives lost; very destructive	

YEAR.	PLACE.	PERSONS KILLED.
1882—(Sept. 7-10)	Panama R. R. partly destroyed.....	
1883—(June 14)	During a severe shock of earthquake, a mountain rose up to an elevation of 6,000 feet, near Chernowitz, Austria... ..	
1883—(June 15)	On Ometepe Island, Nicaragua, volcanic outbreak; over.....	500
1883—(July 28)	At Casamicciola, Ischia; 1990 known victims and estimated unknown loss of life 2,000 more; total.....	3,990
1883—(Aug. 27)	Beginning at midnight, Aug. 26, on the Island of Krakatoa, but simultaneously extending to every island and portion of the sea for over 100 miles in either direction, 30 square miles of the island sank in less than three hours; tidal waves reached as far as the Cape of Good Hope; lowest estimate loss of life.....	50,000
1883—(Oct. 8)	Eruption of Mt. Augustine on the Island of Chernaboura, Alaska; one half of the island and mountain sunk and in the vicinity a new island rose.....	8
1883—(Oct. 16)	Anatolia, coast of Asia Minor, Ischesne, and 30 small towns devastated; 30,000 destitute.....	1,000
1884—(May 19)	Asiatic shore of Sea of Marmora, and Island of Kishm.....	220
1884—(Dec. 25)	In Andalusia, Malaga.....	266
1885—(Jan. 14)	Beginning Dec. 26, 1884, in Alhama, Grenada, South Spain, including 14 other towns, with loss of 20,000 houses, value \$100,000,000; life loss alone was..	3,900
1885—(Feb. 28)	In province of Grenada.....	690
1885—(April 20)	In Java.....	500
1885—(May 13-31)	At Strinagur, Cashmere, 7,000 dwellings and life loss.....	3,081

YEAR.	PLACE.	PERSONS KILLED.
1885—(June 15-30)	At Sopar, India.....	700
1885—(July 31)	In Asia Minor.....	350
1885—(Aug. 2)	In Vernoe and Tashkend, Central Asia.....	54
1885—(Dec. 3-5)	In villages of Algeria.....	30
1886—Aug. 27)	In Greece and Ionian Islands; Prygos destroyed; life loss.....	1,300
1886—(Aug. 31)	Atlantic States, chiefly at Charleston, S. C., three-fourths of that city destroyed; 17 shocks, life loss.....	96
1887—(Jan. 15)	Long continued earthquake at Tokio, Japan.....	
1887—(Feb. 23)	Severe shocks, extending from Milan, Italy, to Marseilles, France; there were 12 deaths on French territory and 2,000 in Italy.....	2,012
1887—(April 7-8)	Mendez Nunez and San Francisco, Cavite, P. I., terribly shaken; life loss.....	170
1887—(May 5)	In Hawaii.....	167
1887—(June 10)	Town in Turkistan destroyed.....	125
1887—(Announced June 13)	At Avernoe and Almatensky, Turkistan, nearly destroyed.....	140
1887—(Dec. 4)	Destruction of Bisignano and Cosenza, in Calabria, S. E. Italy; very destructive.....	25
1888—(March)	At Yunan, China.....	4,000
1888—(July 15-18)	Destruction of the peak Sho-Bandai-San, in Japan. This mountain had an altitude of 6,000 feet and 3 miles through its base; but in less than 10 minutes over half of its cubic contents were scattered over an area of 27 square miles.....	400
1889—(Jan. 11)	Earthquake felt throughout the State of New York.....	
1889—(April 13-14)	On Ishima Island, Japan.....	170

YEAR.	PLACE.	PERSONS KILLED.
1889—(Sept. 8)	Earthquake at Florence, Wis., damage \$15,000.....
1890—(Dec. 12)	Village of Joana, Java.....	12
1891—(Jan. 15)	At Gouraya and Villebourg, Algeria, villages nearly destroyed.....	40
1891—(Same day)	In Chihuahua, Mexico.....	15
1891—(Aug. 18)	Earthquake and cyclone de- vastate the Island of Martinique; life loss	340
1891—(Sept. 8-13)	In San Salvador very violent	40
1891—(Sept. 26)	Shocks severe throughout the states of Mo., Ill., Ky., Tenn., Ind. and Ia.
1891—(Oct. 28)	Very destructive earthquake on the Nippon Islands, Japan; 1,477 shocks followed within 3 days; 166442 houses and bridges were destroyed; property loss over \$10,000,000; life loss.....	7,524
1891—(Dec. 18)	Violent earthquake in Sicily
1892—(Jan. 22)	Severe earthquake shocks in Rome, houses wrecked and lives lost in the Italian provinces.....
1892—(Jan. 27)	Severe shocks experienced in New South Wales, Victoria, and Tasma- nia; some loss of life.....
1892—(Feb. 17)	Vesuvius (Vol.) again in activity fears of a new crater.....
1892—(July 30)	Every building destroyed in San Cristobal, Mexico.....
1893—(Jan. 13)	Earthquake at sea causes a tidal wave that floods Paumotu group of islands near Tahiti; loss of life over.....	1,000
1893—(Jan. 31)	Zante, Greece, suffered greatly by earthquakes, from the close of January to April 21; while less than 100 lives (are quoted as) lost, thousands were rendered homeless, and over \$3,000,000 is reported as the property loss.....

YEAR.	PLACE.	PERSONS KILLED.
1893—(Feb. 13)	At Quetta, Afghanistan, many injured; killed.....	2
1893—(April 8)	Two villages destroyed in Servia 3,000 houses wrecked at Milattia, Asia Minor; the killed.....	130
1893—(April 18)	Earthquake and tidal wave at Zante, Greece; the ground opened 2 feet wide and sank 1 foot; every house ruined, 200 persons injured; killed.....	30
1893—(May 5)	Mt. Ætna active, repeated shocks throughout Italy, extending to the Isle of Man.....	
1893—(May 22)	Shocks, with ground opening at Thebes, Greece.....	
1893—(May 28)	Shocks cause the jail to collapse and prisoners are crushed at Guayaquil, Ecuador.....	
1893—(Aug. 11)	Destructive shocks with loss of life at Mattinata, Italy; Vol. Stromboli in eruption; over.....	1,000
1893—(Nov. 17)	Terrible earthquake at Kuchan, Persia; 50,000 animals perish, human life loss over.....	12,000
1893—(Nov. 19)	At Samark and Asiatic Russia, severe; life loss over.....	1,000
1893—(Nov. 27)	At Montreal, Canada; great loss to property.....	
1894—(Mar. 17)	Earthquakes on Isthmus of Tehuantepec, Mexico; very severe, and extend to Europe and Asia; again on April 6 doing much damage.....	
1894—(April 20)	Earthquakes in Greece destroy 11 towns; the life loss over.....	300
1894—(April 28)	Earthquake destroys 6 cities in Venezuela, one-half the population killed, over.....	3,000

YEAR.	PLACE.	PERSONS KILLED.
1894—(July 10-15)	Shocks at Constantinople, Turkey, and vicinity cause a property loss of \$29,000,000; life loss over	1,000
1894—(July 27)	Earthquakes destroy many houses in Servia and Bulgaria and a considerable number of lives	
1894—(Aug. 8)	Severe throughout Sicily, killed	10
1894—(Oct. 16)	Volcanic eruptions on Ambrym Island, New Hebrides; life loss	60
1894—(Oct. 21)	Eruption of Mt. Galoongong, Java, causes the destruction of many villages	
1894—(Oct. 22)	At Sakata, Japan, 3,000 houses destroyed; life loss	360
1894—(Oct. 27)	Earthquakes throughout the Argentine Republic. City of San Juan almost totally destroyed; 20,000 persons rendered homeless; life loss	2,000
1894—(Nov. 7)	Eruption of volcano followed by 63 shocks covers the Island of Epi, New Hebrides, with ashes	
1894—(Nov. 13)	Ambrym, New Hebrides, nearly destroyed; life loss	50
1894—(Nov. 16)	At Messina, Italy; killed	200
1894—(Nov. 22)	In the City of Mexico much property, and a life loss of	15
1894—(Dec. 5)	Continuous shocks since Nov. 27 throughout Ecuador; many people killed and injured	
1894—(Dec. 29-31)	Throughout Italy much property destroyed	
1895—(Jan. 17)	Earthquakes at Kushan, Persia, 127 shocks, city completely levelled, thousands killed; over	10,000
1895—(Feb. 5)	Earthquake at Molde and Bergen Norway; life loss	11

YEAR.	PLACE.	PERSONS KILLED.
1895—(Feb. 22)	Destruction of Koutchat, Persia, life loss exceeded.....	10,000
1895—(April 3)	At Tuscany, Italy; killed.....	27
1895—(April 30)	Volcano Colima, in State of Co- lima, Mexico, becomes active.....	
1895—(May 18)	Severe shock in vicinity of Flor- ence, Italy; great destruction.....	
1895—(Aug. 1)	At Krasnovodsk, Russia.....	120
1895—(Sept. 8)	Earthquakes and volcanic erup- tions in vicinity of Metapan, Honduras; property loss \$600,000; life loss.....	300
1895—(Sept. 18)	Lava flow from Mt. Vesuvius, Italy, blocks the roads.....	
1895—(Nov. 1)	Violent shock damages much property in Rome, Italy.....	
1895—(Dec. 3)	Volcano Vesuvius in Italy, active.....	
1895—(Dec. 26)	Earthquakes in Samoa begin- ning on the 25th, at Tutuil, for 24 hours the shocks were incessant; at Fagolia Bay a submarine geyser was produced; no loss of life.....	
1895—(Dec. 29)	Many houses wrecked at Cic- ciano, Italy, several persons killed.....	
1896—(Jan. 2)	Earthquakes in Khalkhal Dis- trict, Persia; life loss over.....	1,100
1896—(Jan. 3)	Volcano Kilauea, H. I., active; a burning lake over 200 feet square and 250 feet deep formed in 6 hours.....	
1896—(Feb. 12)	Shock of great severity at Colon, Colombia.....	
1896—(Mar. 2)	Violent shock at Colima, Mexico; very destructive.....	
1896—(April 20)	Eruption of the Volcano Mauna Loa, Hawaii; the glow is seen 180 miles away.....	

YEAR.	PLACE.	PERSONS KILLED.
1896—(June 15)	Earthquake and tidal wave on the Island of Yeddo, Japan; 9,616 houses destroyed, resultant wave felt in Hawaii; 1,244 persons wounded; life loss.....	37,150
1896—(July 11)	Volcanic eruption of Kilauea, Hawaii, after one and one-half years quiet	
1896—(July 13)	Shock felt at Whitby, Ontario, lasting 20 seconds.....	
1896—(July 26)	Earthquake, causing tidal wave, devastates coast of Kiangsu province, China; property loss millions, life loss over	4,000
1896—(Aug. 26)	Earthquake in Northern Japan, wrecks 6,500 houses; life loss.....	3,500
	Recurring in the same section (on Aug. 31) 1,000 houses overturned and a life loss of	120
1896—(Sept. 13)	Severe shocks felt at Hilo, Hawaii, the earth opened from the sea inward for half a mile.....	
1896—(Oct. 4)	Earthquakes in Iceland, ruin 150 farms; large numbers of live stock killed	
1897—(Jan. 11)	Earthquake on Kishm Island, largest in the Persian Gulf; life loss.....	2,500
1897—(Feb. 14)	Destructive earthquake at Girau, Formosa, and throughout the island; injured 120; killed.....	56
1897—(Mar. 23)	Severe shock at Montreal, Quebec	
1897—(April 23)	Severe shocks lasting a week, in the Leeward Islands; at Monserrat the killed exceeded.....	700
1897—(May 11)	In S. Australia 90 shocks in 3 days; much damage done at San Gabriel, Jalisco, Mexico.....	
1897—(June 4)	Eruption of Vesuvius, lava flow one and one-eighth miles wide, greatest since 1872.....	

YEAR.	PLACE.	PERSONS KILLED.
1897—(June 12)	Earthquake in Assam and other provinces of India, lasted <i>continuously over 5 minutes</i> ; life loss over.....	6,000
1897—(June 20)	Shocks destroy every building in Tehuantepec, Mexico; 15,000 people homeless.....	
1897—(June 22)	Eruption of Volcano Mayou, Albayo, P. I.; life loss.....	120
1897—(Sept. 18)	Severe shocks are felt in Turk-istan, Asia, and throughout Switzerland	
1897—(Nov. 8)	Eruption of Vesuvius; fearful flow.....	
1897—(Dec. 28)	After a great fire in Port-au-Prince, Hayti, an earthquake followed leaving great fissures around the city.....	
1898—(Jan. 13)	Earthquake on Dutch Island of Amboyna, kills.....	60
1898—(Mar. 28)	Earthquake in New Hebrides Islands, cause many gaps in the earth	
1898—(Aug. 7)	Earthquake at sea, causing a tidal wave on Formosa Island, China Sea; 2,073 houses destroyed, 995 damaged; 160 persons wounded, and the killed number.	139
1898—(Sept. 10)	Earthquake at sea, causing a tidal wave in St. Vincent and Barbados, W. I., destroys Bridgetown and Kingston, with a property loss of \$1,000,000 and a life loss of.....	400
1898—(Sept. 23)	Vesuvius eruption threatening; 3 lava streams descending equals 5 acres in area, 275 feet deep.....	
1898—(Nov. 27)	Earthquake in S. Austria, also in Greece; tidal wave at Triest; life loss	28
1899—(Jan. 21)	Shock lasting 10 seconds in Jamaica, W. I., severest in years.....	

YEAR.	PLACE.	PERSONS KILLED.
1899—(Jan. 27)	Earthquakes in Greece for 4 days (continuous); 5 villages destroyed; many injured, deaths unknown	
1899—(Mar. 7)	Terrible earthquake in the Nara Prefecture, Japan; killed	41
1899—(April 18)	Volcano Houongo active, 2 towns destroyed; earthquakes in Argentine	
1899—(May 17)	45 shocks in 5 hours on Island of Montserrat, Br. W. I.; houses and crops destroyed; some lives lost	
1899—(July 14)	Earthquake near Herne, Westphalia, entombs 60 miners	
1899—(Aug. 9)	Tidal wave at Valparaiso, Chile; awful desolation; loss \$1,000,000. Also violent shocks at Corte, Corsica	
1899—(Sept. 20)	Earthquake at Aidin, Asia Minor; life loss exceeded	1,500
1899—(Oct. 11)	Town of Amhei, Island of Ceram destroyed; injured 500, life loss over	4,000
1899—(Oct. 16)	Volcano San Martin, near Cata-maco, Mexico, resumes activity	
1900—(Jan. 1)	Earthquake in District of Achalkalak, Russia, severe; life loss	800
1900—(Feb. 1)	Unusual severe shock at Abbotsford, B. C.	
1900—(Feb. 15)	Earthquake of great severity at Lima, Peru; immense loss of property	
1900—(Mar. 27)	Eruption in Mt. Baker district, Washington; a hill thrown up 70 feet high in a valley and it changed the course of the Nooksack River; report heard 10 miles away	
1900—(April 12)	Earthquake at Lindai, Japan, wrecks 70 houses	

YEAR.	PLACE.	PERSONS KILLED.
1900—(July 17)	Eruption of Volcano Mt. Azuma, Japan, destroys several towns; life loss over.....	200
1900—(Oct. 9)	Shock of great severity at Kadiak, Alaska; loss of 1 life and much property.....	
1900—(Oct. 18)	Earthquake and tidal wave, Island of Matapi, South Pacific, great loss of property.....	
1900—(Oct. 29)	At Caracas, Venezuela, destroys much property; life loss.....	15
1900—(Oct. 31)	At Jacksonville, Fla., 8 severe shocks.....	
1901—(Jan. 4)	Heavy shocks of earthquake in Kans. and Mo.; hundreds seek the streets in terror.....	
1901—(Feb. 14)	Severe shock of earthquake at Union City, Tenn.....	
1901—(Feb. 20)	Earthquake at Arica, Chile, in- habitants panic stricken.....	
1901—(Mar. 9)	At Lima, Peru, houses cracked in every direction.....	
1901—(April 2)	Shocks in S. E. Hungary cause the destruction of many houses.....	
1901—(April 14)	Mt. Vesuvius again active....	
1901—(April 24)	Severe in Italy, the inhabitants panic stricken.....	
1901—(July 26)	Heavy shocks over a large area of the State of Nevada.....	
1901—(Aug. 16)	Earthquake causes the disap- pearance of a mountain 500 feet high in N. Japan.....	
1901—(Oct. 7)	Earthquake causes a tidal wave on the Pacific side of Nicaragua; some damage.....	
1901—(Oct. 30)	Severe shock felt in many Italian cities; damage at Gallarate.....	

YEAR.	PLACE.	PERSONS KILLED.
1901—(Nov. 8)	Severe shocks in Erzeroum, Asiatic Russia.....	
1901—(Nov. 13)	Shock at Salt Lake City, Utah, lasts 30 seconds; loss over \$100,000.....	
1901—(Nov. 15)	Terrible earthquakes visit Erzeroum, Asiatic Russia, 50 in all, 10 very violent; 1,000 houses destroyed; 1,500 damaged; 15,000 homeless, the life loss.	130
1901—(Nov. 17)	At Cheviot, New Zealand, many people injured; property loss over \$100,000.....	
1901—(Dec. 15)	Shock lasting 65 seconds visits Manila, P. I.; many injured.....	
1902—(Jan. 16)	Chilpancingo, Guerrero, Mexico in ruins; number killed.....	300
1902—(Feb. 14)	Shamaka, Russia, destroyed; 34 villages in the Transcaucasia suffer, 4,000 houses destroyed; life loss.....	5,000
1902—(Mar. 8)	Tchengeri, Asia Minor, destroyed 4 persons killed and 100 injured.....	4
1902—(Mar. 10-17)	Constant vibrations for one week in New Hebrides Island; 3 volcanos active.....	
1902—(Mar. 12)	Kyankari, Asia Minor, destroyed; known to be killed.....	4
1902—(April 18-20)	Throughout Guatemala, 6 large towns almost obliterated; many injured; known killed.....	200
1902—(May 3-7)	Volcano Mont Pelee, near St. Pierre, Martinique, first eruption started on May 3rd, and destroyed the Guerin factories. In four days it destroyed St. Pierre, Lecarbet, Le Precheur and La Mare; the loss of property was \$40,000,000 number of lives.....	30,000
1902—(May 18)	Violent shocks in Southern Portugal caused by upheavals in W. I.	

YEAR.	PLACE.	PERSONS KILLED.
1902—(July 13-30)	Violent earthquakes throughout Venezuela on the 13th. Severe shocks in Kingstown, St. Vincent, on the 18th, and again on the 21st, the sea receding. On the 30th the Volcano Poas, near Alajuela, Costa Rica, became active. On the same date every building in San Cristobal, Mexico, was destroyed. Many lives were lost.....	
1902—(Aug. 14)	Volcano overwhelms Island of Torishima, Japan; life loss.....	150
1902—(Aug. 21)	Eruption of Mont Pelee, Martinique, very severe, total darkness for 20 minutes; also 12 shocks at Zamboanga, P. I., several Moras killed.	
1902—(Aug. 22)	Eruption of Mont Allomonte, Italy; also severe shocks at St. Petersburg Russia.....	
1902—(Aug. 30)	Volcano at Masaya, Nicaragua, becomes active.....	
1902—(Dec. 6)	Daily shocks, last 9 days in S. E. Iowa.....	
1902—(Dec. 16)	Adijan, Russian Central Asia, destroyed; 9,130 houses and 19 cotton gins destroyed; the killed numbered....	4,800
1902—(Dec. 27)	Earthquake at Hain Chiang, China, causes a life loss of.....	600
1903—(Jan. 13)	Earthquake at sea causes tidal wave that floods Paumoto group of islands near Tahiti; life loss over.....	1,000
1903—(Jan. 14)	Earthquakes do much damage in States of Tamaulipas and Tobasco, Mexico.....	
1903—(Feb. 7)	Summit of Volcano Mt. Pelee, changes shape, Martinique.....	

YEAR.	PLACE.	PERSONS KILLED.
1903—(Feb. 24)	Violent eruption of Mt. Colima, Mexico; Mexican Cen. R. R. extension stopped.....	
1903—(Mar. 3-6)	Mexican Volcano Colima has violent overflows of lava; Tuxpan, Mex., panic stricken.....	
1903—(Mar. 9)	Vesuvius again active; ashes and explosive incandescent globes reach Naples.....	
1903—(Mar. 15)	Earthquake in the mountainous region of Montana; third in 10 years.....	
1903—(Mar. 21)	Volcanos Mt. Pelee, on Martinique, and Soufriere, on St. Vincent, extraordinarily active.....	
1903—(April 21)	Earthquake at Tuxpan, Mexico, cause cave in a mine; killed.....	10
1903—(June 8)	Severe shock at Alusi, Ecuador; ashes fall there from Volcano Sangai.....	
1903—(June 22)	Vesuvius in full eruption, spectacular sight from Naples, Italy.....	
1903—(Aug. 11)	Earthquakes destroy 3 villages on Isle of Cinthera.....	
1903—(Aug. 12)	Shocks at Mendoza, Argentine, destroys many houses; the killed number.....	5
1903—(Sept. 19)	Most violent shake at Santiago de Cuba since 1895.....	
1903—(Oct. 19)	Earthquake at Turshez, Persia, destroys 13 villages; life loss was.....	250
1903—(Nov. 3)	Again at Turshez, Persia; the town almost totally destroyed; life loss was over.....	350
1903—(Nov. 29)	Tidal waves sweep coasts of Hawaiian Islands; much damage done.....	
1904—(Mar. 10)	Earthquakes destroy 6 Italian villages; no lives lost.....	

YEAR.	PLACE.	PERSONS KILLED.
1904—(Mar. 20)	Earthquake felt from St. Johns, N. B., to Boston Mass., causes much damage, and Bald Mt., in Maine, disappears
1904—(April 4)	Earthquakes in Macedonia destroy 1,500 houses; life loss was	24
1904—(June 11)	Volcano of Mt. Wrangel, in Alaska, in violent eruption
1904—(Nov. 6)	Earthquake on Island of Formosa, destroys 150 houses; life loss	78
1904—(Dec. 1-14)	Slight shocks felt at San Francisco, Cal., and near vicinity; 14 since Dec. 1st
1905—(Jan. 16)	Volcano of Momotombo, Central America, active, much damage done
1905—(Jan. 18)	At Shemakha, Russia, destroys bridges and kills many people
1905—(April 4)	Earthquakes in India destroy much property; at Dharmasala, 470 soldiers were buried alive; total loss over	2,000
1905—(April 25)	Severe earthquake at Bender, Abbas, Persia; 200 yards of Mt. Kuhgand collapsed, 50 persons buried in a landslide; shocks continued for a week, the inhabitants camped in the open	50
1905—(May 3)	Severe shock felt on Island of Hilo, Hawaii
1905—(May 9)	Very severe shocks felt in City of Mexico; some damage
1905—(June 1)	Earthquakes occur in Central Japan; great loss of property at Scutari and Albania where 200 persons were killed and wounded; over 500 houses collapsed; life loss over	2,000
1905—(June 11)	Volcano Mt. Pelee, Island of Martinique, again active

YEAR.	PLACE.	PERSONS KILLED.
-------	--------	-----------------

[NOTE.—Our record of the earthquakes from June 11, 1905 to April 17, 1906, were lost in the great fire that followed the great earthquake of April 18, 1906 at San Francisco, Calif., and vicinity.]

1906—(April 18) The "Great Earthquake" of 1906; *central at San Francisco, Cal.*, although extending (traceable) for over 2,500 miles; and extending from the Aleutian Group of islands in Alaska, to Lower California; must have started in the Arctic Ocean, and extended to the equator in mid-Pacific.

At San Francisco the first shock occurred at 5:14.58 a.m., by Mt. Hamilton time, and lasted one minute and five seconds. The damage wrought in that short time was immense, throwing down many buildings, and damaging (more or less) thousands; but the most disastrous results were: the great loss of life, which it is conceded exceeded (exact number unknown) 480, and the destruction of the water mains of the Spring Valley Water Co.; which left the fire department helpless to cope with the fires started by the breaking of gas mains, electrical connections, etc. The result was the almost total destruction of the city. The area burned over exceeded 2,593 acres, or 405 square miles; with a destruction of over \$350,000,000 of property; insurance of about \$235,000,000, of which some 80% has since been paid.

[Comparative destruction between the San Francisco, Chicago and Baltimore big fires:
1st. San Francisco; area burned, 2,593

YEAR.	PLACE.	PERSONS KILLED.
	acres; 25,000 buildings; loss \$350,000,000.	
	Date, April 18-21, 1906; known killed	480
	2nd. Chicago; area burned, 2,124 acres;	
	17,450 buildings; loss \$206,000,000. Date,	
	October 8-9, 1871.	
	3rd. Baltimore; area burned, 640 acres;	
	2,500 buildings; loss \$80,000,000. Date,	
	February 7-8, 1904.]	
1906—(April 18)	By volcanic action, an island	
	arose from the sea in the Aleutian group,	
	Alaska, on the morning of the above date.	
	This latest accession to the U. S. territory	
	is called "Perry Island"; it contains about	
	17 acres; its highest point is about 700	
	feet elevation. Four months later, it	
	was still piping hot.	
1906—(May 26)	<i>Fifty-seven</i> shocks of earth-	
	quake occurred at Houghton, Mich., and	
	vicinity, during the day; buildings rocked	
	like cradles; in several places the earth	
	opened from 2 to 6 inches. The "Atlan-	
	tic mine" had to close down for the day	
	on account of the disturbance.	
1906—(May 29)	A severe earthquake shock was	
	experienced at Fort de France, Martini-	
	que; which completely stopped political	
	disturbances that were in progress	
	throughout the island.	
1906—(June 5-6)	Three slight earthquake shocks	
	on the 5th and a <i>severe</i> shock on the 6th,	
	were felt in Manila, P. I. and very severe	
	on the Island of Samar; no loss of life	
	reported.	
1906—(June 15)	Between the hours of 9:40 and	
	10:35 p.m., 4 slight shocks of earthquake	
	were felt at San Francisco and Oakland,	
	Cal. and vicinity; no damage.	

YEAR.	PLACE.	PERSONS KILLED.
1906—(June 22)	Two severe earthquake shocks (half an hour apart) occurred in the early morning at Santiago, Cuba. While no material damage was done, it started thousands of people into the streets for the balance of the night.	
1906—(June 27)	Violent earthquake shocks were experienced throughout the southern portion of Wales; hundreds of chimneys fell, and some buildings. Also felt at Bristol, England. No life loss.	
1906—(June 27)	A slight shock of earthquake was felt at Cleveland, Ohio, and along the southern shore of Lake Erie, for over 100 miles, or from Pinesville to Marblehead. Local scientists place the seat of this disturbance beneath the bed of Lake Erie.	
1906—(July 17)	Eruption of Volcano Stromboli, in Sicily; incandescent material thrown to enormous heights, causing many fires; the phenomenon was similar to that which preceded the disastrous earthquake at Calabria last autumn.	
1906—(July 15-18)	Severe earthquake shocks, (54 in 3 days) destroyed two-thirds of Socorro, New Mexico; San Marcia and Magdalena suffer also but no life loss.	
1906—(Aug. 2)	Four violent shocks at Fort de France, Martinique, terrorize the inhabitants.	
1906—(Aug. 16)	At the John Hopkins University, Baltimore, Md., the <i>seismograph</i> was broken after registering 51 shocks, the needle jumped 3 1-2 inches sideways. (For the cause see what follows.)	

YEAR.	PLACE.	PERSONS KILLED.
1906—(Aug. 16)	The most severe earthquake (as to vibration) that has occurred for over 100 years, is recorded at Valparaiso, Chile, and other cities of that Republic. The shock began at 8 p.m. The first shock lasted 4 1-2 minutes; 2nd shock, 2 minutes; over 100 shocks followed within 24 hours; the estimated damage to property in Valparaiso, including fire was \$40,000,000; at Santiago, \$6,000,000; in the other eight large towns nearly destroyed, \$7,000,000 and \$5,000,000 more for the interior. The loss of life at Valparaiso was over 2,000; at Santiago, 55; other towns about 100; total.....	2,155
	[Over 300 looters were shot by the authorities orders.]	
1906—(Aug. 18)	Tidal wave visits the islands of Hawaii, (attributed to the earthquake at Valparaiso) it carried away a wharf in Malacca Bay, Island of Maui.....	
1906—(Aug. 22)	Violent tremblor visits Seahorse and other towns in upper Silecia; overturning nearly everything movable.....	
1906—(Aug. 30)	Violent shocks continue throughout Chile at intervals of from 12 to 24 hours, and have for the last 10 days; 5 shocks today at Tacna.....	
1906—(Sept. 5)	Two severe shocks felt at Hilo, Hawaii, and on no other island of the Hawaiian group; caused hundreds of dead fish to be thrown up on the beaches; apparently they had been scalded.....	
1906—(Sept. 9)	The German government operator at Apia, Samoa, reported that he recorded both the San Francisco and the Valparaiso	

YEAR.	PLACE.	PERSONS KILLED.
	earthquakes on his seismograph, but that on the above date (Sept. 9) he recorded one more severe and of longer duration. As it has never been heard from, it must have been at sea.....	
1906—(Sept. 10)	Volcanic eruption of a mountain near Kwareli, Asiatic Russia; the mountain emitted a sea of semi-liquid sand and stones, burying human beings alive to the number of.....	255
1906—(Sept. 27)	Severe shock of earthquake lasting 30 seconds, visited Porto Rico, and was general throughout the island; some damage.....	
1906—(Oct. 1)	Great earthquake at sea. An earthquake (located by seismographs in different parts of the world) as occurring in the Indian Ocean; must have continued for over three hours.....	
1906—(Oct. 16)	Two violent shocks felt at Manila, P. I.....	
1906—(Oct. 18)	Sharp shock felt throughout Idaho and Wyoming.....	
1906—(Nov. 10)	Mount Vesuvius and the villages surrounding it, were severely shaken at noon; accompanied by a fall of ashes; three more slight shocks followed during the afternoon. Ottajano, that was almost entirely destroyed in April last by the eruption of Mt. Vesuvius, was the most severely shaken today.....	
1906—(Nov. 15)	Severe shocks of earthquake were general throughout New Mexico, between 2 and 4 a.m. today, extending south to El Paso, Texas. Although houses were rocked to and fro, no material damage was done.....	

YEAR.	PLACE.	PERSONS KILLED.
1906—(Dec. 1)	Earthquakes, slight in character, but frequent, occurring at Valparaiso, Chile.....
1906—(Dec. 2)	The north coast of the Island of Sicily thoroughly shaken.....
1906—(Dec. 4)	KINGSTON, Island of St. Vincent. A prolonged earthquake was felt here tonight. It lasted fully eight seconds. The vibrations were slow. The people of Kingston were thrown into a panic. No other shocks felt here have ever lasted so long. The Island of Barbados, about 100 miles to the east, and the island of St. Lucia, about 250 miles to the northwest, also felt the shock. It was most severe at St. Lucia. There has been a continuation of earthquake shocks here at irregular intervals of varying severity since last February.....
1906—(Dec. 5)	TUTUILA, Samoa.—Fresh outbreaks have occurred in the volcano in Savaii, and the field of lava now surrounding the volcano is thirty square miles in extent.....
1906—(Dec. 9)	At San Francisco, Oakland and Berkeley, California; a shock of six seconds duration occurred at 3:20-40 a.m. This shock was third in intensity at the two former places; and 4 or 5 at Berkeley. No damage done, but every sleeper felt it.....
1906—(Dec. 20)	Another portion of the crater of Mount Vesuvius fell today and caused a great eruption of ashes, cinders and sand. No detonations or earth shocks followed. But sand and ashes continued to fall for	

YEAR.	PLACE.	PERSONS KILLED.
	hours afterward as far as Naples and Pompeii.....
1906—(Dec. 22–23)	WASHINGTON, D. C.—A special bulletin issued by the Weather Bureau says: "The seismographs of the Weather Bureau recorded two earthquakes of considerable magnitude, the first shortly after noon of the 22d and the second about twenty-three hours later, namely, afternoon of December 23. From the appearance of the records we are led to conclude that the earthquakes originated at widely separated localities, but this cannot be definitely told. The first tremors were recorded at 1:51:50 p. m. of the 22d, and the maximum motion, of short duration, occurred at 2:22:40 p. m. The record ended about 3 o'clock. The strongest action was recorded in a north-south direction and amounted to 1.7 millimeter displacement of the ground. The displacement in the east-west direction was only .3 millimeters. The second disturbance was recorded just after 12 o'clock, December 23, and the motion in both north-south and east-west directions was greater in both components and lasted longer than in the first earthquake. The first preliminary tremor began at 12:37:33 p. m., the strongest motion beginning at 12:49 and lasting from three to four minutes. The maximum displacement in the east-west direction was 1.7 millimeters and 1.9 millimeters for the north-south component. The end of the record occurred at 1:11:21. As far as can be judged from	

YEAR.	PLACE.	PERSONS KILLED.
-------	--------	-----------------

the records, the second disturbance was not at such a great distance as the first, but both disturbances must have been several thousand miles from Washington."

1906—(Dec. 23) BERKELEY, Cal.—The Omori seismograph at the students' observatory of the University of California recorded earthquake waves today at 9 hours 26 minutes and 35 seconds, Pacific Standard time, which indicate that a severe earthquake has occurred at a distant point. Careful measurements of the seismograph gave the following: Time of commencement, 9 hours 20 minutes 35 seconds, Pacific Standard time; duration of preliminary tremor, 1 minute 29 seconds; duration of second stage of preliminary tremor, 6 minutes 16 seconds; duration strong motion, 11 minutes 38 seconds. The motion is shown in the east and west component only. The average period of the waves was 16 seconds. Owing to the fact that the Omori seismograph is designed for recording slight shocks of nearby origin rather than heavy ones of distant origin, it is difficult to apply the ordinary rules to determine the exact distance of the origin of the shock. But it is safe to say that the origin was not less than 2300 miles nor more than 4000 miles distant. The record is very like the Valparaiso record, only not so intense. The shock occurred in the north or south, probably the south, close to the shore or in the ocean.

YEAR.	PLACE.	PERSONS KILLED,
1906—(Dec. 23)	LONDON.—An earthquake shock of nearly three hours duration was recorded on the seismographs on the Island of Wight and at Florence. A dispatch from Kopal, in the province of Semir-yetchonsk, Russian Turkistan, brings news of an extremely violent shock there at 11:20 p. m. Dec. 22, lasting ninety minutes. No details are given.	
1906—(Dec. 26)	A great earthquake has just visited the sea coast of Chile; extending over the entire province of Tacna, and destroying over one-half of the city of Arica. The port of Iquique, 120 miles further south, however, was not damaged.	
1906—(Dec. 27)	VALPARAISO, Chile.—A violent earthquake visited this place today, followed by two slight shocks in the evening and at Arica, the scene of the recent severe earthquake, caused landslides and wide fissures, but there were no deaths.	
1907—(Jan. 9)	HONOLULU, T. H.—At midnight the people of nearly all parts of Hawaii awoke to the realization that the splendid spectacle of an outbreak of Mauna Loa was before them. In Hawaii volcanic activity is never dreaded; it is always welcomed. It means a spectacle as long as it lasts, incomparable, magnificent—and so far as the experience of a hundred years goes, without danger to life—almost without danger to property. From the summit of Mauna Loa, a vast dome which rears itself from a base fifty miles in diameter and includes almost half of	

YEAR.	PLACE.	PERSONS KILLED.
-------	--------	-----------------

the Island of Hawaii, to a height of 13,675 feet above sea level, a great glow began to be seen. It rose in an immense column of light, reflecting from the overhanging clouds, and seeming to spread out over a large area of the zenith. Where the column left the mountain it seemed almost white in the intensity of light. To those who have seen eruptions of Mauna Loa, it told its own story. Somewhere near the summit of the great mountain the molten lava had broken out in a fiery stream, forming first a cone, and then, bursting through the side of this, had started as a river of fire and lava down the gently sloping side of the mountain. This wonderful spectacle was visible, as it has now been ascertained, for a distance of one hundred miles in every direction, except where great cloud banks piled by the trade winds on some parts of the mountain's shoulder, intercepted the view.

1907—(Jan. 10)	A tidal wave, caused by volcanic action, has devastated some of the Dutch East Indies south of Achim. The loss is very great. It is known that 300 persons perished on the Island of Tana, and 40 were drowned on the Island of Simalu. As the latter named island has almost disappeared, it is probable that over 1500 persons were drowned.....	1,500
----------------	--	-------

1907—(Jan. 14)	A slight conception may be had of the magnitude of the eruption of the Volcano of "Mauna Loa," that began on Jan. 9th, at midnight, from the following	
----------------	--	--

YEAR.	PLACE.	PERSONS KILLED.
-------	--------	-----------------

report, 5 days later, from Honolulu:—
 “Lava from Mauna Loa volcano is flowing down the western side at the rate of seven miles an hour in three streams. One stream has crossed the Government road and reached the sea, thirty miles from its source. Some slight damage has been done to grazing lands, but neither life nor property has been endangered. The eruption has attracted many sightseers.”
 The second flow of lava at the end of the first week was half a mile wide and moving 720 feet a day.

1907—(Jan. 14) Destructive earthquake almost entirely destroying the City of Kingston, Jamaica; following in its wake by a fire which consumed over half of the city. The most conservative estimate of the loss of life is 1,000 persons. The financial loss exceeded \$25,000,000

1,000

In sympathy with the above, Mt. Vesuvius, in Naples, became more active; and Manila, P. I., was badly shaken up, and a tidal wave broke over the harbor works.

1907—(Jan. 18)—Two violent earthquake shocks were experienced at Kuba, Government of Baku, European Russia, at 5:30 a. m. today. Damage light. At the same hour, a severe shock occurred at Tolmezzo at the foot of the “Carnic Alps,” Italy; the inhabitants were panic stricken. And in sympathy, a tidal wave of considerable proportions occurred at the entrance to Tokio Bay, Japan.

1907—(Jan. 19) Severe shocks (without material damage) felt at Alexandrousk, Sahkhalia and Elizabethpol, Russia.

YEAR.	PLACE.	PERSONS KILLED.
1907—(Jan. 22)	Two more severe earthquake shocks, and the heaviest since the "great tremblor" of the 14th inst., at Kingston, Jamaica; several more buildings were thrown down, but no one injured.	
1907—(Jan. 24)	Three shocks of earthquake occurred at the village of Prospect, 19 miles from Utica, N. Y., thoroughly alarming the entire population.	
1907—(Jan. 30)	Several severe earthquake shocks felt at Highland and Greenville, Illinois, at 11:30 p. m.; some dishes broken, loss trivial.	
1907—(Feb. 22)	A very severe earthquake shock occurred at Unalaska, Alaska; in sympathy at the same hour, the inactive volcano of Akutan, on Akutan Island, of the Aleutian Archipelago, started into activity. It has been inactive for several years.	
1907—(Feb. 28)	A strong shock of earthquake was experienced in the southern portion of Carbon Co., Wyoming, on the evening of the above date. The seismic disturbance extended as far south as Hahn's Peak and was so severe that the inhabitants were thrown into a panic. At Slater, one building was twisted a foot out of plumb.	
1907—(Mar. 29)	The worst earthquake experienced in over 40 years, in the Erzeroum volcanic regions occurred at 10 a. m. on the above date at Billis, Asiatic Turkey. Over 2,000 houses were damaged, from \$50 to \$500 each; 300 houses entirely demolished, and eight lives were lost. Surrounding villages suffered proportionately but as it occurred in the daytime the loss	

YEAR.	PLACE.	PERSONS KILLED.
-------	--------	-----------------

of life was light, although many were injured.

1907—(April 2) An earthquake of extraordinary severity visited Canby, (and vicinity) Modoc Co., Cal.; the result was the opening of a gash of four feet in width, over a mile long. This crack seems to be bottomless.

1907—(April 14) The City of Mexico, and the entire coast on the Pacific, between Acapulco, Mexico, and the Isthmus of Panama, was the scene of the most destructive earthquake—in that section—known for many years. The following places were almost completely wiped out, *viz.*—Chilpancingo, Chilapa, Tixtea, Ayutla, and Ometepe. On the height of the first shock, the harbor of Acapulco, took on the appearance of a typhoon-swept ocean, and a tidal wave submerged one portion of the city of Acapulco. The whole coast from Acapulco to Salinas Cruz has been damaged. Incomplete returns show a death list of 98 persons and 300 injured from various points in Southern Mexico. Although the first shock in the City of Mexico lasted for 4 1-2 minutes, no loss of life is reported there. The property loss throughout the Republic of Mexico will run into millions of dollars.

The seismographs located all over the world, including the "Weather Bureau" at Washington, D. C., designate this particular earthquake as a "record breaker." The disturbance lasted for over two hours, and indicated that it was central somewhere in the Pacific Ocean

YEAR.	PLACE.	PERSONS KILLED.
1907—(April 16-17)	The "Atlantic Liner" steamer La Provence, which arrived at the port of New York, April 19, 1907, reported: "That from midnight April 16th until 5 p. m. April 17th, she passed through a storm which, the officers of the ship say, has rarely been exceeded in violence on the Atlantic. At dinner time, the 16th, the barometer began to fall rapidly and as midnight approached the ship reached an area where the air was so heavily charged with electricity that the compass became worse than useless. Suddenly a terrific storm swept down on the ship. Great waves broke over the liner's decks, but no rain fell, the night being perfectly clear. After five hours, the storm abated as suddenly as it had come. No one was injured, but the passengers were badly frightened. Captain Aliax, of the liner, believes the strange storm was the result of the same forces which caused the earthquake shocks in Mexico."	
1907—(April 19)	Earthquakes are reported for <i>this date</i> , from widely separated sections, <i>viz.</i> —a severe shock felt at 9:40 p. m. in the region surrounding Mostagalea, in Bulgaria; no mention is made of causalities or damage. A slight shock was felt at Charleston and Summerville, S. C., at 3:23 a. m.; three slight waving movements from north to west, lasting 8 seconds. Also a destructive shock experienced at Nueva Caceres, Southern Luzon; many buildings destroyed, but no loss of life reported. And from Manila, P. I., inter-	

YEAR.	PLACE.	PERSONS KILLED.
		mittant shocks for over three hours in the morning; three of the shocks were severe. To complete the list for this date, the volcano Puyehue, now in activity, in the the province of Valdivia, Chile, developed several new craters.
1907—(April 24)	The volcano Stromboli, in Sicily,	became suddenly active, with a series of loud explosions; after throwing out a large quantity of incandescent stones, almost immediately afterwards, returned to its normal state.

The foregoing extended tables of all the important, destructive earthquakes, that have occurred in the last 1900 years, have not been introduced here to satisfy idle curiosity, nor to awe the reader by the magnitude of the destruction of life; *but to show*, that the seismic phenomena is universal over the face of the earth, and least or *nil* where our predecessors placed the *Great Pyramid*. If we have made this point clear, we will now introduce another side issue, to assist us in the further elucidation of our theory, as to the extraordinary intelligence of the builders of that "first great wonder of the world," and of the impossibility of such a race of people to have existed at any period between 2,000 and 10,000 B. C.

(Sec. 7) **USEFUL ELEMENTS OF ASTRONOMY, AND THE SOLAR SYSTEM.**—**THE SUN**—☉—The solar system consists of a great luminous center, the sun, and the planets and comets which revolve around that body. The sun's diameter is computed to be about 850,000 miles. Its mean distance from the earth is about 92,000,000 miles. (Exactly 91,840,000 miles, as determined by Prof. Howard Vyse, in the measurement of the Great Pyramid Jeezeh.) The sun's volume is 1,400,000 times that of the earth. Its mass is said to be about 350,000 times that of our globe. The sun revolves upon its axis

once in about 25 1-4 days. (Does the sun's heat reach the earth as is supposed? We say, no. *See article at the close of this chapter.*)

THE ECLIPTIC SYSTEM.

The ecliptic circle or earth's orbit, is divided into 12 equal parts or 30 degrees each. The zodiac is also divided into 12 equal parts of 30 degrees each; the zodiac is also divided into 12 parts called signs of the zodiac of 30 degrees each, and includes 9 degrees on each side of the ecliptic; these 12 signs of 30 degrees each constitute the 360 degrees of all celestial circles, and we may say at all distances from the center of the sun. The planets traverse around this circle in various periods of time, and each one at various distances from the sun, and at irregular motions. All planets move from west to east; longitude is reckoned from the first point in *Aries* in the same direction; celestial latitude, or declination, is reckoned from ecliptic north and south. The word "opposition" means when the earth comes between any of the superior planets (which have their orbits outside the earth's orbit) and the sun; and when these planets are on the opposite side of the sun to the earth, they are said to be in conjunction with the sun. When Mercury or Venus are in line between the sun and the earth, they are said to be in inferior conjunction with the sun; when they are on the opposite side of the sun to the earth, they are said to be in superior conjunction with the sun—their orbits are located inside the earth's orbit.

THE PLANETS.

The principal planets are Mercury, Venus, the Earth, Mars, Jupiter, Saturn, Uranus and Neptune, each member having its own peculiarities. Mercury possesses a rapid motion on an elongated orbit, that varies from the plane of the ecliptic more than seven degrees. Mercury passes through about as much ellipticity in the same length of time as all the other principal planets together, and moves over more than double the number of degrees of longitude

in a day at about its perihelion, than what it does when about its aphelion—while Venus, the next planet to Mercury, moves upon an orbit nearer to a circle than any other planet in our system; therefore Venus is the most perfect planet among the solar members. The earth, the next planet to Venus from the sun, has from three to four times as much ellipticity in its orbit as Venus; it is also attended by a satellite of a large size for the magnitude of the earth. The earth is the first planet from the sun known to be attended by a moon. Mars is the next planet from the earth, and fourth from the sun; it is rather small for its location; its orbit is long, (and it possesses two tiny, and perhaps recently acquired, asteroid moons). There is a belt of very small planets, the Asteroids, located between the orbits of Mars and great Jupiter. Jupiter, the fifth and largest planet in the solar system, is attended by four satellites, and possessed, apparently, with bands about the body of the planet. Saturn, the sixth planet, has eight moons, and two great rings. Uranus, the seventh planet from the sun, possesses four satellites. Neptune, the eighth and last planet known from the sun, has one moon.

MERCURY—AN INFERIOR PLANET. ☿

Mercury's mean distance from the sun is 35,000,000 miles; its shortest distance is 28,000,000 miles; its greatest distance is 42,500,000 miles; its eccentricity is about 14,500,000 miles; its diameter 2,962 miles. Its time of axial rotation, 24 hours 5 minutes and 30 seconds; its mean orbital velocity is about 106,000 miles an hour. Its variation from the ecliptic is $7^{\circ} 6'$. Its orbital periodic time about the sun is; siderial, 87.96 days; synodical, 115.8 days. Mercury, Venus and our moon come in transit (apparently crossing the sun's disk), or in a direct line between the sun and earth, at periodic times. These bodies cannot withstand the undulating electric currents that they are subjected to in this position, therefore, they are, as it were, driven across the plane of the ecliptic at

various angles, as though this electric force was a repulsion upon them or the matter composing them. This is the case with all bodies when placed in this position. The body of matter in the middle, or the body coming between two other bodies, absorbs the electricity from the two outside ones with great force, and by this force it expands and leaves this position by moving to one side or the other of the plane of the ecliptic, or rather crosses the plane at some angle that does not place it between two bodies so frequently. Mercury's rapid motion, its great density, and necessarily the remarkable change of this motion and density at about perihelion and aphelion passages, agitate the whole solar system upon many of these occasions. The great changes of motion, density, and electric currents account for the rugged, rough mountains, (supposed to be 50,000 feet high); also luminous points as seen upon Mercury's obscure disk—which are supposed to be volcanos in a state of activity, and which would seem to be a very reasonable suggestion of facts. (As the elements composing our moon must be in about some such a state of agitated changes, the bright illuminated points and lines upon the moon must be the illuminated gases escaping to the dark surface of the moon as they move from the illuminated to the dark side of the satellite.)

VENUS—AN INFERIOR PLANET.—♀

Venus, alternately the bright morning and evening star, moves on an orbit nearly circular, at about the mean distance from the sun of 66,000,000 miles. Its diameter is 7,500 miles. Its orbital velocity is about 77,000 miles an hour. It revolves on its axis in 23 hours and 21 minutes. Its sidereal periodic time about the sun is 224.7 days; its synodical time is 583.9 days. Venus varies from the ecliptic $3^{\circ} 23'$.

THE EARTH. ⊕

Its mean distance from the sun is about 91,840,000 miles. Its orbital velocity is about 67,000 miles an hour. Its diameter, near 7,925 miles (7,924.9111). Its time of

axial rotation, 23 hours 56 minutes and 4 seconds. It revolves around the sun in 365 1-4 days.


The axis of the earth is inclined 23 1-2 degrees from the perpendicular to its orbit. The axis of the earth is constantly (or nearly so) pointing to the north star. At the equinoxes one-half of the earth's surface is illuminated from pole to pole, hence the days and nights are of equal length. The earth passes its vernal equinox March 20th and its autumnal equinox September 22nd. By the 21st of June the earth's orbital motion brings the earth's position so that the sun is verticle 23 1-2 degrees north of its equinoctial point. This produces the summer solstice in the northern hemisphere, and winter in the southern hemisphere. The earth's orbital motion brings the earth's position so that the sun is verticle over its equator again September 22d, or at the autumnal equinox. The earth's orbital motion brings the sun vertical 23 1-2 degrees south of the earth's equinoctial point, on the 21st of December, or to the winter solstice in the northern hemisphere and summer in the southern hemisphere. The earth's orbital motion brings the earth's equinoctial point to the sun's vertical line and earth's equator again, March 20th, and by this illuminating one half of the earth's surface from pole to pole.

The extent of declination of the sun's verticle from the equinoctial is 23 1-2 degrees north or south, or on each side of the equator. At the summer solstice the sun is verticle 23 1-2 degrees north of the equator, and at the winter solstice it is verticle 23 1-2 degrees south of the earth's equator. This is called the obliquity of the ecliptic. These various (seasons or) periodic positions of certain parts of the earth's surface are brought to the sun's verticle by a sort of a spiral motion of the earth on its orbit—which orbital motion brings these certian parts of the earth's surface under the sun's verticle at these certain seasons of the (year or by the) earth's annual revolution about the sun, as described above—or at spring, summer, autumn and winter seasons and positions.

The earth is in perihelion about December 31st, and in aphelion about the 1st of July. Its perihelion is in longitude $100^{\circ} 21'$, and its aphelion is $280^{\circ} 21'$. The earth's volume, according to Airy, is only one part out of 1,400,000 volumes of that of the sun. Its mass is one part out of about 352,000 parts of the sun.

THE CHANGES OF THE SEASONS.

The following cut exhibits the earth in its various positions as it moves, in its orbital motion, through the season constellations—its spring equinox, its summer solstice, its autumnal equinox, and its winter solstice, etc.



The equinoxes move westward about $50''$ annually. The earth's perihelion point moves eastward about $12''$ a year. By this movement of the vernal equinox westward $50''$, and the perihelion eastward $12''$, these two points become further apart each year (for a long time) by $62''$, or $1' 2''$. A revolution of 360 degrees, (of precession, or falling back of the equinoxes) would require about 26,000 years—while the advance of the perihelion, or apside, eastward through 360 degrees, or a revolution, would require about 110,000 years.

THE MOON—OUR EARTH'S SATELLITE. ☾

The moon is our nearest planetary neighbor. It is a body of matter revolving about our globe, and apparently exercising considerable influence upon our sphere. The moon's mean distance from the earth is 238,800 miles. Its least distance is 225,700 miles, and the greatest distance is 251,900 miles. It is 26,000 miles nearer the earth at perigee than it is at apogee. It revolves on its axis to the sun, in 27 days 7 hours and 43 minutes, which is about the same period of time as that of its sidereal revolution. Its synodical period is 29 1-2 days. It possesses no axial rotation to the earth, therefore it always turns about the same side towards our globe. It appears to move around the earth at about the rate of 2,273 miles an hour. Its variation, or the inclination of its orbit to the plane of the ecliptic, is $5^{\circ} 8'$. The moon's orbit revolves around the earth, as well as the moon itself—that is, its nearest and farthest orbital points make a revolution around the earth once in each 8 years and 310 1-2 days. This is termed the progression of the apsides. The line of the moon's nodes is also in motion, moving around the earth and ecliptic in a retrograde direction, or from east to west, in a period of about 18 1-2 years. The moon's nodes are the two points where the moon touches or crosses the plane of the ecliptic or earth's orbit, on its passages going from north to south, or from south to north declinations, etc.

MARS—A SUPERIOR PLANET. ♂

Mars is the fourth planet from the sun. It is a small body, with a long orbit. Its mean distance is 152,000,000 miles; its least or perihelion distance is 126,300,000 miles. Its diameter is 4,920 miles. It revolves around the sun in 686.97 days. Its axial rotation takes 24 hours 37 minutes and 23 seconds. Its variation from the plane of the ecliptic is 1° and about $51'$. Mars is about 26,000,000 miles nearer the sun at perihelion than at its aphelion. Mars has two small satellites. They were discovered at Washington, D. C., in 1877, by Prof. A. Hall. The inner

moon is about 4,000 miles from the planet; its orbital revolution is 7 hours and 39 minutes. The outer one revolves about the planet in 30 hours and 17 minutes.

Mars is an oblate planet—according to William Herschel, its equatorial diameter is 272 miles greater than its polar diameter; but Mr. G. R. Hind makes its equatorial diameter 85 miles greater than its polar diameter. But Mars possesses 26,000,000 miles of ellipticity in its orbit, and the length of a planet's orbit governs the axial rotation of the planet, and the axial rotation controls the quantity of the ellipticity in a planetary path, and the length of the ellipticity in an orbit must regulate the shape of the planet's body or matter, itself—or the ellipticity in a planetary orbit regulates the amount of change that it goes through each orbital revolution; and those with the longest orbits go through the greatest amount of change, each orbital revolution. A mass of matter having no axial rotation to the body that it revolves about is a perfect comet to that central body. A planet or body of matter, having a perfect axial rotation possesses no ellipticity in its orbit, therefore goes through none, or but little change of density or motion in its orbital revolutions. Venus is nearly in this condition. Mars possesses 26,000,000, and the earth 3,000,000 miles of ellipticity, in their orbits—therefore Mars contains 8 2-3 times as much ellipticity, in its orbit, as the earth—consequently, in the same proportion, if Mars has (in round numbers) 160 miles of oblateness in its conformation, the earth should have 20 miles, or $160 \div 8 = 20$ miles; this making the earth's equatorial diameter 20 miles greater than its polar diameter. Prof. Richard Mansill's theory is, "that the remarkable illumination and brightness about Mars, and its bright spots, are caused by and through the illuminated gases that are about the planet, and needed to enable the body to go through the great amount of change of motion and density that it must pass through, to adjust itself to the great quantity of ellipticity that is in its orbit." This planet possesses about 20 per cent.

of the element, or nature of a comet, in its ellipticity. This is possibly the cause of this planet appearing to vary so much, at times, as it is said to do.

THE ASTEROIDS, OR PLANETOIDS, MINOR PLANETS.

This belt of numerous small planets is located in the space between Mars and Jupiter. Their orbits are included in a wide ring at an average distance of about 255,000,000 miles from the sun. Their orbits incline at various angles to the ecliptic, and their paths possess considerable eccentricity. These bodies are so small that little is known about the elements composing them.

JUPITER, A SUPERIOR PLANET. ♃

Jupiter is the fifth principal planet from the sun; it is the largest of the planets. Its equatorial diameter is about 88,000 miles. Its mean distance from the sun is about 475,600,000 miles; its least, 452,000,000, and its greatest, 498,000,000 miles from that body. The time of axial rotation is supposed to be 9 hours and 55 minutes. Its orbital motion is 28,700 miles an hour. Its orbital periodic time is 4,332.58 days. Jupiter's equatorial diameter is supposed to be about 5,000 miles more than its polar diameter. Jupiter is about 45,000,000 miles nearer the sun at its perihelion than at its aphelion passages. The volume of Jupiter is about 1,244 times that of the earth. The inclination of Jupiter's axis to its orbit is about 3 degrees. The inclination of its orbit to the plane of the ecliptic is $1^{\circ} 18'$. Its synodic period is 398.8 days. (Its mass is said to be about 301 times that of the earth.) Jupiter has four moons, at the following distances from the planet: 264,000; 423,000; 678,000; and 1,118,000 miles.

SATURN, A SUPERIOR PLANET. ♄

Saturn, the sixth principal planet from the sun, revolves around that body in 10,759.22 days, or about 29 1-2 years, at a mean distance of 872,000,000 miles. (Its synodic period is 378 days.) Its least distance is 823,000,000 miles, and its greatest distance is 921,000,000 miles. Saturn is supposed to revolve on its axis once in 10 hours and 20

minutes. Its equatorial diameter is 77,900 miles. Its oblateness is greater than any other planet. The planet's polar diameter is considered to be 7,800 miles shorter than its equatorial diameter. The inclination of its orbit to the plane of the ecliptic is about $2\ 1\text{-}2$ degrees. Saturn is about 98,000,000 miles nearer the sun at perihelion than at aphelion. Its velocity in its orbit is about 21,221 miles an hour. The inclination of its axis to the plane of its orbit is about 27 degrees. This planet is encompassed by three rings, and accompanied by eight satellites. (The astronomers at large are as much at sea over the rings of Saturn, as the architects are over the building of the Great Pyramid.)

URANUS, A SUPERIOR PLANET. ♅

Uranus is the seventh principal planet from the sun, and revolves around that body at a mean distance of 1,753,000,000 miles, in a period of 30,686.82 days, or about 84 years. Its least distance is 1,672,000,000 miles, and greatest distance is 1,835,000,000 miles. Uranus is about 163,000,000 miles nearer the sun at perihelion than at aphelion. The inclination of its orbit is $46\ 1\text{-}2$ minutes. Its synodic period is 369.65 days. Uranus' diameter is 33,000 miles. Its equatorial diameter, like Jupiter and Saturn, is greater than its polar diameter, but the difference is not exactly known. The volume of Uranus is about $72\ 1\text{-}2$ times that of the earth. Uranus is attended by four moons, that revolve about the planet in the opposite direction to that of the motions of other satellites about their primaries. Its velocity in its orbit is 14,963 miles an hour.

NEPTUNE, A SUPERIOR PLANET. ♆

Neptune is the eighth principal planet from the sun, around which body it revolves in 60,126 days, or about $164\ 1\text{-}4$ years, at a mean distance of 2,746,000,000 miles. Its least distance is 2,722,000,000 miles, and greatest distance is 2,770,000,000 miles. Neptune is about 48,000,000 miles nearer the sun at its perihelion passage than it is at its aphelion passage. The inclination of its orbit to the

plane of the ecliptic is about 1 3-4 degrees. Its diameter is 36,600 miles. Its synodic period is about 367 1-2 days. Neptune is attended by one satellite that revolves around the planet in a retrograde motion, or from east to west like the moons of Uranus.

ECCENTRICITIES OF THE PLANETS.

The eccentricities of the planets, as considered by one-half their major axis, are approximately: Mercury, 1-5; Venus, 1-145; Earth, 1-60; Mars, 1-10; Jupiter, 1-21; Saturn, 1-18; Uranus, 1-22; Neptune, 1-111.

THE EARTH AND WORLD BUILDING.

(Sec. 8.) The above subject should have preceded this work in a full quarto volume; (as we stated in our preface) but a short chapter introduced at this point of our discussion, on the above subject, will relieve us of further explanation when we come to the subject of the material used in the building of the *Great Pyramid*.

THE CREATION AND THE CREATOR.—In reference to the creation and the Creator, we are led to suppose that an all-wise and an all-powerful and an almighty Omnipotent or Being, who might govern all the matter of this universe with his wisdom and will, but whom, we think, would start the universal elements in their motions, changes and combining conditions in such a manner as he intended them to go in, in the start. Such a system as this appeals to us, but we can hardly think that he would be patching and mending the job or any personal parts of it on its way as it moved along. There are no known exceptions allowed to any reasoning individuals by way of emollients exempting them from the vital natural laws and forces, as they all must eat (to live), drink, sleep and grow (and decay), just like and as the wild brute or animal creation has to do. Therefore, if reasoning persons seek pleasure to an extent of violating natural laws and their requirements, the human flesh or substance suffers for it to an equal extent of the violation of such laws committed. Therefore, there is no

need of a Supreme or an All-Wise Being interfering with the petty affairs of human beings. This theory may appear to indicate to some extent that (cultivated mind) reasoning human individuals, as being somewhat as free agents, but who at the same time (we think) must pay the penalties of their own follies and crimes with the pangs and pains in their own living flesh.

The whole system is a grand one, and we are simply trying to learn what elements our mass (the earth) is composed of, and about when and how it commenced to grow or condense, and at about what stage or age animal and vegetable life commenced upon our globe, and what is likely to be the final results of the earth. As the masses are not ready for such a solution (or theory), our reward will be, simply the love we have for this beautiful scheme.

APPEARANCE OF THE FIRST GERMS OF LIFE UPON THE EARTH.

No life could have existed upon the earth until the primary or crystalized rock formation had condensed and become solid enough and sufficiently steady and quiet long enough to support animal life. And, life even then, and that of the lowest kind, could not have commenced upon the globe until dry land had appeared, and the carbon existed in a state of solution, and this being washed about the silicated shores where this element (carbon) could expand and unite with the oxygen of the air.

At or about this time the first life on this globe could have commenced, or as soon as a single organic cell could be formed, and this would occur coinciding with the first formation of carbonic acid gas, and which would generate at the same time a little alcohol and spirits, and as the carbon expanded upon the shore it is probable that a portion of the atmosphere would be absorbed and condensed—they would constitute the the organization of the organic elements, or such as the hydrogen and oxygen composing the water—the carbon in solution and the nitrogen of the atmosphere, and until these conditions existed no life could have

taken place on this globe. But as soon as these conditions did exist, nothing could prevent these elements from going into animal and vegetable life; (the lower orders) of life spread rapidly all over the dry part of the earth. Nothing up to this day has or could prevent animal growth or decay, nor is anything likely to put a stop to its progress for a long time in the future. Two-thirds of the (dry) earth is covered by a scum of life that cannot be suppressed as long as there is carbon in water in solution and nitrogen gas in the air, but as it is at this time and as it has been since the first dawn of life upon our sphere. Those who contend that the spontaneous generation of low orders of animals are going on today are probably correct; and those who contend that life started from a secret or unexplainable germ and that life is the continuation of a germ that no one knows anything about, may hold their own for a time, for the reason that natural life cannot germinate or develop without a free access of moisture, or water and atmosphere and carbon and nitrogen. They are all contained in the germs of life when compounded in suitable (solutions and) quantities, but when put under an influence that produces death or something that prevents chemical action, then, of course, there is no development of life. But when the organic elements, as referred to above, are left free to mingle, then life is the result, and it cannot be repressed from developing and making itself manifest in the shape of the lower orders or forms of life. The first organic matter collected on the earth would likely be a corruption of organic elements—water and carbon in solution, and other earthy and slimy matter and the atmosphere. From such a mass fermentation and decomposition would be inaugurated. from which a little hydrogen would escape, and where carbonic acid would be developed by the expanding carbon and condensing oxygen, and they united, and at the same time a portion of nitrogen may be absorbed and condensed—and here would be the germ or development of the cell. The carbonic acid would hang about the land or shore,

uniting with other matter, and under the sun's influence would commence to develop a low order of vegetable matter or such matter as the naturalists have been unable to decide whether it belongs to the animal or vegetable kingdoms. We now reach the lichens, mosses, fungus, algæ or sea-weeds and other low orders, of a near compound of animal and vegetable matter—from the decomposition of this class of infusoria, animalculæ, monads, etc., would appear. The fermentation of this matter would develop carbonic acid to feed and support the growing of vegetation. The decaying vegetation would furnish the juices about the shores to support fermentation and the low orders of animal life about the shores which would result therefrom. Therefore, after life had reached this stage of progress, the advance would likely be very rapid, both in quantity and quality of animal and vegetable types.

THE AGE OF THE EARTH.

If we assume that it requires a year to grow vegetation enough to form one ton of merchantable coal to the acre when converted into that element, and there are about an average of 1,000 tons of coal to the acre in a vein one foot thick or 4,000 tons in a bed four feet thick, and 8,000 in an eight foot stratum—or say it would require 100,000 years at this rate to supply 100 feet of combined coal beds, or at the same rate of building the earth's crust up by chemical condensations it would need or require 1,000,000 years for each 1,000 feet, or 100,000,000 years for each 100,000 feet of the earth's crust. Therefore, it has been perhaps possible to build up parts of the earth's crust at about the rate of one foot in 1,000 years—but, as there were always parts of the earth covered by water, nothing like this much (under the water) could be accomplished. Therefore, this time may be multiplied by five, or say it would take 500,000,000 years to build up the first 100,000 feet of the earth's crust—or about this same proportion of time, let it (the thickness) be more or less, to produce the same amount of the earth's crust or strata. As it is possible that this contains most

of the earth's crust (and perhaps more), as the temperature increases one degree for every 60 feet of descent, and as this would fuse everything known to us before reaching 100,000 feet from the earth's surface, there is no doubt but the earth has been principally built up by chemical condensations, even from the first condensations (of oxygen and hydrogen) of the primary crystalline rocks, when oxygen and silicium, oxygen and aluminium, oxygen and magnesium, and afterwards oxygen and calcium, were condensed together (also oxygen and carbon). This is the manner and way in which the crust of the earth has been condensed and built up to its present condition—and not by the spontaneous radiation of heat (from it) so-called, and which is generally supposed to have been the case or cause of the cooling and condensing and building up of the earth's crust. All the primary rocks were formed and condensed in regular order by chemical combinations. The primary crystalline rock formation went on, followed by the Silurian measures; then the Carbon age appeared with its fermentations, and by this furnishing food and substance for vegetable growth, and this vegetation became food again for animal life of both marine and land species. We quote the following from "*A New System of Universal Natural Science*," by Mansill: "Therefore, to sum the progress of our globe up to this time, in short it is this: The earth's crust is constantly being worked over and over again by internal and external corrosians, and by this it is made thicker and harder through the absorption of oxygen from the air and space to supply the chemical processes that are performed through the long progress of the construction of the earth's crust.

The consumption of oxygen from the air for each individual amounts to about two pounds a day, and for every 6 pounds of pure carbon consumed in combustion, the world over, consumes 16 pounds of oxygen to convert it into carbonic acid gas, much of which gas is absorbed by the waters of the globe, and therein forming chemical compounds with the earthy elements within the water and thereby

building up the strata of the earth. All the processes of fermentation and decompositions absorb oxygen from the atmosphere in this manner to support their operations. Therefore the total consumption of oxygen extracted from the air each day to support the chemical actions cannot be much less than from 10,000,000 to 20,000,000 tons per day. For every 8lbs of hydrogen gas burnt there must 64lbs of oxygen condense and contract its volume to form 72lbs. of water. Just think of the quantity of oxygen and hydrogen stored in all the waters of the globe! If this fluid averaged 2 1-4 miles thick all over the globe we should have two miles deep of a belt of oxygen and one-fourth of a mile thick of hydrogen—that is, if these two elements were separated into their component parts.

We therefore, find our earth, at this time, existing as a globe of matter composed (chemically speaking) of several kinds and various densities, and possessing a diameter of about 8,000 miles and a circumference of about 25,000 miles and an area of about 200,000,000 miles, and moving through space at the rate of about 66,000 miles an hour, and at a supposed distance from the sun of 92,000,000 (pyramidal measure 91,840,000) miles. The contents of its volume is computed to be about 260,000,000,000 cubic miles. The number of tons of matter it contains is computed to be about 3,510,000,000,000,000,000,000 tons (this is computing the earth as being solid and three times the weight of water). Therefore, if the earth was composed totally of oxygen it could have absorbed and condensed about 11,000,000 tons of oxygen a day, or about four billion tons a year for a period of 875,000,000,000 years in order to reach its present condition. But allowing half of this time for the first accumulation of matter—as a mass of gas—in the shape of a globe or comet, and then take one-half of the other half for the other matter contained in the composition of the earth, then there could have been condensed by the earth 11,000,000 tons of oxygen each day for more than 200 billions of years in bringing the earth to its present

condition, and even if our earth consisted of only a shell of dense matter not exceeding one hundred miles in thickness it could have consumed 11,000,000 tons of oxygen a day for many millions of years. Therefore, such is the supply of nature's resources."

ROCKS AND STRATA AND THEIR COMPOSITION.

GRANITE.—It has been considered that granite was the foundation and oldest rock of the earth's crust. It may be the oldest compounded consolidated rock, but it can hardly be the oldest rock making substone, for it is composed of quartz, mica and felspar.

QUARTZ.—Composed principally of silica and silex is composed of 51 parts of oxygen and 49 parts of the base. Felspar is composed of 67 parts of silica, 18 of alumina, 2 of lime, 12 of potass and one part of the oxide of iron. Mica is composed of 47 parts of silica, 22 of alumina, 14 of potass, 15 of the oxide of iron and 2 parts of the oxide of manganese. Therefore, when we reach the structure and composition of granite in the building up of the earth's crust, we have silicium and oxygen united, forming silica; and this united with alumina, potass, oxide of iron, a little lime and a small quantity of oxide of manganese; consequently the earth must have been a long way advanced in the progress of condensing and constructing its crust when granite was compounded.

THE ELEMENTS CONDENSED TOWARDS FORMING THE EARTH'S CRUST.—The first elements to condense in forming the earth's solid crust would appear to be silicium, which appears to have the strongest absorbing or uniting power for oxygen (excepting, perhaps, hydrogen—which probably had the strongest absorbing power for oxygen, and claimed it to form the waters and vapors about the globe)—and by this forming silex and silica. Potassium would likely be the next element claiming oxygen with the strongest force to condense with; and iron the next in force and in order as uniting with the oxygen, and these elements would probably unite with the alumina, together

with a little lime and manganese. In this mass of condensed matter from the metallic and earthy vapors and gases are the elements to constitute the rock termed granite. Silicium is an earth, potassium, aluminium and iron are metals. These, the apparent first condensed elements in the earth's crust, compose quartz, felspar and mica in their various component parts, and these united in their proper constituent proportions (as they are) constitute granite.

CLOSE APPROXIMATION OF THE COMPOSITION OF VARIOUS ROCKS.

	Quartz	Felspar	Mica	Talc	Chlorite	Slate	Horn- blende
Silica.....	98	67	47	62	50	49	42
Alumina.....	2	18	22	2	26	24	12
Magnesia.....	0	0	0	27	0	2	3
Zinc.....	0	2	0	0	2	0	11
Potass.....	0	12	14	0	17	5	0
Oxide of Iron.....	0	1	15	3	5	11	30
Oxide of Manganese.....	0	0	2	0	0	1	1
Carbon.....	0	0	0	0	0	1	0
Water.....	0	0	0	6	0	7	1
	100	100	100	100	100	100	100

For the composition of the different varieties of granite, also limestone, marble, etc., see index, for a complete list of all "mineral substances," in another part of this work.

THE FIRST ROCK.—From these compounds or combinations—silex, silica, sand, sandstone—pure silica sandstone would appear to be the first rock formation condensed in the earth's crust. This would seem to be the case from the strong power that silicium has to unite with oxygen, and it being found so abundant in the earth's crust from first to last.

THE FIRST CONDENSED CARBON.—The very first carbon that condensed on the earth into a solid must have contracted its volume mechanically, for it could not have condensed chemically into the diamond or graphite, as these elements are not compounds, therefore it could not even unite with oxygen (to form carbonic acid), for when carbon does unite with oxygen to form carbonic acid gas, the carbon expands its volume to unite with it about as much as the oxygen contracts in volume—and when it unites with oxygen to help to form a solid, it does so indirectly, as it does in the case of forming carbonate of lime, it first absorbs oxygen enough to enable it to expand into carbonic acid gas—it then becomes absorbed (itself) by the water—water having a very forcible absorbing power for carbonic acid—water takes up about an equal volume of this gas. The mechanical process of forming the diamond (condensed pure carbon) by the action of the earth, could have been accomplished during any great upheaval, or sudden changing of the earth's polarity.

LIME.—The metallic base of lime is calcium, combined with oxygen like the other earths. Most limestone contains 57 per cent. of lime and 43 of carbonic acid. When burned in kilns the moisture and much carbonic acid is driven off, but the caustic lime soon absorbs moisture and carbonic acid from the air again.

HYDROGEN AND OXYGEN.—It is, perhaps, harder to tell or learn when hydrogen was first condensed (with oxygen into water) than it is with any of the other elements there were probably watery vapors mingled in the mass of expanded gases that composed the earth the day that it


assumed its axial rotation and became a planet. Pure hydrogen gas appears to be more naturally united with oxygen gas in process of explosions than in any other way, and by this forming water—one pound of hydrogen gas (which is two volumes) unites with eight pounds of oxygen gas (which is one volume) to form nine pounds of water, or the hydrogen as a gas is 194 1-2 feet, and the oxygen as a gas is 96 1-2 feet, the water after the collapse is about one-sixth of a foot and can produce a motion through space of 20,000 miles an hour, while the hydrogen could only support a motion of 1 2-3 miles an hour and the oxygen produce a motion of 26 1-3 miles an hour—such are the conditions wrought among elements by chemical combinations.

[A more complete epitome of the planets, and the new theory regarding the (supposed) heat of the sun, will be found in the later chapters of this work.]

We have now to deal directly with the Great Pyramid Jeezeh.

MEASURE OF THE CIRCLE.

The Circle Squared.



[Great Pyramid's square base, and circle with radius=Pyramid's Vertical height.]

The above diagram shows, approximately, the proportions of the "Great Pyramid Jeezeh," of Egypt. NOTE.—The Pyramid inch=1.001 inch English, and the sacred cubit=25 Pyr. ins.

First—We will present the closest approximation to the above assertion, in medieval and modern times, through the key of what is termed *pure mathematics*. Mathematicians and philosophers have asserted that the nearest approximation possible to the π , or the value of the circumference of a circle in terms of its diameter,—**3. 141592653589793238462643383279502884197169399375105820974944592307116406286208-9986280348253421170679821480865132823066470938446095505822317253594081284802+**, &c., &c., &c.

Second—The next nearest approximation is of *applied mathematics*, or of astronomical and physical science, as furnished by all the first-class nations of the world, who have been working publicly for centuries, and at a cost of millions of money, and have attained, or are on the point of attaining, an accuracy, sometimes only in the second figure, sometimes in the third, fourth, fifth, or even lower figures, according to the greater or less difficulty in the nature of the question concerned. As thus:—Polar diameter of the earth—between 500,378,000 and 500,560,000 English inches.

Mean equatorial diameter of the earth bet. 502,080,000 and 502,230,000 Eng. ins.

Mean density of the earth bet. 5.3 and 6.5; the two latest determinations by powerful government institutions.

Mean distance of the earth from the sun bet. 91 and 93 millions of miles, Eng.

Obliquity of the elliptic in 1877 A. D.= $23^{\circ} 27' 17''.9$ to $23^{\circ} 27' 19''.0$.

Length of the solar tropical year in mean solar days=365.24222 to 365.24224.

Precession of Equinoxes in years=25,816 to 25,870.

Third—To claim to have found anything that is *new*, or revive a *problem* that is *lost* in the mist of antiquity, requires a courage in this day of enlightenment and understanding—to be willing to stand alone to act, to think, to do

THE GREAT PYRAMID OF JEEZEH.

Situated in the centre, and at the same time at the border, of the sector-shaped land of Lower Egypt, in the **Geographical Centre** of the land surface of the whole world, and about 9 miles S. of W. of Cairo, the present capitol of Egypt, on the west bank of the Nile, in $29^{\circ} 58' 51''$ N. Lat. and $31^{\circ} 10' 1''$ E. Lon. is the Great Pyramid of Jeezeh, in Egypt.

Egyptologists referred to for the following notes on the Pyramids of Egypt, are: Piazza Smyth; Howard Vyse; Wm. Osborn; Dr. Lepsius; Lane; Wilkinson; Rawlinson, &c.

The Name of the Great Pyramid. Varieties of orthography by different authors, which may lead to the correct pronunciation, are as follows: D'iza, Dschiseh, Dsjise, Dzireth, El-Geezeh, Geezeh, Gheezeh, Ghizeh, Gizeh, Gyzeh, Jeezeh, Jizeh, &c.

Dr. J. A. S. Grant, writes from his Sanatorium, Palais Mantatis, in Cairo, in March, 1877, that Jeezeh, or Geezeh, is the proper way of spelling this word in English.

Names of the Builders of the Three Largest Pyramids of Jeezeh, According to Various Authorities.

AUTHORITIES.	Builder of the Great Pyramid.	Builder of the Second Pyramid.	Builder of the Third Pyramid.
Herodotus.....	Cheops.	Chephren.	Mycerinus.
Manetho.....	Suphis I.	Suphis II.	Mencheres.
Eratosthenes.....	{ Saophis. Comastes, or Chematises. }	Saophis II.	{ Mescheres Helio- dotus. }
Diodorus Siculus...	Chemebres.	Cephren.	Mycerinus.
Modern Egyptolo- gists... ..	{ Shofu. Shufu. Koufon. }	Nou-Shofu. Noum-Shufu. Shafre.	Menkere. Menkerre. Men-kaw-ra.

Date of the building of the Great Pyramid.

The most satisfactory estimate, of any Egyptologist who has attempted to fix the date of the building of this "**First Great Wonder of the World,**" is by Piazza Smyth; who has by a series of actual measurements and observations, mathematical, astronomical and geographical, extending over some fifteen years, fixed the date about **2,170 B. C.** (Other authorities, without naming them, place the date varying from 150,000 to 1,950 B. C.) Any one who will closely examine all that has been written upon this subject, during the present century, will come to the remarkable conclusion—that, it was either built thousands of years prior to the assumed date of man's existence on the earth, by a race vastly wiser; or, that it was designed by the "Great Architect," who rules all things.

Prof. H. L. Smith, of Hobart College, Geneva, N. Y. (in a private letter) speaking of the Queen's Chamber, in the Great Pyramid, remarks, "Either there is proof in that chamber of supernatural inspiration granted to the architect;" or—"That primeval official possessed, without inspiration, in an age of absolute scientific ignorance 4,000 years ago, scientific knowledge equal to, if not surpassing, that of the present highly developed state of science in the modern world."

Position, Size, Area, Height, etc., of the Great Pyramid.

The Great Pyramid is built upon, and near the edge of an elevated rocky steppe, about 130 feet above the fertile plains of the Nile, and about 125 feet above the neighboring alluvial plains as now covered with sand, upon a solid ledge of limestone and porphyry, the strata of which lay horizontal. The structure at its base is supposed to be a perfect square, and its height, the proportion of the square of such base, as the value of the circumference of a circle is to the diameter of the same, thus: Diameter **1**, Circumference is **=3.1415926535897932384626433832795028841971693993751058209749445923078164062862089986280348253421170679821480865132823066470938446095505822317253594081284802+.**

With this exception, the belief exists, that the circle has **actually** been squared by the Pyramid measurements, if we can correctly measure them to their ancient positions. This Pyramid faces **exactly** North, South, East and West, and the **only** one that does, of all the Pyramids in Egypt.

For the equivalents of the "Pyramid Inch," and "Sacred Cubit," used in the calculations which follow—see table of Pyramid Weights and Measures below. It will be observed that in nearly every weight or measurement in the construction of this Pyramid, the figure 5 is conspicuously present.

Pyramid Weights and Measures.

The basis by which the following results were obtained, are viz: **For Lineal or Surface Measure**, the one 500-millionth of the Earth's Axis of Rotation, which is=1 Pyramid Inch, and equivalent to 1.001 Inch English. **Weight Measure**, is based on the Earth's Size and Density. **Capacity and Dry Measure**, on the Cubic Contents of the Coffin in the King's Chamber. **Heat and Pressure, Angle and Time**, on Cosmical, Geographical and Pyramidal measures.

The Standard of Length employed in laying out the Great Pyramid, viz: The Sacred Cubit=25 Pyramid Inches, in the measurement of the perimeter of the building, found to represent a theoretical circle, brings out the true length of a solar year, viz: 365.242 days.

Measures of Length.

NAME.	Length.	Eng. Equivalent.	Basis.
Pyramid Inch.....	1.	1.001 Inches	=1.500-Millionth, Earth's Axis Rotation.
Pyramid Sacred Cubit.	25.	25.025 Inches	=1.20-Millionth, Earth's Axis Rotation.

Weights and Measures.

Division, or number, of each part contained in weight standard.	Intermediate divisions.	Weight of the part so divided in Pyramid lbs.	Capacity of the parts in Pyramid cubical inches of Earth's Mean Density.	Capacity of the parts in Pyramid cubical inches of distilled water. (T. 50° B. 30. of Pyramid.)	Name now proposed to be given to each kind of part.
1	0	2,500.	12,500.	71,250.	Ton.
4	4.	625.	3,125.	17,815.	Quarter.
10	2.5	250.	1,250.	7,125.	Wey.
25	2.5	100.	500.	2,850.	Cwt.
250	10.	10.	50.	285.	Stone.
2,500	10.	1.	5.	28.5	Pound.
25,000	10.	0.1	0.5	2.85	Ounce.
250,000	10.	0.01	0.05	0.285	Dram.
25,000,000	10.	0.0001	0.0005	0.00285	Grain.

Capacity Measure.

1 Coffin=4 Quarters=10 Sacks=25 Bushels=250 Gallons, and is=71,250 cubic ins., the capacity of the Coffin in the King's Chambers. **Fluid Measure**=28.5 Pyramid cubic inches=1. Pyramid pound=1. pint, &c.

Thermometers in different countries, compared by placing the 0° at freezing in each, you have the same absolute temperatures in terms of five different thermometric scales.

Fahrenheit.	Modified Fahrenheit.	Centigrade.	Réaumur.	*Pyramid.
122°	90°	50°	40°	125°
104°	72°	40°	32°	100°

*The Pyramid Thermometer consists of 250° between the boiling and freezing point; one-fifth above the freezing point, or 50° the average temperature of all lands, and=the Mean temperature at the level of the King's Chamber in the Great Pyramid; which is situated on the 50th layer of stone from the pavement of the same; and upon the 5th layer of stone that is 30 inches in thickness. The former corresponding to the Mean temperature, viz: 50°; the latter to the barometric pressure of 30 inches at the level of the sea.

PYRAMID FEATURE.	SYSTEM OF ANGLE MEASURES.			
	Babylonian.	French.	Vulgar.	Pyramid.
A whole circumference.....	360°	400°	32°	1,000°
Angle of side with horizon.....	50° 51' 14"	57°.62	4°.61	144°.05
Angle of passages.....	26° 18' 10"	29°.23	2°.34	73°.08

The casing stones of the Great Pyramid have an external slope of 51° 51' 14" .3 as affected by its horizontal masonry courses. For every ten units which its structure advances inward on the diagonal of the base to central, nocturnal

darkness (of the Great Pyramid), it practically rises upwards, or points to sunshine, daylight and sky, by **nine**. It is claimed by Mr. Wm. Petrie, C. E., that the radius of the earth's mean orbit round the sun, however far away that may be, is in this same proportion of 10:9. By this measurement the sun is estimated to be about 91,500,000 miles distant from the earth.

Number of sides of the whole building, 1 square, and 4 triangular.....=5
 Number of corners—4 on the ground and 1 anciently aloft.....=5

	Pyramid Inches.	Sacred Cubits.
Ancient and present base-side socket length.....	9,131.05	= 365.242
Ancient and present base- diagonal socket length.....	12,913.26	= 516.5304
Present dilapidated base-side length, about.....	8,950.	= 358.*
Sum of the two base-diagonals, to the nearest inch.....	25,827.	=1033.08
Area of the base in square Pyr. inches, 3,376,074.1025=5,- 401.718564 Sacred Cubits=13.292 Pyramid Acres.		
Ancient area of the square pavement, about 16. Pyr. Acres.		
Ancient vertical height of apex completed, above pavem't	5,813.01	= 232.5204
Present dilapidated height, vertical, about.....	5,450.	= 218.
Ancient inclined height at middle of sides, from pavement to completed apex.....	7,391.55	= 295.662
Ancient inclined height at the corners, pavement to apex..	8,687.87	= 347.5148
Ancient vertical height of apex above the lowest subterra- near chamber.....	7,015.	= 280.6
Elevation of pavement base, above the average water level.	1,750.	= 70.
Elevation of pavement base, above the Mediterranean Sea..	2,580.	= 103.2
Elevation of the lowest subterranean excavated chamber above the average water level of the country.....	250.	= 10.
Length of side of present platform on top of Great Pyra- mid (it is flat, except in so far as it has four or five large stones upon it, the remains of a once higher course of masonry), roughly.....	400.	= 16.

Measurement and Quality of Material.

The pavement in front, and around the base of the Great Pyramid is formed of stones 21 inches thick by 402 inches in breadth, their length is not known (as they extend under the Pyramid). A chasm or crack in both pavement and rock beneath, near the North front, extends to the depth of about 570 inches. The whole building from very base to apex is not solid masonry; but as clearly shown by the N. East basal corner, and indicated more or less at a point or two in the wall, and the descending entrance passage, includes some portions of the live-rock of the hill. Such portion having been, however, trimmed rectangularly, and made to conform in height and level with the nearest true masonry course. The supposed complete number of masonry courses, including the original topmost corner-stone is 211; of which 202 are still in place, and a portion of 2 in fragment; and 7 courses are wanting entirely. These courses of squared and cemented blocks of stone in horizontal sheets, one above the other, form the mass of the building of the Great Pyramid; they vary in height from 19 to 79 inches, the first course being the thickest, (viz: 79 inches roughly; and the courses are laid without any regard as to thickness; to illustrate: the first five courses (in rotation) are 79, 56, 48 40 and 40 inches in thickness, the 35th to the 39th courses run 24, 50, 41, 39 and 38; while the last five courses, that are still in position, are 22 each in thickness. **Material used.** The casing-stone material—compact white lime-stone from the Mokattam Mountain quarries on the east side of the Nile, with a density =0.367 (earth's Mean density=1). General structure material of all the ruder part of the masonry—nummulitic lime-stone of the Pyramid's own hill, with a density=0.412. The inside finishing stone of the King's and Queen's Chambers, the Coffin, the main entrance and the grand gallery, are numerous, the principal of which are Red Granite, Black Granite, Gray Granite, Black Marble, Thebaic Marble, Porphyry and Lime-stone; the granite of which, is supposed to have been brought from the quarries of Syene, 550 miles up the Nile, as there is none nearer, on the river.

Principal Measurements within the Great Pyramid.

Entrance to Pyramid. This is, at present, only a hole, or doorway, or upper end of a hollow passage-way, inclining thence downwards and inwards. It is situated on the Northern flank of the Pyramid, in a very broken part of the masonry now, at a height above the ground, rudely and imperfectly considered, about=588 Pyr. ins. Distance of the centre of that doorway—hole Eastward of center of the Pyramid's Northern flank, as between its E. and W. ends=294 ins.; height of said doorway, transversely to length of passage way=47.24 ins.;

breadth of same=**41.56** ins. **Entrance Passage.**—Angle of descent of floor of the passage, Southward, is=**26° 28'**; length downward and Southward to the junction of the first ascending passage inside the buildings=**988** ins.; thence to Caliph Al Mamoun's broken entrance-way=**214** ins; thence by the same incline, to the Well's lower mouth=**2,582** ins.; thence to the end of the inclined passage=**296** ins.; thence in a horizontal direction to the North wall of the Subterranean Chamber=**324** ins.; whole length of descending Entrance Passage=**4,404** ins. Bore, in horizontal subterranean region, for height=**36** ins., and breadth=**33** ins. **Subterranean unfinished Chamber**, length E. to W. **552** ins., breadth N. to S. **325** ins. Flat finished Ceiling, floor not yet cut out of the rock, and walls not full depth. **Ascending Passage**, (Lime-stone) starts in an upward and Southward direction, from a point on the descending entrance-passage, 988 inches inside the Pyramid; and the first 180 inches of its length is still filled up with fast-jammed granite plugs. The whole length, from the descending passage, up to the junction with, and entrance into the Grand Gallery is 1,542.4 inches. Angle of the floor's ascent, Southward=**26° 8'**. Height and breadth, the same as entrance passage, anciently; now, in broken state, somewhat larger. **Grand Gallery**; (Lime-stone).—Length of inclined floor line, from N. to South wall is=**1882** ins. Measured angle of ascent, Southwards=**26° 17'**. Vertical height, at any one **average** point=**339.5** inches. There are 36 overlappings of the roof, and 7 of the walls; the ramps, are 21 inches in height by 20 in breadth. The floor between the ramps is 42 ins., and the breadth of Gallery above the ramps, is 82 ins. At the Southern end of Gallery, there is a great step, 36 ins. in vertical height, by 61 ins. on the flat top from N. to South. Length horizontally from G. G. to ante-chamber 52.5 ins. Upper exit, at top of Eastern wall at its Southern end, is 33 ins. in height by 20 in breadth, nearly and roughly. **Ante-Chamber**; (Lime-stone and Granite).—Length, N. to S. 116.25; breadth at top, E. to W. 65.2; and height, 149.3 ins. Eastern wainscot, granite, 103.03 and Western wainscot, granite, 111.80 ins. in height. Granite (density=0.479, earth's density=1) begins to be employed in the course of the length of this room, and in the **Granite-Leaf** which crosses it, at various distances, as 8 to 24 ins. from North wall, in floor, and side walls. Exit passage, horizontal, from ante-chamber, Southward to King's Chamber, in granite all the way; length 100.2 ins.; height at North end, 43.7, and South end 42.0 ins.; breadth 41.4 ins. There are 4 grooves on the South wall, that are each 107.4 ins. in length. **King's Chamber** (Granite). Structure entirely in granite, form rectangular, length 412.132; breadth 206.066 ins.; height, floor to ceiling, 230.389; base of walls to ceiling, 235.350 inches. The walls are in 5 equal height courses, and composed of 100 blocks. Within the dark King's Chamber is a **Coffer**, and termed, according to various writers, stone box, granite chest, lidless vessel, porphyry vase, black marble sarcophagus and coffer. It is composed of a darkish variety of red, and possibly syenitic granite; now, much broken, and over one-third of which has been carried away. The following are the (supposed) ancient measurements, by Piazzzi Smyth.

Measures of the Coffer in Pyramid Inches.

Length outside, from 89.92 to 89.62, corrected for concavity of sides; breadth outside, 38.68 to 38.61; height outside, 41.23 to 41.13. Inside measures: length, 77.85; breadth, 26.70; depth, 34.31. Thickness of bottom, 6.91; thickness of sides, 5.98. Exterior cubic size=142.316; interior cubic contents 71.317, with a possible error of .159 of a cubic inch in the measurement; if so, the exterior is just double the interior cubic contents. The cubic capacity of the King's Chamber, is just 50 times that of the Coffer; the floor of which stands upon the 50th course of masonry of the whole building, and 1,686 inches vertical above the pavement, upon which the Pyramid stands. In addition to the above, regarding the King's Chamber, it is shut out from the light of day by walls nearly 180 feet in thickness, with a temperature almost unvarying the year round; as a depository of weights and measures, it is the best on the face of the earth. **Queen's Chamber**, (Lime-stone). Length of the horizontal passage, to the Queen's Chamber, from the North end of the Grand Gallery, Southward, to the beginning of low part of the passage under G. G. floor=217.8 ins., thence to low portion of floor=1,385.5 ins., thence to North wall of Queen's Chamber=216.1 ins. Average height of longest part=46.34; of Southern deep part=67.5; and breadth 41.15 inches. Length of Queen's Chamber, from E. to W.=226.7; breadth, N. to S.=205.8; height of ceiling at N. and S. walls=182.4; height in centre of gable ridge of ceiling=244.4 ins. Height of Grand Niche in the East wall=183.0; breadth, greatest, below=61.30 inches; it contains 4 overlaps, varying in breadth from 19.50 at the 4th to 52.25 inches at the first; and is removed Southward from the central vertical line of the wall just one Pyr. cubit, or 25 Pyr. inches. **The Well**; (Lime-stone), enters near Northwest corner of Grand Gallery, the shaft is square bore, length of side of bore 28 inches. Vertical depth to grotto in the rock, under masonry of Pyramid=702; thence vertical, with some horizontal distance, to lower part of entrance passage near Subterranean Chamber=1,596. inches.

(Sec. 10.) Among the Jeezeh Pyramids, there is one that transcends in intellectual value all the rest; one that has been involuntarily by all the world named for ages past the "Great Pyramid"; and which stands out the more it is examined into, distinct and distinguished from all the rest by its particular size, and wonderful internal structure, superior age, and more frequent historical notice by men of various nations. The greatest of the "seven wonders of the world" in the days of the Greeks, and the only one of them all, which is still in existence on the surface of the earth.

We quote from "Our Inheritance in The Great Pyramid," by *Piazzi Smyth*.—"But as we approach, ascending the stream of ancient time, in any careful chronological survey of pyramidal structures, to the "Great Pyramid," Egyptian emblems are gradually left behind; and in and throughout, that mighty builded mass, which all history and all tradition, both ancient and modern, agree in representing as first in point of date of the whole Jeezeh, and even the whole Egyptian group, the earliest stone building also positively known to have been erected in any country,—we find in all its *finished* parts not a vestige of heathenism nor the smallest indulgence in anything approaching to idolatry; nor even the most distant allusion to Sabianism, and its elemental worship of sun, or moon, or any of the starry host."

In certain unfinished, internal portions of the constructive masonry of the Great Pyramid broken into by Col. Howard Vyse in 1837, there are some (said to be rude *Egyptian markings*) daubs of red paint, evidently numbers for temporary mechanical purposes only; which, if understood, might give a key to the language of the race of people that preceded our race; it is not Egyptain. (Further on we will quote from the "Source of Measures" by Skinner, to show that the origin of language was number).

We also except, as a matter of course, any inscriptions inflicted on the same pyramid by modern travelers, even though they have attempted, like the *Prussian savants* of

1843 A. D., to cut their names in their own happily shallow ideas of the ancient hieroglyphics of the old, thorough-paced, Egyptian idolaters elsewhere. But with these simple exceptions we can most positively say, that both exterior and interior are absolutely free from all engraved or sculptured work, as well as from everything relating to any known form of idolatry or erring man's theotechnic devices. From all those hieratic emblems, therefore, which from first to last have utterly overlaid every Egyptian temple proper, as well as all Egypt's obelisks, sphinxes, statues, tombs, and whatever other monuments they, the Egyptians, did build up at any certain historical and Pharaonic epoch in connection with their peculiar belief."

Was the Great Pyramid, then, erected before the invention of hieroglyphics, and previous to the birth of the different Egyptian religions? It most certainly was.

To quote and comment on the thousand and one publications that have been published from time to time on this great structure, would require hundreds of pages, and months of time, to combat the absurd theories that are extant. But the following extract from Col. Howard Vyse's "Pyramids of Gizeh," published in London in 1840, will not be out of place here. Both he and Piazzi Smyth concluded as self-evident, that the early Egyptians did build the great pyramid (with the aid of a Deific Architect) because of the red paint marks being in some kind of an (or supposed) Egyptian language. There is no Egyptian tongue, in hieroglyphics or otherwise yet discovered, but what has been interpreted; (this in red paint has not).

"This very important conclusion results from the quarry marks of the workmen being found in red paint on concealed parts of the stones and in interior places of the structural mass of masonry never intended to be seen. The marks are superficial and rude in the extreme, but are evidently in the Egyptian language or manner freely handled; and in so far prove that they were put in by Egyptians, and of the age or under the reign of that Egyptian king variously called Shofa, Khufu and Cheops. They are excessively rough, no doubt, but quite sufficient for their alleged purpose, viz., checks for workmen, whereby to recognize a stone duly prepared according to orders at the quarry, miles away and to see it properly placed in its intended position in the building. Still further, that these marks were not meant as ornaments in the structure, or put on after the stones were built into it, is abundantly evidenced by some of them being upside down, and some having been partly pared away in adjusting the block into its position; and, finally, by the learned Dr. Birch's interpretation of a number of the marks, which seem from thence to be mostly short dates, and directions to the workmen as to which stones were for the

south, and which for the north, wall. These marks, moreover, have only been discovered in those dark holes or hollows, the so-called 'chambers,' but much rather 'hollows of construction' broken into by Col. Howard Vyse above the 'King's Chamber' of the Great Pyramid. There, also, you see other traces of the steps of mere practical work, such as the 'bat-holes' in the stones, by which the heavy blocks were doubtless lifted to their places, and everything is left perfectly rough. Nor was there the least occasion for finishing it up, rubbing out the marks, or polishing off the holes, for these void spaces were sealed up, or have been built up outside in solid masonry (excepting only the lowest one, known for a century as 'Davidson's Chamber,' and having its own small passage of approach from the southeast corner of the Grand Gallery) and were never intended to be used as chambers for *human visitation or living purposes. In all the other chambers and passages, on the contrary, intended to be visited, and approached by admirably constructed white stone passages, the masonry was finished off with the skill and polish almost of a jeweler and in them neither quarry marks nor 'bat holes' nor painted marks, nor hieroglyphics of any sort or kind are to be seen; excepting always those modern hieroglyphics which Dr. Lepsius put up over the entrance into the Great Pyramid 'on a space of five feet in breadth by four feet in height,' in praise of the then sovereign of Prussia and which recently (1870) misled a learned Chinese envoy, by name Pin-chi-un, into most absurdly claiming a connection between the Great Pyramid and the early monuments of his own country."

* How should he know? He had never taken a degree in any secret order in his life, up to that period. THE AUTHOR.

Piazzzi Smyth's 4th edition (in 1880) reads: "The numerous *quasi*-copies, for *sepulchral* purposes, of the Great Pyramid, which are now, in the shape of other pyramids, to be observed further south, along that western side of Egypt; always betraying, though, on close examination the most profound ignorance of their noble model's chiefest internal features, as well as of all its niceties of angle and cosmic harmonies of linear measurement. And such mere failures, as those later *tombic* pyramids, and never found, even then, at any very great number of miles away from the sight, nor any great number of years behind the date, of the colossal parent work on Jeezeh hill. The ostensible architectural idea, indeed, of that one grand primeval monument, though expensively copied during a few centuries, yet never wholly or permanently took the fancy of the ancient Egyptians. It had, or rather simulated before them to have, some one or two suitabilities to their favorite employment of lasting sepulchre, and its accompanying rites; so they tried what they knew of it, for such purpose. But they soon found that it did not admit of their troops of priests, nor the easy introduction of their unwieldy 'sacred' animals. Nor bulls, nor crocodiles, nor the multitude of object worshippers, could enter a pyramid with the facility of their own temples; and so, on the whole, mature Egypt preferred *them*. Those

accordingly more open and columned, as well as symbolically sculptured and multitudinously inscribed structures, of their own entire elaboration, are the only ones which we now find to have held, from their first invention, an uninterrupted reign through all the course of ancient and mediæval Egyptian history, or that period when Egypt was most rich, most powerful, most wicked; and to reflect themselves continuously in the placid, natural Nile, from one end of the long-drawn Hamitic land to the other. They, therefore, those Karnac and Philæ temples, with all their sins of idolatry on their heads, are architecturally, Egypt. Thebes, too, with its hundred adorned Pylon temple gates, and statues, and basso-relievos, and incised outlines of false gods, must be confessed to be intensely Egypt. But the Great Pyramid is, in its origin and nature something pure and perfectly different.

Under whose direction then, and for what purpose, was the Great Pyramid built; whence did so foreign, and really untasteful, an idea to Egypt come; who was the mysterious carrier of it to that land; and under what sort of special compulsion was it that, in his day, to his command though he was not their king, the Egyptians, King and people all alike, labored for years in a cause which they appreciated not; and gave, in that primeval age of generally sparse, and pastoral population only, their unrivalled mechanical skill and compacted numerical strength for an end which they did not at the time understand, and which they never even came to understand, much less to like, in all their subsequent national ages?

This has been indeed a mystery of mysteries, but may yet prove fruitful in the present advancing age of knowledge of all kinds to inquire into further; for though theories without number have been tried and failed in by ancient Greeks and mediæval Arabians, by French, English, Germans, and Americans, their failures partly pave, and render so much the safer, for us the road by which we must set out. Pave it poorly, perhaps, or not very far; for their whole

result has, up to the present time, been little more than this, that the authors of those attempts are either found to be repeating idle tales, told them by those who knew no more about the subject than themselves; or skipping all the really crucial points of application for their theories which they should have attended to; or finally, like some of the best and ablest men who have given themselves to the question, fairly admitting that they were entirely beaten. Hence the *exclusive* notion of temples the sun and moon, or for sacred fire, or holy water, or burial places, and nothing but burial places of kings, or granaries for Joseph, or astronomical observatories, or defenses to Egypt against being invaded by the sands of the African desert, or places of resort for mankind in a second deluge, or of safety when the heavens should fall, have been for a long time past proved untenable; and the Great Pyramid stands out now, far more clearly than it did in the time of Herodotus (no less than 2,440 years ago), as both a prehistoric monument, and yet, rivaling some of the best things of modern times, not only in practical execution and workmanship, but in its eminently grand design and pure conception; or in forming a testimony which, though in Egypt, is yet not at all of, nor according to, historical Egypt, and whose true and full explanation must be still to come."

Piazzi Smyth was not the first writer on Egyptology and pyramidal building to suggest the interposition of God in the construction of the Great Pyramid by Deifying its Architect; that credit (if any) is due to Mr. John Taylor, of London, who in his work entitled "The Great Pyramid: Why Was It Built and Who Built It?" published in 1859, gave the first publicity to that theory. It would take at least a dozen pages of this work to even epitomize his theory; he was not only a devoted student regarding all that was said or written on the subject of the pyramids, but a devout and over-zealous Christian; he looked upon all the ancient Egyptians (or what he termed ancient, within the last 5,000 years) as a race of idolaters, and as such, totally unfit

to erect a structure that would harmonize with anything as great and good, as he had traced in the construction of the "Great Pyramid." His careful investigation of the different theories (and they were "legion") placed him in the front rank to suggest something new. As nearly every theory under the sun had already been suggested (in a secular way) he saw nothing left but a miracle to harmonize its different parts, so, interposing the mathematics of the Scriptures, regarding time (past and future dates), height, dip, angle, weight and measure, and from the squaring of the circle, to the distance to the sun; he had also the second coming of the Saviour fixed for the year 1881. Also, the harmonious measurement of the Garden of Eden, Noah's Ark, King Solomon's Temple, etc. Piazzzi Smyth came on the scene before the demise of Mr. Taylor, who died July 5, 1864; they had many pleasant audiences, and the Royal Scottish Astronomer (Smyth) was thoroughly converted over to the theories of Mr. Taylor, and he kept the world interested, and guessing for nearly twenty years more. He lived, however, to see the year 1881 pass, without the second visitation of the Saviour. During his life he spent over six months at the Pyramid Jeezeh and vicinity, in scientifically measuring the same; we firmly believe that his final comparisons of his own (previous) measures, and all the engineers, astronomers, and mathematicians that preceded him are more nearly correct than any other yet published. His "Life and Work" published in three volumes, about the year 1869, and his last work "Our Inheritance in the Great Pyramid," which reached its 4th edition in the year 1880, show great painstaking, and a desire to be correct (in his measurements at least), in all that he gave publicity to in his different issues. While we do not agree with him, in any particular, regarding his theory of the building of the great structure, or the date of its erection, and who its builders were, we shall quote his last verified measurements, believing that a just criticism will acquiesce in his conclusions.

GEOMETRICAL PROPORTIONS OF THE OUTER SURFACES OF THE GREAT PYRAMID.

(Sec. 11.) The first discovered mathematical proportions, with regard to the Great Pyramid's shape, was by Mr. John Taylor. That is, as derived from modern measures and calculations, which is that the Great Pyramid's height, in the *original condition of the monument*, when each one of its four sloping triangular sides was made into a perfect plane by means of the polished outer sloping surface of the bevelled casing stones, and when those sides, being continued up to their mutual intersections, terminated at, and formed the summit in, a point,—that its central, vertical height then was, to twice the breadth of its square base, as nearly as can be expressed by good monumental work, *as the diameter to the circumference of a circle*. Or that the vertical height of that Pyramid was to the length of one side of its base, when multiplied by 2, as the diameter to the circumference of a circle; *i. e.* as 1:3.14159—etc. Or as shown later by Mr. St. John Day, the area of the Great Pyramid's right section (*i. e.* a vertical, central section parallel to one of the sides of the horizontal base) is to the area of the base, as 1 to the same 3.14159—etc. Or as the same fact admits again of being differently expressed, the vertical height of the Great Pyramid is the radius of a theoretical circle, the length of whose curved circumference is equal to the sum of the lengths of the four straight sides of the actual and practical square base of the building. Which is neither more nor less than that celebrated practical problem of the modern ages, of “the squaring of the circle”; and the thing was thus practically done, at the Great Pyramid, thousands of years before the mediæval days of our forefathers. And we venture the opinion, that if we had the ability to measure the outer surfaces of that great “first wonder of the world” with *exactness*, that are stated above, that such measurement would be found to exactly square the circle without any remainder. (See index for squaring of the circle in another portion of this work.)

For it was so accomplished by the architect who designed that pyramid, when,—over and above deciding that the building was to be a square-based pyramid,—with, of course, all the necessary mathematical innate relations which every square-based pyramid *must* have,—he also ordained that its height, which otherwise might have been anything, was to bear such a particular proportion to its breadth of base, as should bring out the nearest possible value of *pi* as above mentioned; and which proportion not one out of any number of square-based pyramids would be otherwise necessarily endowed with; not one out of all the thirty-seven other measured pyramids in Egypt has been proved to be endowed with even approximately.

If, therefore, the quantity is really found built into the Great Pyramid with exactness, as well as magnitude, characterizing and utilizing the *whole* of that vast mass, it not only discriminates that building at once from all the other pyramids of Egypt, but proves that such a distinguishing feature must have been the result either of some most marvelous accident, or of some deep wisdom and settled, determined purpose; in this case, too, not less than 30,000 years ago. The royal Scottish astronomer, Piazzzi Smyth, placed the date of the building of the Great Pyramid in the autumn of 2170 B. C.; because that was the time that a *Draconis* was crossing below the Pole, and at the particular distance from the Pole indicated by the (supposed north side) entrance-passage, in the autumn season of the Northern hemisphere of that year; *when the meridian of the equinoctial point of the heavens coincided with the Pleiades*. This was only about 4,076 years ago. Prof. H. L. Smith has shown that the circuit of the Pyramid, at the level of the King's Chamber, measures 25,827 Pyramid inches, which is the *exact number of years that it takes the procession of the equinoxes to repeat itself*. Therefore, 27,997 B. C. is the latest date that *we* place the completion of that "Great First Wonder of the World"; and it may have been a multiple of that procession and carried the date back to 51,654 B. C., (of this, more hereafter).

The wisdom of the Great Pyramid's founders is so well exemplified, in its mathematical proportions, that it is conclusive evidence of the double intent of its purpose; in addition to the schooling of its *Initiates*, it was intended as an International depository of "Weights and Measures." And, evidently, intended to last for the inspection of a most distant posterity; knowing well that a fundamental mathematical truth like π , would infallibly come to be understood both in and by itself alone, and be appreciated in the fact without any written inscription, in that then distant day when mathematics (or numbers) should again be the language of all mankind. (See quotation from the "Source of Measures" in another portion of this work.)

Our own experience teaches us, that neither mathematics nor mechanics can progress in any country without knowing well the numerical value and calculational value of π . On the subject of π , the respective authors are not only numerous, but their accounts of mensurations, as a rule, are most strangely contradictory. Colonel Howard Vyse, in Volume II. of his important work, "The Pyramids of Gizeh," published in 1840, gives extracts from no less than 71 European and 2 Asiatic authors, and as many more have been added since that date, on this momentous question. Unless a very great number be read, no sufficient idea can be formed as to how little faith is often to be placed in the narratives of even highly, though too exclusively mentally, educated men of modern university, and competitive examination, on a very simple practical matter.

Successive travellers (each of whom had published a book), could with ease, string together a series of so-called measures, on the same parts of the Great Pyramid, which would show its blocks of solid stone expanding and contracting between different visits to it, like elastic india-rubber air-bags. But it will suffice for the present to indicate the necessity of weighing the evidence in every case most scrupulously; to have a large quantity of evidence, a great variety of observers, and to place in the first rank

of authors to be studied in the original, closely in every word they have written, but not necessarily to be always followed therein; they are:

PROFESSOR JOHN GREAVES, the Oxford astronomer in 1638.

The French, or Napoleon Bonaparte, Expedition in 1799.

COLONEL HOWARD VYSE, in 1837.

SIR GARDNER WILKINSON, from 1840 to 1858.

MR. JOHN TAYLOR, 1859 to 1863.

PIAZZI SMYTH, noted astronomer, from 1867 to 1880.

The Great Pyramid, at this writing, inspected externally, is a rough, huge mass, about 454 feet (English) high; the angle stones having been carried away, it looks like (from its four sides) so many steps. On close examination, these steps are represented by the different layers of stone, varying in height from 21 to 59 inches. As all the material above the 202 layer of stone has (like the original casing stones) been carried away, the top, with some irregularities, represents a floor of about 32 x 32 feet square. The whole structure is regularly and masterly built of worked and cemented limestone blocks, in horizontal sheets, or courses of masonry. (To what extent these sheets of masonry are absolutely continuous throughout the mass can never be known unless the whole structure is taken to pieces. Each stratum, however, records itself similarly on each of the four sides, excepting only the small interruption of a portion of rock at the *northeast corner*, and also a small hole filled with rubble work which is reported by Dr. J. A. S. Grant, as located about a third of the way up one of the sides.) The flattened top gives the pyramid at a distance an abnormally blunted-looking summit—mediæval dilapidations and forcible removal of the Pyramid's once polished white stone casing, with its outer surface bevelled smoothly to the general slope, (see plate) which has stood at least 30,000 years, and had in its day given to the structure almost mathematical truth and perfection. This state of

things was that described by Greek, Roman, and early Arabian writers; and it existed until the Caliphs of Egypt, about the year 1,000 A. D., began methodically to strip off the polished and bevelled casing stone blocks; they built two bridges to convey them more easily to the river, after chipping off the prismoidal angles and edges; and then employed them in building mosques and palaces; for the lining of the great "Joseph" well, and for other public structures which still adorn their favorite city, El Kahireh, or the victorious—the Cairo of vulgar English. (During the year 1879, Dr. J. A. S. Grant and Mr. Waynman Dixon visited the celebrated Mosque of Sooltan Hassan, in Cairo, to see if any of the component blocks forming its walls could be identified as having belonged to the Great Pyramid; they found them to be undoubtedly of the same Mokattam stone, but too well squared to retain any of the outside bevelled surface. The inquiry was, however, put a rude stop to, by the Mohammedan janitors, before it had reached some of the more likely places near the top of the mosque, wherein to meet with an accidentally or carelessly left oblique surface of the other far older building.

The original, and not the present size and shape, is what we require and must have for testing Mr. John Taylor's measurements; and for approximating, by whatever degree of exactitude may be reached, to whether it was accident or intention which decided the shape of the Great Pyramid; and he has well pointed out that no one had any pretence to have obtained the old base side length until the French academicians, in 1799, cleared away the hills of sand and debris at the northeast and northwest corners, and reached beneath them the levelled surface of the living rock itself on which the Pyramid was originally founded. There, discovering two rectangular hollows carefully and truly cut into the rock, as if for 'sockets' for the basal corner stones, the said academicians measured the distance between those sockets with much geodesic accuracy, and found it to be equal to 763.62 English feet. The same

distance being measured thirty-seven years afterwards by Colonel Howard Vyse, guided by another equally sure direction of the original building, as 764.0 English feet—the mean of which, or 763.81 feet, is close enough *for a first approximation* to the ancient base-breadth.

But the ancient height of the Great Pyramid, which we also need to have for instituting the calculation, is not at all easy to measure directly with any sufficient approach to exactness; chiefly because so very much of the original top has actually been knocked away during the middle ages so as to leave a platform described by the Arabs as “large enough for eleven camels to lie down,” several feet therefore beneath the apex, where once the four sloping sides, or external flanks, of the building were continued up to, and terminated in, a sharp point. Colonel Howard Vyse’s providential finding of two of the ancient “casing-stones” in their original situation, with their sloping faces, at the foot of the Pyramid, was the keystone to John Taylor’s first efforts in obtaining the ancient height of this great structure, for they enabled the problem to be attacked in a different manner, and without any dependence on the missing portion at the top; or by angular, as contrasted to, but afterwards made to furnish an idea of, linear, measure. For such angle can give forth by *computation* a *complete* verticle height, to be used with the already obtained, by *measure*, complete base-breadth.

(Sec. 12.) OBJECTORS TO THE MEASUREMENTS AND CONDITION OF THE GREAT PYRAMID, loom up, and assert their opinions in all parts of the earth; some of them filling the highest positions in their several countries. Two prominent members of the Royal Society of Edinburgh, in 1867, after listening to a lecture on the exterior of the Pyramid, remarked: First objector, an engineer, said “that he had twice passed through Egypt, been to the Pyramids, saw no symptoms of casing stones, and therefore would not believe in anything about them;” Second objector, an Indian naval officer, had also

been to the Pyramids on a visit, and "found such heaps of rubbish about the great one, that he could not see how any man *could* measure even its base side length with any degree of correctness, much less the angle of casing stones which he also could not see."

Both speeches, although uttered by men of rank, are only too faithful examples of the small extent of information on which many persons of commanding social rank, will even yet persist in speaking most authoritatively on both the present and past state of the Great Pyramid. The engineer above referred to, questioning the existence of the casing stones, should at least have read the accounts of Herodotus, Strabo, Pliny, and many of the early Arabian authors too, who described what they saw with their own eyes, when the casing was still complete, eminently smooth, and by all men, who had seen them, called beautiful. Next he should have taken up Colonel Howard Vyse's book, describing in detail how he succeeded, after immense labor with hundreds of workmen, in digging down to, finding, and measuring probably the last two of the northern side's bevelled blocks; (still were they in their original situation, and adhering closely by their original cement to the pavement base of the building) and then how he failed, though he covered them up again with a mound of rubbish, pending an application to the English Government to remove them to the British Museum—how he failed to save them from the hammers of Mohammedan prowlers by night; deadly jealous as they were of Christians obtaining anything really valuable from the country *they* ruled over. Besides which, the large amount of casing stones, bevelled externally to the slope, still existing upon other pyramids, as on the two large ones of Dashoor; the well preserved ones of second Jeezeh Pyramid, conspicuous near its summit, and on a bright day "shining resplendently afar," as says M. Jomard; and the granite ones of the third pyramid, so excessively hard that modern workmen have not cared to have much to do with *them*—all this, which has long been known, should

effect much in convincing unwilling minds as to what was the *original* state of the outside of the Great Pyramid, previous to the year 840 A. D. About forty years ago a similar case of spoilation was perpetrated, on the south stone pyramid of Dashoor, by Defterdar Mohammed Bey in order to procure blocks of ready cut stones of extra whiteness wherewith to build himself a palace near Cairo. The foregoing historic recorded facts should have convinced Objector No. One, as far back as the year 1864.

Replying to (the Indian Naval Officer) Objector No. Two, about the possibility of other men succeeding in measuring what would have puzzled him as he looked idly, and never held a measuring rod of any kind in his hand, should have read the whole account of the active and hard working French Academicians in Egypt; of which the following from "Antiquities, Description," Vol. II., is worthy of being more generally known than it seems to be: *viz.*, that after digging down through the rubbish heaped up about the lower part of the Pyramid, "They recognized perfectly the esplanade upon which the Great Pyramid had been originally established; and discovered happily, at the northeast angle, a large hollow socket (*encastrement*) worked in the rock, cut rectangularly and uninjured, where the cornerstone (of that one basal angle) had been placed; it is an irregular square, which is 9 feet 10 inches broad English measure, in one direction, and 11 feet 5.8 inches in another, and 7.9 inches deep" all over its floor (measures since then were tested by Piazzzi Smyth, but only after several days spent in digging and clearing the locality over again by a civil engineer with a party of Arabs). The French *savants* made the "same research at the northwest angle, and there also discovered a hollow socket (*encastrement*) similar to the former; the two were on the same level. It was between the two exterior points of these hollows and with much care and precaution, that they measured the base side length. They found it 763.62 English feet." The 'encastrement' so brought to light in the basal rock

at the northwest angle, is duly figured in the plan amongst the large French plates; and since verified by Piazzzi Smyth, has the inner corner curiously pared away, evidently indicating the well-shaped rectangular *outer* corner to be its true starting point for measure; and because, also, it was originally the terminal point of the Pyramid's material at that lower angle or foot. From the outer corner of the northeast to the outer corner of the northwest 'encastrements' of their happy discovery it therefore was, that the skillful French surveyors extended their measuring bars, and with the result given above. They also triangulated the ground round about, and from thence measured the altitude of the *present* depressed and flat topped summit of the Great Pyramid with an accuracy which would have been quite enough for any ordinary remnant of archæological structure. The Great Pyramid, however, has to undergo severer tests; as there has been no ancient trustworthy mark at the apex of this building since about the year 1,000 A. D. to enable *savants* to supply the exact quantity of the now missing portion of the original summit, we have, after all, for restoring that, to return to the angular inclined plane of the two original casing stones below, so happily uncovered by Colonel Howard Vyse in 1837, and proved by him to have been the very beginning of the northern upward sloping side of the building.

THE CASING STONES found by Howard Vyse, were of extreme value. These angular relics were of the original number of the casing stones, and actually *in situ* and undisturbed, and therefore showing what was once the real outside of the Great Pyramid, *viz.*, smooth, polished, dense, white limestone, almost like marble, in a sloping plane; not because they exhibited such matchless workmanship, more correct and true than the work of a modern optical instrument maker, but performed in this instance on blocks of a height of nearly 5 feet, a breadth of 8 feet, and a length, perhaps, of 12 feet; with the finest of joints, said to be no thicker, even including a film of white cement, than "silver-

paper." The angle of the bevelled or inclined outer surface, measured very carefully by Mr. Brettel, a civil engineer, for the Colonel, came out $51^{\circ} 50'$; and being computed from linear measures of the sides, made for him by another engineer, came out $51^{\circ} 52' 15.5''$. The results are not identical, and might have been made better, with more care at the time; but yet extremely close with one another, as compared with the French angular determination (before there was anything on which to determine accurately, other than the present ruined and dilapidated sides of the edifice) of $51^{\circ} 19' 4''$; or of previous modern observers, who are actually found anywhere, between 40° and 60° .

JOHN TAYLOR'S THEORY IS SUPPORTED BY HOWARD VYSE'S CASING STONE ANGLE.—Taking everything into fair consideration, the ancient angle of the Great Pyramid's slope may be considered to be somewhere between the two measured quantities of $51^{\circ} 50'$ and $51^{\circ} 52' 15.5''$; there are many other reasons for believing that it *must* have been $51^{\circ} 51'$ and some seconds. How many mere seconds, modern mathematicians are not competent to decide; and a second of space is an exceedingly small quantity even in the most refined astronomical observations. If we assume for the time $14.3''$ and employ the whole angle, *viz.*, $51^{\circ} 51' 14.3''$, with the base-side as already given from linear measure = 763.81 feet (English), to compute the *original* height quantity which we have been aiming at so long, we have for that element 486.2567 (feet) of the same linear units. And from the values for the ancient height and base-breadth, computing the proportion of diameter to circumference, there appears 486.2567 : 763.81 :: 1 : 3.14159, etc. (John Taylor's figures for the vertical height and the base-breadth of the Great Pyramid were 486.764 feet; evidently the nearest possible approximation by whole feet. Further, we should mention that the height of the Great Pyramid, trigonometrically measured by the French *scientists*, is perfectly agreeable to the above computed result; for when it is increased

by something more than 30 feet, to allow for the evidently missing portion at the summit, it amounts to the same thing.) This result so far shows, that the Great Pyramid does represent as closely as the very best modern measures can be trusted, the true value of π ; a quantity which men in general, and all human science too, did not begin to trouble themselves about until long, long ages; languages, and nations had passed away after the building up of the Great Pyramid; and after the sealing up too, of that grand primeval and prehistoric monument, of an age, which no one living today, can (exactly) determine.

CONFIRMATION OF JOHN TAYLOR'S THEORY BY PIAZZI SMYTH.—From the 4th edition of "Our Inheritance in the Great Pyramid:" "Hence the first stage of our trial terminates itself with as eminent a confirmation as the case can possibly admit of, touching the truth of John Taylor's theory, proposition, or statement; and now begins the second stage, wherein I can add the absolute weight of direct personal examination, as well as of practical researches carried on at the place by myself for a longer time and with better measuring instruments than any of my predecessors had at their command. I was not, indeed, so fortunate as Colonel Howard Vyse in finding anything like such large, entire, unmoved, and well preserved casing stones as he did; but was enabled to prove that the enormous rubbish mounds now formed on each of the four sides of the Pyramid consist mainly of innumerable fragments of the old casing stones, distinguishable both by the superior quality of their component stone and their prepared angle of slope always conformable, within very narrow limits, to Colonel Howard Vyse's determination. And a number of these almost 'vocal' fragments were deposited by me, on my return, in the museum of the Royal Society, Edinburgh.

"Also, by careful measures of the angle of the *whole* Pyramid along all four of its corner or arris lines from top to bottom, observed with a powerful astronomical

circle and telescope, as more particularly described in my larger book, in 1865, the same result came out. For that *corner* angle so measured (see Plate) was found to be $41^{\circ} 59' 45''$ nearly; and that gives by computation (according to the necessary innate relations of the parts of a square-based pyramid) for the *side* slope of this 'Great' one, $51^{\circ} 51'$ and some seconds; or without any doubt the representative of the angle Colonel Howard Vyse did observe on the *side* directly; and the one which, if it is there, necessarily makes the Great Pyramid, in and by its *whole* figure, express the value of that most scientific desideratum, *pi*.

"Nor has the proving of the matter stopped with me. For other explorers have now been induced to search the rubbish mounds about the Pyramid, and have seldom left without carrying off some fragment, wherein two evidently anciently worked sides met, not at a right angle, but at the angle of either $51^{\circ} 51'$ or $128^{\circ} 9'$, nearly; one being the angle at the foot, the other at the head, of every casing stone of a *pi* pyramid, if built as the Great Pyramid is, but some other Pyramids are not, in accurately horizontal courses of masonry.

"I learn, too, from an American book of travel, that my former Arab assistant in measuring the Great Pyramid, Aleé Dobree by name, and who was very quick in seizing the idea of angle expressed in numerical amount when I first explained it to him in 1865—that he is now driving quite a trade, almost exclusively, with the travelers who visit the Monument, by selling them 'casing stone fragments with the angle'; which fragments he is able, by the gift of a sharp and appreciative eye, to pick out of the very same hills of rubbish they walk carelessly over.

"Yet even all his feats in that way have been far transcended by my friend, Mr. Waynman Dixon, C. E., who, taking advantage of an extensive cutting into the Great Pyramid rubbish mounds by the Egyptian Government merely for material wherewith to make the road by which the Empress of France visited the Monument in 1869,

discovered almost a whole casing stone. Not a very large one, indeed, and a loose block only, but with portions more or less of all six original worked sides; or a completer example than is known at the present moment to exist anywhere else all the world over. This most unique specimen, Mr. Waynman Dixon graciously sent from Egypt as a present to me, and I have deposited it under a glass case in the official residence of the Astronomer-Royal for Scotland, where it has been closely measured, and its ascending angle found to be certainly between $51^{\circ} 53' 15''$ and $51^{\circ} 49' 55''$; or as close as could be expected, from the block's size and fractured condition, to be that typical $51^{\circ} 51' 14''$ about which all the fragments of the Great Pyramid are found to collect. But none of the fragments of the other pyramids of Egypt do so. Their casing stones were sometimes worked with equal hand skill, so as to preserve one particular angle very closely over the whole surface of a large building, but it is always a wrong angle. The ability of head was wanting there, and meaningless angles of 43° , 50° , 57° , 63° , and even 73° occupied, and wasted the time of their workmen, if a mathematical demonstration and not a mere architectural adornment, was really their object. Closer up in the very neighborhood of the Great Pyramid, as on the hill of Jeezeh itself, some of the subsequent smaller imitation pyramids could hardly fail to be nearer their original, and were in fact, within half, or three-quarters of a degree of its particular angle. But they are constant all over their surfaces, and on every side at that deviation; and that so very large a one, as to throw *their* numerical value of *pi* into utter error; and leave the Great Pyramid the sole example throughout all Egypt of any building whatever, giving, by its whole proportions, or entire geometry, and within the closest limits of the best modern measures of it, the one, and only true practical expression for *pi* which modern science admits."

STANDARD OF LENGTH EMPLOYED IN LAYING OUT THE GREAT PYRAMID.

(Sec. 13.) Conceding the results arrived at by the most noted savants of the past, regarding the standard of length used in the architectural construction of the Great Pyramid, *viz.*, the "pyramid cubit of 25 inches" equal to 25.001 inches English; and that the said measure expresses exact *pi* in the different triangulations and measurements of that structure; and further, that the 12 inch rule, or foot measure, does not so express itself, we will proceed to the array of proofs that they jointly employ. Recomputing Mr. Taylor's circumferential analogy of that most notable of buildings, after his own manner, by linear vertical height and linear horizontal base-breadth, the quantities named on a previous page, were expressed in English feet, *viz.*, verticle height 486.2567 feet, and length of one side of base, 763.81 feet; but it is not therefore intended to imply that they, or indeed any foot measures, were employed by the ancient builders. Certainly the length, want of meaning, and inconvenience of the fractions obliged to be introduced (*by us*) in order to represent the (closest approximate), or *pi*, proportion of the one pyramid element to the other, in these particular, absolute, linear terms, tend to forbid the idea. (We, nevertheless, believe that architect and builders of the Great Pyramid knew the *exact* proportion, or the ratio of the diameter to the circumference of a circle without any decimal. One of the proofs offered for this is: that no two mathematicians or engineers, in our day and age, obtain *exactly* the same results in the measure of any part of this "First Great Wonder of the World.") As a foot measure was not likely, and the Egyptian cubit whose length was close to 20.7 English inches, gave similarly inconvenient fractions, what sort of standard of linear measure *was* likely to have been employed at the building, or rather by the actual builder and architect of the whole design of the Great Pyramid?

WHAT STANDARD WOULD SUIT *PI* ON THE SCALE OF THE GREAT PYRAMID?

Our first step of inquiry will be, to see if an equally exact proportion between linear height and twice base-breadth, to what our long fractions of feet gave, cannot be obtained from some simpler numbers. Take for instance $116.5 : 366.0$. These do not give the value of *pi* exactly (and as far as we know) no simple numbers can, when the proportion itself (is considered, and) belongs to the incommensurables; but it is an astonishingly close approach and an admirable clearing away of fractional troubles in all approximate work, for such plain and small numbers to make; and the exceedingly trifling fraction (either $116.5014 : 366.0000$, or $116.5000 : 365.9956$, would be closer, but not so convenient in multiplication and division) and by which the one should be increased and the other decreased, does not, in the existing state of our pyramidal knowledge thus far, make much practical difference upon most of the questions which we shall have presently to take up. Are there, however, any other reasons that such of mere arithmetical convenience, why we should attach much significance, in the design of the Great Pyramid, to these particular numbers? There are some reasons of really grand suggestions. In the *first* place, 366, which represents here (for our arbitrary diameter of a circle 116.5) the *pi* circumferential analogy of that circle, is also the nearest *even* number of days in a year; or more precisely, of mean solar days in a mean tropical solar year (of the earth); or again, of day-steps in the circle of the earth's year, which year is the most important of all circles to the physical life of man. We now know, by modern science, that the exact number of these day-steps in such terrestrial year is, at this present time in the history of man upon the earth $365.2422 +$ an almost endless fraction of unascertained length. So that the proportion of the day to the year is in a manner another incommensurable; in practice, though not in theory, as interminable as *pi* itself; and yet for the

ordinary purposes of life, all civilized nations now use 365 even; except in leap year, when they do, evenly also, make their year to consist of 366 days.

In the *second* place, it may be stated that the portion of the Pyramid employed as the chief datum of linear measure in the problem under discussion, *viz.*, the length of each side of its square base as determined by the 'socket' measurements, both of the French *savants* and Colonel Howard Vyse, when it comes to be divided into 366 parts seems to give each of them a length approaching to one round and even ten-millionth of the earth's semi-axis of rotation, or nearly 25 English inches. Equivalent, therefore, *if further and independent confirmation shall be obtained*, to the architect having laid out the size of the Great Pyramid's base with a measuring rod 25 inches long, symbolical in modern science of the earth's diurnal rotation on its axis, in his hand—and in his head, the number of days and parts of a day so produced in a year of the earth's revolution round the sun; coupled with the intellectual and instructive intention to represent that number of days in terms of that rod, on each base side of the building.

A DAY AND YEAR STANDARD INDICATED WITH REMARKABLE AND HARMONIOUS EARTH COMMENSURABILITY.—Piazzi Smyth says: "Now this is a feature, in all sober truth, if that quantity of length was really used intentionally as a standard of measure of the most extraordinary importance; for it is only since Newton's time that men knew anything exact about, or have attributed anything peculiar in its size to, the earth's axis of rotation as different from any other diameter thereof. It is therefore, to man evidently a result of modern, very modern science alone; and every modern civilized nation has, during the nineteenth century, been obliged to perform gigantic trigonometrical operations and "degree measurings," in order to arrive at any approach to accurate knowledge of the true length of that Polar earth-line, or rotation axis of the earth; and they are still pursuing the

inquiry with most extensive establishments of well trained surveyors and scientific calculators. Their best results hitherto oscillate generally about 500,500,000 English inches within very narrow limits, though some of the results, from unavoidable errors of even the most advanced modern scientific mensurations, are as great as 500,560,000, and others as small as 500,378,000. Such then is the range of uncertainty in which England, France, Germany, America, and Russia are placed at this moment with regard to the size of the world they live on. And yet they are immensely closer in accord, and nearer to the truth, than they were only fifty years ago; while 1,000, 2,000, or 3,000 years since, even the most scientific of men knew nothing but what was childish about the size of that earth-ball on which it had pleased God to place His last and most wondrous act of creation—Man—to dwell, and play his part, for, who knows, how short a season.

“It is possible, then, that at a much earlier date still than 3,000 years ago, or on the primeval occasion of the founding of the Great Pyramid in 2,170 B. C. (which date we consider an impossibility, owing to the lack of intelligence at that period; 27,970 B. C. would come nearer) the author of the design of that building could have known both the size, shape and motions of the earth exactly, and have intentionally chosen the unique diameter of its axis of rotation as a physically significant reference for the standard of measure to be employed in that building? Humanly, or by human science finding it out then, and in that age, of course was utterly impossible. But if the thing was inserted there in grandly monumental fact—too grand, too often repeated and too methodic to be owing to accident—there was something of supernatural in its origination. And if traces of the supernatural in goodness and truth are attributable only to God and to his Divine inspiration, then this most ancient, yet still existing monumentalization of superhuman *contemporary* cosmical knowledge of *that time* must be one of the most remarkable facts that occurred at

the beginning of the post-diluvial career of man, outside of Scripture history; and stands next in importance to Scripture itself for all intellectual and religious mankind to inquire into, as to how, and for what end, it was allowed or aided by the Almighty both to take place, and in a manner which has enabled it to last down to these days."

The above quotation from Piazzzi Smyth's 4th edition of "Our Inheritance in the Great Pyramid" is significant of the man; his religious fever knew no bounds, so much so, that everything he found or discovered in science, not immediately explainable, he attributed to Deity. I am sorry that he is not now in the body to defend his pet theory. As he has passed to the beyond, let me address his friends and followers, (and they are legion), *viz.*, if a *special* Dispensation has protected this great stone edifice for (even as he suggests—4,000 years) all the time that the present race has been making history, then why should not that same Divine influence have been extended to the churches throughout Christendom? and if not as a whole to some isolated sect? that was better than the rest? The fact is—no building on the face of the earth (outside of the Great Pyramid) has withstood the ravages of time, the earthquake and the flood, one-half the number of years that this great stone building is known to have done (not counting the thousands of years that history does not record). We will try and answer both sides of this question. It is purely a physical reason; *viz.*, during the great seismic disturbances in San Francisco, Cal., in April, 1906, and Valparaiso, Chile, in July of the same year will do to illustrate; it is a noted fact: that the different churches (regardless of denomination) suffered more proportionately than the buildings occupied by the lowest callings on earth. And why (?) not because they were churches, but because that class of buildings are tall, and most of them have spires that are not earthquake proof, built of wood or brick that will not stand a two minute seismic vibration. The lightning plays similar pranks, and is no respecter of persons aiming as it does at the highest points.

The other side of this question: Why has the "Great Pyramid" stood all these thousands of years, although taller than any church edifice in the world? And only three other buildings of any character excel it in height, *viz.*, the "Eiffel Tower," at Paris; the "Washington Monument," at Washington; and the "City Hall" at Philadelphia. All of which are built practically earthquake proof, and each contain conductors for directing the lightning peacefully to the earth. But why has the Great Pyramid stood? Nothing miraculous about it. The extraordinary intelligence of the race of mankind that flourished from 50,000 to 100,000 years ago, led them to *know*, that there was but one spot (and that of limited area) on the face of the earth (on land) but what had changed places with the waters of the earth, some of it several times, and would do so again at different (long) intervals. That spot is located in the geographical center of the land of the earth: in $29^{\circ} 58' 51''$ N. Lat. and $31^{\circ} 10' 1''$ E. Long.; where they erected the greatest stone structure that ever existed, or is in place today, *viz.*, the "*Great Pyramid Jeezeh.*" And when they did so they had scientific physical reasons for believing that it would stand until the earth should cease to obey its polarity and the orb itself disintegrate. And why? Because the earth, being unequally balanced (the water area containing about three-fifths and the land area about two-fifths), the land portion, or that portion of the land above water, is principally located north of the equator, the geographical center of which (or weight center) is located between the following extreme points: N. W. Alaska, and S. E. Australia; and N. E. Asiatic Siberia, and Cape Horn, South America, in the S. W.; or as above described, the spot whereon stands the "Great Pyramid." If you have followed carefully what we have stated in our chapter on earthquakes, tidal waves, and other seismic disturbances, you will grasp at our opinion, in the belief—that the earth is never perfectly quiet—no more so, than a human being. This *state of inquietude* ranges from the slightest sensation

noted on the seismograph, to the sinking of a continent. During all such disturbances, great or small, there is a point within the earth (the center of its weight) that is almost perfectly quiet; that point being nearer the surface on one side of the earth than the other (owing to the inequalities of the weight on the surface) causes that same quietude to exist on the surface nearest that point. The strongest circumstantial evidence exists that that point is located 9 miles S. of W. of Cairo, in Egypt, where stands the "Great Pyramid Jeezeh." This building was there, arrayed in all its beauty, with its white limestone casing stones, from base to apex, when the second Pyramid of Jeezeh was built (or so reported) in the year 2,130 B. C.; the Great Pyramid was then so old that no human being *then living* knew when it was built. All history regarding the date of which is pure guess-work and totally unreliable. The fact that this building still stands, without the least crack in the whole structure, except those known to have been made by vandals, marauders, etc., since the advent of the present race of men, is sufficient evidence that the locality surrounding the Great Pyramid is the most quiet spot on the face of the earth. We do not know what influence is brought to bear on our frail orb, the earth, to cause it to change its polarity, or swing out of place and come back again; nor will we attempt to ascribe a theory for this freak of nature. For our present purpose, it will be sufficiently satisfactory to say that such phenomena have occurred (explained somewhat at length in a previous chapter). Our theory of the difference between a severe earthquake and a cataclysm, or its effects on the surface of the earth is: that the *earthquake* is caused by a force from within the earth, while a *cataclysm* is caused by a force without, or on the surface of the earth; and this occurs when the earth suddenly disobeys her polar attraction. The result of which is, to cause some continents to sink, with a corresponding amount of land to rise from the depths of the oceans. During such ordeal, the earth behaves in

a similar manner that she does during an earthquake, except, that she revolves around the *point of least resistance* (having changed her course) with greatly accelerated speed. That pivotal point, we claim, must be where the Great Pyramid is located; for we believe that it has passed through several such ordeals. We deem no explanation necessary to prove that the Great Pyramid (or any other structure) would stand and remain unmoved, during such a calamity, if the disturbing matter moved evenly around the point on which the said structure stood.

INQUIRY OF A MORE RIGID CHARACTER INTO THE ABSOLUTE LENGTH OF THE BASE-SIDE OF THE GREAT PYRAMID.

(Sec. 14.) We desire to ascertain if the alleged fact is there; or to what degree of accuracy it is there. Prof. Smyth says: "For in all practical work of physical science and nicety of measurement, good scientific men know that nothing whatever can be ascertained absolutely, but only within certain limits of error; those limits becoming smaller as observation improves, but never entirely vanishing. Is then, the ten-millionth part of the earth's semi-axis of rotation, or 25.025 English inches (according to the best modern estimate of that axis, which in a manner, and with the shining of the sun to help, *makes* the days, of the earth, being 500,500,000 English inches long) multiplied by 365.2422 (the now known number of solar days in a year), the true length of a side of the square base of the ancient Great Pyramid; and if it is not, by how much does it differ?

"The foregoing theoretically proposed quantity, or inches 25.025×365.2422 , evidently amounts to 9,140 English inches, nearly. * * * The only admissible, because the only *socket-founded*, determinations of the base-side lengths that I was acquainted with were, 1st, the French one = 763.62 English feet = 9,163.44 English inches; and, 2nd, Colonel Howard Vyse's of 764 English feet = 9,168 English inches; and both of them are far too large. This

error did not affect our determination in a previous chapter for the *pi* shape of the Great Pyramid; because we computed the height, in terms of this same base-breadth, by reference to an angle observed quite independently of any linear measure. But now we require to know more positively whether the numerical length then used was real, or figurative only; and when I was actually at the Great Pyramid in 1865, Messrs. Aiton and Inglis, engineers, succeeded in uncovering all four of the Great Pyramid's corner sockets, and then proceeded to measure from socket to socket every one of the four sides of the base; and with what result? They made them all shorter, far shorter; to me it was at first incredibly shorter than both the French and Howard Vyse determinations; for it was equal only 9,110 English inches on the mean of the 4 sides. Either their measures then must have been very bad and too short; or those of the French and Colonel Howard Vyse were also bad, but too long. And why was there so much badness amongst them? Mainly because the ground to be measured over is covered, and heaped, and thrown into horrible confusion of ups and downs by those hills of rubbish, formed by the fragments of casing stones (of which we treated at some length a few pages back). Very useful were they then, for the angular fragments they yielded, on being dug into and turned inside out; but dreadfully obstructive are they now, when an accurate linear measure over a long distance is wanted; and when like all distance measuring in surveying work, it must be in a straight and level line only, for ultimate use or reference. Each measurer hoped that he had cleverly corrected his really up and down measures over the hills and down into the hollows of rubbish, to what they would have been if the ground had been level—but when their severally independent measurements are brought together, behold how they differ! And this, remember, is modern science, so critical of the antique ages of the world.

“After much consideration I was inclined to divide the errors very nearly evenly between the several parties,

in 1867; adopting therefore, neither the 9,168 or 9,163 on one side, nor the 9,110 on the other, but 9,142. And in 1869, when the Royal Engineer surveyors (of Great Britain), returning from the Sinai survey, went (according to orders) to the Great Pyramid, and announced, through their colonel at home, that the mean length of a side of its square base from socket to socket, was 9,130 British inches, they were nearer to the *theoretical* 9,140 than to any of the other *measured* results. But as there are internal features of evidence showing that none of the measures, not even the last, were accurate enough to be depended upon to the third place of figures (whether measured upon only one side, or all four sides, of the base considered *square* by everybody) all men are at this very moment left by the last Pyramid base-side measurers of modern times in this predicament—*viz.*, the theoretical length of 9,140 inches which would imply such almost unutterable wisdom, or such inconceivably happy accident, for that primeval time on the part of the designer of the Great Pyramid, is really found *amongst*, or as though it were the thing really and centrally certified to, by the best conclusions of modern measure. It is, indeed, notably confirmed by them; or may be asserted upon and by means of them, within such limits as *they* can confirm anything; and if those limits are coarse, that coarseness is entirely the fault of the modern measurers, not of the ancient building; which, founded on a rock (and an admirably firm and nearly unfissured hill of dense rock of nummulitic limestone, in nearly horizontal strata) could not possibly have expanded and contracted between the successive modern dates of 1799, 1837, 1865, and 1869 A. D., as the recent measurers seem at first, most absurdly, to imply. The variations, therefore, first from 9,163 to 9,168, then to 9,110 and then to 9,130, must be merely the plus and minus errors of the modern measures, or of men intending honestly to do well if they could, but erring involuntarily, sometimes to one side and sometimes to the other of absolute exactitude."

THE EARTH-AXIS AND YEAR-COMMENSURABLE, RESULT FURTHER INDICATED.—“Of course better measures than all that have been yet taken, might be made in the present age of science, and should be instituted forthwith, to clear up so notable a point in the primeval history of man; but the expense to be incurred in the preliminary clearing of the ground from those obstructing rubbish heaps of broken stones, to allow of accurate measuring apparatus being brought to bear effectually, is beyond the means of any private and poor scientific man and the Great Pyramid is not a favorite subject either with rich men or the powerful governments of wealthy nations; while the invaluable corner sockets, never properly covered up since 1865, are daily being trodden and cruelly broken down at their edges out of shape and out of size, so that we are not likely to see speedily, if ever, any better measurers of the Great Pyramid's base-side length than those already obtained. But as *they*, when considered by any experienced computer fully, honestly, and fairly, do *include* the theoretical 9,140 English inches, we are already justified so far (and we shall have in a future chapter signal confirmation from the interior of the Pyramid) in upholding the high degree of probability that the reason why the Great Pyramid (made already of a particular *shape* to enunciate the value of the mathematical term *pi*) had also been made of a particular *size*, was, in part, to set forth the essence of all true chronology for man in recording the order of his works, and in understanding the chief physical basis on which alone he is ordained to prosecute them, upon this earth. For evidently this *was* accomplished there, by showing that the number of times that the Pyramid's standard of linear measure would go into the length of a side of its square base, was equal to the number of days and parts of a day in the course of a year. That standard of linear measure being, moreover, with a marvelously complete appropriateness of symbology, the ten-millionth (or, in mathematical expression, the 10^{7th} part) of the length of the earth's

semi-axis of rotation: or of half of that axis, by the earth's rotating upon which before the sun, that particular number of days for work and nights for rest is constantly being produced for all humanity in the course of the earth's annual revolution around the sun. Hence, there is here wheel within wheel of appropriate and wise meaning, far above all the then contemporary knowledge of man, and indicating far more than any mere single case of simple coincidence of numbers. A grouping, indeed it is, implying something vastly beyond mechanical accident on the part of the unknown ancient architect. The affair was, moreover, perfectly open, because it was on the surface, during all antiquity; and especially open during the days of the Greek philosophers in Alexandria, when the Great Pyramid was still complete in size and finish, with its bevelled casing stones forming the then outside finished surface of the whole and the ground round about so eminently free from both the present obstructions, and all others, too, accompanying ordinary mason's work, that Strabo declared the building looked as if it had descended upon its site ready formed from Heaven, and had not been erected by man's laborious toil at all. The question which chiefly troubled Strabo was—"What have the builders done with their *chips*? Here is the most enormous building in the world, constructed almost entirely of stones squared by man's hand, so that the involuntary production of chips must have been immense; but none of them are to be seen; all around the Great Pyramid is a level area swept as clean as if no stones at all had ever been chipped or squared upon it." Yet what he could not discover, time and the weather of over 1,800 years since his day have abundantly revealed; for the said primeval chippings by the original masons (a totally different affair from, and on an enormously larger scale than the hills of rubbish of the casing stone fragments of Mohammedan time now to be seen about the building) were all thrown over the northern edge of the Pyramid hill, or firmly banked up against the natural cliff on that side, and levelled on the

top so as to extend the esplanade on the northern front of the monument. And there, a good photograph from the northeast sand-plain shows them still to be; discriminating admirably between the natural hill, and this adventitious addition to it." (See Plate.)

REFERENCE TO THE GREAT PYRAMID'S NUMBERS.

(Sec. 15.) And the affair grows in wonder the further we inquire into it. For Mr. Taylor, led by the numbers of British inches which measure the earth's polar axis length—and other men, also led by the dominance of fives in the Pyramid's construction (as that it has five angles and five sides, including the lower plane of the base mathematically as one)—ventured the suggestion, that the author of the Great Pyramid's design both employed decimal and quinary arithmetic; and had, and used, as his smaller unit of measure one-fifth of a fifth part of his particular cubit, forming thereby, let us say in English, an *inch*. An inch, larger indeed than a British inch, but only by a thousandth part, *i. e.*, about half a hair's breadth; an apparently unimportant quantity, and yet it is that which enables the round, and at the same time grand, *Pyramid* number of *five* hundred millions of them, *viz.*, Pyramid, not British, inches, even to measure the length of the earth's polar diameter with exactitude.

With these truly earth-commensurable inches, the *day standard* of linear measure for the side of the base of the Great Pyramid is 5×5 , or just 25 of them; and that length we shall call the cubit of the Great Pyramid's scientific design. But in *its own inches*, the side of the Great Pyramid's base, we must remember, will no longer now measure 9,140, but 9,131.05 inches. Next, as there are four sides to the Pyramid's base, the united length of all of them evidently equals 36,524.2 of the same Pyramid inches; or, at the rate of a round hundred of those inches to a day, the whole perimeter of the building (already

shown to represent the theoretical *pi* circle) is here found to symbolize once again, in day lengths, 365.242, or the practical day and night circle of the year.

It is not ominously significant, that the ancient cubit of Pharaonic Egypt, 20.7 British inches long nearly, if applied either to the Great Pyramid's base-side, or base-diagonals, or vertical height, or arris lines, or any other known radical length of the building, brings out no notable physical fact, no mathematical truth. While the other length of 25.025 British inches, brings out in this and other cases so many of the most important coincidences of this earth we inhabit, as make the ancient monument, at once, speak both intelligibly and intellectually to the scientific understanding of all intelligent men of the present day, "withersoever scattered around the world."

No other pyramid in Egypt can presume for a moment to compete with the Great Pyramid in this all-important earth-axial 25 inch standard, and 365.242 day matter. That is, none of their base-side lengths, when divided by the number of days in a year, are able to show that crucial $10^{7\text{th}}$ of the earth's axis quantity, or anything near it, or anything else of cosmical importance. The general instinct, therefore, of the whole human race through all ages, in so readily and universally allowing, as it did, to the first Pyramid the surname of 'Great,' has been borne out beyond all that had been expected, by the application of modern measure and scientific research.

While the ancient base-side length of the Great Monument *has* been quoted so low as 9,110, it *has* also been quoted as high as 9,168 British inches, and in a manner to lead to the inference that 9,140 of those inches must be very nearly the true quantity.

Note the measures of the base-side lengths of the greatest of the *other* Pyramids of Egypt, taken in the same terms. When measured by Colonel Howard Vyse and his assistant Mr. Perring (the authors of the 9,168 inch measure for the Great Pyramid, and therefore rather liable to err

in excess than defect)—they, that is, the respective *ancient* base-side lengths of those other pyramids, are reported thus:—

	British Inches.
Second Pyramid of Jeezeh.....	8,493
North Stone Pyramid of Dashoor.....	8,633
South Stone Pyramid of Dashoor.....	7,400
The Chief, or 'Great' Pyramid of Saccara.....	4,727
Third Pyramid of Jeezeh.....	4,254
The Chief Pyramid of Aboosier.....	4,317
Northern Brick Pyramid of Dashoor.....	4,200
Southern Brick Pyramid of Dashoor.....	4,110
Pyramid Base of Mustabat el Pharaoon.....	3,708
Foundation for a Pyramid at Aboo-Roash.....	3,840

We might go on through all the thirty-seven, continually diminishing, until the last of them. One of the pyramids of Aboosier has a base-side length of only 905 English inches.

(Sec. 16.) THE PYRAMID'S LINEAR STANDARD.—The nations of the world from the dawn of written history, down to, less than one hundred and fifty years ago, of their own selves and by their own knowledge, cared little about their national measures beyond their daily, social use as such; and knew nothing but what was childish with regard to the size of the earth; so that all our present exact acquaintance with it, as a reference for standards of length, is confined within the history (as above stated) of the last one hundred and fifty years. The French philosophers in the early portion of the last century, in fixing on the Meridonal quadrant of *surface* for their metre's derivation, did not take into consideration the fact, that the progress of geodesy would within the century reveal that the earth's equator was not a circle, but a rather irregular curvilinear figure, perhaps ellipsoidal on the whole, so that it has many different lengths of equatorial diameters, and therefore also *different* lengths of quadrants of the Meridian in different longitudes. Although a majority of the coun-

tries of the earth have adopted a "Metric System," it is noted, that at *least* fourteen different nations have each a different length for their 'Metre.' This, as a matter of course varies the weight of the 'gramme'; the following table will illustrate:—

WEIGHT OF THE GRAMME IN GRAINS by different communities; the second in the list is the one generally adopted.

15.432	15.4323488	15.433159	15.438395	15.44242
15.43234874	15.432349	15.434	15.44	15.44402
15.43234875	15.4327	15.43402344	15.4402

When the system was adopted by France the metre was assumed to be the ten millionth part of the quadrant of the meridian passing through Barcelona and Dunkirk. For the reason of the above named contention, we claim that the system as originally promulgated, can never become universal. Again, the French shipbuilder himself uses the fractional system to lay out a vessel's keel. And yet these things were all taken into account, or provided for by the great, and as yet, mysterious architect that directed the building of the Great Pyramid, probably over 30,000 years ago.

For a series of "Weights and Measures" based on the capacity of the 'coffer,' and other measurements in the Great Pyramid, see another portion of this work. We think they should be universally adopted. The ruling standard, the 10^7 th, or ten-millionth part of the earth's polar semi-axis, shown to have been adopted by the architect of the Great Pyramid, by the general progress of all learning, to be the only sound and truly scientific reference which the earth itself possesses. Through the long mediæval periods of darkness, confusion, and war, not even the most progressive nation thought of such things as mathematics, geodesy, and linear standards; if not the same master mind, very much like Providence, prevented our *hereditary* and *quasi*-Pyramid, *smaller unit of measure*, the inch, from losing more than the thousandth part of itself. We believe

that the Great Pyramid is the one necessarily material and memorial center from which those practical things, weights and measures, sometime in the misty past, were distributed. To whom, and when, is as yet *unwritten* history.

Sir John Herschel, after careful examinations of the subject of Earth-size and Sun-distance, stated "that a band encircling the earth, of the breadth of the base of the Great Pyramid, contains one hundred thousand million square feet." The built size of the Great Pyramid is here stated to bear such a remarkably round and even number, as its proportion to the created size of the natural earth, that an argument for intention rather than accident may spring therefrom, if it hold closely in fact and in sequence to other coincidences independently ascertained. The feet to be used on such an occasion can hardly be any other than Pyramid feet, or 12 Pyramid inches set in a line; and the part of the earth for the colossal band to encircle, what should that be? Though it is allowable in approximate work, to speak of the earth as a sphere, whose every great circle, or section through its center, will have the same length of circumference—early investigation at the Pyramid indicated to the contrary; and that its design successfully discriminated between the axis of rotation diameter, and any and every other possible diameter through the really spheroidal, or ellipsoidal, or chiefly flattened-at-the-poles figure, of the great mass of the earth.

LENGTH OF THE EARTH'S POLAR AXIS.

(Sec. 17.) Expressed in Pyramid inches, (0.001 of an inch longer than the English inch) the polar diameter, or axis of rotation of the earth, has been stated by different observers of the best modern schools of the present time to be either 499,878,000 or 500,060,000 Pyramid inches in length, or any and almost every quantity between those limits. The matter cannot, in fact, be determined much closer by the best measures of the best men in the present day; and although one nation publishes its own results to an

arithmetical refinement of nine places of figures, that is not physical exactness; and it cannot convince any other nation of its correctness beyond the first three places of figures. Some of them may agree to four places, few or none of them to five or six or more places. Therefore, in this case and all other similar ones throughout this work, we shall try to simplyfy all numerical statements of measures by only entering the significant numbers as far as they can be depended upon. Hence the three 000 with which the above statements terminate are merely to give the proper value to the preceding figures, and not to indicate that any one man's measures of the earth gave forth an even number of inches in units, tens, hundreds, or thousands.

Colonel Clarke, R. E., chief mathematician of the Ordinance Survey of Great Britain, in one of his reports issued some 40 years ago, gave two different statements, arrived at by different modes of computation (reduced here from British into Pyramid inches) first as 499,982,000 and lastly as 500,022,000; leaving the reader to chose which he likes, or any mean between the two. The extremes of Prof. Smyth and Col. Clarke are represented in the accompanying table, without attempting to decide the correctness of either one.

TABLE OF THE EARTH'S SEVERAL DIAMETERS IN
PYRAMID INCHES.

Parts of the Earth Referred to	Result with Clarke's Small- est Equatorial Diam. 1866	Result Adopt- ed by Piazz Smyth 1864	Result with Clarke's Larg- est Equatorial Diam. 1866
Polar Diameter	500,000,000	500,000,000	500,000,000
Diameter in Lat. 60° . .	500,396,000	500,420,000	500,435,000
Diameter in Lat. 45° . .	500,792,000	500,840,000	500,869,000
Diameter in Lat. 30° . .	501,186,000	501,257,000	501,301,000
Diameter at Equator . .	501,577,000	501,672,000	501,730,000

TESTING OF JOHN TAYLOR'S ANALOGY.

Having the data at our command, let us return to the Taylor-Herschel Pyramid analogy, which asserts that a "band of the width of the Great Pyramid's base-breadth encircling the earth, contains 100,000,000,000 square feet." An equatorial band is the only one which could encircle the earth in a great circle, and at the same time in one and the same parallel of latitude. We proceed, therefore, thus: from the equatorial diameter given above, we compute the equatorial *circumferences* by multiplying them by that almost magic number to work calculations with, the *pi* of the Great Pyramid and modern mathematics, or 3.14159, etc. Reduce them to Pyramid feet by dividing by 12, and next multiply by the already determined Pyra-

mid base-breadth in Pyramid feet, *viz.*, $\frac{9131.05}{12} = 760.921$;

the following results then come out, *viz.*—They all give smaller figures than the required 100,000,000,000; for the smaller equatorial diameter gives 99,919,000,000, and the largest equatorial diameter gives 99,949,000,000. Not absolutely true, therefore, with any allowable equatorial diameter, further than the first three places.

PYRAMID AND SOLAR ANALOGY.

(Sec. 18.) Something then further than earth-size reference had been deemed possible in the Great Pyramid; but it was at last obtained by Mr. William Petrie, C. E., in October, 1867, when he deduced the mean distance of the sun from the earth; in fact, the "Sun-distance," to be the quantity hitherto vaguely expected only. An enormous length of line, is this sun-distance; and before which the mere size of the earth vanishes into almost nothingness. Mr. Petrie had remarked, and naturally enough, that the circle typified by the base of the Great Pyramid has already been proved to symbolize a year, or the earth's annual revolution around the sun; and the radius of that

typical circle had also been shown to be the ancient vertical height of the Great Pyramid, the most important and unique line which can be drawn within the whole edifice.

Then that line, said he further, must represent also the radius of the earth's mean orbit round the sun, however far away that may be; and in the proposition of 10.9, or 1 to 1,000,000,000; because, amongst other reasons 10:9 is practically, in one mode of viewing it, the shape of the Great Pyramid. For this building, notwithstanding, or rather by virtue of, its *pi* angle at the *sides*, has practically and necessarily, and closer than any of the modern scientific measures have come to each other, just such another angle at the *corners* (see Fig. 1 and 2, in Plate 18) that for every *ten* units which its structure advances inward on the diagonal of the base to central, nocturnal darkness, it practically rises upward, or points to sunshine, daylight and sky, by *nine*. Nine, too, out of the ten characteristic five angles and five sides being the number of those ten parts which the sun shines on in such a shaped Pyramid, and in such a latitude, at noon, through the greater part of a year; when the sun "sits on the Pyramid with all its rays," and the building is then said, as it throws no shadow at all, "to devour it." Further, when the sun enters *Libra*, on March 20th of each year, at 12 o'clock noon; and again when the orb enters *Aries*, on September 22nd, the sun stands poised directly over the apex of the Great Pyramid.

THE PYRAMID SUN-DISTANCE.—Mr. Petrie instantly proceeded to computation, reducing the 5,813 Pyramid inches of the Great Pyramid's height to English inches, multiplying them by 10.9, and reducing those inches to English miles—when he worked out the quantity 91,840,000 (nearly) of those miles. "Alas!" sighed he, "the analogy does not hold even in the second place of figures, for the real sun-distance by modern astronomy has been held during the last half century (this was 40 years ago) to be 95,233,055 miles." So he threw his papers

on one side thinking he had erred altogether in the very conception, and then attended to other matters; until one fine morning he chanced to hear, that although the above number of ninety-five millions and odd miles, had been held so long by all the modern world—mainly because it had been produced by the calculations of the then last transit of Venus across the sun's disc, by a late first rate German astronomer (calculations so vast, so difficult, and with such a prestige of accuracy and power about them, that no living man cared to dispute their results) yet the astronomical world had been forced to awaken during the last few years to a new responsibility, and not only admit that the number might possibly be erroneous, even very erroneous (or actually in the second place of figures) but to institute many series of difficult observations on either side of the world at the same time, for endeavoring to determine what the correction should be. One group of astronomers of several nations declared the true mean sun-distance to be about 91,500,000 miles; and another group of the same and other nations declared it to be from 92,500,000 to 93,000,000 of miles. Mr. Petrie steps in and shows that the Great Pyramid results, which he had formerly allowed to drop from his hands, out of his exceeding respect to all modern science from the beginning of learning up to the year 1855 A. D., is *between* these two latest, and supposed best, of all the conclusions or so-called determinations; indeed, it is almost exactly the mean between the contending parties, and forms therefore in itself, in simplicity and antiquity a single representation of the whole of the numerous, laborious, and most costly sun-distance results of all humankind even up to the present age; and it is now safe to assert, that the investigations of all nations (since the above dates) have gradually come a little closer to Mr. Petrie's figures, as shown by his measurements of the Great Pyramid. And further, that in the near future, the principal nations of the earth will be led to acknowledge and *adopt* as a "key to the universe of measures" those to

be obtained, from the Great Pyramid Jeezeh. Our advance in astronomical science in the last 3,000 years (not generally known) reads curiously, *viz.* "In the age of the Greeks, the distance attributed to the sun from the earth began with the infantine quantity of about ten miles; it increased slowly to 10,000; still more slowly to 2,500,000; then after a long delay, increased to 36,000,000, under German Keplar; to 78,000,000 in the days of Louis XIV., through means of the South African or trans-equatorial observations of the Abbe La Caille; and only at length reached the full quantity, and then clumsily overpassed it, at the beginning of the last century, under the leadership of German mathematical astronomy."

Quoting from "*Our Inheritance in the Great Pyramid*," 4th edition: "*Modern astronomers are involuntarily proving that Man, unaided by supernatural Divine Power, could not possibly have measured the Sun-distance accurately in the Age of the Great Pyramid; and yet it is recorded there with exceeding accuracy.*" The author, Prof. Smyth, should have added: that no living astronomer in this age, at this late day, can state the exact sun-distance; nor solve a much easier problem: "Give us the exact measurements of the Great Pyramid."

If the reader has noted our argument in the early part of this work, he should know what our answer would be to the above quotation; *viz.*, that a "Deified Architect" is out of the question at *any* period; and secondly, that as we do not place the date of the building of the Great Pyramid in 2,170 B. C., we escape the criticism of our ideal architect, living in an age of (almost) absolute mathematical and astronomical ignorance. While we do not claim sufficient inspiration to *assume* any fixed period for the erection of this "First Great Wonder," we are deeply *impressed*, that it was at some one of the dates in the misty past, when "*a Draconis*" (the pole star) was on the exact meridian either above or below the pole in the North. And those dates were: 2,170 B. C.; 27,969 B. C.; 53,767 B. C.; and

79,564 B. C., etc. As geology and astronomy have proved our orb to have been many millions of years in existence, it is safe to assume that it has been inhabited at least a half of million years. Also, that it has been depeopled a number of times. As the first date mentioned above occurred at a time within our recorded history, and *that* history records that no one living at that time and age had the architectural ability to direct such a structure; we *assume* that the very earliest date that it could have been erected was in 27,969 B. C.; and it might have been either of the previous dates mentioned. Before the people of the earth will be able to duplicate the Great Pyramid, they will have to re-discover (at least) the following "Lost Arts:" *viz.*, "perfectly hardened copper;" "overcoming gravitation;" "navigating the air;" "communicating (through the language of number) with the inhabited planets;" "a telescope with from 1,000,000 to 2,000,000 power;" also, more perfect mathematics; and measuring apparatus sufficiently correct, at least, to survey or measure the same object *twice* with the same result. The builders of the Great Pyramid knew all those things, to be able to accomplish what they did. This is why all those writers of the past, that have delved deeply into the mystery of that structure, "have Deified the architect," to be able to give an *apparent* answer. Of this, more hereafter.

IN REGARD TO THE HEIGHTS of the different stone structures of the world (see table of Pyramids in another part of this work), it will be noted that no other pyramid in all Egypt approaches nearer than 32 feet of the height of the Great Pyramid, and only three other structures in the world, at this date, exceed it in height; *viz.*, "the Eiffel Tower, of Paris, France, 984 feet, built of steel; the City Hall and tower of Philadelphia, Pa., 537 1-3 feet, the last 200 feet of which is steel; and the Washington Monument, at Washington, D. C., 555 feet, all stone." But no one of the latter named structures have any claim to mathematical proportions in their construction.

ORIENTATION OF THE SIDES OF THE GREAT PYRAMID.

The square base of the Great Pyramid is perfectly oriented, or placed with its sides facing astronomically due north, south, east and west; this fact abolishes certain theories to the effect that all phenomena of that Pyramid have to do with pure geometry alone; for, to pure geometry as well as to algebra and arithmetic, all azimuths or orientations are alike; whereas, one most particular astronomical azimuth or direction was picked out for the sides of the base of the Great Pyramid.

This point of *perfect* orientation *may* be possible in this our day and age but the fact that in all the wide world over, no other building large or small, can be said to possess this peculiar characteristic, hints at the fact that *it* is also to be classed as one of the "lost arts." The nearest approach to the Great Pyramid's orientation with which we are familiar, is the Mormon Temple, at Salt Lake City, Utah, which was engineered by the celebrated mathematician and astronomer, Orsen Pratt, in his day. Our belief in the fact that the Great Pyramid is *perfectly* adjusted to the four cardinal points of the earth is strengthened every time a new set of engineers attempt to solve this mystery; as no two of them agree within several minutes. Prof. Smyth states in his "Life and Work" that it only varies 4' and 30"; the French engineer, Nouet (in 1878) placed the measurement to vary 19' and 58". And others too numerous to mention cause it to vary in opposite directions.

Prof. Smyth adds, "The more an astronomer looks into the pointings of a magnetic needle, the more full of serious uncertainties and vagaries he finds it. But the more he examines, by mechanical instruments and astronomical observations into the north and south of the axis of the world or the polar point of the heavens, the more admirably certain does he find *it* and its laws, even to any amount of microscopic refinement. No astronomer, therefore, in a fixed observatory ever thinks of referring to a magnetic

needle for the direction of the north. The very idea, by whomsoever brought up, is simply an absurdity. And of course in my own observations at the Great Pyramid in 1865, I had nothing to do with occult magnetism and its rude, uncertain pointings, but employed exclusively, for the polar direction, an astronomical alt-azimuth instrument of very solid construction, and reading to seconds. In that way comparing the socket defined sides of the base, and also the signal defined axis of the entrance passage, with the azimuth of *Alpha Ursæ Minoris*, the Pole Star, at the time of its greatest élongation west; and after reducing that observed place, by the proper methods of calculation, to the verticle of the pole itself, the cynosure was reached."

GEOGRAPHICAL POSITION—FURTHER TEST BY LATITUDE.

(Sec. 19.) "Another test of nearly the same thing, not by angle, but by distance on the surface; and further, that the architect did propose to place the Great Pyramid in the astronomical latitude of 30° north, whether that exact quantity was to be practical or theoretical; while my own astronomical observations in 1865 have proved, from the results of several nights work, that it stands so *near* to 30° as to be in the latitude parallel $29^{\circ} 58' 51''$.

"A sensible defalcation this, from 30° it is true, but not all of it necessarily error; for if the original designer had wished that men should see with their bodily, rather than their mental eyes, the pole of the sky, from the foot of the Great Pyramid, at an altitude before them of 30° , he would have had to take account of the refraction of the atmosphere; and that would have necessitated the building standing not in 30° , but in $29^{\circ} 58' 22''$. Whence we are entitled to say, that the latitude of the Great Pyramid is actually by observation *between* the two very limits assignable, but not to be discriminated by theory as it is at present. The precise middle point, however, between the two theoretical latitudes being $29^{\circ} 59' 11''$ and the observed place being

$29^{\circ} 58' 51''$ there is a difference of $20''$ which may have to be accounted for. Though Dr. Hooke's question upon it would pretty certainly have been, can the earth's axis have shifted so little in 4,000 years with regard to its crust that the latitudes of places have altered no more in that length of time than a miserable $20''$ of space. Unfortunately none of the Greek, Roman, Indian, Alexandrian, or any of the older observatories of the world, had their latitudes determined in their day closely enough to furnish additional illustrations for this purpose.

"At Greenwich, the oldest and best supported of modern European observatories, there has been a continued decrease in its observed latitude, with the increase of time. In the large volumes of its published observations, I find the latitude successively stated as: In 1876, $51^{\circ} 28' 40''$; 1834, $51^{\circ} 28' 39''$; 1856, $51^{\circ} 28' 38.2''$. This change of $1' 8''$ in eighty years, implies a quicker rate of decrease than the $20''$ at the Great Pyramid in 4,000 years—if the observations were perfect; but they are not, and it is said, I believe, that small errors in both the instruments and the tables of refraction employed *may* be found eventually to explain away the apparent latitude change. Hence, all the known practical astronomy of the modern world cannot help us in this matter; and if we apply to physical astronomy some of its great mathematicians of the day who are supposed to be able to compute anything, and have announced long since how many millions of millions of millions of years the solar system is going to last, these great computers also announced a few years ago that they had found the interior of the earth to be solid, and as stiff as hammered steel; so that *no* change of latitude *could* take place. But within the last few years, they have concluded again that the interior of the earth is fluid, and steadied only by vortex motion of that fluid; also, that in the earlier geological ages, long before man appeared on the scene, great changes of latitude did take place in those almost infinitely long periods and that, therefore, some *small* change of the same sort may

have been experienced within human history; but it can only be a very small change, even as the Great Pyramid has already indicated."

GEOGRAPHICAL APTITUDES OF THE GREAT PYRAMID.

(Sec. 20.) The engineers and geographers under Napoleon Bonaparte, during his visit to Egypt, in 1799, were not slow to perceive how grand, truthful, and effective a trigonometrical surveying signal the pointed shape of the Great Pyramid gratuitously presented them with; and they not only used it for that purpose, as it loomed far and wide over the country, but they employed it as a grander order of signal, also, to mark the *zero meridian of longitude* for all Egypt.

It is plain to see that, in coming to this conclusion, they could hardly but have perceived something of the peculiar position of the Great Pyramid at the southern apex of the Delta land of Egypt, and recognized that the verticle plane of the pyramid's passages produced northward, passed through the northermost point of Egypt's Mediterranean coast, besides forming the country's central and most commanding meridian line; while the N. E. and N. W. diagonals of the building similarly produced, enclosed the fertile Delta's either side in a symmetrical and well balanced manner. (See Plate II.) But the first very particular publication on this branch of the subject was by Mr. Henry Mitchell, Chief Hydrographer to the United States Coast Survey. He, having been sent by the U. S. Government, in 1868, to report on the progress of the Suez canal, was much struck with the regularity of a certain convex curvature along the whole of Egypt's ("Lower Egypt's") northern coast. To his mind, and by the light of his science, it was a splendid example, on that very account, of a growing and advancing coast line, developing in successive curves all struck one after and beyond the other, from a certain central point of physical origina-

tion in the interior. And where? With the curvature of the northern coast, really the Delta land of the Nile, on a good map before him (see in a small way, Fig. 1, Plate II.) Mr. Mitchell sought, with variations of direction and radius carried southward, until he got all the prominent coast points to be evenly swept by his arc; and then looking to see where his southern center was, found it upon the great Pyramid; he immediately decided in his mind that "that monument stands in a more important physical situation than any other building yet erected by man." And the importance of its position does not end there. For proceeding along the globe due north and due south of the Great Pyramid, it has been found by a good physical geographer as well as engineer, Mr. William Petrie, that there is more earth and less sea in that meridian than in any other meridian all the equator around. For this reason, the Great Pyramid's meridian is caused to be as essentially marked by nature, in a general manner across the world from Pole to Pole, or rather from the North Cape of Norway to the diamond fields and Zululand of South Africa, as a prime meridian for all nations measuring their longitude from, or, "the unification of longitude."

Again, taking the distribution of land and sea in parallels of *latitude*, there is more land surface in the Great Pyramid's general parallel of 30° than in any other degree; so that the two grand, solid, man-inhabited earth lines, the one, of most land in any meridian, and the other, of most land in any other latitude, cross on the Great Pyramid. Finally, on a careful summing up of the areas of all the dry land habitable by man all the wide world over, the *center* of the whole falls within the Great Pyramid's special territory of Lower Egypt.

Commodore Whiting, of the U. S. Navy, is quoted as saying (in 1879) that the chief claim in his eyes to the Great Pyramid as a Zero of all nations' longitude "is not merely that it is so eminently set in the midst among all busier haunts of men, on its own side of the earth, but

that its *Nether* meridian, or the continuation of its Egyptian meridian round the *opposite* side of the world, forms the most suitable possible line of locality for circumnavigators of the globe to change their day of reckoning, as they pass it, accordingly as they are proceeding from East to West, or from West to East; because that *Nether* meridian of the Great Pyramid ranges its whole length from South to North Pole, excepting only near Behring's frozen straits, through foaming, tossing sea; realizing, therefore, almost exactly the precise *Nether* meridian long desired by the late most eminent Captain Maury, in his grand and world-wide facilitations of the navigation of all nations."

There is every reason to believe that the dry land surface spot, which was central when the Great Pyramid was built, is central still, and will continue to be so until the end of the present races of men on the earth. We expect to be further enabled to illustrate, before closing this work, that the directors of the building of the Great Pyramid were not natives of Egypt, but came into Egypt out of a country having a different latitude and longitude, and went back again into that country of theirs immediately after they had completed the Great Pyramid in all its beauty and perfection; and that there, in their own country, though they were at the head of their calling as architects, yet they built no more Pyramids (although they had built many before). This will go far to indicate that they had been taught, and well knew of early time, that there was only one proper and fully appropriate and safe spot, all the wide and *round* world over, whereon to found that most deeply significant structure that they had been commissioned to build, with every detail of which they were perfectly familiar, but entirely unknown to the then wandering nomads of that vicinity.

The exterior of that great central building of the whole earth, the Great Pyramid, has furnished us much food for thought up to this stage of our theory; notwithstanding the almost ruinous continuous attacks of twenty nations

upon its exterior there is still proof, when carefully studied and scientifically measured, in spite of all those dilapidations to prove (at least) its size and location—the like of which were never made out in all past time for any other building on the face of the globe, not even for a single one of the other Pyramids of Egypt, all of which err utterly in angle, size, and position. What may we not expect from the building's better preserved interior?

We will conclude this earliest division of our work with a complete epitome of the outside measurements, including the "Geography and Masonry Courses" of the Great Pyramid; from the average prevailing testimony of those who have measured and thoroughly investigated the subject scientifically.

PRINCIPAL MEASURES CONNECTED WITH THE GEOGRAPHY OF THE EXTERIOR OF THE GREAT PYRAMID.

(Sec. 21.) POSITION.—N. Latitude, $29^{\circ} 58' 51''$;
E. Longitude, $31^{\circ} 10' 1''$.

ELEVATION OF PAVEMENT BASE: *Pyramid*
Feet Inches.

Above the neighboring plain as now covered by sand.....			125	0
Above the average water level.....			145	10
Above the Mediterranean Sea level.....			215	0
Elevation of the lowest subterranean construction or subterranean excavated chamber above the average water level of the country.....			20	10

HEIGHT-SIZE:—Present dilapidated height

verticle.....			*454	2
Ancient verticle height of apex completed, above pavement.....			484	$5\frac{1}{10}$
Ancient inclined height, at middle of sides, from pavement to completed apex.....			†615	$11\frac{1}{2}$
Ancient inclined height at corners, pavement to apex.....			†724	0

Ancient verticle height of apex above the lowest subterranean chamber	584	7
BREADTH SIZE:—Present dilapidated base		
side length	*745	10
Ancient and present base side <i>socket</i> length	760	11 $\frac{1}{2}$
Ancient and present base <i>diagonal</i> socket length	1,076	1 $\frac{1}{4}$
Sum of the two base diagonals	2,152	2 $\frac{1}{2}$
Present platform on top of Great Pyramid, in length of side, roughly	33	4
(It is flat, except in so far as it has four or five large stones upon it, the remains of a once higher course of masonry.)		
Ancient length of side of Great Pyramid, with casing stone thickness complete, at the level of the present truncated summit platform, roughly	48	4
Pavement in front, and round the base of the Great Pyramid, formed of stones 21 inches thick, at center of North front	33	6
A chasm or crack in both pavement and rock beneath, near the North front, extends to a depth of, more or less	47	6
SHAPE AND MATERIAL:		
Ancient angle of rise of the casing stones and the whole Great Pyramid, when measured at the side	51° 51'	14.3"
Ancient angle of rise of the whole Great Pyramid, when measured at the corners or arris lines	41° 59'	18.7"
Ancient angle of the Great Pyramid, at the summit, <i>sideways</i>	76° 17'	31.4"
Ancient angle of the Great Pyramid at the summit, <i>diagonally</i> , or cornerways	96° 1'	22.6"

CASING STONE MATERIALS:—Compact white limestone from the Mokattam Mountain quarries on the east side of the Nile, with a density equal to 0.367 (earth's mean density equals 1).

* About † Nearly

GENERAL STRUCTURAL MATERIAL OF ALL THE RUDER PART OF THE MASONRY:—Nummulitic limestone of the Pyramid's own hill, with a density equal to 0.412.

Number of sides of the whole building, including the square base as one—4 triangular and one square.....5

Number of corners of the whole building—4 on the ground and one anciently aloft.....5

AREA, WEIGHT, ETC.: *Pyramid Acres.*

Ancient area of square base of Great Pyramid 13.340

Ancient area of the square pavement, on which the Great Pyramid is supposed to stand, but which has only been tested as yet on the Northern side, probably 16.00

If the pavement extends the same width on the east, south and west sides, as it does on the north (?) then it is..... 17.75

The whole building from very base to apex is not solid masonry; but as clearly shown by the N. E. basal corner and indicated more or less at a point or two in the wall, and the descending entrance passage, includes some portions of the live rock of the hill. Such portion having been, however, trimmed rectangularly, and made to conform in height and level with the nearest true masonry course.

Solid cubits of masonry contained in the Great Pyramid's whole equals 10,340,000.

Tons (Pyramid) of squared, cemented building material equals 5,274,000.

UNITS OF MEASURE REFERRED TO.

1 Pyramid inch	1.001 English inch.
1 Pyramid foot	12.012 English inches.
1 Pyramid cubit	25.025 English inches.
1 Pyramid cubit	25.000 Pyramid inches.
1 Pyramid acre	0.9992 English acre
1 Pyramid ton	1.1499 English avoirdupois ton.

See also Plates III. to XX. inclusive.



ONE INCH OF THE GREAT PYRAMID

subdivided into tenths, equal in length to one 500-millionth of the earth's axis of rotation.

N. B.—The above pictorial representation must be considered approximate only, on account of the expansions and contractions of the paper it is printed on, from moisture.

MASONRY COURSES OF THE GREAT PYRAMID.

Table of the courses of squared and cemented blocks of stone in horizontal sheets, one above the other, which form the mass of the building. They vary from 20 to 79 inches in height.

Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Pavement, Ascending	Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Pavement Ascending	Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Pavement, Ascending
Pave- ment	0	0	26	26	933	52	26	1770
1	79	79	27	28	961	53	27	1797
2	56	135	28	31	992	54	24	1821
3	48	183	29	30	1022	55	26	1847
4	40	223	30	26	1048	56	22	1869
5	40	263	31	28	1076	57	26	1895
6	38	301	32	28	1104	58	27	1922
7	39	340	33	24	1128	59	30	1952
8	38	378	34	24	1152	60	28	1980
9	36	414	35	50	1202	61	26	2006
10	34	448	36	41	1243	62	26	2032
11	33	481	37	39	1282	63	26	2058
12	30	511	38	38	1320	64	28	2086
13	30	541	39	34	1354	65	26	2112
14	28	569	40	32	1386	66	26	2138
15	30	599	41	32	1418	67	34	2172
16	28	627	42	28	1446	68	33	2205
17	26	653	43	32	1478	69	31	2236
18	32	685	44	42	1520	70	28	2264
19	38	723	45	37	1557	71	28	2292
20	24	747	46	28	1585	72	27	2319
21	23	770	47	35	1620	73	26	2345
22	35	805	48	36	1656	74	31	2376
23	33	838	49	30	1686	75	28	2404
24	31	869	50	28	1714	76	26	2430
25	38	907	51	30	1744	77	24	2454

Number of Course in Ascending	Height of Erch Course in Inches, Roughly	Whole Height from Basement, Ascending	Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Basement, Ascending	Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Basement, Ascending
78	24	2478	110	24	3359	142	22	4144
79	24	2502	111	24	3383	143	22	4166
80	22	2524	112	24	3407	144	28	4194
81	24	2548	113	23	3430	145	27	4221
82	24	2572	114	23	3453	146	24	4245
83	26	2598	115	23	3476	147	22	4267
84	26	2624	116	25	3501	148	22	4289
85	25	2649	117	23	3524	149	21	4310
86	25	2674	118	35	3559	150	26	4336
87	24	2698	119	31	3590	151	26	4362
88	24	2722	120	29	3619	152	25	4387
89	25	2747	121	28	3647	153	22	4409
90	36	2783	122	26	3673	154	21	4430
91	33	2816	123	26	3699	155	21	4451
92	31	2847	124	24	3723	156	21	4472
93	28	2875	125	24	3747	157	21	4493
94	26	2901	126	23	3770	158	21	4514
95	25	2926	127	23	3793	159	22	4536
96	24	2950	128	23	3816	160	21	4557
97	24	2974	129	23	3839	161	21	4578
98	41	3015	130	27	3866	162	24	4602
99	37	3052	131	25	3891	163	23	4625
100	34	3086	132	23	3914	164	25	4650
101	32	3118	133	22	3936	165	22	4672
102	30	3148	134	22	3958	166	22	4694
103	28	3176	135	22	3980	167	21	4715
104	27	3203	136	25	4005	168	21	4736
105	27	3230	137	23	4028	169	20	4756
106	26	3256	138	25	4053	170	21	4777
107	25	3281	139	25	4078	171	20	4797
108	29	3310	140	22	4100	172	21	4818
109	25	3335	141	22	4122	173	21	4839

Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Basement, Ascending	Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Basement, Ascending	Number of Course in Ascending	Height of Each Course in Inches, Roughly	Whole Height from Basement, Ascending
174	20	4859	189	21	5185	204	*21	5507
175	21	4880	190	21	5206	205	*21	5528
176	20	4900	191	21	5227	206	*21	5549
177	20	4920	192	21	5248	207	*21	5570
178	21	4941	193	20	5268	208	*21	5591
179	20	4961	194	21	5289	209	*22	5613
180	26	4987	195	22	5311	210	*24	5637
181	25	5012	196	24	5335	†211	*22	5659
182	23	5035	197	22	5357	212	*22	5681
183	24	5059	198	22	5379	213	*22	5703
184	22	5081	199	22	5401	214	*22	5725
185	21	5102	200	22	5423	215	*22	5747
186	21	5123	201	22	5445	216	*21	5768
187	20	5143	202	*21	5466	217	*20	5788
188	21	5164	203	*20	5486	218	*25	5813

* Estimated. † Number of courses estimated by Prof. Smyth.

Supposed complete number of courses, including the original topmost corner-stone, 218; whole height, 5,813 Pyramid inches, or 484 feet 5 inches (or 486 English feet).

NOTE:— We think Prof. Smyth erred in placing his first layer of stone (in his table of "Masonry Courses") opposite "Course" (marked) number 2. And again, in placing (his estimate) 211 for the complete number of courses of Masonry in the Great Pyramid, when it was complete with 30.6 feet greater elevation. For if so, each course now displaced must have averaged 36.8 inches in thickness, which would seem to be inconsistent from the average thickness of the last 100 layers that precede it.

THE SOURCE OF MEASURES.

PART II.

BY J. RALSTON SKINNER, Cincinnati, Ohio, 1875.

(Sec. 22.) The following copious notes from the "Source of Measures" are by permission of the author when he lived:

"The following, in place of a work, strictly speaking, is rather an essay or study. It is like the study of an artist, where it comprehends many details in outline going to make up a whole, yet unfinished and subject to change, here and there as the blending of details may prove inharmonious or incongruous to the general scope of the design. Unlike such a study, however, others can join in the labor of completing the task; and it is hoped that it may prove an incentive to that end.

"The whole constitutes a series of developments, based upon the use of geometrical elements, giving expression in a numerical value. These elements are found in the work of the late John A. Parker, of the City of New York, setting forth *his* discovery (but in fact, the re-discovery) of a quadrature value of the circle. Upon this one, that of Peter Metius, of the sixteenth century, seems to be a variation.

"Mr. Parker makes use of an element of measure of the equilateral triangle, by which, as a *least unit* of measure, to express the measure of the elements of a circle in terms of the numerical value of a square: so that, as a conclusion, a square of 81 to the side, or 6561 in area, shall contain a circle whose area equals 5153; or, rectifying the circumference, a diameter of 6561 shall have a circumference of $5153 \times 4 = 20612$.

"Let it be understood that the question of value of that quadrature, whether by Mr. Parker, or by Metius, as to whether it is the expression of exactitude of relation, does not arise; nor is it, save incidentally, pertinent to the sub-

ject matter in hand. While this work thus is relieved of any necessity of examination into the question of the possibility of what is called '*the quadrature*' or '*the squaring of the circle*,' nevertheless, it is necessary to a proper understanding of the whole that some, to many persons very dry, details of Mr. Parker's construction of his quadrature should be set forth in the very commencement. Incidentally, however, it is thought that the matters established herein, as having a direct relation to the *holy things of God, as laid down in Scripture*, will force an inquiry on the part of devout people, into the abstract question of '*the quadrature*,' both as received and as set forth by Parker and by Metius; and also into the very question of any special value of the quadrature by Parker, as related to the generally accepted one.

"One development is as follows: The numerical value 20,612 of a circumference is made use of to derive from it a *unit of measure* for *linear, superficial, and solid* measure. Thus, as a common unit of measure is the edge of one of the faces of a cube, and as there are 12 edges to the cube, the division of 20,612 by 12 is the distribution of this value onto these 12 edges; so that the quotient, which is $1717.66+$, is that unit of measure which is, however it may be used, convertible into circular, and again, back into the geometrical elements whence derived. And this is obtained by the special numerical value, $1717.66+$ the one-twelfth of 20,612, whether, as a fact, it be used as a whole or as a part, as $1.71766+$. Now as a fact, $1.71766+$ of the *British foot* is the ancient *cubit value*; hence, the whole scheme thus far displayed has been practically utilized, inasmuch as 20,612 is thus seen to be the value of British inches, while its derivative of $171766+$, so divided or scaled as to represent $1.71766+$, is the ancient cubit.

"This is confirmed from the fact of restoration, by means of these numerical values, of the Great Pyramid of Egypt, in terms of the British measures thereof made of late years. Another development is that, by a variation

of the use of these numerical values, taken systematically, not empirically, a diameter value to a circumference value of 6 is found, which is discovered to be the basis of the Hindu method for the calculation of tables of *sines* and *cosines*, tangents and cotangents, and the orbits of planetary bodies; which variation, as an enlargement of the above values, on application, is found to give the exactitude of the pyramid measures, agreeably to the design of the architect, thus again coupling a modern with an ancient use.

“Another development is that the British system of *long* and *land* measures is discovered to contain an occult or obscure system of time calculations, based on the factor 6, by which it is seen that the entirety of the British measures rests upon these anciently developed elements, and thus it is in fact, but a phase of the Hindu system. The factor 6 is the basis of the *acre* and *mile* measure, running up from the inch and foot, and the equivalent of the base side of the pyramid (which is a diameter value to a circumference of 24) is the side of a square, divided into four equal parts of 6 x 6 each, in terms of the British foot, and necessarily the inch; hence the advanced measures as far as the mile, are thus involved. But while this is so, the means of obtaining this pyramid measure is through use of the Parker elements; hence the Parker elements are thus connected with the whole range of British measures.

“But the greatest development is that the entire system seems to have been anciently regarded as one resting in nature, and one which was adopted by nature or God, as the *basis* or *law* of the exertion practically of creative power—*i. e.*, it was the *creative design*, of which creation was practically the application. This seems to be established by the fact that, under the system set forth, measures of *planetary times* serve co-ordinately as measures of the *size* of planets, and the peculiarity of their shapes—*i. e.*, in the extension of their equatorial and polar diameters, in terms of the British measures, or the cubit measures arising as stated, from the forms of Mr. Parker. The true study

of the Deity by man being in the observation of his works, the discovery of a fundamental *creative law* (in numbers and measures) as regards His works; of as wide and comprehensive grasp as shown, would locate the substance of such a discovery as the practical real tangible link between God and man, as that by which man can in a measure realize the actually existing working qualities of God, just, speaking most reverentially, as he would those of a fellow-man—as, say, of a mason, or of a carpenter; thus revealing tangible existence, likeness, relationship, and, remotely, companionship. Such a link, once found, would constitute a base for superstructures of recognition, praise, worship, and copy. As a fact, this system seems to underlie the whole Biblical structure, as a foundation for its ritualism, and for its display of the works of the Deity in the way of *architecture*, by use of the sacred unit of measure in the Garden of Eden, the Ark of Noah, the Tabernacle, and the Temple of Solomon.

“Such seem to be the characteristics of development from the elements of quadrature of the late Mr. Parker. The extent to which the development is made so as to compel a mental assent, must be tested, of course, through the contents of this work. There is no disposition on the part of the author to make any assertion as to the strength of his work. What he has done has been done to the best of his ability, and he believes that a studious careful reading of the work done, will be that, and alone that, upon which any fair criticism can be based. Since, after all, all matters of science subordinate themselves to anyone by which man can arrive at a realizable knowledge of God, all things in this book are of poor value in every other regard, comparatively, save as they lead up just to this kind or condition of knowledge. Such being the case the following statements may be made as *introductory*.

“(1.) The ‘*Quadrature of the Circle*,’ by John A. Parker sets forth the integral relation of diameter to circumference of a circle as 6561 to 20612, derived from area computations,

viz.: area of square being 6561, area of inscribed circle is 5153; and diameter being 6561, rectification of circumference is $5153 \times 4 = 20612$.

“(2.) It appears that nature was regarded as making use of this numerical relation, as a law or application of numbers to measures, by which to construct the mechanical properties of the universe; so regulating the times of the planets that they should move by a numerical system such that by the measure of their shapes was to be obtained in a definite class or scale of measures adapted to the same system: so that movement should co-ordinate with size under the same system.

“(3.) However man obtained knowledge of the practice measure, *the British inch*, by which nature was thought to adjust the planets in size to harmonize with the notation of their movements, it seems he did obtain it, and esteemed its possession as the means of his realization of the Deity—that is, he approached so nearly to a conception of a Being having a mind like his own, only infinitely more powerful, as to be able to realize a *law of creation* established by that being, which must have existed prior to any creation (kabbalistically called the Word). The knowledge thus gained was simply that of the measure spoken of with its uses, in connection with the geometrical elements from whence it sprang.

“(4.) This knowledge as to its origin, interpretation, and use, became somehow that of a *caste* condition. As such it was most sedulously concealed, and when set forth it was only in a secret or very obscure way. One way of setting it forth was by *hieroglyphic writing*. This method is the burden of the Hebrew Bible. Another was by *architectural display*. The greatest ever made was in the Great Pyramid of Egypt; the next greatest seems to have been in the Temple of Solomon.

“(5.) It is thought the restoration of this pyramid agreeably to the design of the architect, will afford the means of translation of the hieroglyphic meanings of the

Hebrew Bible, as, on hypothesis, the one was written and the other built to set forth the same natural problems.

“The first step, therefore, necessary to the deciphering of the hieroglyphic or symbolic meanings of the Hebrew Bible, is the restoration of the Great Pyramid after its architectural conception. This is the chief burden of this work, and it is thought that the intent of the architect has been so far recovered as to justify publication. Secondly, it is to be shown that the Temple was but another architectural style of setting forth the same measures with the pyramid. The balance of the matters, condensed as much as possible into brief outline, chiefly serves to exemplify the method of Biblical application of the pyramid system. This balance is noted here and there in the text, and is contained in the appendices. It serves to relieve the dry details of figures and calculations, to show related connections, and is hoped to excite interest in the whole subject, and to stimulate those who may read, to an earnest effort in the further prosecution of this subject so fascinating in its elucidations.”

The relation of 6561 : 20612 is both in the pyramid structure and in the Bible coupled with the form 113 : 355. Some connections between the two will be shown, but what the exact basis relations between them were, as anciently recognized, remains to be discovered.

THE HEBREW ALPHABET.

(Sec. 23.) For the general reader to understand how a numerical or mathematical system may lie closed up in the Hebrew Bible, it may be well to state that the Hebrews, so far as has come down to us, have no numerical system apart from their literal one—*i. e.*, their alphabet held their numerals, just as if, in English, our a, b, c, stood for 1, 2, 3, and so on, in lack of the Arabic system of numerals, borrowed by us, and now of exclusive use (although it would seem that they were in possession of this system also). The following is a table for reference, giving the Hebrew alpha-

bet, the power of the letters, their symbols to some extent, with the numerical value fixed to each letter. The laws of symbolic use of words as numbers in the narrative of the Bible are not known, and the real uses are only to be accepted or received to the extent for which there is intrinsic proof. **Otherwise, it is to be observed that where** the letter values rise above units to tens and to hundreds while the letter character may stand for, say, 20 or 200, very frequently the *characteristic* value is used as giving the expression of the unit value of 2 alone. These subjects can be but touched on in this work. It must suffice to close with the alphabet table (English pronunciation) without the characters.

NO.	NAME.	FORM AND POWER.	SYMBOL.
1.	Aleph.	A scarcely audible breathing.	Ox or Bull
2.	Beth.	<i>b, bh, or bv.</i>	House.
3.	Gi' mel	<i>g, gh.</i>	Camel serpent erect.
4.	Da' leth.	<i>d, dh.</i>	Door, <i>hinge?</i>
5.	He.	<i>h; Latin e.</i>	Window opening, womb (Kabbala)
6.	Vau.	<i>v or w.</i>	Nail, hook, crook.
7.	Zayin.	<i>z.</i>	Weapon, scepter.
8.	Cheth.	<i>ch, kh, hh</i> Latin <i>h</i> ; rough breathing.	Fence, Venus. Affinity with He, as the womb.
9.	Teth.	<i>t.</i>	Snake, basket, figured in Eleusinian mysteries in worship by women. Love apples, etc.
10.	Yodh.	<i>y, i, or j.</i>	Hand, bent forefinger, <i>membrum virile</i> with testes. The perfect number, or <i>one</i> .

NO.	NAME.	FORM AND POWER.	SYMBOL.
20.	Caph.	<i>c, ch, k, kh</i>	The hollow of the bent hand; measure of hollow sphere.
30.	La' medh.	<i>l.</i>	Ox-goad; sign of a form of the god Mars.
40.	Mem.	<i>m.</i>	Water.
50.	Nun.	<i>n.</i>	Fish, symbol of <i>Yoni</i> O, woman, or womb.
60.	Sa' mech.	<i>s.</i>	A prop, a pillar; testes, hence, egg. Divisions of the circle, perhaps indicating a square. Divisions of Paradise.
70.	Ayin	no power	Eye.
80.	Pe.	<i>p, ph.</i>	Mouth.
90.	Tsa'-dhe	<i>ts, tz.</i>	Fish-hook, hunter's dart.
100.	Koph.	<i>k.</i>	Back of head from the ears; hence significant of <i>balances</i> . Ancient pillow to rest the back of the head on. Skull? Eye of needle.
200.	Resh.	<i>r.</i>	Head, sphere, circle.
300.	Shin, Sin.	<i>sh, s.</i>	Tooth.
400.	Tau.	<i>t, th.</i>	Cross, + Foundation framework of construction.

QUADRATURE OF THE CIRCLE.

BY JOHN A. PARKER.

(Sec. 24.) Kabbala was a species of symbolic writing among the initiated, setting forth the secret teachings of the Bible; and a key of Kabbala is thought to be in the geometrical relation of the area of the circle inscribed in the square, or of the cube to the sphere, giving rise to the relation of diameter to circumference of a circle, with the numerical value of this relation expressed in integrals. The relation of diameter to circumference being a supreme one connected with the god-names Elohim and Jehova (which terms are expressions numerically of these relations, respectively—the first being of circumference, the latter of diameter), embraces all other subordinations under it. Two expressions of circumference to diameter in integrals are used in the Bible: (1.) The perfect; and, (2.) The imperfect. One of the relations between these is such that (2) subtracted from (1) will leave a unit of diameter value in terms, or in the denomination, of the circumference value of the perfect circle, or a unit straight line having a perfect circular value, or a factor of circular value:

Of course as to the fact of these expressions residing in the Bible, it remains to be seen whether this is, or is not, so. It will be sufficient if it is so; but if it shall so appear, beyond contradiction, it will afford much food for thought, as to whether so sublime a work as the Holy Record *can be* a refuge for that much oppressed and bedeviled idea "*squaring the circle*," unless the actuality of such relation exists, or unless an approximate of a certain nature and value was found to be of some natural use.

(Sec. 25.) It is very remarkable: One of the values thus used in the Bible was rediscovered in about A. D. 1585, by Peter Metius, as 113 for diameter to 355 circumference, which, in the sacred record, is the imperfect value; the other was rediscovered by the late John A. Parker, of the City of New York, 6561 for diameter to 20612 for cir-

cumference, which, in the Sacred Record, is the perfect value. What the means of discovery by Metius were, is not known. The "*Quadrature*" of Mr. Parker is in print, and therein the steps are fully set forth. As to these, as they contain the geometrical key for the proper understanding of Kabbala, it is necessary to set them forth somewhat at large, premising that his value is obtained through the value of *areas of shapes*. His leading propositions (each proposition, in the text being followed by its demonstration are as follows:

PROPOSITION I. "One of the relative properties between straight lines and a perfect curve or circle is such that all regular shapes formed of straight lines and equal sides, have their areas equal to half the circumference multiplied by the least radius which the shape contains (which is always the radius of an inscribed circle), than which every other radius contained in the shape is greater, and the circle has its area equal to half the circumference multiplied by the radius, to which every other radius contained in the circle is equal."

PROPOSITION II. "The circumference of any circle being given, if that circumference be brought into the form of a square, the area of that square is equal to the area of another circle, the circumscribed square of which is equal in area to the area of the circle whose circumference is first given."

PROPOSITION III. "The circle is the natural basis or beginning of all area, and the square being made so in mathematical science, is artificial and arbitrary."

PROPOSITION IV. "The circumference of any circle being given, if that circumference be brought into any other shape formed of straight lines and of equal sides and angles, the area of that shape is equal to the area of another circle, which circle being circumscribed by another and similar shape, the area of such shape circumscribing the last-named circle is equal to the area of the circle whose circumference is given."

PROPOSITION V. "The circumference of a circle by the measure of which the circle and the square are made equal, and by which the properties of straight lines and curved lines are made equal, is a line outside of the circle wholly circumscribing it, and thoroughly inclosing the whole area of the circle, and hence, whether it shall have breadth or not, forms no part of the circle."

PROPOSITION VI. "The circumference of a circle, such that its half being multiplied by radius, to which all other radii are equal, shall express the whole area of the circle, by the properties of straight lines, is greater in value in the sixth decimal place of figures than the same circumference in any polygon of 6144 sides, and greater also than the approximation of geometers at the same decimal place in any line of figures."

Under this proposition after his demonstration, he states: "And it is evident that if a circle, and a polygon of 6144 sides (the number to which Playfair carries his bisection), shall have the same circumference, the area of the circle is greater than the area of the polygon in the sixth decimal place; and because the circumference of one diameter must be four times the area of the circle, therefore, by the transition of shape to a circle, the true value of circumference is greater in the sixth place than any approximation which can be obtained from a polygon of 6144 sides, whether inscribed or circumscribed."

PROPOSITION VII. "Because the circle is the primary shape in nature, and hence the basis of area; and because the circle is measured by, and is equal to the square only in ratio of half its circumference by the radius, therefore, circumference and radius, and not the square of diameter, are the only natural and legitimate elements of area, by which all regular shapes are made equal to the square and equal to the circle."

PROPOSITION VIII. "The equilateral triangle is the primary of all shapes in nature formed of straight lines, and of equal sides and angles, and it has the least radius,

the least area, and the greatest circumference of any possible shape of equal sides and angles."

PROPOSITION IX. "The circle and the equilateral triangle are opposite to one another in all the elements of their construction, and hence the fractional diameter of one circle, which is equal to the diameter of one square, is in the opposite duplicate ratio to the diameter of an equilateral triangle whose area is one.

"By diameter of the triangle, the perpendicular is here meant, as explained in the introduction to Section I., or a line passing through the center of the triangle, and perpendicular to either side.

"Let it be supposed that the areas of the equilateral triangle A and the square C each equals *one*.

"It has been shown (Proposition VIII.) that the triangle has the least number of sides of any possible shape in nature formed of straight lines; and the circle is the ultimatum of nature in extension of the number of sides. In this particular, therefore, they are opposite to one another in the elements of their construction. By Proposition




PLATE I




PLATE II.

VII., it is shown that circumference and radius are the only natural and legitimate elements of area by which different shapes may be measured alike, and are made equal to one another. By Proposition VIII., it is shown that the triangle has the *least* radius of any shape formed of straight lines of equal sides and of the same circumference, and by Propositions II. and IV, Section I., it is seen that the circle

has the *greatest* radius of any possible shape of the same circumference. By the same propositions, the triangle is shown to have the *greatest* circumference and the *least* area of any shape formed of straight lines and equal sides, and the circle is shown to have the *least* circumference and the *greatest* area of any shape. By a well known law of numbers and geometry, by which the greatest product which any number or any line can give, is, to multiply half by half, it will be seen that if we take the aggregate of circumference and radius in each shape, it is most *equally* divided in the circle, and the most *unequally* divided in the triangle of any possible shape. In *every* case, that which is *greatest* in the triangle is *least* in the circle, and that which is *least* in the triangle is *greatest* in the circle; and in every particular the two shapes are at the extreme and *opposite boundaries of nature*, being the *greatest* and the *least* that is *possible*. They are, therefore, opposite to one another in all the elements of their construction. Therefore, the square being made the artificial basis of area (Proposition VII.), if the diameter of the circle B (Plate II.) shall equal the diameter of the square C, then, in the fractional relations of B and C such diameter shall be in the opposite duplicate ratio to the diameter of A correspondingly situated. The diameter of A correspondingly situated with the diameter of B to C, it will be seen, is a line drawn across the center of A perpendicular to either side; therefore, the diameter of B, in its fractional relation to C, is the opposite duplicate ratio to the *perpendicular* or diameter of A, and no other result is possible in the nature of things. *The proposition is therefore demonstrated.*"

PROPOSITION X. "The fractional diameter of one circle which is equal to the diameter of one square, being in the opposite ratio to the diameter of the equilateral triangle whose area is one, equals 81.

“Let the area of the equilateral triangle A (Plate III) equal one, and let the area of the square B (Plate IV) also equal *one*, then the diameter of the circle C, which is equal




PLATE III.




PLATE IV.

to the diameter of the square B, also equals *one*. And it has been demonstrated that in their fractional relations to the square, the diameter of A and C are in opposite ratio to one another. By the diameter in the triangle it is known that the perpendicular is here meant (as in Proposition IX). Now if the area of the equilateral triangle A shall equal one, then the diameter of A is found to be equal to the square root of three twice extracted, or $\sqrt{\sqrt{3}}$. Hence the fractional diameter of C, being in the opposite duplicate ratio (which is the squares of diameter), shall equal three twice squared, or $3^2 \times 3^2$, and $3 \times 3 = 9$, and $9 \times 9 = 81$. The proposition is therefore demonstrated.”

The opposite duplicate ratio of Mr. Parker has relation to the numerical values. The shapes being opposite to each other, he desires to get an *integral* number to co-ordinate with the shapes. When the area of $A = 1$, then the diameter is found to be $1.316074+$. But this will not do, for, if possible, it must assume the form of a least integral number. Square this value, and it equals $1.7320508+$. This will not do. Square it again, however, and it equals three, which is just that to be desired. Having, however, obtained this, the value in the opposite ratio must suffer the same process, and $3^2 = 9$, and $9^2 = 81$.

PROPOSITION XI. "The fractional area of one square, which is equal to the area of one circle, equals 6561; and the area of the circle inscribed in one square equals 5153."

"It has been proved (Proposition X.) that the fractional diameter of the circle C, which is equal to the diameter of one square (B), whose area is one, being in the opposite ratio to $a b$ (Fig. 8), equals 81; hence the area of B equals $81 \times 81 = 6561$; therefore, B equals one of 6561 equal fractional parts. Now let B equal H in area. It has been proved (Proposition II) that H equals E in area; and if $H = 1$, then $E = 1$; and if $H = 6561$, then $E = 6561$. It has also been proved (Proposition II) that if the circumference of F equals the circumference of E, then F and G are also equal in area. And because one circle which is equal to one square (the area of the square being one), is in 6561 equal fractional parts, therefore, *any* circle which is equal to *any* square (the diameter of the circle being a whole number) shall be in some definite and certain number of 6561 parts. Hence the areas of the circles C and G (their diameters being each 81) are some definite and certain




FIG. 5.




FIG. 6




FIG. 7.




FIG. 8.




FIG. 9.

number of 6561 parts of B and H. It is proved by the approximations of geometry, obtained by the properties

of straight lines, that C and G are each greater (much greater) than $\frac{5152}{6561}$ parts of B and H, and less (much less) than $\frac{5154}{6561}$; therefore (*Reductio ad absurdum*) they shall be each $\frac{5153}{6561}$ because they *can be nothing else*, there being no other $\frac{1}{6561}$ part between $\frac{5152}{6561}$ and $\frac{5154}{6561}$.

"The proposition is therefore demonstrated; and the fractional area of one square, which is equal to one circle (the area of each being one), is $\frac{5153}{6561}$, and the fractional area of one circle inscribed in such square is $\frac{5153}{6561}$."

The expression, "It is proved by the approximations of geometry obtained by the properties of straight lines," contains a very subtle allusion and meaning. Mr. Parker approves the approximate value, as obtained by Playfair, after the method of its obtainment, *viz.*, by the properties of straight lines, where such lines are defined as being without *breadth* or *thickness*. Assuming the property of breadth to a line or unit of measure, or obtaining the value of it by means of *area computation*, works a change on the Playfair result necessarily. Now if Mr. Parker is correct in his taken relation between triangle and circle to obtain a least integral unit of measure—*i. e.*, the number 3—then, without at all conflicting with the Playfair results, his own are right if Playfair's are so.

PROPOSITION XII. "The true ratio of circumference to diameter of all circles is four times the area of one inscribed in one square for the ratio of circumference, to the area of the circumscribed square for the ratio of diameter. And hence the true and primary ratio of circumference to diameter of all circles is 20612 parts of circumference to 6561 parts of diameter."

"It will be known that if the diameter of the circle G inscribed in H = 1, then the area of H also = 1. It will be known also, that the area of G equals half the circumference

multiplied by half the diameter, and $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$; hence, the diameter of G being *one*, then the area of G equals $\frac{1}{4}$ its circumference, and, *vice versa*, the circumference of G equals four times its area. And the diameter of G being one, it therefore equals the area of H, because the area of $H=1$. Therefore, the first part of the proposition is demonstrated, four times the area of any inscribed circle for a ratio of circumference, to the area of the circumscribed square for a ratio of diameter, is seen to be a true ratio of circumference to diameter of *all circles*.

"It has been proved (Proposition XI) that the primary relations existing between straight lines and curved lines as developed by the opposite ratio of the equilateral triangle and the circle, the fractional area of $H=6561$, and the area of $G=5153$; *therefore*, the true and primary ratio of circumference to diameter of all circles $=4G$, for the ratio of circumference to the area of H for the ratio of diameter; and since $G=5153$, and $H=6561$, *therefore* the *true* and *primary* ratio of circumference to diameter of all circles $=5153 \times 4 = 20612$ parts of circumference to 6561 parts of diameter."

"The proposition is therefore demonstrated, and the quadrature of the circle is demonstrated," Mr. Parker should have added, to be explicit, and exceptional to the Playfair method, "by way of area computation."

QUADRATURE.

BY PETER METIUS.

(Sec. 26.) Some years ago while examining into the reasoning of Mr. Parker, the author found notice of the ratio of *Metius*. He wrote Mr. Parker, asking him if he was acquainted with the grounds on which Metius obtained it. He replied that he was not; but, upon testing the ratio sent, by his own, he found some very curious numerical relations of difference. Subsequently, in a proposed second edition of his work (published after his death) he notices this ratio and these relations as follows:

“The ratio of Metius, known for more than a century past (113 to 355), is the nearest approximation to the truth ever made in whole numbers, but it does not answer the imperative law contained in our twelfth proposition, and therefore it cannot be true. *The circumference cannot be divided by four, without a fraction or remainder.* By whatever means Metius may have obtained his ratio, its examination shows it to be of *the same composition as mine, but improperly divided.* For example, if 113 shall be the diameter of a circle, then circumference (355) is 1-20612 part too little. But if 355 shall be the circumference of a circle, then diameter (113) is 1-6561 too big. It thus affords a very perfect evidence that my ratio 20612 to 6561 is the true one, as we have fully proved it to be.”

The conclusion thus drawn does not seem to be so manifest as stated. The relation between the two ratios is, however, very, yes, exceedingly remarkable, as the statement will show:

$$20612 : 355 :: 6561 : 112 \frac{20611}{20612}$$

$$6561 : 113 :: 20612 : 355 \frac{1}{6561}$$

(Mr. Parker has confused the results.) The relation seems to be one which has, at some time, been found as a variant on the Parker forms, because of showing the same composition, as he says. The reverse of the case will not hold; for, if the Parker forms be tested by those of Metius no similar relation will be found to exist; therefore it would seem that those of Metius were derived from those of Mr. Parker.

REFLECTIONS ON THE QUADRATURE.

BY MR. PARKER.

(Sec. 27.) It is averred that the quadrature by Mr. Parker is of great value. It is not, however, because of the intrinsic value of his work that it is so largely set forth;

nor is it from any immediate motive to advocate or sustain it. It is (1) because his can be shown to be that identical measure which was used anciently, as the perfect measure, in the construction of the Great Pyramid, which was built to *monument it and its uses*; (2) because, from it, the *sacred cubit value was derived*, which was the cubit value used in construction of the Temple of Solomon, the Ark of Noah, and the Ark of the Covenant—the value of all which consisted in the value of the measures used; (3) because it affords that *Kabbalistic value* which before all others, conveys in the Bible the idea of God, the meaning of the term, and the values of his works in the Cosmos; (4) because the geometrical symbols out of which it is seen to spring, with their primary numbers, are seen to have a kind of *elemental relation to each other*, and were made use of in the mysteries to convey the esoteric teachings; and finally, (5) because it appears bound up in, and as making a fundamental part of the English system of *long and land and time* measures. If these statements are true, there will admittedly be no use to assert that it is well worthy of being set forth. All who appreciate the intense labor of research for light upon these matters will attach a value to this work of Mr. Parker far beyond that of the standard method, even though it should be defective, because its value will consist in its being a *literary key* such as has never yet, it is thought, rewarded the generations upon generations of searchers in the Bible, in mythology, and in the antiquarian fields. In this view, the question simply of its mathematical value is one of the least possible importance as a *primary one*; although once recognized to have been used as stated, there is no doubt but that it would cause the foundations of the standard methods to be reviewed with an intensity of thought, which might, perhaps, in the end, establish Mr. Parker's method as the one giving a more useful result—*i.e.*, perhaps, such an integral one, in area computation, as could be followed or copied after in material construction; albeit, it might, just as the Playfair method, be, after all,

but an approximation. With this apology it may be well to suggest some thoughts in relation to this quadrature value, which, to some extent, are worthy of attention, and, to some extent are curious.

MR. PARKER'S QUADRATURE VALUES OBTAINED BY AREA COMPUTATIONS.

(Sec. 28.) It seems to be of importance, and it will be observed, that, from beginning to end, Mr. Parker seeks the quadrature through area measure, in terms of area, and finally obtains his numerical value of rectification by an area computation. His numerical values are all area values to correspond with his geometrical figures; and even so in this final value, for it is in area terms where it exhibits a necessary value of linear measure of circumference. This being the case, it is evident that his computations are susceptible of material realizations, as in object building or copying. If his process is correct, then, under his Proposition XI., he has raised a test by which to work a change on the standard method to make it conform to area conditions and requirements. The fact that independently he has reproduced exactly the same formulæ which the ancients had, which formulæ had with them application to the same end, viz., relation of diameter to circumference, goes far to prove that *his steps* of ascertainment must have been the same as with them, though they may have had other and more satisfactory methods of illustrating and enforcing the result. His process seems to depend for its correctness upon the rightness of his ground of the opposite qualities of the triangle and circle. If this is rightly taken, his numerical integral relation founded on the number 3 must be right. His final step for obtaining the area 5153 of the inscribed circle depends upon the question whether the *Legendre*, or *Playfair approximate*, is right as a transcendental one.


CURIOUS FEATURES OBSERVABLE IN THE DETAILS OF THE PLAYFAIR METHOD.

(Sec. 29.) It must be known that the results as to the value of π , by Legendre and Playfair, were not of universal acceptation. They were, for instance, criticised as being incorrect, by Torelli, in the preface of an edition of the works of Archimedes, printed at Oxford. Reference is made to this preface, and also to Playfair's comments on the same, as they are to be found in the supplement to Playfair's Euclid. Torelli held, according to Playfair:

"That it is impossible, from the relation which the rectilinear figures inscribed in, and circumscribed about, a given curve have to one another, to conclude anything concerning the properties of the curvilinear space itself, except in certain circumstances, which he has not precisely described."

The following practical truths seem to the author to be exceedingly remarkable as looking, in this specialized way, toward the support of Torelli's assertion, though no assertion must be considered as made that it affects the truth of the general results of the Legendre method. The burden of the effort of Legendre is to show that by the growing diminution and equality between the circumscribed $C'B'$ and the inscribed CB , the curved line penned up between them becomes measureable; which curved line at any stage of bisection, being an even and known part of the whole circle, from it the length of the entire circumference, and consequently the area of the curved space, is to be had. The measure of this growing equality is always to be tested by the difference of value, at any stage of bisection, between CB and $C'B'$. In the diagram, which may stand for any stage of bisection CB' is the chord of half the arc, and therefore EE' is BB' for every succeeding bisection. Now, from B' , as a center, with CB' as a radius, describe the arc CD . Then $C'D$ will be the quantity which, vanishing by diminution, the triangle

$CB'C'$ will eventually become $CB'D$, and isosceles; when the curve lying between CB' and DB' *must*, by hypothesis, become equal to CB' , or to DB' , as a straight line. Now, as a fact, taking the value $C'D$ (the difference between CB and $C'B'$) and EE' , for a number of bisections, and it will seem to show that, with relation to the diminution of $C'D$, EE' is increasing, and by an increasing ratio. It becomes a question, on the showing, whether the arc is not, *relatively*, separating from, instead of approaching the chord. If so, the question is, what is the effect of this? What does it mean? If EE' is thus increasing, what is the value of the arc becoming?



Is there some incompatibility between the geometrical conditions, as presented to the eye and the numerical calculations of these forms? The rigid result of such a condition would seem to be that, the ratio increasing, the step would come where, as Mr. Parker avers, CB' curve would necessarily pass in value beyond that of $C'B'$ diminished—an absurd conclusion, unless some unnoticed incompatibility has existed between the condition of the curve and the calculations of the sides of the polygons. It is possible that this may be the case, since, in fact, the relations between them are not known, but only inferred. Practically, a calculation of the value of π to 6144 sides of the polygons taken from the base that the perimeter of the polygon of six sides is *one* with twenty-five ciphers, making the radius one with 6 repeated twenty-four times, yields the following data as to the relation *or ratio* between $C'D$ and EE' , as they respectively diminish with continuing bisections of the arc:

6 sides, C' D : E E' :: 1 :	0.5706
12 sides, C' D : E E' :: 1 :	1.2404
24 sides, C' D : E E' :: 1 :	2.5301
48 sides, C' D : E E' :: 1 :	5.0847
96 sides, C' D : E E' :: 1 :	10.1818
192 sides, C' D : E E' :: 1 :	20.3697
384 sides, C' D : E E' :: 1 :	40.7426
768 sides, C' D : E E' :: 1 :	81.4882
1536 sides, C' D : E E' :: 1 :	162.9917

which shows a rapid ratio of diminution of C' D with relation to that of E E': and the practical diminution of C' D may be judged from a statement of its value at 6 sides and 6144 sides, as follows:

6 sides, C' B' =	962250448649
6 sides, C B' =	862730150341
C' D, or difference =	99520298308
6144 sides, C' B' =	000852211623
6144 sides, C B' =	000852211539
C' D, or difference =	84

which simply seems to show that the triangle C B' C' is approaching to being isosceles unattended by a relatively rapid approximation of the chord C B' to the curve C B'. But the relation of this approximation can be had by a statement of the continuing ratios between B B' and E E', and these are as follows:


E E' for	6 sides : B B' :: 1 :	3.9318516
E E' for	12 sides : B B' :: 1 :	3.9828897
E E' for	24 sides : B B' :: 1 :	3.9989291
E E' for	48 sides : B B' :: 1 :	3.9997322
E E' for	96 sides : B B' :: 1 :	3.9999330
E E' for	192 sides : B B' :: 1 :	3.9999832
E E' for	384 sides : B B' :: 1 :	3.9999958
E E' for	768 sides : B B' :: 1 :	3.9999989
E E' for	1536 sides : B B' :: 1 :	3.9999997

Does not this simply show that while the ratio of E E' to B B' can never become 1 : 4, the ratio of C' D to E E' can become 1 : ∞ large? which mathematically expressed means that the triangle C B' C' may become isosceles,

while yet, absurdly enough, the chord and arc have not as yet assimilated? Not only so, but have separated by a (relatively) infinite quantity.

MATHEMATICS (OR THE STATEMENTS OF MATHEMATICIANS) IS FAMILIAR WITH DEFINITIONS WHICH ARE UNTRUE.

(Sec. 30.) It is unfortunate for mathematics that, in attempting to set forth methods of comparative measures of right and curved lines, it has been found necessary to assume truths as the very groundwork of such measures, which, in fact, and in the nature of things, are not so. As to the Calculus, for instance, its results are taken as *exact*, when the differentials, which are real quantities belonging to those results, are eliminated; because, as it is said, on account of their smallness, they can afford to be dropped. The very inception of Newton's "*Principia*," for another instance, is founded upon a geometrically false statement, as regards exactitude of definition—palpably so. His "Lemma I." states: "*Quantities and the ratio of quantities, which in any finite time converge continually to equality, and, before that time, approach nearer the one to the other, than by any given difference, ultimately become equal.*" Let ABC be any triangle, and with the length AB as a radius, let the arc BD be drawn to intercept the line AC . Suppose this figure, both for triangle and segment of circle, be continually and proportionately reduced, as $AB'C'$, $AB'D'$; the *relative* differences will never be changed, and, consequently, the ratios of difference will always remain the same. The proposition is axiomatic, and does not require demonstration. But take the triangle ABC , with the circular area ABD , as decreasing toward AB , by different and



successive steps, one of which is, say, $A B E$, with the circular area $A B F$. By this method, no geometrical ratio can be preserved. The ratio of diminution has to be calculated by numerical combinations. But *there being* a ratio of diminution, in which the difference between the straight line and the curve is, say, a decreasing one, it is, nevertheless, plainly to be seen that the only equality of the curved line $B D$ with the straight line $B C$, in any possible diminution, will be when the line $A C$ shall so close upon $A B$ as to wholly coincide with it (as to the value of their lengths now or at last becoming alike), and become, with $A B$, one and the same line, at which stage or condition there can be neither curved line nor straight left for comparison: therefore, so long as those lines, *i. e.*, $C B$ straight, and $B D$ curve, exist at all, either in whole or in part, there can, by possibility, be no equality between them. Hence the *lemma* is false in its terminology; nor is it even right in a showing of a growing or proximate equality, as regards the *ultimate structure* of the lines, as was shown above.

There is a certain ridiculousness in the matter, in this, that while the schools assert the impossibility of there being an integral relation between circle and square, because of the essential difference between a curved and a right line (which is true to all intents), the possibility of this integral relation is here, by inference, falsely set forth and maintained. It is *because* a line has breadth that a curved and straight line are not comparable. Straight and curved lines conceived of as without breadth may be taken as comparable, because of the possibility of their reduction to points.

NATURE SEEMS TO AFFORD CONFIRMATORY
EVIDENCE THAT MR. PARKER IS RIGHT.

(Sec. 31.) Mr. Parker is of the opinion that there is in numbers some, so to speak, flux of notation of quantity, by which geometrical shapes can be integrally noted as

changing the one into the other. Thus, if he is right, there is a unit square, which is of the denomination of $\frac{1}{6561}$ of a square area, while it is also at the same time of a denomination of a $\frac{1}{5153}$ of a circular area. Evidently, then, whatever rectuangular figure is represented in terms of this unit square, its equivalent circular area value in integrals can be given in the same terms; as $\frac{4}{6561}$ of a square = $\frac{4}{5153}$ of a circular area. It may be that nature assumes, in some of her practical constructions on the principals of plane and spherical geometry, a least cubit one; and it may be that it is in terms of this least one that she performs her works, *approximating* the form of a sphere by its use. It may be that Mr. Parker's method is right as a natural mechanical one, while that by Playfair may be right as a transcendental one. It is certain that nature does lend some data as touching some of her methods of construction. The condition of substance to form what is called *water*, is one resting upon the quality of *heat* as affecting atomic particles of matter. *Heat* being but a modification of *motion of particles*, a spheroid or drop of water is such because of its particles being in some peculiarity of motion *on themselves*, through perhaps the intervention of some subtler substance in which the atoms may act. Thus the globule, or spheroid, of water is formed. The effect of cessation of this motion is indicated by a cessation of spheroid shape. *Motion* giving place to *rest*, the change is characterized by change of *shape*; and this change seems uniformly to be that, as to shape of particles, of the equilateral triangle as part of a hexagon. On this form, other shapes take place. In one form, at and growing out of the corners of the hexagon, are little squares or cubes. (See description by Professor Tyndall of these forms, as becoming manifested in the breaking down of ice particles in the interior of a mass, when heat rays are passed through it.)

In this shape the substance has become *ice*. If chemically the components of water are in integral atoms, and if, in its structural form, in passing from shape to shape, it passes from one integral form to another, *as to shape*, this would serve as a strong hint that nature recognizes the alliance and interchanges of shapes in subdivisions of wholes not fractions. It is noteworthy that the primary *material one* here indicated in ice seems to be triangular or pyramidal than cubic; and this in a measure serves to strengthen Mr. Parker's assertions, for it is on the triangle as the natural originator of plane shapes that he raises a least integral in the number 3, by which to express the value of the circle in terms of the square and cube; and, again, he accomplishes this by an integral relation, so close to the Playfair transcendental one, that the difference only becomes manifested at the sixth decimal place, in a circumference taken to a diameter of unity.

PROBLEM OF THREE REVOLVING BODIES.

(Sec. 32.) It is thus seen that the process of Mr. Parker is founded geometrically upon the elements of the circle and of the equilateral triangle, being, as related to each other, the extreme opposites in nature, of which the circle is the primary of all shapes, and hence the basis of all area, and the triangle is the primary in nature of all shapes formed of straight lines, and of equal sides and angles. Of these the equilateral triangle is numerically measurable; and it being requisite to translate shapes by numbers, as to the conditions required by a least numerical integral value, with which to determine the value of the circle, that integral least number is found to be 3. By means of this shape and this integral he obtains the value of the circle, that shape of greatest extension as compared with the triangle, in terms of the square. Numerically, $\sqrt{1/3}$ is opposed by $3^2 \times 3^2 = 81 = \text{diameter of his square, or the length of its side. } 81^2 = 6561 = \text{area of his square, in terms of his least numerical integral. The area of the contained}$

circle = 5153; and, by the process set forth, changing area value to represent rectification, diameter being 6561, circumference = 20612. The results, therefore, are:

(1) Area of square = 6561

Area of contained circle = 5153

(2) Diameter of circle = 6561

Circumference of circle . . = $5153 \times 4 = 20612$

PROBLEM OF THREE REVOLVING BODIES.

BY MR. PARKER.

(Sec. 33.) Mr. Parker follows up the ascertainment of these data with his problem of three revolving bodies, founded upon the principles of the quadrature. This problem is as follows:

PROPOSITION I. "The respective and relative motion of three gravitating bodies revolving together and about each other is as four to three, or *one* and *one-third* of one primary circumference.

"I have always considered this proposition as self-evident on the face of it, and that no mathematician would deny it and hazard his reputation on sustaining the denial with proof. But as I shall perhaps be called upon for proof, I add here, at some length, the solution of the problem, after my own method as follows:

"The problem of three gravitating bodies revolving together and about each other is one which like the quadrature, has hitherto baffled all attempts of mathematicians to solve. But since this, like others of the kind, is of itself a problem, which is daily performed and consequently solved by the mechanical operations of nature, the failure of mathematicians to reach the solution proves nothing but the imperfection of the reasoning applied to it.

"It is a principle, I think, clearly demonstratable, that whatever can be constructed by mechanics out of given magnitudes, can be *exactly* determined by numbers, and that which cannot be constructed by mechanics out of any given magnitudes, cannot be exactly determined by

numbers, having the same relation as the magnitudes one to another. It is for this reason, and for this reason only, that we can not, *out of the same magnitudes*, construct a square which is just twice as big as any other perfect square; neither can we find the perfect root of such a square by decimal numbers. If this reasoning be true, then, because the problem of three gravitating bodies is a mechanical operation daily performed in nature, it is hence a thing capable of being proved by numbers. The great difficulty of this problem has arisen, I think, from the impossibility of its full display by diagram, and the difficulty of embracing, in any formulæ, all the conditions contained in its elements. The plan of exacting a display by diagram of all the geometrical propositions is *safe*, and perhaps it is the only plan by which the yet untaught mind can be initiated into the truths of geometry; but is always necessary in every original demonstration? Are there not other means equally true and *equally safe* in the hands of one accustomed to examination, and acquainted with the properties of numbers and of shapes? I think there are; and without taking the least unwarrantable latitude, or departing from the clearest perceptions of reason, I think this problem may be easily and accurately solved.

“The thing required of every demonstration is, that it shall give a *sufficient reason* for the truth which it asserts. But, in order that a reason may be *sufficient*, and the conclusion drawn from it *safe*, it is necessary, not only that the relations of cause and effect shall be made clear to our perceptions, but also that the conclusion, *when drawn*, shall abide the test of practical application. Any demonstration which does less than this cannot be relied on, and no demonstration ever made has ever done more than this.

“We know very well that things are possible or impossible to be done, only in proportion as the means applied are adequate or inadequate to the purpose. We know also that because different principles exist in the various forms

of matter, therefore it is impossible to demonstrate everything by the *same means* or *same principles*. It is a narrow minded prejudice, therefore, which exacts that every demonstration shall be made by the prescribed rules of science, as if science already embraced every principle which exists in nature. Yet none are more frequently guilty of this narrow-mindedness than mathematicians, who often require that things shall be done by the means which the written science affords, well knowing at the same time that such means are *inadequate*. Such has always been the case in respect to the quadrature of the circle. Mathematicians have demanded that it should be demonstrated by the properties of straight lines, knowing at the same time that straight lines are *inadequate*. Therefore (*and therefore only*) the thing has been found impossible, and all other demonstrations are rejected, because they cannot be shown by straight lines. I do not consent to such unreasonableness of decision; but, in every proposition where the *sufficient reason* is manifest, I hold the proposition to be demonstrated until it can be disproved.

"In entering upon the solution of the problem of three gravitating bodies, we must first examine and see of what elements the problem is composed.

"The elements which I shall consider in this case, will not be such as a mathematician of the schools would think it necessary to consider. They will be far more simple, more conclusive (for such as the schools can furnish, have yet decided nothing), and I think, more comprehensible, yet equally true to nature (for I consult nature's laws only and not the method or opinions of any other man), and equally accurate and precise with any which can be given by any other method.

"And, *first*, each revolving body is impressed by nature with certain laws making it susceptible of the operation of force, which being applied, impels motion. These laws may all be expressed under the general term *forces*, which, though various in their nature, possess an equalizing power,

controlling each other in such a way that neither can predominate beyond a certain limit; and consequently, these bodies can never approach nearer to each other than a certain point, nor recede from each other beyond another certain point. Hence, these forces are, at *some mean point*, made perfectly equal, and therefore they may be considered as but one force, and hence but *one element* in the problem.

"*Secondly*, these revolving bodies have magnitude, shape, density, etc., which affect the operations of force in producing motion. These properties of revolving bodies have all the same inherent power of equalization as forces. For example, if density be greater in one than another, then magnitude will be relatively less, force will be less (the direct force), and the momentum from velocity greater, but the whole shall be equal. On the other hand, if magnitude be greater, and density less, then force will be greater and velocity less, but the whole shall be equal.

"The second element of this problem may, therefore, be comprehended under the term *magnitude*, which shall include shape, density, and every other quality or condition which affects the operation of force in producing motion, and the whole constitute but one element in the problem, which I term *magnitude*, as referring to the bodies themselves; rather than to any of their qualities, as density, gravity, or otherwise.

"The third element in this problem is *distance*, by which I would be understood to mean *the chosen distances* from one another, at which these bodies perform their revolutions in space. It is well understood, that from the nature of the case, these revolving bodies must take up their mean distances from one another in exact proportion to their respective magnitudes and forces, and in proportion as these are greater or less, the distance from each other will be greater or less. Hence, it is seen that the same inherent power of equalization exists in respect to distances as in respect to the forces and magnitudes, and whether their distances from each other be greater or

less, equal or unequal, they still constitute but one element in the problem.


"The *fourth* and *last element* in this problem is *motion*, or *velocity*, by which distances are to be performed or overcome by revolution. And here again, it will be seen, that because the distances to be thus performed by revolution depend entirely on the *chosen distances* from one another, and these again depend on magnitude and force, therefore the same equalizing power exists in regard to motion or *velocity*, as exists in regard to all the other elements, and therefore this also constitutes but one element in the problem, which I will term velocity, as including momentum, and every other quality, condition, or effect of motion.

"These *four in number*, are all the elements necessary for the *mechanical* performance of the problem, and consequently all that are necessary for its *determination* by *numbers*; and it has been seen that such is the nature of the problem itself, and the power of these elements over one another, that every other quality or condition affecting either, is equalized by, and held in subservience to these, and these again are equalized by, and held in subservience to *one another*, and all controlled by magnitude, so that the whole constitute but *one problem* or *mechanical* operation in which *four elements* are concerned.

"The difficulty of reducing impalpable things to a palpable standard of measure is generally conceded; but, in this case, I think the difficulty does not exist, and that these elements may all be as truly represented by numbers and magnitudes as if they were palpable things in themselves, having the qualities of length, breadth, and thickness. For example, let a stone be a magnitude, having shape, bulk, density, etc. Now, a *force* which can raise this stone one foot from the ground, and hold it suspended there, is, in its relation to the magnitude or stone, exactly equal to *one foot* of measure; and because the stone is held suspended, and does not descend again, nor rise higher, it is evident that the force and magnitude have *become*

equal at that point of elevation, and therefore, *vice versa*, the magnitude or stone is, in its relation to the force, exactly equal to *one foot* of measure, and consequently distance and motion are each seen to be equal to one foot; and the same principles of applicability to measure exist in *three* bodies suspended in space, and made to revolve about each other by forces inherent in themselves. It matters not that other and disturbing forces exist outside or inside the space in which these bodies revolve, because, if another and disturbing force be considered, then it ceases to be a problem of *three* gravitating bodies; and also, because such disturbing forces, if they exist, operate proportionally on all *three* of the revolving bodies, and in the course of a revolution, and consequent change of *relative position*, these disturbances *must find* their perfect equality.


"Now, let us suppose that we have here three bodies, revolving together in space by their own gravitating power, and let the magnitudes of these bodies be exactly equal to one another; then their forces shall be equal, their distances equal, and their velocities equal, and it will be seen that they *cannot* revolve about each other, but must follow each other round a common center, and their relative motion, in respect to any point in space (as the point or star A) must be on the value of the circumference of the circle B, which passes through the center of each body, as in the accompanying figure.



"Now, let us suppose that each of the elements contained in the problem of *three* gravitating bodies, is an equal portion of the *area* of the circle which these bodies describe in a revolution; then the circle will be divided from the center into four equal parts, as at the points *a, b, c, d*, and let each part be equal to *one*. It will be seen that in each relative change of position, each revolving body passes over

an area equal to *one and one-third*. In other words, their relative motion is as *four to three*. So, also, if each element shall be an equal portion of the circumference of the circle B, or an equal portion of the square of the diameter of B, the same result is manifest, and the relative motion of each revolving body is as *four to three* of such magnitude as is made the standard of measure.

"Again: *Secondly*. Let the area of the circle *inscribed* in the equilateral triangle, whose sides make the distance between these revolving bodies, be *one*, as in the following figure. It is seen that the circle B, whose circumference these bodies describe by their revolution, is four times greater than such *inscribed* circle. Hence again, their relative change of position is seen to be as four to *three*, or one and one-third of the primary magnitude which is made the standard of measure, and (Proposition I, Sec. 31.) it is seen that the circle inscribed in the triangle, (as follows),



forms the basis of the area of that triangle, when it shall be measured by circumference and radius, which are the only legitimate elements of area in all shapes alike.

"Again: *Thirdly*. It is seen that the equilateral triangle [see preceding figure], whose sides make the distance between these revolving

bodies, is an angular shape and being measured in the usual way of measuring angular shapes, its area equals the perpendicular Pd , equal *one*. Then it is seen that the diameter of the circle B, which these bodies describe in a revolution, is one-third greater than the perpendicular. Hence, in performing a complete revolution, these bodies describe a circumference equal to one and one third the circumference of *one diameter*. In other words, their relative motion is again seen to be as *four to three* of *one* primary circumference.

“Fourthly. These bodies, which are revolving together, are known (by hypothesis) to be equal to one another in magnitude, and consequently equal to one another in all the elements concerned in their revolution. Now, let us suppose that their distance from each other equals *one*. That distance is seen to be the *side* of an equilateral triangle inscribed in the circle B, whose circumference they describe in one complete revolution. [See preceding figure.] Now, the side of an equilateral triangle inscribed in a circle equals the perpendicular from the base of an equilateral triangle, whose side equals the diameter of the aforesaid circle; and therefore, because the square of the side of *any* equilateral triangle equals one-third added to the square of its perpendicular, and because the *square* of the side of the equilateral triangle inscribed in B equals only, therefore the square of the diameter of B equals *one and one-third*. Hence the area of B equals one and one-third the area of a circle whose diameter is one. Hence, in describing the circumference of B, the relative motion of the three revolving bodies shall be as *four to three*, or *one and one-third the area* of a circle whose diameter is *one*.

“By Proposition XII., Sec. 23, it is shown that the true and primary ratio of circumference to diameter of all circles, which can be expressed in whole numbers, is *four times* the *area* of one circle *inscribed* in *one square*, for the ratio of circumference, to the *area* of the *circumscribed square*, for a ratio of diameter. [See preceeding figure] Therefore, it is evident that if the circumference of B shall be resolved into such primary parts as shall express the circumference of *one* diameter in whole numbers, and in its exact relation to area and diameter, without a remainder in either, then the circumference B shall equal *one and one-third* of one primary circumference, such as may be expressed in whole numbers; because the area of the square circumscribing B equals *one and one-third*, when the side of the equilateral triangle *inscribed* in B equals *one*.

"Fifth and lastly. These revolving bodies must be supposed to revolve upon a value, in which diameter and area form exact and equal portions, and the only circle in nature whose diameter and area are equal to one another, and identical in numbers is a circle whose circumference is *four*; hence the relative motion of three bodies of equal magnitude, revolving together, can not be otherwise than one and one-third of such parts.

"It is evident from all the foregoing demonstrations, that, if we suppose the elements of which this problem is composed to be *magnitudes*, and take *them* as a standard of measure, whether such magnitudes shall be equal portions of the area of a circle, or of its *circumference*, or of the *square* of its diameter or whether we take as our standard of measure the *distance between* these revolving bodies, which makes the *side* of a triangle, or the *perpendicular* of such triangle, or its *inscribed circle*; in all cases, and in every case, the relative motion of these three revolving bodies *must be as four to three, or one and one-third of such magnitude as is made the standard of measure*, and there is no other standard of measure which can be mathematically assumed in the premises which I have not here considered.

"The proposition is therefore demonstrated that three gravitating bodies of equal magnitude, revolving together, their relative motion shall be as four to three, or one and one-third of one primary circumference.

"It will be obvious to anyone that, in the foregoing demonstration, I have assumed that the magnitude of the revolving bodies are all *equal to one another*, and hence their forces, distances, and velocities are all *equal to one another*; consequently they all revolve on the same circumference as shown in the several plates; therefore, they cannot revolve *about* each other, but must *follow each other* round a common center. But, in the problem of the revolution of the moon about the earth, and the earth and moon together about the sun; the magnitudes are *all unequal*, and hence their distances from each other, their forces and velo-

cities, are all *unequal*, and they are known *not to follow each other*, as in the foregoing demonstration, but to revolve about each other in the order above stated.

"It may perhaps, therefore, be inferred that the foregoing demonstration is not applicable to such *gravitating bodies*. But it must be observed, also, that the equalizing power of all the elements of the problem *are in full force and operation here*, as well as in the problem just solved, and that the chosen distances, forces, and velocities are in exact proportion to the relative magnitudes of the bodies revolving; and hence their *relative motion* shall be *still the same*, with this difference only, that because the moon revolves about the earth, and the earth and moon together revolve about the sun, *therefore* their relative motions being expressed by time (which is also relative), the following proportions ensue."

(Sec. 34.) While Mr. Parker seeks to set forth his own clearly conceived opinions that nature, in the construction of the solar system, and of the cosmos, founds all bodies as to their size, shape, density, motion, relation to each other, and relative motion to each other, upon an *underlying law*, capable of mental realization and of geometrical setting forth, by which, if some one unit fact of these phenomena is known, then all these various elements may be had in a correlating and co-ordinating method of notation, he also intends to say that there is *one*, and but *one number form*, for a flux through which all these relations may become manifested and known. The base of the law is the relation of the geometrical elements of the triangle, the circle, and the square; the second, or measuring, or notating, stage is the relation of the area and rectification of the circle in terms of the square. Now, these relations may be variously set forth, as of unity for diameter to $3.14159+$ for circumference, and so on; but there is but one numerical form for the expression of these relations, through which all these phenomena will correlatively work themselves out, and that is in the Parker forms of $6561 : 5153 \times 4 = 20612$, and *none other*; and this is the form on which

under his quadrature value, and his problem of three revolving bodies, Mr. Parker proceeds to the calculation of the time periods of the earth and moon.

Suppose that nature herself recognizes the division of the solar day into the same subdivisions that man does, *viz.*, 5184000''' (or, in other words, suppose that man has been taught these number relations from nature, as by revelation, in whatsoever way we may understand it as coming), as a *time circle* actually made by the revolution of a planet; and suppose she herself has so adjusted her works that *this circle has relation to the abstract relation of square area to circular area and circular rectification in one peculiar number form, and none other*, so that she shall preserve harmonious connection in all her works, between geometrical principles of change and the power of translating or notating them through just *these number forms, and none other*. The conclusion is irresistible that the numerical methods, which we as mortals do possess, are, after all, but the very ones which some unseen power has been working by in the very creation of our cosmos, and in some way has actually implanted in us for our use. The test of this is in the application. Mr. Parker has the right of comparison of two distinct forms of circular use. For instance, a point on the equator performs a circle of time in what we call 360 *degrees* of space, or 24 *hours* of time, or 5184000 *thirds* of last subdivisions of time. Then 5184 is the index of this work done and of a circular value accomplished. Again, Mr. Parker finds that 5153 is *abstractly* the area of a circle inscribed in a square of an area of 6561. He has the right to institute whatever comparisons he sees fit between these two relations, *because* of the common property which they have of being circular admeasurements. But this is but his right, and it does not follow that nature has had any like weakness or any like strength of design. However, she has a measure of her own to mark the same time period, which is in the rising and setting of the sun *as a fact*, or

in the alterations of day and night. If Mr. Parker's uses are such that nature's use is seen accurately to fit and adapt to them, then instead of speaking of "*Mr. Parker's applications*" we can say and should say "*Nature's applications as discovered by Mr. Parker.*"

(Sec. 35.) Mr. Parker takes the characteristic value of a solar day as a circular admeasurement in its division of 5184. With this he claims that in nature, the abstract value of circular area is connected in mechanical construction, which value is 5153. As the one is the solar day value in thirds, so he makes the second the abstract circular value in thirds, or like denomination. He says:

"The length of one 'circular day' is 5153000"

"The length of one 'solar day' is 5184000"

"The length of one 'sidereal day' is 5169846"

"The difference between one circular and one solar day is 8' 36" 40"" (or, it is 31-000", the differential 31 being a number of great use).

"The difference between one circular and one sidereal day is 4' 40" 46""."

His relation of area of square to that of inscribed circle is: area of square, 6561; area of inscribed circle, 5153.

His relation of rectification is: diameter of circle, 6561; circumference of circle, $5153 \times 4 = 20612$.

His general formula for the calculation of time periods, under his "problem of the revolving bodies," is:

$20612 \times \frac{4}{3} = 27482.666 +$, and this $\times \frac{4}{3} = 36643.555 +$, in which the base is the area of the inscribed circle $\times 4 =$ its rectification; the second term is numerically the value of the moon's lunation, and the third is the base of the calculation of the solar year. To illustrate what has been said: Take the second term as the value of the moon's lunation; numerically it is the value of abstract circumference, plus one-third of itself, and Mr. Parker says of it that it is "the value of the moon's passage around the earth over the value of one complete circle in space, in circular days"; that is,

it is in terms of the abstract value of 5153 and in its denominations, for it was raised from it. Reduce this to solar time, thus:

$$27482666 + x \frac{5153000}{5184000} = 273183220164 + :$$

Take this result as $27.3183220164 +$ solar days, and reduced to the proper divisions of solar time, there results 27d. 7h. 38' 23" 1''' 20'''. Now, this result is too small for a sidereal lunation by the quantity 4' 40" 46''', but strangely enough, or rather magnificently enough, as proving all that has been advanced, this quantity as will be seen by reference to the differences above, is *just the difference between one circular and one sidereal day*, that difference being just 4' 40" 46'''. Thus there are the integral calculations: (1.) The Parker abstract form, raised by his problem of three revolving bodies, to a numerical value of a sidereal lunation, which, (2.) reduced to solar circular value, by the addition of the difference between the abstract circular value and the real sidereal value of a solar day, gives the real *mean lunation in natural periods of days*. There could be no stronger proof that in our resultant number forms of 360 degrees, 24 hours, and 5184000''', we have simply been making use of a system with which we have had *no hand or part in its invention*. It is to be observed that this result is *one-fifth of one second* in a lunar month, less than the period given in astronomical time. But let it be remembered that from the received astronomical value, it has been inferred that with regard to *ancient* astronomical time, the moon's motion has been accelerated, and this has given rise to the opinion that the solar system of movement is winding down, or closing up. By Mr. Parker's time, on this same ground, the moon's is shown to be equable and perfectly true to itself, going to show that the solar system is not a system of *projectiles*, but is a *permanency*, having a far more subtle and *life-like* cause of movement.

The third term of Mr. Parker's application of his problem of three revolving bodies, is 36643.555+, which he

says is "the exact value of the earth's passage around the sun, over the value of one complete circle in space, in circular days"; and on this he proceeds to the reduction to the exact period of the earth in solar time.

(Sec. 36.) His periods of time agree to a marvelously small fraction with the standard periods. The following tabulation shows this:

(1.) A SIDEREAL LUNATION.

Astronomical time	27d. 7h. 43' 4"
By Mr. Parker	27d. 7h. 43' 3" 47''' 20''''

(2.) A SOLAR LUNATION.

Astronomical time as usually given	29d. 12h. 44' 3"
By Mr. Parker	29d. 12h. 44' 2" .84 +

The synodic period, as given by

McKay, the English navigator	29d. 12h. 44' 2" 48'''
By Mr. Parker	29d. 12h. 44' 2" 50''' 31''''

(3.) A MEAN YEAR.

Astronomical time as given	
"sixty-one years since,"	365d. 5h. 48' 49"
"By the latest authorities as taken from a work of Dr. Dick"	365d. 5h. 48' 51"
By Mr. Parker	365d. 5h. 48' 50" 53''' 6''''

(4.) A SOLAR YEAR.

Astronomical time	365d. 5h. 48' 6"
By Mr. Parker	365d. 5h. 48' 6" 1''' 6''''

(Sec. 37.) The above statements are given to exhibit the use made by Mr. Parker of his problem of three revolving bodies, based on his abstract circular values, and the use of the *factors* 4 and 3 in the formula

$20612 \times \frac{4}{3} = 27482.66 +$, and this $\times \frac{4}{3} = 36643.55 +$; the use of which factors will be shown to be very prominent in the pyramid works and measures.

And here, as in relation to his Quadrature, it is stated distinctly that the setting forth of the problems or claims of Mr. Parker are not in any way as affirming either his establishment of the Quadrature or of the problem of three revolving bodies. *It is absolutely necessary to set*

forth the results of his labors, because it will be shown beyond all controversy, that the construction of the Great Pyramid was the *architectiural display of his results*; and without the use of his conclusions and results, it will *forever* prove impossible to reconstruct that mass agreeably to the conception of the architect.

THE ANSATED CROSS OF THE EGYPTIANS AND THE CHRISTIAN CROSS THE EMBLEMATIC DISPLAY OF THE ORIGIN OF MEASURES.

(Sec. 38.) If it is desired to display the process of the establishment of the co-ordinating unit of measure spoken of, by way of symbol, it would be by *the figure of the cube unfolded, in connection with the circle, whose measure is taken off onto the edges of the cube*. The cube unfolded becomes, in superficial display, a *cross proper*, or of the *tau* form, and the attachment of the circle to this last gives the *ansated cross* of the Egyptians, with its obvious meaning of the *origin of measures*. Because, also, this kind of measure was made to co-ordinate with the *origin of human life*, it was secondarily made to assume the type of the pudenda hermaphrodite, and, in fact, it is placed by representation to cover this part of the human person in the Hindu form. It is very observable that, while there are but six faces to a cube, the representation of the cross as the cube unfolded, as to the cross-bars, displays one face of the cube *as common to two bars*, counted as belonging to either; then while the faces originally represented are but 6, the use of the two bars counts the square as 4 for the upright and three for the cross-bar, making seven in all. Here we have the famous 4 and 3 and 7. The 4 and 3 are the factor numbers of the Parker problem. But, what is very much to the purpose here, is, that the *golden candle-stick* in the temple was so composed that, Counting on either side, there were *four* candle-sockets; while, at the apex, there being *one in common* to both sides, there were


in fact 3 to be counted on one side and 4 on the other, making in all the number 7, upon the self-same idea of one in common with the cross display. Take a line of one unit in breadth by 3 units long, and place it on an incline; take another of 4 units long, and lean it upon this one, from an opposite incline, making the top unit of the 4 in length the corner or apex of a triangle. This is the display of the candlestick. Now, take away the line of three units in length, and *cross* it on the one of 4 units in length, and the cross form results. The same idea is conveyed in the six days of the week in Genesis, crowned by the seventh, which was used by itself as a base of circular measure.

(Sec. 39.) These are symbols of ancient use of the Parker forms and their connections. It serves but to confirm this use to notice the conclusion to which Professor Seyffarth arrived at from the study of the Egyptian hieroglyphic signification of the ansated cross. It will be observed that this cross, being surmounted by the circle, or circular figure, in fact roughly represents the form of a man, with arms extended. Professor Seyffarth says: "It represents, as I now believe, the skull with the brains, the seat of the soul, and with the nerves extending to the spine, back, and eyes or ears. For the Tanis stone translates it repeatedly by *anthropos* (man), and this very word is alphabetically written (Egyptian) *ank*. Hence we have the Coptic *ank*, vita, properly *anima*, which corresponds with the Hebrew *anosh*, properly meaning *anima*. The Egyptian *auki* signifies *my soul*."

It is curious that this Hebrew equivalent, *Anosh*, for "*man*" by Prof. Seyffarth, reads numerically 365—1, which could be intended to mean either $365 + 1 = 366$, or $365 - 1 = 364$, or the time phases of the solar year, thus shadowing forth the astronomical connection.

The Hebrew word for a *lunar year*, "*shanah*," directly connects the idea of "*man*" with an astronomical value, as also an abstract circular value. As said, the two values of 113 to 355 and 6561 to 20612 are, as it were, *welded*

together in ancient use. The attachment of a man to the cross would be, in display, the symbol of such welding. In fact, this is a plainer and more perfect symbolization of



the ancient use than any other. It was one made use of in this form of display by the Hindus. In fact, the Old Testament is rabbinically and kabbalistically familiar with the expression of crucifying a man, or men, before the Lord and the sun. In symbol, the nails of the cross have for the shape of the heads thereof a solid pyramid, and a tapering square obeliscal shaft, for the nail. Taking the position of the *three* nails in the man's extremities, and on the cross they form or mark a *triangle* in shape, one nail being at each corner of the triangle. The wounds, or *stigmata*, in the extremities are necessarily *four*, distinctive of the *square*; and, as in the candlestick, there have been two used as one, or rather one used as two, in the connection of the *three* nails with the *four* extremities. The three nails with the three wounds are in number 6, which denotes the six faces of the cube *unfolded*, on which the man is placed; and this in turn points to the circular measure transferred onto the edges of the cube. The *one* wound of the feet separates into *two* when the feet are separated, making *three* together for all, and *four* when separated, or 7 in all—another and most holy *feminine* base number.

PRIMORDIAL VESTIGES OF THESE SYMBOLS

Under the general view taken of the nature of the number forms of Mr. Parker, it becomes a matter of research of the utmost interest as to when and where their existence

and their use first became known. Has it been a matter of revelation in what we know as the historic age—a cycle exceedingly modern when the age of the human race is contemplated? It seems, in fact, as to the date of its possession by man, to have been further removed, in the past, from the old Egyptians than are the old Egyptians from us.

(Sec. 40.) (1.) THE EASTER ISLES in “*mid-Pacific*” located about 2,300 miles from the S. W. coast of South America, in $27^{\circ} 6'$ S. Lat., and $109^{\circ} 17'$ W. Long., present the feature of the remaining peaks of the mountains of a submerged continent, for the reason that these peaks are thickly studded with cyclopean statues, (*some of which exceed 27 feet in height*), remnants of the civilization of a dense and cultivated people, who must have of necessity occupied a widely extended area. On the backs of these images is to be found the “*ansated cross*,” and the same modified to the outlines of the human form. A full description with plate showing the land, with the thickly planted statues, also with copies of the images, is to be found in the January number, 1870, of the “*London Builder*”. Some of the statues exhibiting the markings of the cross, it is thought, are in the *British Museum*. It will be noted, that the “Easter Isles” are the exact “*antipodes*” of the territory of Southern Egypt, immediately surrounding the Great Pyramid Jeezeh. This will, in a manner, account for (at least) a *partial* preservation of the “Easter Isles” during the last cataclysm, occupying as they do, the poising point of the earth, exactly opposite the Great Pyramid.

(2.) CRUCIFIED MAN OF SOUTH AMERICA.—In the “*Naturalist*,” published at Salem, Mass., in one of the early numbers (about 36), is to be found a description of some very ancient and curious carving on the crest walls of the mountains of South America, older by far, it is averred, than the races now living. The strangeness of these tracings is in that they exhibit the outlines of a man, stretched out on a cross, by a series of drawings, by which.

from the form of a *man* that of a *cross* springs, but so done that the cross may be taken as the man, or the man as the cross; thus exhibiting a symbolic display of the interdependency of the forms set forth in the text.

THE CONSTRUCTION OF THE GREAT PYRAMID.

(Sec. 41.) To a mind unbiased by the possession of previous fixed theories, the assertion that the Great Pyramid of Egypt was built for the *dual* purpose (1.) "to perpetuate a series of weights and measures, astronomical and otherwise, containing a system of mathematical and geometrical admeasurement," and (2.) for an "Initiates Asylum wherein adepts were obligated in the hidden mysteries," can be received with credulity—and the only possible theory left, but what has already been investigated and in the main found wanting. None but proof of an extraordinary kind as to ability to reconstruct, after the mental conception of what the architect intended to represent, ought to become, or will become, acceptable. This is especially the case where the time of the building of the mass dates back beyond what may be called the historic age, and where every theory advanced must rest for support upon *its own intrinsic merit*, unsupported by positive evidence of any kind filtering through the *historical* channels of the world.

The further step required is, or eliminating *all* theory, and *all* probability, and *all* possibility, leaving a standard of measure as fixed and rigid, for instance as the *English inch*. As a sequence to this, the restoration of the mass is to be made in terms and divisions of this measure. Subject to these considerations, and they seem to be fair and pertinent, if a standard of measure can be arrived at, as a rigid and fixed one, derivable from an elemental source, by use of which a structure can be erected, as to its whole and most of its parts, similar to that of the Great Pyramid in its geometrical shapes, and in such manner that the evidence is convincing that the actual measure of its original

construction is being used, then, indeed, the recognition of that standard, its source, and its use in that connection, it is thought, should be conceded, even though the particularities of the method of use may not be certain.

Before closing this work in a coming chapter, we shall *attempt* to show that there are *other* and even more important rooms in this *great asylum*, than have yet been exposed to "*eavesdroppers*" and the vulgar public. To any that have "*traveled extensively*," or knocked at the outer portals of any of the principal *Secret Organizations*, will recognize in the great stone *Sphinx*, a part and parcel of the Great Pyramid. You may call it, the Tyler, or Sentinel, or Outer Guard, etc., through which, *some time in the future*, the entrance to the Great Pyramid will be effected, and not *via* the northern, narrow, astronomical passage, built only for the purpose of exposing to an *initiate*, his "*guiding star*" during his travels.

(Sec. 42.) Professor Piazzzi Smyth has given to the world a mass of measures of this structure. He was laboriously, and even painfully, careful in their taking, on a measure adjusted to the British *standard* at Edinburgh, even to the balancing and dwelling upon *tenths* and sometimes *hundredths* of inches. He had found such discrepancies in the measures of the multitudes of those who had preceded him that he was prepared beforehand for his work. Besides, he desired to discover who of those others had done their work well. Of those who had preceded him, he found the measures of Col. Howard Vyse, of the French *savants*, and of Professor Greaves, exact and reliable.

That it is next to impossible to have measuring instruments alike, though taken from a same standard; and it is almost impossible that, even though having the same measures, their uses will bring out the same results. Discrepancies are liable, from these causes, to show themselves in *tenths* of inches, and even more, where lengths of thirty or more feet are taken. No one better appreciated this statement than Professor Smyth.

As to the objects of construction of the Great Pyramid of Egypt: the one most generally accepted is, that of an *astronomical center*, from the facts that the *north base side* of the structure coincides with the parallel of 30° north latitude, and that the mass, as to its sides, evidenced by its corner socket lines, are oriented more perfectly than could be expected of human ability today.

The Rev. Mr. Taylor, who made this structure a study in his day, saw its *geometrical* side more than any other, and thought that it was so built that its height should be to *one-half* its circumference as diameter to circumference of a circle. Corroborated later by the measurements of Prof. Smyth; who upon carefully taken measures, linear and angular, and upon computation, comes to the result that the structure was: In height, 486 feet 2 inches; and that its base side was, by the measures of Col. Howard Vyse, in length, 764 feet, and by the measures of the French Corps, 763.62 feet.

STANDARD MEASURES OF THE KING'S CHAMBER.

(Sec. 43.) Take, as one set of derivations in detail, the dimensions of the King's chamber:—

$$(1.) \quad 206.12 \text{ inches} \div 12 = 10 \text{ cubits} +, \text{ or } 17.1766 + \text{ feet.}$$

$$(2.) \quad 17.1766 + \text{ feet} \times 2 = 20 \text{ cubits} +, \text{ or } 34.3533 + \text{ feet.}$$

$$\left. \begin{array}{l} (3.) \quad 20.612 \div \frac{17280}{16} \\ \text{or} \\ 34.3533 \times \frac{10}{18} \end{array} \right\} = 19.0851 + \text{ feet.}$$

Which measures, agreeably to the conditions, are the measures, taken at *the standard*, of the King's chamber; (1.) or 17.1766 +, being *standard breadth*, (2.) or 34.3533 + being *standard length*, and (3.) or 19.0851 +, being the *standard height*, all in *English feet*; subject to variations therefrom for special purposes, as will be shown. The measures of this chamber, as given by Prof. Smyth are: breadth, 17.19 feet; length, 34.38 feet; height, from

19.1 feet to 19.179 feet. (As to height, Professor Smyth gives his measures 19.1 to 19.179, with allowance, or as conjectured, because of the broken state of the floor when he took them. "*Floor broken up thus since the measures of Col. Howard Vyse.*" His measure for height was 19.1 feet.)

ACTUAL PYRAMID MEASURES, AS ENLARGEMENTS ON THE STANDARD, WITH THE REASON FOR THE VARIATION.

(Sec. 44.) The following is a method of variation on the standard measures as given; and one which seemingly controls the entire pyramid structure. The Parker elements are 20612 to 6561. The cubit value is $20.612 \div 12 = 1.71766 +$ feet; and 10 cubits are $17.1766 +$ feet. If the value of diameter 6561 taken as feet, be divided by $17.1766 +$, or the measure of 10 cubits, thus derived, the quotient will be $381.97166 +$ feet. This method is given for its results in the actual measure desired.

This, in effect, is the same as the division, or quotient, of diameter value of 6561 by circumference value, or 20612, under a formulation to obtain a *diameter value to a circumference of unity*, thus:

$$(1.) \quad 20612 : 6561 :: 1 : .3183097 +, \text{ and,}$$

$$(2.) \quad 31.83097 \times 12 = 381.97166 +,$$

$$\text{and this } \times 2 = 763.94333.$$

The effect is a very curious one. Take the following:

$$(3.) \quad 20612 \times \frac{4^2}{3^2} = 36643.55 \div 48 = 763.407 +,$$

where the standard base side is obtained from the primary *circumference* value. By (1.), 31830907 is a *diameter* value, and raising it as shown, it becomes 763.94333, being almost the same by comparison. Then, working in *circumference* values, the standard pyramid measures are found; working in *diameter* values, the *exactitude* comes by the *enlargement*. Referred to a primary principle, *original circumference* is 20612; changing to *diameter value*, it becomes 20626.47001 +.

(45.) The standard of the size of the pyramid is, $763.4074 +$ feet. The half of this is $381.7037 +$ feet. Compare this value with that obtained by the method of variation shown in (Sec. 44.): standard, $381.7037 +$, variation, $381.9716 +$.

This last multiplied by 2 = $763.94333 +$ feet for the side of base of pyramid, instead of $763.4074 +$ feet; and let it be assumed that this was, in fact, a variation taken on the standard measure, *yet one growing out of the Parker elements*.

Taking the base side at $763.94333 +$ feet, the proportionate height of the mass would be, $486.341 +$ feet, instead of 486 feet *as by the standard*.

This measure of the pyramid's base agrees with that taken by Col. Howard Vyse, as follows: Vyse, 764.000 feet, Above $763.943 +$ feet, Difference .056 + feet, or, to be within less than one inch in 9168 inches.

If this variation on the standard be applied, for the admeasurements of the king's chamber, to ascertain the enlargements on the standard, there will result the following differences: *viz.*—less in breadth, by 13-10000 (.0013) of a foot; less in length, by 26-10000 (.0026) of a foot; and less in height by 15-10000 (.0015) of a foot. Or, literally the difference has become so inappreciable that there is no method of ascertainment as to what the correct admeasurement is by any practicable test of actual measure. *If, however, a law can be ascertained, which will in its fulfillment demand the use of these variations on the standard, then they should be considered as data correctly taken. There is such a law; and its demands as to their nature coincide with the spirit or genius of the pyramid structure, as a measure of time.*

ENUNCIATION OF THE LAW.

(Sec. 46.) The very great value of the number 6 as a factor, is at once recognized in the base of the English (British and U. S.) *long* and *land* measures, and also in the

construction of the celestial time circle. That circle is of the value of 360° ; it is divided into *minutes*, *seconds*, *thirds*, etc., in the scale of $60' = 1^\circ$, $60'' = 1'$, $60''' = 1''$, and so on. This circle is subject to another division, as applied geographically to the earth, where $360^\circ \div 24 = 15^\circ$ to the hour of longitude, where 24 is also a multiple of 6, as $6 \times 4 = 24$, and where each degree $= 69\frac{1}{2}$ miles English. The primary division of this circle is on the base of 6 parts, subdivided for each part into 3600 parts, or $6 \times 3600 = 21600'$; or, $366^\circ \times 60' = 21600'$.

Now, by the variation on the Parker elements (standard), worked out, as seen, through the simple use of the elements themselves, the result is obtained of a diameter value (by change on a circumference value), of $190985\frac{1}{2}$. From enlarged length of the King's Chamber, *viz.*, $34\frac{1}{2}$.

$3774 \times \frac{10}{18} = 19.0985$. This factor, 6, which is of such great

value, *is not taken empirically*, merely because it proves to be of such great practical use in the admeasurement and subdivision of time periods of land measuring rests, or stops, *but it is a legitimate circumference value, derivable from this variation on the standard of the Parker elements of diameter and circumference*, for (1.)

$6561 : 20612 :: 381.97166 : 1200 :: 190.985\frac{1}{2} : 600 :: 1.90985\frac{1}{2} :$

where the reduction from $\frac{6561}{20612} = 318309\frac{1}{2} \times 12 = 38197166$

or $\frac{6561}{17.1766} = 381.97166$, divided by 2 $= 190.985$, becomes

the diameter value of a circumference of 600; or, 1.90985 becomes the diameter value of a circumference of 6; and this properly, and rightly, and exactly, belongs to the use of the Parker elements; so, this height of the king's chamber is diameter to a circumference of 60. See the play of change! The Parker circumference 20612, changed to a *diameter* value of variation, gave the exactitudes of measure of the pyramid in diameter for circumference terms.

Among these is the height of the king's chamber, which now turns out to be a means of regetting an integral circumference value, in the Number 6, or 60. *The obtaining of this end seems to be the law of pyramid actual construction.*

$$(2.) 19.0985 + \text{inches} \times \frac{216}{10} \text{ or } \frac{6^3}{10} = 412.5294 + \text{inches},$$

which equals the length of the king's chamber *in inches*, as the enlargement or variation on the standard; and,

$$(3.) 6561 : 20612 :: 412.5294 + : 1296;$$

or, there results, the length of the king's chamber, in inches, as a diameter value, proportioned to the number of inches in the *square yard British*, as a circumference; and it is well to reflect that $1296 \times 4 = 5184$, the characteristic value of one solar day reduced to *thirds*.

$$(4.) \frac{41259.24 : 129600}{6} = 6875.48 + : 21600, \text{ and,}$$

$$(5.) \frac{6875.48 : 21600}{360} = 19.0985 : 60;$$

where the celestial, or geographical earth, circle of $(6 \times 60, \text{ or } 360^\circ \times 60')$, equals $21600'$ of division, in terms for circumference to height of the king's chamber as diameter. This, as a foundation, embraces all the time subdivisions of that circle into *hours* (24 equal to 1 solar day of $\left(\frac{144}{2}\right)^2 \times 1000 = 5184000''$, as well as the distance divisions of the circumference of the earth in miles to the degree), *minutes*, or *primes*, *seconds*, and *thirds*. So, also, as to the width of the king's chamber.

$$(6.) 6561 : 20612 :: 206.264 + \text{inches} : 648 \text{ inches.}$$

So the law of construction of the pyramid is assumed to have been found on this showing.

NOTE:—That the base side of the pyramid, by actual measure, being thus shown to be a diameter of $763.943 +$ to a circumference of 2400 feet, this is 24×100 , and 24 is four times the factor 6. The base of the pyramid, then, would be co-ordinately represented by a square of 24, or

$6 \times 4 = 24$, to the side; and this is the Garden of Eden form: and, also, it is the square Hebrew Zodiac of the 12 months.

THE DISCOVERY OF THIS LAW.

(Sec. 47.) The discovery of this law, and of its application, arose from a suggestion of thought on reading a passage in the "*Historical View of the Hindu Astronomy*," by Mr. John Bentley. It is almost evident that one intention of the architect of the pyramid, has been exactly reproduced in the use of a numerical system; and this accomplishment is but the going back to the original sources of the numerical instrumentalities which are in use today. Considering the value of this discovery, it is appropriate to give the original notes made on the subject as follows:

A very remarkable blending of all these systems can be given, arising from the actual method used by the Hindus for the calculations of *sines*, *tangents*, *cosines*, *cotangents*, etc., which belongs to their most ancient system of astronomical calculations. This method is given by Mr. John Bentley, in his "*Historical View of the Hindu Astronomy*" (Sec. 3, page 156). He is giving the various values for the computations of the value of *pi*, one after the other, until coming to one very nearly approximating the true relation, he says:

"But Argabhatta, in the 17th chapter, in speaking of the orbits of the planets, gives us a nearer approach to the truth; for he there states the proportion as 191 to 600, or as $1 : 3.14136$, which gives the circumference a small matter less than the proportion of Bhaskara in the *Lilavati*. This, however, is not the invention of Argabhatta; for it is employed in the *Brahma Siddhanta*, *Surga Siddhanta*, and by all astronomers before the time of Argabhatta, as well as since, for computing the tables of sines, etc., though not immediately apparent. Thus, in computing the sines, they take the radius at $3438'$, and the circumference they divide into $21600'$; the diameter is therefore 6876 : hence the proportion is $6876 : 21600$. Reduce these numbers

to their last terms by dividing them by 36, the result will be 191 : 600, as stated by Argabhatta." Mr. Bentley, greatly familiar with Hindu astronomical and mathematical knowledge; not as a foreigner studying the reach of a nation in such matters, but as a resident in Hindustan of some fifty years. This statement of his may, then, be taken as authentic. The same remarkable trait, among so many Eastern and ancient nations, of sedulously concealing the arcana of this kind of knowledge, is a marked one among the Hindus. That which was given out to be popularly taught, and to be exposed to popular inspection, was but the approximation of a more exact but hidden knowledge. And this very formulation of Mr. Bentley will strangely exemplify the assertion; and, explained, will show that it was derived from a system exact beyond the European one, in which Mr. Bentley himself, of course, trusted, as far in advance of the Hindu knowledge, at any time, in any generation.

"This formulation is the taking of a radius of 3438 to obtain a circumference to be divided into 21600 equal parts. The diameter would be 6876, and the reduction of this by 36 would be 191. Now 216 is 6^3 , or, $\overline{36 \times 6}$, which shows use of a system founded on a multiple of which 6 is the basic factor; 3438 is an exceedingly near approach to a pure circumference value, which goes to show, as it is used as a radius, that which has been so observable heretofore of the expression of diameter, or straight line, values in terms of circumference.

"Take the reduction of 20612, the Parker circumference value, that give the dimensions of the king's chamber:

- (1.) $20612 \div 600 = 34.3533 + \text{feet} = \text{standard length.}$
- (2.) $20612 \div 1200 = 17.1766 + \text{feet} = \text{standard width.}$
- (3.) $20612 \div 1080 \left. \begin{array}{l} 343.533 \div 18 \\ 190.851 \div 10 \end{array} \right\} = 19.0851 + \text{feet} = \text{standard height.}$

"These are the standard measures of these dimensions, for comparison; or, on which variations are raised in the

working out of various problems for which they were the base. Take it that this Hindu problem involves these measures, and that the system of factoring by 6 is introduced, by which with these measures to work out tables of *sines*, *cosines*, *tangents*, *cotangents*, etc., and for calculations of *planetary times*, or distances. So (1.) perfect circular elements are required; and (2.) **the circumference** of these elements is to be divided into 21600 equal parts. Cannot the Hindu system be traced back to an absolutely perfect one, based on the Parker elements? And, at the same time, cannot this same Hindu system be attached through the same Parker elements, by actual measures, to the king's chamber, the passage way therefrom, and to the ante-chamber works? If this can be done plainly, and mathematically, it will be an important achievement.

MEASURES AS ACTUALLY MADE OR COMPUTED IN TERMS OF THE ENGLISH INCH AND FOOT.

(Sec. 48.) Height (estimated or computed by Prof. Smyth), in feet.....	486.2
Side of base (French measures) in feet.....	763.62
Side of base (Col. Vyse's measures), in feet.....	764.0
Length of King's Chamber, in feet.....	34.38
Width of King's Chamber, in feet.....	17.19
Height of King's Chamber, in feet.....	19.1

EQUATORIAL AND POLAR DIAMETERS OF THE EARTH.

(Sec. 49.) Equatorial diameter (as ascertained) of the earth in feet.....	41,852,864 +
Polar diameter (as ascertained) in feet.....	41,708,710 +
Difference.....	144,154 +
Equatorial diameter in English miles.....	7,926.9268
Polar diameter in English miles.....	7,899.6248
Difference.....	27.3020

Let the values of the earth's diameters be taken at, for
 Equatorial diameter..... 41,854,174 + feet
 And another at some other point..... 41,739,954 + feet

Difference is..... 114,219.758

If the larger diameter be divided by this difference the
 quotient will be 366.4355 +, and this is numerically that
 value springing from the Parker elements of $206.12 \times \frac{4^2}{3^2} =$

366.4355 +, which as he says, is "the exact value of the
 passage of the earth about the sun over one complete
 circle in space in circular days'; and used otherwise for
 pyramidal purposes, is in 36643.55 inches the standard
 circumference of the pyramid.

[The question has been raised, by what authority
 Parker points this value at 366.4355 +, and in truth he is
 not clear on this. But a way can be shown, by throwing
 the values from inches into feet, thus: $\frac{20612}{12000} = 1.71766$ feet,

or the value of one cubit; 120 cubits, then, is 206.12 feet,
 and this $\times \frac{4^2}{3^2} = 366.4355 +$, as the Parker time day value,

thus shown to be in British feet.]

In this formulation, since the smaller diameter taken
 is less than the dividend by the amount of the divisor,
 the quotient of the smaller divided by the difference, will
 be *one less* than the first quotient, or 365.4355 +.
 There results:

$$\left. \begin{array}{l} 366.4355 \\ 365.4355 \end{array} \right\} \times 114219.758 = \left\{ \begin{array}{l} 41,854,174 + \text{feet} \\ 41,739,954 + \text{feet} \end{array} \right.$$

where the products are the return of the diameter values of
 the earth as taken.

THE DIMENSIONS OF THE DESCENDING PASSAGE WAY.

(Sec. 50.) [NOTE.—This (misnamed) 'entrance' or
 "descending passageway" of the Great Pyramid is located

on the north side of that structure, at a point 24.42 feet east of the axial line of the pyramid, and begins its descent in a southerly direction at a point 49 feet above the pavement. To get to the mouth of this (*misnamed*) "entrance passageway," when the north pavement was clear from sand and other *debris*, and the angle casing stones were all in position, a visitor would have had to scale the side of the pyramid at an angle of $51^{\circ} 51' 41.3''$, up 49 feet, then shorten his height (*by crouching*) to 47 inches, to be able to descend this narrow '*passage*' at an angle of 26° for 82 feet, before he could stand erect. *A very improbable proposition.* For *these* and other *tangible* reasons, we shall presently state that this was not the original entrance to the building; in fact, never intended as an entrance at all. Another, and the real entrance, will be named to all those *worthy and well qualified* to enter, before closing the final chapters of this work.]

The questions as to the descending passageway may now be taken up. It has been seen that all the measures of *this* pyramid have their origin in the relation of circumference and diameter values of a circle. It will be exceedingly appropriate that in the act of entering the passageway, one should, as a matter of fact, enter through the actual expression of those values. Such seems to have been the case. Col. Vyse's measures of this passage are:

- (1.) Breadth 41.5 inches
Height perpendicular to incline... 47.0 inches

Professor Smyth's measures are grouped together, as means of a series, and are as follows:

- (2.) Breadth near bottom..... 41.61 to 41.46 inches
Breadth near top..... 41.63 to 41.41 inches
Mean of all..... 41.53 inches

- (3.) Height perpendicular to incline:

West side of floor..... 47.16 to 47.30 inches
East side of floor..... 47.14 to 47.32 inches
Mean of all..... 47.24 inches

but he characterizes this measure as 47.3 inches.

(4.) Height verticle to base of pyramid:

In one place, 52.68 inches; in another place, 52.36 inches. There seems to be very little, if any, difference between the dimensions of the descending, and of the ascending, passageway; and, as the red granite portcullis blocks seem to have been intended to give these measures, it is well to give Prof. Smyth's measures of the same, *viz.*:

- (5.) Height perpendicular to incline 47.3 inches
 Breadth 41.6 inches
 Height verticle to base of pyramid . . . 53.0 inches

(Sec. 51.) THE TROWEL FACE.—The commencement of the pyramid proper was by placing an ideal pyramid in a sphere. In that problem, *all* the pyramid elements of construction are displayed. So that a *mason's trowel* constructed after those proportions, on the scale of the English inch, would afford to the mason the whole elaborate plan of his work with the relations of the elements from whence these plans took their rise. Let us now diverge from the pyramid proper, for an investigation of the measurements of the Temple of Solomon.

It was an old tradition that in the accomplishment of any great and good work involving the more abstruse and recondite knowledges, the workmen would be beset by the powers of the realms of darkness, with their frights, and horrors, and scares. As against these the master workman would protect his work by the display of the seal of Solomon, the wise man, and the king, even over the *Ejfects*, the *Jinn*, and the *Jann*. But even here, he had to summon up an amazing amount of resisting force; nor could he do this unless by the assistance of the unseen powers of light, of truth, and of goodness. As encouragement to the failing power and courage of the master workman, on whom the whole charge rested, a voice, like as the *Bath-Col*, *Daughter of the Voice*, would come, in terms, like the following, which were given to Hasan El Basrah in his terrible trials:

"I disposed thine affair at the time when thou wast in thy mother's womb,

"And inclined her heart to thee so that she fostered thee in her bosom:

"We will suffice thee in matters that occasion thee anxiety and sorrow:

"So, submit to us, and arise: we will aid thee in thy enterprise."

THE TEMPLE OF SOLOMON.

(Sec. 52.) Kabbalistic tradition, passed down in *Succoth*, states that when Solomon was about to erect the temple, he found the measure wherewith to build it, by placing the name of *Jehovah* upon the round mouth of the well hole in digging the foundations; and, again, it is said, by placing this name upon the 'bung-hole' of a cask. The *round mouth* and the *bung-hole* were circles. The Israelites converted circular and spherical measures into square and cubic measures, in their representations of them. It will be shown that the, or one of the, values of the name *Jehovah* was that of the diameter of a circle; and it especially meant the unit measure of a *right-line*, or square surface, or *cube-solid*, having a purely circular value. Hence the definition of the architectural idea of construction is thus conveyed in *Succoth*, if this was the channel of the tradition.

The description of the temple measures are to be graded in the following order:

(1.) From the *Book of Kings*. (2.) From the description of the *Tabernacle*; because it was perfect in all its proportions, and Solomon could do no more than to reproduce it, however much he might vary the style of architecture. (3.) From the *Book of Chronicles*, not so authentic but rather a targum, or paraphrase, on *Kings*; and (4.) from *Josephus*.

DETAILS OF DESCRIPTION.

(a.) The entrance to the temple faced toward the *east*, and the holy of holies was in the extreme west end.

As to the ground plan, the description in I Kings 6; is concise, plain, and specific. This ground plan has three distinctly separated parts: (1.) The *house*, 'Bayith.' (2.) The *temple*, or open vault of heaven, before the face or door of the house, 'Hecal.' (3.) The *porch* before the face or door of the temple, 'Olaum.' Verse 2 says: "And the house which King Solomon built for the Lord (Jehovah), the length thereof 60 cubits, and the breadth thereof 20, and the height thereof 30 cubits." Verse 3 says: "And the porch before the mouth or door of the temple of the house 20 cubits was the length before the face of the breadth of the house, 10 cubits the breadth before the face (or door) of the house." Verse 17 says: "And 40 cubits was the house, that is to say, *hual*, the temple, before its face (or door)."

There is, then the *house*, *bayith*, 60 cubits; the *temple*, *hecal*, 40 cubits; and the length of the *porch*, *olaum*, 20 cubits, one length connected with another, for the ground plan, or a total of 120 cubits. This gives, or embraces, in the *house* and *temple* inclosure, the length of the *tabernacle* and *court* inclosure, of 100 cubits. As to the *porch*, *olaum*, in front of the temple, II. Chronicles, chapter 3, verse 4, says: "And the porch that was in the front, the length was according to (or agreeing with) the breadth of the house, and the height was an hundred and twenty (120) cubits, and he overlaid it within with pure gold." Here, it is observable that the holy of holies was lined with gold; it was at the extreme end of the length of 120 cubits. Here, *the base of the porch*, or bottom of a height of 120 cubits, of the same dimensions as to the length, and one-half the width of the most holy place, is also lined with gold, going to show what the connection of these gold-lined rooms had to do with the distance of 120 cubits. Josephus says there was a superstructure above the house equal to it in height ($30 \times 2 = 60$) and then doubled, making a total height of 120 cubits.

What the inclosure of the *temple*, *hecal*, part was, as distinguished from the *house*, *bayith*, is not specified; but

it is simply stated that the *door of the house* opened into the *temple part*, and the *door of the temple part* into that of the *porch*. It may have been an intermediate court like the court of 60 cubits before the tabernacle structure; the difference not being in the sum of the lengths, which, in either case, was $40 + 60 = 100$ cubits, but in the one case the court is 40, and in the other 60 cubits long. The temple, likely, was a court looking to the open vault of the heavens, and surrounded by other inclosures? But what became of the altar of incense? Of the table for shew bread? Of that for the golden candlestick? These supposed to be placed in the most holy place before the veil, as in the tabernacle, then the only further change of arrangement seems to have been simply in the location of the *brazen sea* in the northeast corner of the house inclosure, part of the court before the tabernacle, now, or here, placed under roof; the great brazen altar being located before the house in the temple part. II. Kings 16, 14, mentions this as in the forefront of the house, and this is again implied in I. Kings 8, 64. It could not be located within the house, as there would be no space around it. This fact of its being before the house, gives a distance between the house and the porch, as the temple part. I. Kings 6, says that there were *two pillars*—*Jachin*, which, according to Josephus, was on the south side, and *Boaz*, which was on the north side of the porch entrance. They were 18 cubits in height each, or, together, 36 cubits, or the 1-10 of 360° ; and they girded 12 cubits.

The *holy of holies* was a cube of $20 \times 20 \times 20$ cubits, located, as stated, in the west end of the house, *bayith*. Five colors seemed to be involved about and in it. It was, according to Josephus, built in *white*, or the color of the *ether*. Inside it was lined with *red* cedar. This again, was lined with *orange* gold. The interior was closed against the light, and was in the blackness of darkness, as the proper place for the ark of the covenant (or the meeting together of two opposite principles). It is thought that these

colors typical—*red*, earth; *golden*, of the sun in general, or the sunny part of the year, when, or as, contrasted with the brazen sun of winter; *white*, or *silver color*, of the moon; and *black*, of the night, of the *womb*, of the nadir. The condition of the room as to colors would seem to indicate *time* and *earth* measures, and also the place where those earth measures were to be found, or to be originated, as down in the depths at the center of a mass, in the dark; like finding a starting point of construction by placing a pyramid in a sphere.

(b.) The holy of holies was divided, as to its cubical contents, by the placing of the *cherubims*. There seems to be no especial meaning to this word, fitting it for such a place. The meanings usually assigned, though perhaps proper enough after a fashion as *man*, *angel*, *cherub*, are really not proper to the term. The word comes from *Carab*, meaning *prehensile*, to *seize*, *grasp as with talons*, or between talons; as substantive, it means *a bird* (as a griffin or eagle), fierce, because of its quality of closing upon something, or anything, with its talons. It is the English word *crab*, that seizes with its circular pincers; also the word *grab*, as closing the fingers upon something. On looking at the Zodiac signs for *June* and *October*, it will be seen that they are represented as closely alike—one as the *scorpion*, and the other as the *crab*; and, in fact, for the zodiac, these two answered, as stretching over or embracing the two cubes representing that quadrant of the year between *cancer* and *scorpio*, just as the *cherubims* stretched over and embraced the *covenant* or *meeting* of the two halves of the ark. This word is especially used as to the Garden of Eden, guarding the way to the tree of life in the center of the space, the *place of covenant* or of *meeting*. In one sense, they may be taken as the *hooks* barring the opening of the *sistrum*. It is used as spanning half the space over the ark of the covenant; and the same use is here made as for one spanning half the space over 10 cubits. The real value of the word is thought to be *in its numerical value*, which is

Caph = 20, *Resh* = 200, *Beth* = 2, or a total of 222. These cherubims were 10 cubits in height, and stood with outstretched wings of 5 cubits in length, each touching as to each, the wall upon one side, and the tip of the wing of the other, in the midst. Underneath the meeting or covenant of the wings was the division line, either of separation or of meeting of the two rectangular solids of the ark of the covenant (signifying the two sexes).

COMPARISON OF THE MEASURES OF THE TEMPLE WITH
THOSE OF THE GREAT PYRAMID.

(c.) (1.) As to the *pillars*. 18 cubits = 20.612 + 10.306 feet, or 30.918 feet; and these are the numerical values, divided by 10, to give the standard measures of the vertical axial line of the pyramid, to embrace the distance between the top of Campbell's chamber and the base of the pyramid, and between the base and subterranean (floor of) passageway. $30.918 \div \frac{10}{12} = 25.765$, and 1-2

the length of the ark is 25.765 *inches*. The girth of the pillars was 12 cubits = 20.612 feet, showing that the circumference was in terms of a perfect circumference value. Whether the sum of the heights, or 36, was to represent a reduction of the circle of 360°, is a matter of conjecture; but it is strengthened by the fact that *Boaz* was the representative of Typhon, or the *North*, or the dark or winter part of the year, and *Jachin* was the opposite, and as a division of the standard circle of 360°, each would indicate *the half*, or 180°: and *they are each noted as 18*. If the conjecture is right, one entered the temple the gateway of the *birth* of the year circle. This is perfectly paralleled by the qualities of the descending passageway in the pyramid, as it involved both the circular elements and their application to the measures of the earth in its equatorial value of 360°, by its diameters in miles, and then the measures of the time circles about the sun made by this very equatorial.

(2.) The *porch* was 120 cubits high, or 206.12 feet, that so familiar value of the pyramid. It was 20 cubits long, or $34.3533 +$ feet, or the standard length of the king's chamber in the pyramid. It was 10 cubits broad, $17.1766 +$ feet, 206.12 inches, the standard width of the king's chamber

(3.) The *porch*, *temple*, and *house* lengths, together, were 120 cubits, or 206.12 feet, also; while the *holy of holies* plus the most holy place, or 40 cubits in all, or 68.7064 feet, was, as to measure, and comparative location, the veritable measure of the king's chamber *region*, with respect to its like location in the 120 cubit height in the pyramid.

(4.) The *temple* and *house* lengths, together, or $60 + 40 = 100$ cubits $= 171.766 +$ feet, or 2061.2 inches, was that beautiful proportion, as extending from the base of the pyramid to the center point of the king's chamber *region*. From the base of the pyramid to the roof of Campbell's chamber is $137.509 + 68.7066 = 206.12$ feet, or 120 cubits (taken at the standard measures). The king's chamber region taken from a point in the center of the floor, with a radius of $34.3533 +$ feet, 68.706 feet, or $20 \times 2 = 40$ cubits. There can be no mistake as to the sameness of intention as regards these like measures. (The value 206.12 feet, or 120 cubits, was a great governing measure, and as it implied also the full numerical value 20612, being constructed from it, it was the great number value, after all, of all construction, as is fully set forth in the foregoing sections of this work. This number of 120 cubits, then, thus composed, is 206, and its use thus, and in its original term of 20612, is implied in the great measuring word throughout Scripture and Kabbala. That word is *Dabvar*, in Hebrew, or 206, and is the *Logos* word.)

(5.) The *holy of holies*, as a cube of 20, was just 1-8 of the cube of the king's chamber region in the pyramid, or the full cube of the length of the king's chamber. (This use, emblematically, is referred to elsewhere; but it is of so curious a nature that it is well to state it again. The primal one, or *cube*, was taken as containing all material and all

life within itself. It was male-*female*; but when disintegration took place of the *one* into *two* separated and opposed existences, as of *male* and *female*, each had to be a perfect *one*, also, in its special construction. To make, therefore, a *perfect one*, which will combine these opposed relations, they were to be used together, and it requires just 8 of the smaller cubes, *viz.*, 4 males and 4 females, together to make the larger. The king's chamber *region* is the great cube of this union; and the king's chamber, as to its length of 20 cubits, was the eighth part of the whole cube, and, of itself, was, as to its length, an oblong of *two cubes*, or, in itself, male-*female*.) The division by the cherubims divided into halves, making a nearer approximation to the king's chamber proportions. The ark, though similarly a small rectangular solid or oblong, placed in the holy of holies, as the coffer was in the king's chamber, was differently proportioned, showing a difference of use in the measurement.

(6.) As to colors, the *white* and *red*, and *black* of the temple tallied with the like of the pyramid, the golden being an exception. (And, *possibly* that exception would not have been noted, in the palmy days of its practical use).

(7.) As to the *ark*, it was 21.2 cubits long, or 51.53 *inches*, or, numerically, the area of the circle inscribed in the square of 6561. Its height added to its breadth = 3 cubits, or 5.153 *feet*; showing, for one thing, that it was so contrived as to be reducible back to the elements whence its, and all the temple measures were derived; and this could not be done by possibility, except by the intervention of two grades of measure, and those were, respectfully, the English *inch* and foot.

(8.) But the sameness of relations of the temple with those of the pyramid seems to be confirmed by the use of the *cherubims*. They were 10 cubits high, and by their use marked out the division of the holy of holies into 10 cubits measures. Take some pyramid developments:

(1.) $5153 \times 8 = 41224$ inches, the circumference of the base of the pyramid placed in the sphere.

(2.) $5153 \times 2 = 20612$; $\frac{206.12}{12} = 17.17666$ feet, or 10 cubits. $17.17666 \times \frac{4}{3} = 3053 \frac{1}{2}$ feet, or 36643.55 inches, or the circumference of the base of the pyramid proper; 1-8 this circumference is $381.7037 \frac{1}{2}$ feet, or, $222.222 \frac{1}{2}$ cubits.

It is thus seen that the use of the 10 cubits value develops the 1-2 base side of the Great Pyramid in the measure of 222 cubits. It is seen that in the development of the holy of holies, the ark contains the original measures. It is placed in a space of 10 cubits. This 10 cubits measure of division is made by the use of the (Hebrew word) *cherub*, and the numerical value of *cherub* is 222.

(Sec. 53.) There is a most strange and far-reaching value connected with this cubit value of 444.444 for the base side of the pyramid. The four sides would equal $1777.777 \frac{1}{2}$ cubits. The pyramid was constructed from that value of the Parker elements of $20612 \times \frac{4^2}{3^2} = 36643.55 \frac{1}{2}$ for circumference value, and $6561 \times \frac{4^2}{3^2} = 11664$ for diameter value, or for height. Now,

(1.) $36643.55 \div 20.612 = 1777.77$, and


(2.) $11664 \div 6.561 = 1777.77$; or, numerically, this very pyramid base value. This is brought about by the factor $\frac{4^2}{3^2}$ as common to both. $\frac{4^2}{3^2} = \frac{16}{9}$; and, as was shown,

this expression embraces the factors of the square foot English, because $16 \times 9 = 144$. The reverse use or $16 \div 9 = 1777.777 \frac{1}{2}$, showing that these factor numbers, by another change of use, at once lay the foundation of the pyramid and temple works; the knowledge of the scales of measure, and the use as applied to geometrical elements, being implied. Somehow, all the systems—*Hindu, Egyptian, Hebrew*, and

British—belong to one another, and are, in fact, one system.

So, here in this temple and its holy of holies, and its ark, we have the ear-marks of the full use of the pyramid measures, under another style of architecture. Was there ever such a concordance of measures, unless attended by a similarity of use?

(d.) The representation of the holy of holies, in vertical cross section is as follows:



The ark was the residence of Jehovah, and he specifies his place as at the meeting of the cubes of the ark, between the cherubims. What was his numerical essential, to accord with all these measuring properties? He was the perfect *one*, or 1—0, or a straight line, *one*, of a denomination of the perfect circle, 0—viz., 20612; reduced evenly and by scale, to an inappreciable minuteness, *not to be seen by the eye, nor conceivable by the senses, yet, nevertheless, this perfect one*.

KABBALISTIC MATTERS CONNECTED WITH THE TEMPLE DESCRIPTION.

(e.) The astronomical features about the temple were plain. The entrance was toward the rising sun, or the *vernal equinox*. The holy of holies was in the *west* of the structure, toward the place of the *setting sun*, the *autumnal equinox*. The great quadrangular was oriented and faced to the *four winds*, or N., E., S., and W. The brazen sea had on its ledges the ox, the cherub or man, and the lion. The lion was the sign of the *summer*, the man of the *winter*

and the ox of the *spring*. The sign of autumn, or Dan, was left out—that worm all-devouring, never-dying, the scorpion. This has an architectural parallel. Nork relates that the temple of *Notre Dame*, in Paris, was formerly a temple of the goddess *Isis*, or the sign *Virgo*. On this temple was sculptured the zodiac with its signs; that of *Virgo* (*Isis*) was left out, because the whole temple was dedicated to her. So with the temple. The whole religious cultus of the Israelites was located in the sign *Dan*, or *Scorpio*, for it was here that “I have waited for thy salvation, O Lord (*Jehovah*).” Take the two squares of the zodiac, representing two quarters, or quadrants, of the year; one lorded over by Leo, the lion, next to the summer solstice, and then going west and downward, the second quadrant is reached, extending to the winter solstice, and lorded over by Dan, the scorpion, who holds the entrance. This upper square, or cube, is *golden*, the male, full of the fructifying power of the sun; the lower one is the female, and black, the womb, *the brazen* part. Now it will be seen that Solomon, the son of David, of the tribe of Judah, whose sign was the lion, made all the *gold work*. But it was Hiram that made the *brazen sea* and all the *brass work*. Who was Hiram? The son of a widow, a woman of dark or black weeds, of the tribe of Dan, whose sign was the Scorpion. He made the work pertaining to his portion of the zodiac—that is, the place of Typhon, of winter, of darkness, of woman, etc. So, here is represented the western half, and the summer and winter quarters of the celestial sphere, squared, or cubed.

There is something peculiar as to the opening of the 6th Chapter of I. Kings: “And it came to pass, in the four hundred and eightieth year after the children of Isreal were come out of the land of Egypt, in the fourth year of Solomon’s reign over Israel in the month Zif, which is the second month, that he began to build the house of (*Jehovah*) the Lord.” The chronological date here pointed out has been a very great vexation and stumbling-block to commen-

tators. It is generally looked on as a date falsely taken. But it is well enough a determination of the meaning of the structure which was about to be built, for $480 + 4 + 2 = 486$, which, in feet, as coming from $6561 \times \frac{16}{9} = 11664$ inches, was the height of the great pyramid, or sun measure, the interior works of which were copied after in the temple, as has been shown.

QUADRATURE OF THE CIRCLE, AND SQUARE ROOT OF TWO.

BY W. A. MYERS.

(Sec. 54.) Of Melchizedek (Pater-Sadic), Hebrew learning has handed down that he was without *beginning or ending of days*. True, but he was a means also of determining both by correction, holding the balance of the ecliptic. (As to the value of Melchizedek of 294, this is 49×6 ; and as to the number 49, or 7^2 , attention is called to "Proposition 2, Theorem," and to "Proposition 3, Theorem," of a "Quadrature of the Circle," and "The Square Root of Two" by W. A. Myers, of Louisville, Ky. (Wilstach, Baldwin & Co., Cincinnati.) It may be that Mr. Myers has reproduced an ancient method for the calculations of circular elements as sines, cosines, etc. His Proposition 3 is as follows:

"(1.) If a circle be described with the square root of two for a radius, and the *one-fiftieth* of the square described on the radius be deducted therefrom, the square root of the remaining *forty-nine fiftieths* can be extracted exactly. (2.) The square root of the *one-fiftieth* so deducted will be the sine of the given arc. (3.) The square root of the remaining *forty-nine fiftieths* will be the cosine of the given arc." In many respects his work is well worth mention

NOTE AS TO FISHES.

From *The Source of Measures*.

BY J. RALSTON SKINNER.

(Sec. 55.) "The symbol of the '*fish*' was a favorite one among all the ancients. Mr. Bryant shows its origin, in the mythologies, to have been in the figure of the Deluge; the type being of a fish with the *head of a man*. In Phœnicia, especially, it was of great import in the idol *Dagon*. The Christian Kabbala, or Gnosticism, deals very largely in the mention of fishes; in such sort, that it may be said to be rested upon the symbol, though its use everywhere is made to appear as *incidental* and natural. The New Testament narratives have been so highly colored by the kabbalistic import, that, commonly, too sweeping or embracing a quality has been given to the idea of fishermen, as applied to the apostles. The character of *fishermen*, it is true, is attached to Peter and Andrew, to John and James; but, beyond the little that is said of their catching fish with nets in boats, no great stress is laid on *fishing* as a *trade*, or fixed occupation. There was sufficient to introduce the use of the ancient symbol, without departing from what might truthfully have been the case as to fishing in the Jordan. The fishing as conducted by these men, was in the Sea of Galilee, or of Tiberius. This, lake or sea, is but an enlargement of the river Jordan, where it spreads out into wide water, or small lake, or rather pond, of some ten to twelve miles in length by about six miles in breadth. The fishing carried on in it was in ships, or small fishing vessels, with sails, by means of seines or nets. The population to be supplied was a dense one at that time, and the occupation is represented as pertaining to quite a class, thus exhibiting a settled business. It seems impossible that this could have been the case. The only condition by which fishing of that kind could have existed, and could have been carried on as a trade, in such a piece of water, would have had to depend upon a constant supply of fish to

catch, from some large body of water as a breeding ground, the fishing taking place in what is called the *run of the fish*, at stated seasons. Communication with such a body of water—as, for instance, the ocean—would stock such a pond with a few fish at all times, but not in such quantity as to justify an occupation as described, save at certain seasons of the year. This is a simple and truthful statement, justified by all the registered experience in such matters. But the conditions of the Jordan river are fearful for sustaining fleets of fishing vessels plying the trade on the waters of the sea, or pond, of Tiberius. It is almost a straight stream, with a very rapid descent from its source to its mouth (it is called The Descender), save when it enlarges out in the morass of Merom and into the waters of this inland sea. Its condition parts of the year is that of a brook. It rises in the springs of Mount Hermon, and, after a run down hill of 150 miles, empties into the asphaltum lake, in which no fish can live or *breed*. If the river was far enough north, brook trout might abound to some extent in its waters, but these would have to be preserved with care, for it would require but little angling to depopulate it of this species. The whole of the fisheries of the Sea of Galilee would, therefore, have to depend upon its own breeding-grounds, of which, it may be said, there can be none, save of the species of what are called mud or cat fish, which were prohibited from use, as having no scales, and a few others, utterly unfit to found a fishery on, as a business of continuous calling. The conclusion seems irresistible, that to have supported a mode of fishing, such as is commonly thought and taken to have been the case, would have required a continuous miracle of keeping up the supply. All this seems to confirm the idea that the relation of *fishing* was to raise a symbol, comporting with and necessary to display ancient uses and meanings."

(Sec. 56.) As is seen, the great display of the creative *law of measure* among the Egyptians was in the "*first great wonder of the world*," the great pyramid. Among the

Hebrews it was in (1.) the Garden of Eden; (2.) the Ark of Noah; (3.) the Tabernacle; and (4.) the Temple of Solomon. Around these actual displays, descriptions were conveyed by the hieroglyphic reading of the narratives of Holy Writ. "Woe be to the man who says that the Doctrine delivers common stories and daily words! For if this were so, then we also in our time could compose a doctrine in daily words which would deserve far more praise. If it delivered usual words, then we should only have to follow the law-givers of the earth, among whom we find far loftier words to compose a *doctrine*. Therefore we must not believe that every word of the doctrine contains in it a loftier sense and a higher meaning. The narratives of the doctrine are its cloak. The simple look only at the garment—that is, upon the narrative of the Doctrine; more they know not. The instructed, however, see not merely the cloak, but what the cloak covers." (The Sohar, III., 152; Franck 119.)

THE ESOTERIC TEACHING CONFINED TO THE FEW

(Sec. 57.) The author believes that no man can study the Bible a great while, carefully and dispassionately noting its place in the world, its surroundings, its handings down, its prophetic bearings, not considered in detail, but in their large and comprehensive scope, without coming to the conviction that a Divine power and providence doth in some way or sort hedge it about, and without coming to the conviction that this Divine Power is a conscious entity, just as we are; that he is, by his superiority, wisdom, and power, continually and everywhere, intelligently present as the *immediate cause* of each sequence in all the universe, however minute. (Not working by positive fixed laws of construction, which, once enacted, the work can forever go on, without any immediate supervision of the Master, a postulate so commonly assumed; for it is observable, where investigation can reach, that while *every type* of work seems to be under a *general type law*, yet every indivi-

dual production under a type is clearly enough seen to be a *variation* upon every other individual, thereby necessitating the actual intervention of creative power for every individual created under such a law.) He who considers that man alone is the only phenomenon in all the wide universe of a conscious intelligence, as concentered from an infinite number of blind happenings or accidents, arrogates very much to the superiority of his accidental position, especially when he takes into view his own acknowledged littleness and inferiority; for he that can make nothing is yet superior to the blind working of the elements to which he is indebted for himself, which elements come under the general term of *God* or *Nature*. What a picture of self-sufficiency! The conscious entity, *man*, simply proves series after series of such a class of entities, graded upward, past man's power of recognition. Man's *ego*, as connected, even, say inseparably with his body, is just that phenomenon of nature that implies an *ego* function of nature herself, as inseparably connected with grosser material than that function. The only question is as to whether, in man, or otherwise, this function can shed its covering for another; or whether, in fact, he may have two kinds of material body, one of which may continue, the other perishing.

But apart from this, and as to the Bible this being said, there are, nevertheless, some strange features connected with its promulgation and condition. Those who compiled this Book were men as we are. They knew, saw, handled, and realized, through the key measure, the *law* of the living ever-active God. They needed no faith that he was, that he worked, planned, and accomplished, as a mighty mechanic and architect. What was it then, that reserved to them alone this knowledge, while, first, as men of God, and second, as apostles of Jesus the Christ, they doled out a blinding ritual service, and an empty teaching of *faith*, and no substance as proof, properly coming through the exercise of just those senses which the Deity has given all men as the essential means of obtaining any right understanding?

Mystery and *parable* and *dark saying* and *cloaking* of the true meanings are the burdens of the Testaments, Old and New. Take it that the narratives of the Bible were purposed inventions to deceive the ignorant masses, even while enforcing a most perfect code of moral obligations: How is it possible to justify so great frauds, as part of a Divine economy, when to that economy the attribute of simple and perfect *truthfulness* must, in the nature of things, be ascribed? What has, or what by possibility ought mystery to have, with the promulgation of the truths of God?

ARE THE KEYS OF THIS ESOTERICISM LOST?

(Sec. 58.) Men like ourselves, who were capable of teaching the multitudes, held this knowledge, both in the times of the Old and New Testament. If at all, when was this knowledge lost? There is witness, by the emblems remaining in use, that *two modern bodies* have at one time been in possession of the keys—*viz.*, (1.) that order called the Roman Catholic Church, which *is catholic* to the extent of possession of the emblems of the universal knowledge, which was confounded by the confusion of *lip*, and which possession has been dropped by all sects, creeds, etc., which have dropped the consideration of the “basic knowledge” or *dabvar*; and (2.) that body of men called *Free Masons*. It is probable that the Greek Church, and the Brahmin system also, come under this category. The elimination of the vestiges of the workings by the key system can even be seen in the English Church; for one of the great functions of the church was to regulate the order and times of its holidays. This was done agreeably to the passage of the sun in his circuits through the signs; but in the preparation of the order of service, as it is to be seen on the original rolls (see fac-simile of the *Black Letter Prayer Book*, made in 1663, as taken from the original rolls or scrolls in the British Archives), it was deemed, for some reason, best to wipe out these calendars teaching the progress of the sun through his signs. (There is but little doubt that the rules for the calculation of tables of time, to mark the

proper observance of religious festivals, which tables are prefixed to the Book of Common Prayer, are precisely the same to be found in the first chapters of Genesis, relating to the founding the year values on *lunar tables*. Christianity is almost undoubtedly indebted to the ancient Jewish and Egyptian calendar rules, on which she built up the special exceptional details of her own forms.)


Mr. J. R. Skinner, at the close of his work, "*The Source of Measures*" states:

(Sec. 59.) "One of the most remarkable proofs of the existence of this knowledge (of the foundation of these mysteries on the Parker and Metius relations of circumference to diameter of a circle) down to a very late day, lays, as it would seem, in the resolutions passed by those two learned bodies of men, the Academy of Sciences at Paris and the Royal Society of London. (See Parker's *Quadrature*.) It was in the period of the revival of knowledge, when the world, possessed of extraordinary intellects and wholly athirst for learning, was investigating every cranny and department of nature. All recognized the fact that in nature one of the most interesting relations was that of circular to plane shape, and the flux of one into the other. Ordinarily, in matters of research, promising great rewards, none so persistently encouraging of interminable effort in the pursuit of the obscure realms of science as these bodies. What was the reason, then, that on the production by Legendre of his acknowledgedly approximate value of π , the Academy of Sciences passed that famous resolution that it would never entertain any thesis on the subject of the quadrature of the circle? What was the reason that, in a few years afterward, upon Playfair's following in the footsteps of Legendre, the Royal Society of London passed, perhaps, a copy of the same resolutions? Since that time, every man daring to venture into that forbidden field of research has been, by a mysterious common consent hooted down, laughed at, and derided, by the manifestations of a mocking false piety; and just in

the measure that his works have proved valuable, just in that measure has the effort been strong to remove them from the study of the people. Now it is barely possible that the keys of these old mysteries are still known and held by very few; that these few are recognized by the very highest of the order, so that an order to that effect of procurement of just such a piece of chicanery as that practiced by these societies, once promulgated, would be obeyed and carried into effect willingly, and even zealously, by multitudes of those who might remain in perfect ignorance as to the source of the order or as to its real object.

"There are, moreover, two evidences of the modern existence of this knowledge in symbolism.

(1.) "In 'The Gnostic,' Plate VI., 1, is to be found a Templar or Rosicrucian emblem. It is of that 'Idol' or 'old man,' a worship of which was charged against the Templars. It is an *old man*, with his arms *crossed* in front. At his feet, on one side, is a *celestial globe*, with its subdivisions and on the other side the *pentapla*, or five pointed star, or *seal* of Solomon. Here are displayed the *man*, 113, or diameter value to a circumference of 355, or the *Hebrew man*, the *celestial circle*, and the *pyramid*. The *pentapla*, as it is drawn, is but the lined display of a pyramid. It is a pentagon, as well as a rayed star. Retain the rays, and then join the corners by lines, and the object of setting forth a pyramid is at once apparent. The pyramid involves all the measures, with the purposes thereof enumerated in the text; so the whole of this picture symbol, though modern in its use, really displays the possession of the keys of the ancient knowledge in a most masterly manner.



(2.) In "*Land-Marks of Free Masonry*," by Oliver, is to be found a frontispiece, which, for magnificence of conception and for comprehensiveness of grasp, is most remarkable. "It is said to contain the symbolization

of the *genius* of free masonry, and is said to have been designed by Bro. Com. J. Harris, P. M. and P. Z. The author ventures to state positively that if this was really designed by this gentleman—that is, if he did not compile it from simply traditionary sources—then, indeed, *he must have been* acquainted with the elements of the quadrature as John A. Parker has, since that time, set them forth, their astronomical application in architecture, and their Biblical containment, in a fashion of such wisdom that if the author had possessed it in its details, his efforts in this work could have been relieved of suggestion. The reading of this frontispiece by its symbols, even with the imperfect ability of the author, is always a source of exquisite delight and unalloyed amazement. The representation is in a rectangular oblong of *two* squares. At the center of the top line there is located the triple circle, or three circles, one within the other, with an inclosed triangle. In the triangle is written the great name (*Jehovah*). It exhibits the *origin of measures*, in the form of the straight line *one*, of a denomination of 20612, the only numerical value of the perfect circle, the straight line being male and the circle female; which 20612 is the *Logos*, or *Dabvar*, or *Word*. The triangle and circles indicate the pyramid containing the use of the measures, with the three sets of circular elements necessary to the display of its various problems. This emblem is in an effulgence of light, above the brightness of the sun, and the *One* of the word is the holy 10, and circumference to 318, the Gnostic value of Christ, whence this spiritual effulgence. From this upper essence of effulgence, a strong bar of light descends obliquely to the foot of the oblong. On the one side of this all is darkness, and chaos, and confusion, containing darkness and dragons, and all deeps. It is the *female* or *sin* side. At the foot of the oblong is a pavement of squared blocks, in cubes, alternating in black and white chequers, indicating the female and male elements of construction; and on the dark side, this pavement is not made, but is in confusion. At

the foot on the dark side, stands a little cherub, striving to work out one of these pavement cubes from a rough block or ashler, but without success. He stands holding his chisel and hammer in a helpless sort of way, as if having a dim idea of what is wanted, but as lacking in the requisite knowledge for elaboration. The other side of the bar of light is bathed in the essence of wisdom and peace. On this side the foot has a completed pavement of the black and white chequers, of a general oval, indicating the measure of the surface of the earth. Just opposite the discontented cherub is seated another, but on the light side. He is looking with a pleased expression at his brother in the obscurity. His right arm is raised, and he is pointing with his *forefinger*, the rest of his hand being closed, aloft up the bar of light to its source. This forefinger thus pointing is the symbol of the Hebrew jod, or Jehovah, or the number 10, whose origin is in the male-female word *Jehovah*, significant of the same number as emanating from the Deity name in the triangle above. His left arm is thrown over as embracing two parallel upright bars, inclosing a circle in the square, the measures of which have been revealed to man from above. The parallel bars are supported on a cube, which is one of the cubes of the pavement raised out of its place to the level of the floor, and the upright bars are but the extension of the sides of the cube. This is the cubical stone, and the square of the bars is 6561, and the value of the circle is 5153. The reading is instruction on the part of the enlightened cherub to his brother, telling him that from the geometrical elements, with the *least one* of a denomination of 20612, located aloft, as the *law of the Deity*, the measures of work have been revealed to man, and are under his control, as exhibited in the circle, the square, and the cube; that with these measures the cubical blocks measuring the earth are to be formed. In this is the lesson. The oblong then contains the sun and the moon and the stars as further being measurable by man through this knowledge. In the center of the

piece there flies or hovers a female, as the *genius* of the whole. Her badge is on her forehead, and it is the pentapla, or five rayed star, denoting, as shown above, *the pyramid* as the containment of all measures. The moon, with the seven planets, represent the Garden of Eden woman while the sun denotes the issuance of lunar measures in terms of solar.

"All this condition of things goes to show that the mystery held, as not to be thrown open to the people, but to be retained as the property of a class, and a caste, in the more ancient days, may never have passed away; but, to the contrary, may even exist today, dominating the souls of men, women, and children, by keeping them in perpetual ignorance, and in religious feeding them on the worn-out husks of faith, without any relief, by way of setting forth actual connections between man and the Deity."

THE PROVINCE OF RITUALISM.

(Sec. 60.) "How plainly can now be seen the origin or source and reason of *ritualism*. Ritualism was not an empty thing. The adoration of the Deity was simply a constant reminder of man's dependence upon, connection with, and knowledge of Him. The worship, then, was, the expression under this or that form, by gesture, action, signs, voice, dress, accompanied by visible symbols of some one or more of the exact mathematical formulations, or geometrical formulations, or numerical combinations, pertaining to the known method of measuring the works of the Deity." A conclusion of Sir William Drummond in *Edipus Judicus* indirectly favors this view: "The priests of Egypt and of Chaldea," he says, "had made a progress in the science of astronomy which will be found more astonishing the more it is examined. Their cycles were calculated with extraordinary precision, and their knowledge of the most important parts of astronomy must appear evident to all who candidly consider the question. But the people appear to have been purposely left in gross ignorance on

this subject. Their vague and their rural years were neither of them correct. The festivals were fixed according to calendars made for the people, and the religious institutions were only calculated to confirm the errors of the ignorant. *The truths of science were the arcana of the priests,*" because they were the sources of religious cultus.

Thus ritualism was an intelligible rite, one to be understood in all its parts and ramifications; one in which there was no possible deception as to the use of a symbol, to those who *could read the symbol*. No danger then or at that time, of paying a worship to the thing. A carpenter might as easily be taught to fall down before the instruments by which he copied the sums of his Father in heaven. Intrinsically, one would be as silly and fruitless of good results as the other. It has been the gradual and finally almost perfect extinguishment of the knowledge of the origin of ritualism on the part of the *priests themselves* that has entailed a superstitious use on the part of the laity. On the other hand, Free Masonry holds to the elemental working by *geometrical* display—*i. e.*, by the *harder, more exact* and *purser* outlines of the same system of problems. As between the two systems, *in their ultimate, there is no difference at all*. Lord God of a common humanity! loosen the shackles from the bodies and enlarge the souls of men. Let freedom be the seed, and let wisdom, love, peace—but above and before all, *charity*—be the harvest. And

SO MOTE IT BE.

THE CHRISTIAN ERA.

The commencement of the Christian Era is the 1st of January in the 4th year of the 194th Olympiad, the 753d from the foundation of Rome, and the 4713th of the Julian period. It is usually supposed to begin with the birth of Christ, but the opinions with regard to his birth are various. The generally accepted opinion is that his birth took place three years and seven days before the first day of the Christian Era.

The observance of the 25th of December in commemoration of the birth of Christ, is ascribed to Julius, bishop of Rome, A. D. 337-352. The Eastern Church had previously observed the 6th of January in commemoration of the birth and baptism of Christ.

The year of the birth of Christ, according to different authorities, is as follows:

Benedictine Authors of <i>L'Art de Verifier les Dates</i>	B. C.	7
Kepler, Pagi, Dodwell, etc.....		6
Chrysostom, Hales, Blair, Clinton, etc.....		5
Sulpicius (Sacred History) and Usher.....	Dec.	25, 4
Clemens, Irenæus and Cassiodorus.....		3
Eusebius, Jerome, Epiphanius, Orosius, Scaliger, etc.....		2
Chron. Alex., Tertulian, Dionysius, Luther, etc.....		1
Norisius and Herwart.....	A. D.	1
Paul of Middelburg.....		2
Lydiat.....		3

MONTHS OF THE YEAR.

JANUARY—Latin, *Januarius*, is named after Janus, an ancient Italian deity, the god of the sun and the year, whom the Romans presented on the first of this month the Janual, an offering consisting of wines and fruits. The month was added to the calendar by the Emperor Numa Pompilius.

FEBRUARY—Latin, *Februarius*, is supposed to have been so named from the *Februalia* a feast of purification and atonement celebrated in Rome during this month. The Emperor Numa added it to the end of the year, and from this the name of the month is supposed to have been derived from an old Latin word, *fibar*, meaning the end. The *decemvirs* placed this month after January in the year 452 B. C.

MARCH—Latin, *Martius*. The name is derived from Mars, the god of War. March was the first month of the year in the old Roman calendar.

APRIL—Latin, *Aprilis*. The word is from *aperire*, to open, referring to the opening of the buds during this month.

MAY—Latin, *Maius*, from a word which signifies to grow, so named in honor of the goddess Maia, daughter of Atlas, and mother of Mercury, by Jupiter.

JUNE by some is said to have been derived from *juniores*, the young men, to whom Romulus is said to have assigned it; by others from Juno; by others from Junius Brutus, the first consul, and by others from *jungo*, to join, with reference to the union of the Romans and Sabines.

JULY—this month was originally called *Quintilius*, the fifth, it being the fifth month of the old Roman calendar. It was named Julius in honor of Julius Cæsar.

AUGUST—this month was originally called *Sextilis*, the sixth, and was named in honor of the Emperor Augustus.

SEPTEMBER is from the Latin *septem*, seven.

OCTOBER is from the Latin *octo*, eight.

NOVEMBER is from the Latin *novem*, nine.

DECEMBER is from the Latin *decem*, ten.

DAYS OF THE WEEK.

ROMAN.	SAXON.	ENGLISH.
Dies Solis—Day of the Sun.....	Sunnandaeg—Day of the Sun	Sunday.
Dies Lune—Day of the Moon	Monandaeg—Day of the Moon	Monday.
Dies Martis—Day of Mars.....	Tuesdaeg—Day of Tuisco.....	Tuesday.
Dies Mercurii—Day of Mercury...	Wodensdaeg—Day of Woden.....	Wednesday.
Dies Jovis—Day of Jupiter.....	Thorsdaeg—Day of Thor.....	Thursday.
Dies Veneris—Day of Venus.....	Frigadaeg—Day of Friga.....	Friday.
Dies Saturni—Day of Saturn.....	Saterdaeg—Day of Sator.....	Saturday.

An Astronomical Day commences at noon, and is counted from the first to the twenty-fourth hour.

A Civil Day commences at midnight, and is counted from the first to the twelfth hour, from which time the count is repeated.

A Nautical Day is counted as a civil day, but commences like an astronomical day, at noon.

A Solar Day is measured by the rotation of the earth upon its axis, and is of different lengths, owing to the ellipticity of the earth's orbit and other causes. A mean solar day is twenty-four hours long.

HISTORY OF THE INTERIOR OF THE PYRAMID.

PART III.

(Sec. 61.) There is little enough of hollow interior space to enter into, in any of the Egyptian Pyramids, as they are generally all but solid masses of masonry. And yet what very little there is, will be found quite characteristic enough to raise up a most radical distinction of kind, as well as degree, between the Great Pyramid and every other monument, large or small, pyramidal or otherwise, in all the continent of Africa, and Asia as well.

The progress of historical knowledge, with regard to what constituted the hollow interior of the Great Pyramid, from the earliest times down, not only to Greek and Roman eras, but to this enlightened day and date (1907) has been both slow and peculiar. Had we now before us in one meridional section of the monument, all that is now publicly known and arrived at, the tale would amount to little more than this—(1.) that when the Great Pyramid stood on the Jeezeh hill in the primeval age of the world in white masonry, unassailed; a simple, apparently solid, crystalline shape, with the secret of its inner nature untouched. Clothed completely on every side, with its bevelled sheet of polished casing stones, the whole structure rising from a duly levelled area of also white rock surface in four grand triangular flanks up to a single pointed summit. This *is the sum total* of all that was *positively* known about this “first great wonder of the world” down to the spring of the year 820 A. D., (*all other authorities to the contrary notwithstanding*) by the present race of people; when the Egyptian Caliph Al Mamoun forced his passage-way into the north side of the pyramid, and *thereby* accidentally discovered the *present way* of entering that *world renowned* structure.

(2.) The author *does not* desire to intimate that *Al Mamoun*, the Egyptian Caliph, was the *first man* to enter

the "great pyramid" since it was sealed up by its original builders; but that *his men*, whom he employed to force a passageway, were the *very first*, that history records as having entered this particular pyramid. In our researches, extending over 35 years, we have laid under contribution the principal authorities published on both sides of the Atlantic, and we have utterly failed to *discover* any *positive* information to the contrary of the above assertion. If any one else is known to have entered it, before 820 A. D., how did he get in? The secret passageway (which we have hinted at) extending from (under) the Sphinx, by a circuitous course, and entered at the N. E. corner of the building, *the entrance being completely stopped with granite plugs*, has not been open to the *uninitiated* during the advent of our present race of people. Therefore, there was no possible way of entering the pyramid (known) until the hirelings of the Caliph Al Mamoun, forced the *key stone* out of the (present) entrance passage, from the inside, through his forced passage way, in the year 820 A. D. And that "key stone" as well as the *lid* to the *coffer* in the king's chamber, together with many of the (outside covering) angle stones, have been carried away into India; and possibly are now in the possession of the wealthier Maharajas of that country.

(3.) Barring the space occupied by the *forced* passageway of Caliph Al Mamoun, the following named chambers and passageways will account for all the hollow space in the interior of the great pyramid, so far as is known to the scientific world, at this date, 1907: *viz.*, *The King's Chamber*, located on the 50th layer of stone at an elevation of (about) 142.82 feet above the pavement and (about) 9.68 feet south of the verticle axis of the pyramid.

The Ante-Chamber is situated adjoining the king's chamber, on its north side, at the same elevation; the verticle axis of the pyramid forming its north boundary.

The Queen's Chamber is located on the 25th layer of stone, at an elevation of (about) 75.58 feet above the pavement, the verticle axis of the pyramid forming its south boundary line.

The Subterranean Chamber is situated (about) 100 feet below the basal plane of the pyramid (in native limestone rock), the center of which chamber is located directly under the verticle axis of the building and the floor of which is about 586 feet below the apex of the structure, as it stood in the early part of the year 820 A. D. The entrance to which is reached (at present) through the entrance on the north side of the pyramid: you descend at an angle of 26° for 340 feet to reach the subterranean chamber. The following extract from the 4th edition of "*Our Inheritance in the Great Pyramid*" by Piazzzi Smyth, will thoroughly illustrate the shape, and present (and ancient) condition of this chamber; and at the same time show that Prof. Smyth did not know, or conceive, the purpose for which this chamber was originally constructed; viz.—“that then it contained within, or beneath its foot (trending down from the north, and entering at a point about 49 feet above the ground, near the middle of that northern side) merely an inclined descending passage of very small bore, leading to a sort of subterranean, excavated chamber in the rock, about 100 feet vertically under the center of the base of the whole built monument.

“This one subterranean chamber did really exist, in so far as it had been *begun* to be carved out, deep in the heart of the rock, with admirable skill. For the workmen, having cut their sloping way down to the necessary depth by the passage, commenced with the chamber's ceiling, making it exquisitely smooth, and on so large a scale as 46 feet long by 28 broad. Then sinking down the walls from its edges in verticle planes, there was every promise of their having presently, at that notable 100-foot depth inside, or rather underneath the surface of the otherwise solid limestone mountain, a rectangular hollow space,

or chamber, whose walls, ceiling and floor should all be perfect, pattern planes. But when the said men, the original workers it must be presumed, had cut downwards from the ceiling to a depth of about 4 feet at the west end, and 13 feet at the east end, they stopped in the very midst of their occupation. A small, very small, bored passage was pushed into the rock merely a few feet further toward the south, and then that was also left unfinished; a similar abortive attempt was likewise made downwards, but with the only result, that the whole floor, from one end of the chamber to the other, was left a lamentable scene of holes, rocks, and up-and-down, fragmentary confusion. Verily, (seeing that the whole light of day was reduced down there to a mere star-like point at the upper end of the long entrance passage, nearly 340 feet long) verily, it was an answering locality for "the stones of darkness and the shadow of death." (See Plate VI. and IX.)."

Will any enthusiastic Egyptologist of this day, that has already accepted Prof. Smyth's theory of a *Deified Architect*, still believe with him, that the Subterranean Chamber, or any other portion of the pyramid, *is unfinished*, or in other words, not completed *in exactly* the way it was originally designed? We think not; for, when the reader broadens out to the theory—that the whole pyramid, including the Sphinx, the different passageways and *this* Subterranean Chamber, constitutes one "*grand initiatory asylum*," he will *perceive* that the *perfection* of the ceiling, and the *chaos* of the floor, represents "*the unfinished state of the temple*." This is where the *candidate* was first brought to light and received his first lesson in astronomy.

The remaining portion of the hollow or vacant space in the pyramid, is to be found in the passageway (*descending*) from the north side of the pyramid down to the subterranean chamber, 370.5 feet; the horizontal passage from the lower end of the grand gallery to the entrance of the Queen's Chamber, 128.6 feet; the ascending passageway

from a point on the *descending* passage way 82 feet from the north end, to the beginning of the Grand Gallery, 128.5 feet; the Grand Gallery, *ascending*, from a point commencing at the entrance of the horizontal passage-way, to its ending at the Ante-Chamber, 156.75 feet. And then the well, 191 feet, nearly verticle, and the Grotto, an enlarged space within the well. The above mentioned points constitute about all the space *known* to exist within the Great Pyramid. The area and size of each will be given in another chapter. To the student who has followed our argument and conjectures up to this point, we would put the query: Do you *think*, or *imagine*, that the above mentioned "*hollow*" or *blank space*, or *chambers* and *passage-ways* are the *only chambers, etc.*, contained in that massive grand structure? Think of the size of it—covering as it does over 13.34 acres and about 486 feet high when it was perfectly encased in its original form, and containing over 93,060,000 cubic feet of masonry. *Unless*, some time in the future other chambers are discovered, and found to be even more spacious than those now known to the world at large, intelligent humanity will begin to query, and stand in awe! at this wonderful waste of material. It will be on a par with the heavenly bodies, *i. e.*, if we discover that this little insignificant *earth* of ours, is the only planet inhabited? The author does believe that many of the fixed stars are inhabited; and further (which will be possible to prove) that the Great Pyramid Jeezeh contains at least *three* more chambers, located between the King's Chamber and the apex and at least *one* with double the capacity of the latter. And we will now suggest their location. After the Queen's Chamber on the 25th layer of stone; and the King's Chamber at the 50th layer; we would place the next larger chamber on the 75th layer, and the *very largest* hall, or chamber on the 100th layer of masonry. This chamber should equal in capacity the other three below it. The final, or fifth chamber on the 120th course of masonry; and its size should be just one-half that of the King's

Chamber. A further explanation of the above will appear in our closing chapter.

(Sec. 62.) The records of all past history (regarding the Great Pyramid) are a unit on the "tombic subject" that "No remains of any kind of coffin *have* ever been reported to have been found in any chamber or passageway of the Great Pyramid."

There has been some scholastic question of late years as to whether Herodotus in 445 B. C., Strabo 18 A. D., Pliny 70 A. D., and others of the more mediæval ancients, or their immediate informants, were ever actually inside the Great Pyramid; for sometimes it has been maintained that the edifice was inviolably sealed, and that what they mentioned of the interior was only on the reports of tradition. All written history seems to corroborate the above statement.

That subterranean chamber, which *ought* to have been the first thing finished, according to both all ancient Egyptian ideas and the "Lepsius Law" of profane Egyptian-Pyramid building,—but was not. The very chamber which ought to have contained (if it was built for the same purpose, that all subsequent pyramids were) a real sculptured sarcophagus, mummy, paintings, and inscriptions,—but which only really held the rough, natural rock-contents of the lower part of the room, not yet cut out of the bowels of the mountain.

In short, all the classic and idolatrous nations of old (say from 1400 B. C. to 820 A. D.) knew nothing whatever about the now known real interior of the Great Pyramid's construction or purpose.

THE GREAT PYRAMID ENTERED FOR THE FIRST TIME, SINCE ITS ORIGINAL BUILDERS SEALED IT UP, THE DATE OF WHICH IS UNKNOWN.

(Sec 63.) Caliph Al Mamoun, son of Haroun Al Raschid, of the "Arabian Nights", during the early part of the year 820 A. D. with the aid of his Mohammedan workmen, has to his credit "the first to enter" (by a forced passageway) this First Great Wonder of the World. He directed his Mohammedan workmen to begin at the *middle* of the northern side; precisely, says Sir Gardner Wilkinson, "as the founders of the Great Pyramid had foreseen, when they placed the entrance, (present entrance) not in the middle of that side, but 24 feet and some inches away to the east, as well as many feet above the ground level. Hard labor, therefore, was it to these masons, quarrying with the rude instruments of that barbarous time, into stone-work as solid (almost before them) as the side of a hill.

They soon indeed began to cry out "Open that wonderful Pyramid! It could not possibly be done!" But the Caliph only replied, "I will have it most certainly done." So his followers perforce had to quarry on unceasingly by night and by day. Weeks after weeks, and months too, were consumed in these toilsome exertions; the progress, however, though slow, was so persevering that they had penetrated at length to no less than 100 feet in depth from the entrance. But by that time becoming thoroughly exhausted, and beginning again to despair of the hard and hitherto fruitless labor, some of them ventured to remember certain improving tales of an old king, who had found, on making the calculation, that all the wealth of Egypt in his time would not enable him to destroy one of the Pyramids. These murmuring disciples of the Arabian prophet were in the midst of their various counsel, they heard a great stone evidently fall in some hollow space within no more than a few feet on one side of them! In the fall of that particular

stone, there almost seems to have been an accident that was more than an accident. Energetically, however, they instantly pushed on in the direction of the strange noise; hammers, and fire, and vinegar being employed again and again, until, breaking through a wall surface, they burst into the hollow way, "exceeding dark, dreadful to look at, and difficult to pass," they said at first, where the sound had occurred. It was the same hollow way, or properly the pyramid's inclined and descending (present) entrance passage; but now it not only stood before another race, and another religion, but with something that the others never saw, *viz.*, its chief leading secret, for the first time since the foundation of the building, nakedly exposed; and exhibiting the beginning of an internal arrangement in the Great Pyramid, which is not only unknown in any and every other Pyramid in Egypt, but which the architect here, carefully finished, scrupulously perfected, and then most remarkably sealed up before he left the building to fulfil its prophetic destination at the end of its appointed thousands of years. A large angular fitting stone that had made for ages, with its lower flat side, a smooth and polished portion of the ceiling of the inclined and narrow entrance passage, quite indistinguishable from any other part of the whole of its line, had now dropped onto the floor before their eyes; and revealed that there was just behind it, or at and in that point of the ceiling which it had covered, the end of another passage, clearly ascending therefrom and towards the south, out of this also southward going but descending one! (See Plate IX.)

But that ascending passage itself was still closed a little further up by an adamantine portcullis, or rather stopper, formed by a series of huge granite plugs of square wedge-like shape dropped, or slipped down, and then jammed in immovably, from above. (Note the above fact, which we shall hereafter comment upon.) To break them in pieces within the confined entrance passage space, and pull out the fragments there, was entirely out of the ques-

tion; so the grim crew of Saracen Mussulmans broke away sideways or round about to the west through the smaller ordinary masonry, and so up again (by a huge chasm still to be seen, and indeed still used by all would-be entrants into the further interior) to the newly discovered ascending passage, at a point past the terrific hardness of its lower granite obstruction. They did up there, or at an elevation above, and a position beyond the portcullis, find the passage way still blocked, but the filling material at that part was only limestone; so, making themselves a very great hole in the masonry along the western side, they there wielded their tools with energy on the long fair blocks which presented themselves to their view. But as fast as they broke up and pulled out the pieces of one of the blocks in this strange ascending passage, other blocks above it, also of a bore just to fill its full dimensions, slid down from above, and still what should be the passage for human locomotion was solid stone filling. No help, however, for the workmen—the Commander of the Faithful is present and insists that, whatever the number of stone plugs still to come down from the mysterious reservior, his men shall hammer and hammer them, one after the other, and bit by bit to little pieces at the only opening where they can get at them, until they do at last come to the end of all. So the people tire, but the work goes on; and at last, yes! at last! the ascending passage, beginning just above the granite portcullis, and leading thence upward and to the south is announced to be free from obstruction and ready for essay. Then, by Allah, they shouted, the treasures of the Great Pyramid, sealed up from the fabulous times of the mighty Ibn Salhouk, and undesecrated, as it was long supposed, by mortal eye during all the intervening thousands of years, lay full in their grasp before them.

On they rushed, that bearded crew, thirsting for the promised wealth. Up no less than 110 feet of the steep incline, crouched hands and knees and chin together, through a passage of royally polished white limestone, but

only 47 inches in height and 41 in breadth they had painfully to crawl, with their torches burning low. Then suddenly they emerge into a long tall gallery, of seven times the passage height, but all black as night and in a death-like calm (see Plate XI.); still ascending though at the strange steep angle, and leading them away farther and still more far into the very inmost heart of darkness of this imprisoning mountain of stone. In front of them, at first entering into this part of the now termed "Grand Gallery," and on the level, see another low passage; on their right hand (see Plates IX. and X.) a black, ominous-looking well's mouth, more than 140 feet deep, and not reaching water but only lower darkness, even then; while onwards and above them, a continuation of the glorious gallery or upward rising hall of seven times, leading them on, as they expected, to the possession of all the treasures of the great ones of antediluvian times. Narrow, certainly, was the way—only 6 feet broad anywhere, and contracted to 3 feet at the floor—but 28 feet high, or almost above the power of their smoky lights to illuminate; and of polished, glistening, marble-like, cyclopean stone throughout. (See Plate XIV.)

That must surely, thought they, be the high-road to fortune and wealth. Up and up its long ascending floor line, therefore, ascending at an angle of 26° , these determined marauders, with their lurid fire-lights, had to push their dangerous and slippery way for 150 feet of distance more; then an obstructing 3 foot step to climb over (what *could* the architect have meant by making a *step* so tall as that?); next a low doorway to bow their heads most humbly beneath ("It is a rocky road up to the zenith of the hill of science and even the *king on his throne*, must *stoop* to conquer.") (See Plates XII. and XIV.); then a hanging portcullis to pass, almost to creep under, most submissively; then another low doorway, in awful blocks of frowning red granite both on either side, and above and below. But after that, they leaped without

further let or hindrance at once into the grand chamber, which was and is still, the conclusion (so far as is known) of everything forming the Great Pyramid's interior; the chamber to which, and for which, and toward which, according to every subsequent writer (for no older ones knew any fragment of a thing about it), in whatever other theoretical point he may differ from his modern fellows—the whole Great Pyramid was originally built. (See Plate XV.)

And what find they there, those maddened followers in Caliph Al Mamoun's train? A right noble apartment, now called the King's Chamber, roughly 34 feet long, 17 broad, and 19 high, of polished red granite throughout—walls, floor, and ceiling; in blocks squared and true, put together with such exquisite skill that no autocrat emperor of recent times could desire anything more solidly noble and at the same time beautifully refined.

Ay, ay, no doubt a well-built room, and a handsome one, too; but what does it contain? where is the treasure? The treasure! Yes, indeed, where are the promised silver and gold, the jewels and the arms? The plundering fanatics look wildly around them, but can see nothing, not a single *dirhem* anywhere. They trim their torches and carry them again and again to every part of that red-walled, flinty hall, but without any better success. Nought but pure, polished, red granite, in mighty slabs, looks calmly down upon them from every side. The room is clean, garnished too, as it were; and, according to the ideas of its founders, complete and perfectly ready for its visitors, so long expected, and not arrived yet; for the gross minds of those who occupy it now find it all barren; and declare that there is nothing whatever of value there, in the whole extent of the apartment from one end to another; nothing, except *an empty stone chest without a lid*.

The Caliph Al Mamoun was thunderstruck, on receipt of this information. He had, through his workmen, arrived at the very ultimate part of the interior of the Great Pyra-

mid he had so long desired to take possession of; and had now, on at last carrying it by storm, found absolutely nothing that he could make any use of, or saw the smallest value in. So being signally defeated though a commander of the Faithful, his people began plotting against him.

But Al Mamoun was a Caliph of the able day of Eastern rulers for managing mankind; so he had a large sum of money secretly brought from his treasury, and buried by night in a certain spot near the end of his own quarried entrance-hole. Next day he caused these same workmen to dig precisely there, and behold! although they were only digging in the Pyramid masonry just as they had been doing during so many previous days, yet on this day they found a treasure of gold; and the Caliph ordered it to be counted and lo! it amounted to *the exact sum* that had been incurred in the works, neither more nor less. And the Caliph (of course) was astonished, and said he could not understand how the kings of the Pyramid of old, actually before the Deluge, could have known exactly how much money he would have expended in his undertaking; and he was (apparently) lost in surprise. But as the workmen got paid for their labor, and cared not whose gold they were paid with so long as they did get their wages, they ceased their complaints, and dispersed; while as for the Caliph, he returned to the city, El Fostat, notably subdued, musing on the wonderful events that had happened; and both the Grand Gallery, and the King's Chamber, with its "stone chest without a lid" were troubled by him no more.

The way once opened, though no more traversed, by the Caliph Al Mamoun (as he presently left Egypt for his more imperial residence in Bagdad, Asiatic Turkey, and ended his days there in 842 A. D., about 40 years before the time of Alfred the Great. That way into the Great Pyramid then remained free to all; and "men did occasionally enter it," says one of the most honest chroniclers of that period, "for many years, and descended by the slippery passage which is in it, with no other alleged result than that some of them came out safe, and others died." (?)

The history of Egypt, from the reign of the Caliph Al Mamoun down to the invasion of that land by Napoleon Bonaparte, with his 70,000 red-republican soldiers in the year 1798, is one of bloodshed and murder; as very few, if any, of its rulers actually died a natural death. Under *such* circumstances, very little *reliable* history exists; either regarding that country, or the Great Pyramid that still stands on the banks of the Nile.

The city of El Fostat, in sight of the Great Pyramid was taken and burned, and the women reduced to slavery, A. D., 905. From that time down to 970 A. D. when El Kahireh, or Cairo, was founded by Gohar—anarchy, bloodshed, rival and shortlived rulers, invasions, desolations, slaughters and battles form the record; and little or no better for a century following.

PROFESSOR JOHN GREAVES, THE OXFORD ASTRONOMER, VISITS THE GREAT PYRAMID.

(Sec. 64) Among the first of the scientists to visit the Great Pyramid in modern times, was Prof. Greaves, in the year 1637 A. D. His conclusions, after making many scientific measurements, were given to the public through his writings, and lectures, and started the scientific world to thinking. His example soon found imitators, that visited the pyramid, and they increased in numbers as the centuries passed by.

The natural instinct of nations soon singled out the Great Pyramid as being far more interesting than any other monument of the general Pyramid kind; while in that one building again, the same empty stone chest, which had so affronted the Caliph Al Mamoun, still offered itself there in the interior too, as the chief object for explanation. Why was it in such a place of honor? Why was the whole Pyramid arranged in subservience to it? Why was it, this mere coffer-box, so unpretending and plain? Why was it empty, lidless and utterly without inscription, continually demanded modern Europe? (It should be no enigma to an "Illustrious Mason.")

Gradually the notion grew that it might be a sarcophagus; and that it was a sarcophagus; and that it had been intended for "that Pharaoh who (in 1542 B. C.) drove the Israelites out of Egypt; and who, in the end, leaving his body in the Red Sea, never had the opportunity of being deposited in his own tomb."

But this idea was effectually quashed, for amongst other reasons, this forcible one—that the Great Pyramid was not only built, but had been sealed up too in all its more special portions, long before the birth even of that Pharaoh. Nay, before the birth of Isaac and Jacob as well; which disposes likewise of the attempt to call the Great Pyramid "the tomb of Joseph," whose mortal remains being carried away by the Israelites in their exodus, left the vacancy we now see in the coffer or stone box. Also the story of its being the coffer of King Cheops, or Chemmis, of the Royal and Fourth Dynasty, and *supposed* builder of the Great Pyramid according to the Greeks. Whereupon Professor Greaves pointed out "that Diodorus had left, over 1,600 years since, a memorable passage concerning Chemmis (Cheops) the builder (*supposed*) of the Great Pyramid, and Cephren (Shafre) the equally royal founder of the Pyramid adjoining. Although," said he, "those kings intended these for their sepulchres, yet it happened that *neither of them were buried there*. For the people being exasperated against them by reason of the toilsomeness of these works, and for their cruelty and oppression, threatened to tear in pieces their bodies, and with ignominy to throw them out of their sepulchres. Whereupon both of them, dying, commanded their friends to *bury them in an obscure place*."

Again, both Professor Greaves and other scholars salutarily brought up to check the then public mania for calling the coffer Cheops' coffin, the very clear account of Herodotus that King Cheops could not possibly have been buried in the Great Pyramid building above, simply because he was buried low down, in a totally different place; viz.,

"in a subterranean region, on an island there surrounded by the waters of the Nile." And as that both necessarily and hydraulically means a level into which the Nile water could naturally flow, it must have been at a depth of more than fifty feet beneath the very bottom of even the unfinished subterranean chamber, the deepest work found yet underneath, or connected in any way with, the Great Pyramid. Exactly such a locality, too, both sepulchral, and with precisely the required hydraulic conditions, has since then been found about 1,000 feet southeast of the Pyramid building. (See Plate XIX.)

THE SARCOPHAGUS THEORY SUCCESSFULLY EXPLODED.

(Sec. 65.) All the single sarcophagus propositions for the benefit of that most remarkable stone chest in the red-granite chamber of the Great Pyramid having failed their remains have been merged into a sort of general sarcophagus theory, that some one must have been buried in it. And this notion finds much favor with the Egyptologists, as a school; though facts are numerous against them, even to their own knowledge. They allow, for instance, that in no other Pyramid is the *sarcophagus*—as they boldly call the empty stone chest, or granite box of other authors—contained high up in the body of the Pyramid, far above the surface of the ground outside; that in no other case, ("excepting the sarcophagus of the second Pyramid, but which is not known to have ever been occupied by a mummy"), it is perfectly devoid of adornment or inscription; that in no other case, not even the exception just alluded to in regard to the Second Pyramid, has the lid so strangely vanished; in no other case are the neighboring walls and passages so devoid of hieratic and every mythological emblem; in fact, they confess that the red granite coffer, with all that part of the Great Pyramid's chambers and ascending passages where it is found, is entirely unique

was unknown before Caliph Al Mamoun's day (820 A. D.) and is strictly peculiar to the Great Pyramid.

Observe also with the alleged "sarcophagus," in the *King's Chamber* (for so is that apartment now most generally termed), that there was no ancient attempt to build the vessel up and about in solid masonry, in the most usual and truly effective manner for securing a dead body inviolate. On the contrary there were magnificently built white stone passages of a most lasting description, ready to lead a stranger right up to such far interior sarcophagus from the very entrance itself; while, more notably still, the shapely *King's Chamber* was intended to be *ventilated* in the most admirable manner by the "air channels" discovered by Col. Howard Vyse, in 1837 A. D.; evidently (as the actual fact almost enables us to say with security) in order that men might come there in the latter day, and look on and deal with, that granite chest, (key to the "Source of Measures") and look on, and deal with that open chest and live and not die.

Meanwhile, some few men with broad views and true in scientific researches—witness M. Jomard in the celebrated "*Description de l'Egypte*," and Sir Gardner Wilkinson in his own most deservedly popular works—had begun to express occasional doubts as to whether any dead body either of a king or of any other mortal man ever was deposited in the open vessel of the *King's Chamber*.

To quote all the "*pro's and con's*" of even the *scientific* and *noted* men of the past, requiring this "stone puzzle," would require over 100 volumes, as large as this to give the subject fair publicity. We cannot, however, overlook the celebrated

JOHN TAYLOR'S THEORY.

In the midst of such scenes, illustrating, unfortunately, what is actually going on, and chiefly applauded still, among the Egyptologists of the nineteenth century, came in to public favor the celebrated John Taylor. (He was born in 1781 and died in 1864.) The result of his long and

respectful researches, suggests more or less that, "The coffer in the King's Chamber of the Great Pyramid was intended to be a standard measure of capacity and weight; primarily in a special, exclusive, or selective manner, but ultimately for all nations; and *certain* nations, he considered, did thence originally receive their weights and measures; so that those of them who still preserve, to some degree, with their language and history, their *hereditary*, *aboriginal* weights and measures, may yet trace their prehistoric connection substantially with that one primeval, standard, metrological center for all the future world, the Great Pyramid.

"When the British farmer measures his wheat, in what term does he measure it? In *quarters*. Quarters of what? The existing British farmer does not know; for there is no capacity measure now on the Statute book above the quarter; but, from old custom, he calls his largest corn measure a quarter. Whereupon John Taylor adds in effect: "The quarter corn measures of the British farmer are fourth parts or *quarters* of the contents of the coffer in the King's Chamber of the Great Pyramid; and the true value in size of its particular corn measure, has not sensibly deterioriated during all the varied revolutions of mankind in the last 4,000 years."

JOHN TAYLOR'S COFFER THEORY PRACTICALLY EXAMINED.

The above is a statement not to be implicitly accepted without a full examination; and something in that way can fortunately be instituted very easily; as thus:—The first part of the problem is merely to determine the cubical contents of the vessel known successively, from Caliph Al Mamoun's day to our own, as the "sarcophagus," "the empty box," "the lidless stone chest," or more philosophically and safely, so as not to entangle ourselves with any theory, "the coffer," in the King's Chamber of the Great Pyramid. From Colonel Howard Vyse's important

work are drawn forth and arranged, in the following table, all the chief mensurations taken between 1550 A. D. and 1840 A. D., some of the principal authors being consulted in their original writings. Their measures, generally given in feet, or feet and inches, (the feet of all authors when not otherwise particularized, have been here assumed as English feet, and in some cases may require a correction on that account, but not to any extent sufficient to explain the chief anomalies observed) or Metres, are all here set down in British inches, to give a clearer view of the progress of knowledge in this particular matter. And now our only bounds to exactness will be, the capability of these educated men of Europe to apply accurate instrumentation to a regularly formed and exquisitely prepared specimen of ancient mechanical art.

MODERN MEASURES OF THE GREAT PYRAMID COFFER UP TO 1864

Authors of Measurements	Date	Coffer	Exterior			Interior		
		Material as Named	Length	Breadth	Height	Length	Breadth	Depth
Bellonius.....	A. D. 1553	Black Marble...	144	72
P. Alpinius.....	1591	Black Marble...	144	60	60
Sandys.....	1610	84	47	Breast High
De Villamont.....	1618	Black Marble...	102	60
Prof. Greaves.....	1638	Thebaic.....	87.5	39.75	39.75	77.856	26.616	34.320
De Monconys.....	1647	86.	37.	40.
M. Thevenot.....	1655	Hard Porphyry	86.	40.	40.	75.?	29.?
M. Lebrun.....	1674	74.	37.	40.
M. Maillet.....	1692	Granite.....	90.	48.	48.
De Careri.....	1693	Marble.....	86.	37.	39.
Lucas.....	1699	Like Porphyry	84.	36.	42.	74.?	26.?
Egmont.....	1709	Thebaic Marble	84.	42.	72.?
Pere Sicard.....	1715	Granite.....	84.	42.	36.
Dr. Shaw.....	1721	Granite.....	84.	36.	42.	72.?	24.
Dr. Perry.....	1743	Granite.....	84.	30.	36.
M. Denon.....	1799?	84.	48.	38.
M. Jomard and Eg. Fr. Ac.....	1799	Granite.....	90.592	39.450	44.765	77.836	26.694	37.285
Dr. Clarke.....	1801	Granite.....	87.5	39.75	39.75
Mr. Hamilton.....	1801	Granite.....	90.	42.	42.	78.?	30.?
Dr. Whitman.....	1801	78.	38.75	41.5	66.?	26.75?	32.
Dr. Wilson.....	1805	92.	38.	80.?	26.?	34.5
M. Caviglia.....	1817	90.	39.	42.	78.?	27.?
Dr. Richardson.....	1817	Red Granite...	90.	39.	39.5
Sir G. Wilkinson.....	1831	Red Granite...	88.	36.	37.
Howard Vyse.....	1837	90.5	39.0	41.0	78.0	26.5	34.5
Piazzi Smyth.....	1864	Red Granite...	90.1	38.72	41.27	77.93	26.73	34.34
Dr. Grant.....	1864	Red Granite...	38.75
Mr. Jas. Simpson.....	1864	89.92	38.68	41.23	77.85	26.70	34.31

N. B.—A note of interrogation after any of the *interior* measures indicates that they have been obtained by ap-

plying to the exterior measures the "thickness", as given by the observer; such thickness being supposed to apply to the sides, and not to the bottom, which may be different.

REVIEW OF THE "COFFER MEASURE" AS GIVEN ABOVE.

Look at them, is not the list a little appalling? An ordinary carpenter amongst us uses sixteenths of an inch quite frequently, and sometimes undertakes to make a special piece of cabinet work "fit to a thirty-secondth of an inch"; but our learned travelers commit errors of many whole inches; and this when they are voluntarily, and of their own prompting only, measuring the one and only internal object which they found to measure, or thought should be described by measure, in the whole interior of the Great Pyramid.

Professor Piazzzi Smyth, after making several visits, and spending many months in measuring the Great Pyramid both inside and outside, with the most carefully prepared *special* implements of measure, says: "I feel compelled to say, that out of the twenty-seven quoted authors no less than twenty-two must be discharged summarily as quite incompetent, whatever their mental attainments otherwise, to talk before the world about either size or proportion in any important *practical* matter.

"Professor Greaves in 1638, the French Academicians in 1799, and Colonel Howard Vyse in 1837, are therefore the only three names that deserve to live as coffer measurers in the course of 250 years of legions of educated European visitors. Of these three parties thus provisionally accepted, the foremost position might have been expected for the Academicians of Paris. Professor Greaves lived before the day of European science proper. While Colonel Howard Vyse did not lay himself out for very refined measurements; but rather went through what he felt himself obliged to undertake in that direction, in the same fearless, thorough-going, artless but most honest manner in which the Duke of Wellington was accustomed to review a picture

exhibition in London, beginning with No. 1 in the catalogue and going through with the whole of them conscientiously to the very last number on the list.

"The Colonel's measures, therefore, are respectable and solidly trustworthy with regard to large quantities, but not much more.

"With the French Academicians it is quite another thing; they were the men, and the successors of the men, who had been for generations measuring arcs of the meridian, and exhausting all the refinements of microscopic bisections and levers of contact in determining the precise standard scales. Their measures, therefore, ought to be true to the thousandth, and even the ten-thousandth part of an inch; and perhaps they are so in giving the *length* and *breadth* of the coffer; but, alas! in their statements of the *depth* inside, and the *height* outside, there seems to have been some incomprehensible mistake committed, amounting to nearly *three inches*. Under such circumstances and after having failed to obtain any satisfactory explanation from the Perpetual Secretary of the Academy in Paris, I have been compelled to discharge the French Academy, also, from the list of fully trustworthy competitors for usefulness and fame in Pyramid coffer metrology. Only two names therefore, are left—Howard Vyse, who has been already characterized and Greaves, in whom we have most fortunately a host indeed."

SKETCH OF THE EASTERN TRAVELING OXFORD ASTRONOMER, PROF. GREAVES, IN 1673

(Sec. 66.) He lived before the full birth of European science, but on the edge of an horizon which is eventful in scientific history; with an unusual knowledge, too, of Oriental languages, and a taste for travelling in the then turbulent regions of the East, Prof. Greaves belongs almost to the heroic time. Immediately behind him were, if not the dark ages, the scholastic periods of profitless verbal disquisitions; and in front, to be revealed after his death, were the germs of the mechanical and physical

natural philosophy which have since then changed the face of the world.

Now every other visitor to the Great Pyramid, both, before and since Greaves, paid vastly more attention to the exterior than the interior of the coffer, he defined it particularly thus:—"It is in length on the west side 6.488 feet," "in breadth at the north end, 2.218 feet," "the depth is 2.860 feet."

GREAVES' AND VYSE'S COFFER CAPACITY DETERMINATIONS.

Cubical contents of the coffer in English inches by Greaves' full measures, in 1838:—

$$77.856 \times 26.616 \times 34.320 = 71.118.$$

And by Howard Vyse's measures, taken in 1837:—

$$78.0 \times 26.5 \times 34.5 = 71.311.$$

Several small corrections may possibly be applicable to these numbers as read off; we may accept for a *first approximation* the mean of the above statements, or 71,214 cubic inches, as the apparent capacity contents of the coffer of the King's Chamber.

Now, what proportion does that number bear, to the capacity of four modern English corn quarters, in terms of which British wheat is measured and sold at this date (1907)?

One English gallon is declared to be equal to 277.274 cubic inches; which quantity being multiplied for bushels, quarters, and four quarters, yields 70,982.144 English cubic inches. Whence the degree of agreement between a quarter modern British and a fourth part of the ancient coffer, or granite box, and possible type of a both primeval and *ancient* corn measure in the Great Pyramid, is at this present time as 17,746 : 17,804.

RED GRANITE THE TRUE MATERIAL OF THE COFFER.

By reference to the *third column* in our last table of "Modern Measurements of the Coffer," it will be observed that travellers have assigned the coffer to almost every

mineral, from black marble to red granite, and porphyry of a color which no one has ventured to name. Yet John Taylor concluded for porphyry, and called the vessel the "Porphyry Coffin," even Piazzi Smyth in his early volume of "Life and Work," published before visiting the pyramid, named it porphyry.

He says: "Nevertheless, I having at last visited Egypt in 1864-5, after the publication of the first edition of my work, spent almost whole days and weeks in the King's Chamber of the Great Pyramid until all sense of novelty and needless mystery in small things had worn away; and decided without the smallest hesitation, for the material of the coffin being syenitic granite, exceedingly like but perhaps a little harder as well as darker than the constructive blocks of the walls of the King's Chamber containing it."

In every possible or even imaginable instance, such hard granite is wonderfully distinct, naturally from the soft limestone (sometimes, but with less error, called marble) of the rest of the Great Pyramid's structure; and it is not a little important, in all Pyramid research there to be able in that monument to detect for certain whenever the primeval architect abandoned the use of the limestone he had at hand, and adopted the granite procured with utmost toil and expense from a distance; whether it came from Syene, as modern Egyptologists usually determine, or from Sinai, as Professor Greaves infers; or from Atlantis, or America, as we think.

Professor Smyth again says:—"Sad confusion here between granite and porphyry in the seventeenth century; while in the 'unheroic eighteenth century' Anglo-Saxon ignorance of granite culminated. No fresh granite was then being worked anywhere direct from nature, and the monuments of antiquity composed of it were first suspected, and then alleged to be fictitious; as thus stated by a Mediterranean traveller in 1702:— 'The column of Pompey' at Alexandria. Some think it of a kind of *marble*, but

others incline rather to believe that it was manufactured stone, or, as some writers put it 'of *melted stone*' cast in moulds upon the place. The latter reason is indulged in by many, for two reasons, (1.) for there is *not the least piece of that stone to be found* (naturally) *in any part of the world*, at this time; (2.) and the pillar is so prodigiously big and high that it could hardly be erected without a miracle." Prof. Smyth says: "I know it is alleged by those who believe the story of the Rhodian colossus that the ancients had the advantage of admirable machines to raise such bulky pieces; but I should reckon myself extremely obliged to those gentlemen if they would show me any probable reason why among so great a variety of Egyptian monuments of antiquity, there is not one of *marble*; and by what unaccountable accident the stone called *granite*, which was then so common, is now grown so scarce that the most curious inquiries into the works of nature cannot find the least fragment of it, that was not employed in ancient structures?

"And even though I should suppose with my adversaries, that the quarries out of which this stone was dug were by degrees so entirely exhausted that there is not the least footstep of 'em left, and that Nature herself has lost so much of ancient vigor and fecundity that she is not able to produce new ones, I may still be allowed to ask why granite was only used in obelisks or columns of a prodigious bigness; for if it were really a sort of (natural) stone or marble, I see no reason why we might not find small pieces of *it*, as well as of *porphyry* and other kinds of marble."

Replying to Professor Smyth's argument, and queries, as quoted above, we would say: (1.) the reason why we cannot find any similar piece of *marble*, or *granite*, to correspond with that of the coffer or walls in the King's Chamber, or the Column of Pompey (or Pompey's Pillar) that stands about 1,800 feet south of the walls of Alexandria is, that none of this stone was ever formed on, or brought from

any landed continent *now in existence*. But, as one of the proofs of our theory, is, that it came from the "*Continent of Atlantis*," or the land that once formed the continent, now known as the Atlantic Ocean. (2.) And the reason why it seems *miraculous* to most students of Egyptology, in this enlightened day, that such massive stones as constitute the principal parts of the Great Pyramid, and such Monoliths as above mentioned, could be brought any great distance, or be raised, or placed in position when on the ground is: that they cannot conceive of any "lost art" or wisdom, not possessed by the mechanics and wise men of this enlightened day. (3.) While our present day mathematicians, have (practically) found a correct "quadrature of the circle," and the "Aztec Tempered Copper Manufacturing Company," of Seattle, Washington, has successfully tempered copper (97 per cent pure) to equal or excel the very best quality of steel, and the "Georgia Girl" has accomplished the feat of "*overcoming gravitation*"; we have much more to accomplish before the wise *architects* of this enlightened day and age, can duplicate the Great Pyramid.

(Sec. 67.) WISE MEN DIFFER AS TO WHAT IS LIMESTONE OR GRANITE—Prof. Smyth says:—"When, for instance, my wife and I were living through several months in a tomb of the eastern cliff of the Great Pyramid Hill in 1865, a Cambridge man, with a most respectable name in science, and a sage-looking, experienced head of iron-grey hair, called upon us and remarked (to the lady, too, who knows a great deal more about minerals than I do) 'What a fine *granite* cavern you are living in!' Granite, indeed, poor man! when the petrified mummulites were staring at him all the time out of the nought but limestone on every side! And other travellers within the last few years have confidently talked of having seen granite in the entrance passage of the Great Pyramid, granite in the subterranean chamber, granite forming the casing stone heaps outside, granite, in fact, anywhere and every-

where; and basalt dykes in the Pyramid hill too, though in a country of pure mummulithic limestone.

“They, however, being free and independent writers, cannot be easily interfered with; but will my readers at least excuse me for insisting upon it, that for any would-be Pyramidist scholar it is a most awful mistake to say granite when he means limestone, or *vice versa*; and to see limestone where the primeval architect went to infinite pains to place granite. To talk thus interchangeably of the two is, indeed, over and above saying the thing that is not in minerology over and above taking hard for soft, and soft for hard; Neptunian for Plutonian; repletion with traces of organic existence for nought but crystals that never had a breath of life in them—it is also on the part of such individual a depriving himself of the only absolutely positive feature that can, or should, speak to in all Pyramid inquiry; as thus:—Questions of amount of angle, length of line, and measure of weight are all, even in the best modern science researches, questions of degree of approximation only; or of limits of approach to a something which may never be actually touched, or finally defined. But if white mummulithic limestone cannot be distinguished absolutely from red granite, or if one of those substances is said to glide so insensibly into the other, that no man can say with confidence where one begins and the other ends—the age for interpreting the long secret interior of the Great Pyramid has not yet arrived.

“But I will not consent to any such state of mind afflicting the readers of this present edition; and would rather, with them, as one amongst friends and often, in many other learned subjects, betters than myself, request their attention (before further discussing the coffer in the King’s Chamber) to a prevailing feature of the *manner* in which the Great Pyramid makes its chief mechanical use of this triple rock, of strong colors and strange traditions, granite.

“There is granite in the Great Pyramid, and granite

in various small Pyramids; yet so far from their being therefore alike, it is on that very account, or by that very means, that most difference may be detected both in their designs and even in the minds of their designers.

“Take the third Pyramid as an example; the Egyptological world hailed it as the ‘Coloured Pyramid’; coloured, for sooth, because its casing-stones more than half-way up, were of red granite. That that little third Pyramid was therefore more expensive than the Great one, all its friends admit, and even boast of; but what else did it gain thereby? Lasting power, is the general idea; because granite is so proverbially hard. But, alas! granite, besides being hard, is also very brittle on account chiefly of its tri-crystallization, and is so largely expansible by heat, (NOTE—Having prepared in 1873, a number of slabs of different materials, both natural and artificial and then examined their lengths with a microscopic beam-compass both in summer and winter, I found all the harder stones, agate, chalcedony, green-stone flint, porphyry, and marble too, afflicted with larger heat expansions than the soft, fine-grained lime-stones, such as either the white lime-stone of the Great Pyramid, or the black lime-stone of Ireland) that under the influence of a hot sun by day and cold sky by night, it loosens and crushes minutely the materials of its own surface to little pieces, film by film, and age after age—until now, after 3,000 years, those hard granitic casing-stones of the third Pyramid are rounded along their edges into pudding shapes, which can hardly indicate the angle they were originally bevelled to, within a handful of degrees. Yet the softer, and fair, white lime-stone which was chosen of old for the casing of the Great Pyramid (a variety of which lime-stone is found in the Mokattam hill on the east side of the Nile), and which was begun to be exposed to the weather before the third Pyramid or its builders were born, has joined to that softness, so much tenacity, smallness of heat expansion, and strong tendency to varnish itself with a brownish iron oxide exudation, that it has in some instances

preserved the original angle of the casing-stones within a minute of a degree, and their original surface within the hundredth of an inch.

“But *because* the Great Pyramid architect found limestone to answer his purpose for casing-stones, did he therefore use it everywhere? No, certainly not. He knew it to be too soft to keep its size and figure in places where men do tend to congregate; and where strains and wear and tear may accumulate, and have to be strenuously resisted. In and towards the center, therefore, of the whole mass of the Great Pyramid, where strains do increase and the treasure was supposed to be kept, and where Caliph Al Mamoun in one age, and middle-class passengers from Australian steamers in another, rush trampling in to see what they can get by force,—there, whatever other purpose we may presently discover he also had, the Great Pyramid architect begin to use granite in place of lime-stone. And in the deep and solemn interior of that building, where he did so employ it, there was no sun to shine and heat up by day, no open sky to radiate cold at night; but only closed-in darkness and a uniform temperature from year to year, and century to century.

“There was, therefore, no tendency in granite to separate its component crystals *there*; but very great necessity for its hardness to resist the continual treading, or hammering and mischief-working by the countless visitors of these latter days. For the granite portion of the Great Pyramid (excepting only the portcullis, or stopper, blocks at the lower end of the first ascending passage) begins in the so-called ante-chamber apartment. A narrow chamber through which all visitors must pass, in order to reach that further, grander, and final Kings' Chamber wherein the employment of granite culminates; and wherein is to be seen standing loose and quite movable, except for its immense weight, on the open, level, granite floor, that Pyramid coffer or long and high granite box, which is still awaiting our further and higher examination.”

Professor Smyth again asks—"Why of that Size? If we grant, temporarily, for mere present argument's sake, that the long *rectangular granite* box, or coffer, in the King's Chamber of the Great Pyramid was intended by the precise, measured, amount of its cubic contents to typify, as Mr. Taylor has suggested, a grand and universal standard of capacity measure—can any reason in either nature or science be shown, why it should have been made of that particular size and no other? In a later age the designer of such a *metrological* vessel would have been hampered by custom, confined by law, or led by precedent. But in the primeval day of the foundation of the Great Pyramid, who was there then to control its architect; or from whom could that truly original genius have copied anything; or lastly, what was there to prevent *his* making the coffer therein of any size he pleased?"

I will tell you why: If the coffer had been carved out for no other purpose than for a "capacity measure," the architect and designer would, most probably, have been "hampered by custom, confined by law, or led by precedent." But, as this vessel was constructed for a double purpose, there was but one size and shape to make it. One of its purposes was most certainly intended for an "International measure of capacity," or at least a copy of the then existing law; the other, and principal purpose was, to "*illustrate* to candidates seeking knowledge of the hidden mysteries of life, both here, and beyond the veil." Any "illustrious mason" *could* reveal the details.

In the primeval day of the building of the Great Pyramid, over one thousand millions of people inhabited the earth; and, as that civilization had then a genealogy reaching back for at least 50,000 years, there were hundreds of similar designs extant to copy from; and the architect and builders of the Great Pyramid, *would not have ranked*, in their day, higher than hundreds of their fellows. Can there be any doubt in the mind of the reader, at this stage of our argument, that the Great Pyramid, including its

mysterious *coffer*, was *not built* in 2170 B. C.? When semi-barbarism and mechanical ignorance, grouped their way through Lower Egypt's darkness? Or, if built by a Deified architect and Deified workmen, (as suggested by Professor Smyth,) then *why*, if built for a moral or religious landmark, has it not had Deific protection from the marauders? *It has been protected*, but just in that proportion that the ancient founders outwitted the strength and willingness of the primeval and modern marauder.

THE COFFER MEASURES IN DETAIL IN ENGLISH INCHES.

By Prof. P. Smyth, in 1865, with corrections down to 1880: "This vessel, the sole contents of the dark King's Chamber, and termed according to various writers, stone box, granite chest, lidless vessel, porphyry vase, black marble sarcophagus, and coffer—is composed, as to its material, of a darkish variety of red, and possibly syenitic, granite. And there is no difficulty in seeing this; for although the ancient polished sides have long since acquired a deep chocolate hue, there are such numerous chips effected on all the edges in recent years, that the component crystals, quartz, mica, and felspar, may be seen (by the light of a good candle) even brilliantly.

"The vessel is chipped around, or along, every line and edge of bottom, sides, and top; and at its southeast corner, the extra accumulation of chippings extends to a breaking away of nearly half its height from the top downwards. It is, moreover, tilted up at its south end by a black jasper pebble about 1.5 inches high (such pebbles are found abundantly on the desert hills outside and west of the Great Pyramid) recently pushed in underneath the southwest corner. The vessel is therefore in a state of strain, aggravated by the depth to which the verticle sides have been broken down as above; and great care must be taken in outside measures, not to be misled by the space between some parts of the bottom and the floor, itself also of polished red granite.

“As for the under surface of the bottom of the coffer (speculated on by some persons as containing a long inscription) I felt it near the south end with my hand, and tried to look under it also when a piece of magnesium wire was burning there, without being sensible of any approach to hieroglyphics or engraving. But as to the inner or upper surface, of the bottom, and also the verticle sides of the vessel, both inside and out—all the ancient surfaces there are plainly enough polished smooth, and are without any carving, inscription, design, or any intentional line or lines; they are also all of them simple, plain, and flat (sensibly to common observation); excepting only the top margin, which is cut into in a manner implying that a sarcophagus lid once fitted on, sliding into its place from the west, and fixable by three steady pins, entering from the lid into holes on the western side. The west side of the coffer is therefore lowered all over its top surface, except at the north and south ends, by the amount of depth of such ledge cut-out, or 1.72 inch; and the other, or east, north, and south sides are, or should be lowered to the same depth on *their inner edges*, and to a distance from inside to out of 1.63 inch. But the fullness of this arrangement cannot be seen now, because in some places both ledge and top of sides are broken away together; and in others, though much of the inner base-line of the ledge remains—thanks to its protected position—the upper and true surface of the coffer’s side has all been chipped away. In fact, it is only over a short length near the northeast corner of the coffer that the chippers have left any portion of its original top edge. And a cast of that corner taken in 1879, by Mr. Wayman Dixon shows (as compared with my photograph and also with the frontispiece to Vol. I. of “Life and Work”), that a further portion of the side’s top surface, indeed an awfully large conchoidal-shaped block, *has disappeared since 1865*.

“The whole question, therefore, of the full depth of the coffer rests on one very small portion of the northeast

wall, so to speak, of the coffer—a portion, too, which becomes smaller and smaller every year that we live.

“Only at that northeast corner, too, is there an opportunity of measuring the verticle depth between the ancient top surface of a side and the bottom surface of the *ledge*; and it was, by repeated measure, found by me = from 1.68 to 1.70 and 1.75; say mean = 1.72 inch.

“The sides of the ledge depression appeared to me to have been vertical, or without any dovetailing; and the horizontal base breadth of such cut-out measuring from within, to, or towards the “without” of the coffer—and restoring the sides to their original completeness before the chipping away of the edges is—

On and near Western portion of Northern side . . . 1.65

On and near Middle portion of Northern side . . . 1.62

On and near Eastern portion of Northern side . . . 1.73

On and near Northern part of Eastern side . . . 1.55

On and near Southern part of Eastern side . . . *All Broken*

On and near Eastern and Western parts of Southern
side *All Broken*

MEAN = 1.63 in.

“But this appearance of the coffer’s ledge having been *rectangular* has been, since my visit, successfully shown by Dr. Grant and Mr. W. Dixon to be a mistake. For although everywhere else all the overhangings of an acute ledge have been broken away to beyond the vertical, yet there is a small part left near the northeast corner, which speaks unmistakably to an acute-angled shape; not by any means so sharply acute as that of the sarcophagus of the Second Pyramid, but decidedly and intentionally on the acute side of rectangular.

“Along the western side are three fixing-pin holes, 12 inches deep, and 0.84 in diameter save where they are broken larger, as is chiefly the case with the middle and southern one. The three holes have their centers at the

following distances from the north end: *viz.*, 16.0, 45.3 and 75.1 respectively.

"It is inconceivable how the French Academicians could have pictured the coffer, as they did, without representing anything of this ledge cut-out, or of the fixing-pin holes; unless they looked upon these traces as a comparatively modern attempt to convert the original pure coffer into a sarcophagus, and which they were therefore bound to overlook in their description of the *original* vessel. But we are to note both states."

OUTSIDE OF COFFER: MINUTER DETAILS OF ITS FIGURE.

"The planes forming the four external vertical sides of the coffer, which have never yet been questioned by any other measurer, appeared to me to be not very true; excepting the east one, whose errors are under 0.02 or perhaps 0.01 inch; while the north, west and south sides are so decidedly concave as to have central depressions of 0.3 and 0.5 inches; or more particularly

"At North side, central or hollow depression of coffer's side (measured from a <i>horizontal</i> straight-edge touching the side at either end, and in a horizontal plane), or the quantity of central <i>depression</i> ,		Inches
near bottom, say <i>d</i>	0.45	
Central <i>depression</i> , near middle of height.....	0.20	
Central <i>depression</i> , near top.....	0.12	
Mean.....	0.26	
At West side, central <i>depression</i> , near bottom.....	0.35	
At West side, central <i>depression</i> , near middle.....	0.15	
At West side, central <i>depression</i> , near top.....	0.10	
Mean.....	0.20	
At South side, central <i>depression</i> , near bottom.....	0.28	
At South side, central <i>depression</i> , near middle.....	0.18	
At South side, central <i>depression</i> , near top.....	0.10	
Mean.....	0.19	

"Again, when the straight-edge is applied *vertically* to the sides, east side comes out true, but the others concave.

On North side, the maxima of such vertical depression or d	=0.20 and 0.28
On West side, d' , at South end.....	=0.00
On West side, d' , at North end.....	=0.20
And on South side, d' , at different distances from East to West.....	=0.08, 0.12, and 0.04

EXTERNAL MEASURES OF THE COFFER.

“The corners and edges of the coffer are so much chipped, that the steel claws I had had prepared for the sliding rods, to adapt them from inside to outside measures, were found not long enough to span these modern fractures and reach the original polished surfaces. A method was therefore adopted of making up the sides of the coffer with straight edges projecting beyond it at either end; and then measuring between such straight edges and on either side or end of the coffer.

LENGTH OF COFFER OUTSIDE RESULT OF THREE TESTS.

On East side, near bottom.....	90.50
On East side, 10 inches under top.....	90.15
On East side, above top.....	90.20
On West side, near bottom.....	89.20
On West side, near top.....	89.95
On West side, above top.....	90.05
Mean length.....	<u>90.01</u>

The above mean, however, represents only the mean length of the edges of the two sides, not of the whole coffer, on account of the concavity of the two external ends; wherefore, if we desire to state the mean length for the mean of each end surface, we must subtract two-thirds of the mean central concavity, as previously determined; *i. e.* = 0.17 for the north end, and similarly 0.13 for the south end; so that, then, the mean *length* for mean of each end of coffer = 89.71 British inches, or = 89.62 Pyramid inches.

BREADTH OF COFFER, OUTSIDE.

At North end, near bottom.....	39.05
--------------------------------	-------

At North end, near top	38.70
At North end, over top	38.67
At South end, near bottom	38.80
At South end, near top	38.60
At South end, over top	38.50
Mean	38.72
Correction for curvature of West side07
Mean breadth of mean sides	38.65
Concluded breadth = British inches	38.65
or = Pyramid inches	38.61

HEIGHT OF COFFER, OUTSIDE.

“Height of coffer outside, eliminating the stone under bottom, and the sarcophagus ledge of 1.72; *i. e.*, measuring from coffer bottom to *extreme* ancient top of sides, is—

At North end, eastern part of it

= 41.30

At North end, northeastern part of it

= 41.22

At other parts, no original top left.

Mean height = 41.27 British, or 41.23 Pyramid inches.

“Corrections in *capacity* computations for a supposed hollow curvature of under side of bottom; agreeably with three, out of four upright sides; and also agreeably with the construction of the under sides of casing stones, which rest on their circumferences; on account of a slight hollowing away of their central areas; say = 0.10 inch. Concluded capacity computation height = 41.17 British, or 41.13 Pyramid inches.

SIDES, THICKNESS OF.

“For this purpose two vertical straight edges higher than the sides were placed opposite each other, in contact with the inside and outside surfaces of any flank of the coffer; finding at successive parts of the coffer circumference bearing from center:

	Inches
South-southwest thickness	= 6.00
South thickness	= 6.00

South-southeast thickness	= 5.95
East-southeast thickness	= 5.85
East thickness	= 5.95
East-northeast thickness	= 6.10
North-northeast thickness	= 5.95
North thickness	= 5.98
North-northwest thickness	= 6.10
West-northwest thickness	= 5.95
West thickness	= 6.10
West-southwest thickness	= 5.95

Mean thickness of vertical sides, British inches = 5.99

"The above measures were repeated (on March 28, 1865), and proved sensibly true for this method of measurement over the top edge of coffer; but if calipered lower down, it is probable that a slightly increased thickness would have been found there.

BOTTOM OF COFFER, THICKNESS OF.

"By difference of heights of two straight edges of equal length, applied, one inside and one outside—the outside one being further propped up, where required, by a third straight edge inserted under the bottom—there was found:

Under Southwest corner, thickness of bottom	= 7.00
Under East side, thickness of bottom	= 6.60
Under East-northeast, thickness of bottom	= 6.87
Under East-northeast again, thickness of bottom .	= 6.90
Under North end, thickness	= 6.90
Under North-northwest, thickness of bottom	= 6.85
Under North-northeast, thickness of bottom	= 6.80
Under West-northwest, thickness of bottom	= 7.20
Under West, thickness of bottom	= 6.90
Under South-southwest, thickness of bottom	= 7.15

Mean thickness of bottom around the edges (the thickness of bottom in the center cannot at present be satisfactorily or easily measured). British inches

= 6.92

INTERNAL MEASURES OF THE COFFER.

“The surfaces of the coffer seem very true and flat over the greater part of their extent, but betray, on examination by straight edges, a slight convergence at the bottom toward the center.

INSIDE LENGTH OF COFFER BY SLIDER 70.

(Correction $+6.13$ added to all the readings for length of this Slider.)

Distance between East and West Sides of the North and South ends.	Level at Which Observations Were Taken			
	4 to 6 inches under top	Middle of Height	6 to 7 in. above bottom	0.6 in. above bottom
Close to Eastern side.....	Broken at S. E. Cor.	78.08	77.93	77.68
At $\frac{1}{3}$ d breadth from East.....	78.06	78.06	77.97	77.56
Half way between East and West.	78.06	78.08	78.06	77.53
At $\frac{2}{3}$ ds breadth from East.....	78.05	78.09	78.06	77.59
Close to West side.....	78.03	78.06	78.01	77.57
Mean at each level.....	78.05	78.07	78.01	77.59
Mean of the whole, or the } = { 77.93 British inches. inside length of coffer } 77.85 Pyramid inches.				

INSIDE BREADTH OF COFFER.

(By Slider 25, not requiring any correction.)

Distance between North and South ends, along the East and West sides.	Level at Which Observations Were Taken				
	Near Top	Near Middle	6 to 7 in. above bottom	0.6 in. above bottom 1st time	0.6 in. above bottom 2nd time
Close to North end.....	26.68	26.69	26.65	26.40	26.39
At $\frac{1}{3}$ d length from N. end	26.60	26.69	27.00	26.72	26.54
Near middle of length.....	26.64	26.80	27.10	27.05	27.05
At $\frac{2}{3}$ ds length from N. end	26.67	26.78	26.77	26.67	26.75
Close to South end.....	26.78	26.78	26.63	26.49	26.49
Mean at each level.....	26.67	26.75	26.83	26.67	26.64+
Mean of the whole, or the } = { 26.73 British inches. inside breadth of coffer } 26.70 Pyramid inches.					

INSIDE DEPTH OF COFFER.

“The measure of this element is taken from the inside bottom of the coffer—which is apparently smooth and flat—up in the shortest line to the level of the original top surface of the north, the east, and the south sides; and of the west side also, *presumably*, before it was cut down to the level of the ledge which runs around the inner edges of the north, east, and south sides, and all across the west side’s top.

“Now, the depth of that ledge was before ascertained = 1.72 inch below the original top; a block of wood was therefore prepared of that thickness, and placed on the west side, and also on the base surface of the ledge wherever found on the other sides, to support one end of a straight edge, whose other end rested on some parts of the original top of the coffer’s sides, which are still visible at and about the northeast corner.

INSIDE DEPTH FROM ORIGINAL TOP OF NORTH, EAST, AND SOUTH SIDES

(By Slider 25, not requiring any correction.)

Part of Length where observations were taken.	Part of Breadth Where Observations Were Taken			
	Near East Side	Near Middle	Near West Side	Mean at each part of Length
0.6 inches South of inner N. end	34.30	34.28	34.26	34.28
3.0 inches South of inner N. end	34.44	34.36	34.35	34.38
5.0 inches South of inner N. end	34.42	34.41	34.28	34.37
10.0 inches South of inner N. end	34.40	34.38	34.28	34.35
24.0 inches South of inner N. end	34.36	34.38	34.26	34.33
Mean at each part of breadth	34.38	34.36	34.29	33.44
General mean, or the inside <i>depth</i> of coffer	34.34 British inches.			
	34.31 Pyramid inches.			

INSIDE DIAGONAL MEASURES OF COFFER.

“Diagonals inside the north end; from either low corner at bottom up to a measured height of 30.0 inches, *i. e.*,

the greatest height quite free from fractures; then—
 From low northeast to 30. high northwest = 39.71 Br. in.
 and from low northwest to 30. high northeast = 39.70 Br. inches.

“Diagonals inside west side; from either corner below, up to a height of 30 inches measured at the sides—
 Or from low southwest to 30. high northwest = 83.19 Br. in.
 and from low northwest to 30. high southwest = 83.13 Br. in.

CUBIC DIAGONALS OF COFFER.

British Inches

From low southwest to 30. inches high northeast = 87.13
 From low southeast to 30. inches high northwest = 87.05
 From low northeast to 30. inches high southwest = 87.06
 From low northwest to 30. inches high southeast } = 87.11
 (temporarily supplied) }

“These cubical diagonals give sensibly less than the diagonals computed from the lengths and breadths; on account, apparently, of the extreme points of the corners of the bottom not being perfectly worked out to the exact intersections of the general planes of the entire sides. But they seem abundantly sufficient to prove general rectangularity of figure, in all the main part of the coffer’s interior.”

THE SARCOPHAGUS THEORY OF THE COFFER.

“With all this accumulation of little bits of information, then, let us now try what is the size of the coffer as a whole. And on so doing, we must, of course, let the opposition sarcophagus theory of Egyptologists be heard over again; especially when it has something to say touching shape, as well as size.

“The inside dimensions of the coffer being (roughly) 6.5 feet long, 2.2 feet wide, and almost 3 feet deep, are at least long enough and broad enough for a coffin (for the averaged sized man); except, that a very corpulent individual or a man much over 6 feet tall, would have to

be planed down to fit the receptacle. And if it is rather deeper than convenient or necessary, no objections are interposed, as there is now proved to be a ledge cut into the top of the thick sides of the vessel, and quite suitably for a lid.

“As there *is* a ledge, an intention at some time to put on a lid may be inferred; but it is still to be proved whether a lid ever *was* put on by the architect of the Great Pyramid, and especially for sarcophagus purposes; because, first, with a sarcophagus lid of the ordinary style and thickness fastened into that ledge, the coffer could not have passed through the closely fitting doorway of the room; it would have been several inches too high; in fact, the coffer itself without a lid is too large by over half an inch to get it in or out of this chamber; showing *conclusively*, that this receptacle was placed there before the completion of the Pyramid itself above the 50th layer of stone. Second, a sarcophagus lid fastened into that ledge would have betokened the accomplishment of the last rites to the dead; and they would have included among all Eastern nations, but more especially the contemporary, indigenous Egyptians, the engraving of the deceased's name, titles, deeds, and history on the coffer, both inside and out. But there is nothing of that kind there; so the Great Pyramid coffer remains still the smooth sided, vacant, lidless chest of Caliph Al Mamoun's Arab tale; quite capable of having been made at any time into a sarcophagus; but testifying in the most positive manner that it never was completely so converted, whatever may have been the reason why or wherefore.

“Taking the coffer measures, for instance, as of the whole vessel before the ledge was cut out, from the previous pages, in Pyramid inches, then—

LENGTH, BREADTH, DEPTH, VOLUME.

Coffer interior = $77.85 \times 26.70 \times 34.31 = 71,317$ Pyramid ins.

Coffer exterior = $89.62 \times 38.61 \times 41.31 = 42,316$ Pyramid ins.

That is, within the limits of accuracy of the modern measures the volume of the exterior is *double* that of the *interior*;

and the simplest even relation between them is that of *capacity*.

"Again, the mean thickness of the sides of the coffer being assumed from the measures, in Pyramid inches 5.952, and of the bottom 6.866 we have (from a formula first prepared by Mr. Henry Perigal)—

$$\begin{array}{rcl} \text{Coffer's bottom} & = & 89.62 \times 38.61 \times 6.866 = & 23,758 \\ \text{Coffer's sides} & = & 2(89.62 \times 26.70) \times 34.31 \times 5.952 = & 47,508 \\ & & & \underline{71,266} \end{array}$$

or again, we find a *duplicity* of the one quantity against the other; and the only apparent simple relation between the two, and of the sum of both with the interior of the vessel, is that of *capacity*.

"If then, now we may justifiably say, that though the coffer is possibly what John Taylor did not think it, viz.—a blind sarcophagus and a symbolical coffin, it is also most positively what he did consider it, viz.—a vessel at whose birth certain leading geometrical requirements both of, and for, capacity measure presided and governed:—then, in that case, what is its precise capacity?

WHAT DID THE CAPACITY OF THE COFFER PROVE TO BE?

"For the coffer's length and breadth elements we can quote plenty of measures, but the equally necessary depth is a weak point; because, as already explained, every particle of the original top of the sides is cut or broken away, except some little patches near the northeast corner. Those were in place when measured by Professor Smyth in 1867, but who will guarantee that they are there still, when men *will* hammer that exquisite gift inherited from the remote past, merely in the ignorant notion of sending their friends at home a chip of "Cheops' coffin."

"No lid has ever been seen by any historical individual; but every man of the present age may test the truth of the following mechanical adaptation: viz.—the ledge, though acute angled, is cut out with precisely such a base breadth

and depth that a frame made to fit it flush with the ancient top of the sides would, when let down in vertical plane, and diagonally inside the coffer, just form the diagonal of said coffer's interior; and the frame's height at that moment would exactly measure the coffer's depth. Hence the breadth of the ledge, continued across the coffer from west to east, would continue to give us an outstanding test of the coffer's original depth, long after all thoughtless visitors, *whithersoever scattered*, shall have thoughtlessly knocked away every particle of the original top of the sides.

"In coffer measuring, however, just as it usually is in all matters of science, (in our day) no two human measurers ever agree exactly even on the same parts; and all that finite man can hope for is, to come within moderate limits. So then, must it be with the coffer's cubic contents.

"Taking the ledge breadth as 34.282 Pyramid inches, then the coffer's cubic contents in cubic Pyramid inches, are:—

(1.) By interior length and breadth and by depth from ledge breadth.....	=71,258
(2.) By interior of coffer, by all direct measures.	=71,317
(3.) By half the exterior volume directly measured	=71,160
(4.) By sum of bottom and sides directly measured	=71,266
Mean of the whole.....	71,250.

"The above statement shows that we here have a vessel, on the whole excessively near to 71,250 cubic Pyramid inches, but it was pretty evidently *intended*—by enabling us so nearly to bring out that number in several different ways. While that precise quantity, and the care for that quantity, of just so many cubic inches, rather than any other, expressed in Great Pyramid measure, are so impossible for the Egyptologists to explain on any sarcophagus theory of their own, that they do not attempt it; we must now see what the Great Pyramid itself may have to add to this, in setting forth some scientific reason why this vessel before us, the coffer in the King's Chamber, is not only 'a symbolical sarcophagus, but one adapted likewise to

something further and higher connected with *capacity* measure.' ”

DENSITY AND TEMPERATURE.

(Sec. 68.) *Of both Earth and Great Pyramid from the Latest Measures.*—“There are no inscriptions, yet is there much instruction on the interior walls of the Great Pyramid; and as the coffer, when taken merely by itself, has proved, thus far, too hard a riddle for our full interpretation, let us try something of the teaching of the walls which precede, as well as those which surround it.

GRANITE SYMBOLISMS OF THE ANTE-CHAMBER.

In order to enter the Great Pyramid's so-called King's Chamber, we have to pass, from the Grand Gallery, through the “Ante-Chamber.” (See Plates XIII. and XIV.) It is very appropriately so called, because it is a little room which *must* be passed through *before* the King's Chamber can be entered or the coffer seen; and in passing through it the attentive eye may note many more complicated forms there than in any other (known) part of the Great Pyramid. Amongst these *notanda* are certain vertical lines above the southern or further doorway.

Travelers have contradicted each other so much about the number of these lines, that nothing less than a perfect picture of them, will set the matter at rest. (See Plate XIII.) They extend the whole way evenly from ceiling to door-top, nearly, ending in a short curved bevel. They are each 107.4 inches long, 2.8 inches deep, and 3.8 inches broad; with six inch spaces between, and with similar six inch spaces also between the outer side of each outermost line, and the bounding of the ante-room's south wall containing them. It is not so much a system of *four* lines as an example of surface divided into *five* equal portions or spaces.

• As the doorway is only 42 inches high, and the dividing lines of the wall above it are apparently drawn down to the doorway's (now broken) top, a man of ordinary height standing in the ante-room and looking southward (the

direction he desires to go, in order to reach the King's Chamber), cannot fail (if he has a candle with him, for otherwise everything is in darkness here) to *see* this space divided into five. And when he bows his head very low, as he must do to pass under the said southern doorway of only 42 inches high, he bends his head submissively under that symbol of division into five; and *should* remember that five is the first and most characteristic of the Pyramid numbers. (See Plate XIV.)

WALL COURSES OF THE KING'S CHAMBER AS DESCRIBED BY DIFFERENT TRAVELERS.

(Sec. 69.) Owing to the prominence of the individuals quoted, *this is amusing*. Not without reason, therefore, was it, as the intelligent traveller may readily believe, that the Architect of the Great Pyramid desired to impress that division into five upon every visitor's mind, just the last thing before such visitor should bow down, previously to passing through the low, solid doorway, cut out of granite 100 inches thick. But after that, rising up in the midst of the ultimate King's Chamber beyond—what should any and every beholder witness there?

According to that usually most correct of travelers, Professor Greaves, *he* says of the King's Chamber that every one may see there "from the top of it descending to the bottom, there are but *six* ranges of stone, all which, being respectively sized to an equal height, very gracefully in one and the same altitude run round the room."

Well, though that is a very pretty arrangement, and the grace of it is perfectly true, it is not the accomplishment of a division into five; so let us try an older traveler, Sandys, of a curt and epigrammatic style, and writing in 1610. Says he, of the self same King's Chamber: "A right royal apartment, and so large that eight floors it, eight roofs it; eight stones flagge the ends and sixteen the sides." Worse and worse.

Says Dr. Pocock in 1743: "Six tiers of stones of equal

breadth compose the sides;" which account M. Fourmont, on the part of France, confirms in 1755 by laying down that "the walls are composed of six equal ranges." The still more famous traveler, Dr. Clarke, makes Cambridge in 1801 support Oxford in 1639, by particularizing that "there are only six ranges of stone from the floor to the roof"; while, finally, that usually infallible author on Egypt, Mr. Lane, with his clever relatives, the Pooles, *almost* natives of Cairo, seem to set a seal forever on the mistake by declaring: "Number of courses in the walls of the King's Chamber, six."

What *could* have blinded all these duly warned men, and sent them following each other down one and the same too easy rut of simple, ridiculous error? Dr. Richardson, in 1817, was more original, if error there apparently must be in these dark room investigations by candle light in the interior of the Great Pyramid; for he chose a new and hitherto untrodden line of erring for himself, sententiously writing of the room, "Lined with broad, flat stones, smooth and highly polished; *each* stone ascending from the floor to the ceiling." But having once begun this new misdescription, he soon has followers; we find Lord Lindsay, of 1838, announcing: "A noble apartment, cased with enormous slabs of granite 20 feet high" (or a little more than the whole height of the room); and Sir William R. Wilde with his companion signing himself M. R. I. A., in 1837, equally publish to the world, as observed by themselves: "An oblong apartment, the sides of which are formed of granite reaching from the floor to the ceiling."

And yet will it be credited that the walls of this chamber are divided into five horizontal courses, neither more nor less, almost four feet (47.09 inches) high each; and that these courses are most easy to count, as they must have been undoubtedly most expensive for the architect to have constructed, because every course is, as Professor Greaves indicated, of the same height as every other, except the lowest, which course is less by nearly 1-10 part,

(about 5 Pyramid inches) if measured from the floor; but is the *same* height if measured from the base of its own granite component blocks, which descend in the wall to beneath the floor's level. (See Plate XV.)

THE PYRAMID NUMBER OF THE KING'S CHAMBER'S WALL COURSES AND THE STONES IN THEM.

(Sec. 70.) The first traveller noted, as having discovered that there were but *five* courses of stone contained in the walls of the King's Chamber, was Lord Egmont in 1709, and the second Dr. Shaw in 1721, perhaps, however, some others earlier or later; but Professor Smyth was the *very* first to contend against the world for the correctness of this number of courses, and connecting the teaching of the architect in the ante-chamber, and the quinary character of the Pyramid's first arithmetic.

Yet, quinary though it be for some purposes, it is decimal for others, as shown here in almost juxtaposition; first, by the tenth part nearly, taken off the height of the lower course, by the manner of introduction of the floor; and then by the 10x10 number of stones, exactly, of which the walls of this beautiful chamber are composed; no two of which are exactly the same size or dimensions, with the possible exception, of the top layer on both the east and west ends of the chamber. It will be *noted* (see Plate XV.) that there is one break in the continuity of the wall courses, on the north side, ending in the N. E. corner; at that point, one stone extends through the 2nd and 3d layers, (or 94.18 inches high, or wide) and extends from the *northeast* corner west, about 135.5 pyramid inches. Or, in other words, here is placed one granite block, that shows a face of 7 feet 10 and 18 one-hundredths inches high or wide, by 11 feet 3½ inches long. We shall contend in the closing article of this work, that through the space occupied by this immense granite block, there is a *door*, or outlet to other chambers, and hinted at in a previous section, as *possibly* being located on the 75th and 100th layers of stone.

The ancient occupiers of this *most remarkable building*, must have had, not only some extraordinary method of lighting these several chambers, but had also a method by secret touch, or *mysterious force*, to cause these walls to open at their pleasure.

A MARKED PORTION OF THE KING'S CHAMBER AND THE
COFFER ARE MUTUALLY COMMENSURABLE IN
PYRAMID NUMBERS.

But the tenth part, nearly, taken off the visible height of the lower granite course of the chamber's walls; what was that for? Its first effect was to make that course, within the fraction of an inch, the same height as the coffer; and the second was, more exactly, to make the capacity, or cubic contents of that lowest course of the room, so decreased, equal to fifty times the cubic contents of the coffer, already shown to be 71,250 cubic Pyramid inches. Two separate sets of measured numbers in Pyramid inches for the length, breadth and height, of that lowest chamber course giving as follows, when divided by the coffer's contents—

$$\frac{412.14 \times 206.09 \times 41.9}{71,250} = \frac{3,558,899.}{71,250}$$

And
$$\frac{412 \times 206 \times 42}{71,250} = \frac{3,564,624.}{71,250}$$

Hence, close as was the connection of the several parts of the coffer with each other by the tie of capacity, equally close is the connection of the coffer with the adjusted course of the granite room in which it stands, and by *capacity* measure also. While, if the multiple before was 2, and is 50 now—is not 50 twice 25, or double the number of its own inches in the cubit of the Great Pyramid, the significant 5 x 5?

COMMENSURABILITIES BETWEEN THE KING'S CHAMBER AND
THE STRUCTURAL MASONRY COURSES OF THE
WHOLE PYRAMID.

The significant fives and tens that play such a promi-

ment part in the King's Chamber, do not end there. Violently different are the courses of masonry in their successive heights of the Great Pyramid; but whatever height or thickness of stones any one course is begun with, it is kept on at that thickness precisely right through the whole Pyramid at that level (*i. e.*, if we may judge of the unknown interior of the stratum by the four external edges thereof); though the area of the horizontal section may amount to from ten feet square to a dozen acres.

To secure this equality of thickness for a course—in fact, just as with the equal height of the granite courses in the King's Chamber walls, but on a larger scale—it is plain that immense arrangements must have been instituted beforehand, with the masons of many quarries; and such arrangements imply method, mind, and above all, *intention*. The level of the 50th course of construction of the whole Pyramid is the level also of that granite floor in the King's Chamber, whereon is resting the coffer, a vessel with commensurable capacity proportions between its walls and floor, in a room with 5 courses, composed of 100 stones, and with a capacity proportion (the coffer) of 50 to the lowest of those courses; which lowest course has been made 5 inches less in height than any of the others of its fellows.

Any person could hardly but see, then, that the so-called, in the dark ages, King's Chamber, should rather have been termed the chamber of the standard of 50. Can we also say, with reference to our present inquiry—of 50 Pyramid inches employed in capacity measure.

Fifty Pyramid inches form the ten-millionth of the earth's *axis* of rotation; or decidedly the proper fraction to begin with for capacity measure, when we have already chosen one-ten-millionth of the *semi-axis* for linear measure. The reason being, that in measuring linear distances, say amongst the spheres of the universe, men measure them from center to center, and therefore have only to take account of the radii of each; but in dealing with either their capacity or weight, we must take each sphere in its

entirety, or from side to side, that is, by its diameter rather than radius.

SYMBOLIC HINTS FROM THE ANTE-CHAMBER.

(Sec. 71.) A hint how to deal with this second part of the question, may be gathered from some of the hitherto incomprehensible things in the little ante-chamber to this far grander chamber. Little indeed, is the ante-chamber, when it measures only 5 feet, 5.2 inches in breadth from east to west, 8 feet and 8.3 inches long from north to south, and 12 feet 5.4 inches high; but it has a sort of granite wainscot on either side of it, full of detail. (See Plate XIII.)

On the east side, this wainscot is only 8 feet, 9.1 inches high, and is flat and level on the top; but on the west side it is 9 feet, 3.8 inches high, and has three semi-cylindrical cross hollows of nine inches radius, cut down into it, and also back through its whole thickness of 8.5 to 11.7 inches to the wall. Each of those semi-cylindrical hollows stands over a broad, shallow, vertical, flat groove 21.6 inches wide, 3.2 inches deep, running from top to bottom of the wainscot, leaving a plaster-like separation between them. The greater part of the pilasters has long since been hammered away, but their fractured places are easily traced; and with this allowance to researchers in the present day, the groove and pilaster part of the arrangement is precisely repeated on the east side, within *its* lower compass of height.

These three grand, flat, vertical grooves, then, on either side of the narrow ante-chamber, have been pronounced long since by Egyptologists to be part of a vertical, sliding portcullis system for the defence of the door of the King's Chamber. There are no blocks now to slide up and down in these grooves, nor have such things ever been seen there, by our race of people; but the gentlemen point triumphantly to a fourth groove, of a different order, existing to the north of all the others, near the north beginning of the ante-chamber; and with *its* portcullis block, they say, still suspended, and ready for work.

THE GRANITE LEAF OF THE ANTE-CHAMBER.

The portcullis block, however, referred to above, contains many peculiarities which modern Egyptologists have never explained; it was first carefully described by Professor Greaves under the appellation of "the granite leaf," (from the so-called 'leaf' or 'slat,' or sliding door over the water-way of a lock-gate in an English navigation canal). Unlike the others, its groove is only 17.1 inches broad (against 21.6 inches for the others), and in place of being like them cut down to, and even several inches into, the floor, and terminates 3 feet, 7.7 inches above that basal plane; so that the leaf's blocks—for it is in two pieces, one above the other—stand on solid stone of the walls on either side, and could not be immediately lowered to act as a portcullis, though an Emperor should desire it. When this portcullis was in real use, there were other parts connected with it, that are now hidden away in some one of the secret vaults, in the *apparent* solid Pyramid. This is evident, for if chiseled down in their vertical plane, there would still be 21 inches free space between the leaf and the north entering wall and doorway where a man might worm himself in, in front of that face of it; and 4 feet, 9 inches above the leaf's utmost top, where men might clamber over; and where many adventurers have sat, candle in hand, in absolute solitude, thinking over what it might mean.

The granite leaf is, therefore, even by the meagre data given, a something which a simple portcullis will not explain. And so do likewise the three broader empty pairs of grooves to the south of it, remarkable with their semi-cylindrical hollows on the west side of the chamber. Various ideas as to their uses have been given out from time to time, but no single idea advanced, has ever received much of a following. But the *real* Masonic student, however, can read volumes in every chamber and passageway of this *most* remarkable structure.

EARTH'S DENSITY NUMBER IN THE GREAT PYRAMID.

The Pyramid's earth's mean density comes out, if at all, most simply, and to an accuracy at once of three places of figures, certain, from—the cubic contents of the coffer in Pyramid inches, divided by the 10th part of 50 inches cubed. Whence, trusting to the most analytical measures yet taken, it is: 71,250 divided by 12,500; the quotient being 5.70; a number which modern science may confirm, at some future day, and does meanwhile include near the very center of its best results thus far. While the grand 5.7 of the seven stones forming the 5th and topmost course of the walls of the King's Chamber, crown the conclusion.

OF TEMPERATURE CORRECTIONS AND HOW AFFECTED.

(Sec. 72.) Thus, at the great observatory of Pulkova, near St. Petersburg, where they value an insight into small fractions of a second perhaps more than anywhere else in the world, the very able Russian astronomers have placed their chief clock in the "subterraneans," or cellars, of the observatory. Something of the same sort is now practiced at the Royal Observatory, at Greenwich; while the Paris Observatory has beat the record by placing its clock 95 feet under the surface of the ground, in the very peculiar 'caves' which exist there.

Over forty years ago, at the Royal Observatory, at Edinburgh, Scotland, observations were taken with very long-stemmed thermometers, whose bulbs were let down into rock at various depths; and it was found that, notwithstanding the possibly disturbing effect of rain-water soaking down through fissures, there is such an astonishing power in a mass of stony matter to decrease temperature variations, that at the *surface* of the ground—

The mean semi-annual variation of heat amounts to	50° F.
At three inches under the surface.....	30° F.
At three feet under the surface.....	16° F.
At six feet under the surface.....	10° F.
At twelve feet under the surface.....	5° F.

At twenty-four feet under the surface..... 1° F.

At 95 feet, then, from the surface, as in the case of the Paris Observatory, how very slight and innocuous to the most refined observation of season temperature. But how much more slightly affected still, and how admirably suited to a scientific observing room, must not the King's Chamber in the Great Pyramid be, seeing that it is shielded from the outside summer heat and winter cold, by a thickness of nowhere less than 180 feet of solid masonry.

TEMPERATURE OF THE KING'S CHAMBER.

In the Great Pyramid, as before observed, there is a grand tendency for numbers, things, and principles going by "fives"; and this seems carried out even in its temperature, for it may be described, first of all, as a temperature of one-fifth; that is, one-fifth the distance between the freezing and boiling points of water, above the former.

The first grounds for this belief were certain approximate observations by M. Jomard, in the "Description de l'Egypt"; and which indicate something like 68° Fahr. as nearly the original temperature of the King's Chamber of the Great Pyramid, if under both ventilation and other intended normal circumstances of its foundation. And 68° Fahr. is precisely a temperature by, and according to, nature of one-fifth. And I learn that the mean annual temperature of the city of Cairo is identical, or 68° Fahr.; the authority is, from a five years record of the Austrian Meteorological Society, A. Buchan, Esq., reporting.

Thirty-seven years after M. Jomard had measured in the King's Chamber the extra temperature of 71.6° Fahr. (*i. e.* 3.6° *extra* according to this subsequent theory), Colonel Howard Vyse cleared out the two ventilating channels; and reported, without having heard any idea that the temperature had been theoretically too high—that instantly upon the channels being opened, the ventilation re-established itself, and with a feeling to those in the chamber of most agreeable *coolness*. But no sooner had he left, than

the Arabs most perversely stopped up the ventilating channels again; and now, the temperature ranges anywhere from 70° to 76° Fahr. according to the number and class of visitors, just preceding the recording of the same.

THE VIBRATION OF THE KING'S CHAMBER IS SAID TO BE
THE TONE OF NATURE, THE LETTER "F."

(Sec. 73.) If so, this was important in the presentation of certain degrees of the ancient Cult. It is stated by certain musical experts that have visited this chamber, that when not more than half a dozen persons are present, by striking on the coffer with a drum-stick, 446 vibrations, or the musical sound of the letter "F." is heard.

TEMPERATURE AND PRESSURE DATA FOR THE COFFER'S
WEIGHT AND CAPACITY MEASURE.

The coffer at the present moment, in no more of its right, or original temperature, than its right and original size, when so much of it has been broken bodily away by the hammering of the representative men of modern society and their attendant trains. But the barometric pressure in the chamber happily defies such power of disturbance, and keeps, by the law of the atmosphere over all region, expressively close to 30.000 Pyramid inches.

At the above mentioned atmospheric pressure, 68° temperature, and the coffer's cubic contents of 71,250 Pyramid inches of capacity, filled with pure water (though only as a temporary practice expedient)—do form the grand, earth-commensurable, *weight* standard of the ancient Great Pyramid.

Of all parts of the Great Pyramid amenable to accurate linear measure, there are none presenting such advantages therefore as the King's Chamber, far in its interior; because the said Chamber is—1. Equable in temperature; 2. Unvisited by wind, sand, or other such natural disturbances of the outside of the building; 3. Of simple rectangular figure; 4. Erected in polished, dense, hard, red granite, and, 5. It exhibits the longest lines of any part of the Pyramid, both

in that hard material, and in a horizontal position; with vertical end-pieces too, in rectangular emplacement, or exactly as most suitable to the modern refinements of "end-measure" (See Plates XIV. and XV).

KING'S CHAMBER MEASUREMENTS IN DETAIL.

BY PROF. P. SMYTH.

(Sec. 74.) Probably the most correct statement ever published of the measurements in detail, of the King's Chamber, in the Great Pyramid, are those that follow, from the pen of that painstaking Egyptologist, Professor Smyth, on his last visit there, *viz.*:

LENGTH of South side, near floor level *Inches.*

Mean of four measurements..... = 412.6

North side, Mean of three measurements..... = 412.47

Mean of both North and South sides, (British
Inches) = 412.54

(Pyramid Inches) = 412.13

Assumed true length on the whole, (Pyramid In.) = 412.132

(Or, 34 feet, 4 + inches.)

BREADTH of King's Chamber near East end

Mean of two measures..... = 206.3

Near West end, (British Inches)..... = 206.3

Mean East and West ends, (British Inches)... = 206.3
(Pyramid Inches) = 206.09

Assumed true Breadth on the whole (Pyramid Inches)..... = 206.066

(Or, 17 feet, 2 + inches.)

HEIGHT of King's Chamber near Northeast angle

of room; Mean of seven measurements in

British Inches..... = 230.70

(In Pyramid Inches) = 230.47

Assumed true height on the whole, (Pyr. In.) = 230.389

(Or, 19 feet, 2 $\frac{1}{3}$ + inches.)

DIAGONALS OF FLOOR:—

From Southwest to Northeast corner = 462.0

From Northwest to southeast corner = 461.3

Mean measured floor diagonals, (British inches) = 461.65
 (Pyramid Inches) = 461.19

(Or, 38 feet, $5\frac{1}{5}$ inches.)

DIAGONALS OF EAST WALL:—

Low Northeast to high Southeast corner = 309.2

Low Southeast to high Northeast corner, subtracting 1.6 inches for hole in low Southeast corner = 310.0

Mean length of diagonals, (British Inches) . . . = 309.6

Mean length of diagonals, (Pyramid Inches) . . . = 309.3

DIAGONAL OF WEST WALL:—

Low Southwest to high Northwest corner = 310.4

Subtract one inch for a sunken floor stone = 1.0

(The other diagonal not measureable on account of a large and deep hole in floor in northwest corner of chamber, whereby men entering have gone on excavating at some time to underneath that part of the floor whereon the coffer stands; but are not known to have found anything but solid limestone masonry and mortar.)

Mean of the west wall, (in British Inches) . . . = 309.4

(In Pyramid Inches) . . . = 309.1"

Again considering Pyramid inches in the King's Chamber to signify Pyramid cubits outside the building, the following results come out correct to six places of figures:—Take the length of the King's Chamber 412.132 to express the diameter of a circle. Compute by the best methods of modern science, the area of that circle; throw that area into a square shape, and find the length of a side of such a square. The answer will be 365.242 Pyramid cubits; a quantity which not only represents the mean of all the measures of the length of the Great Pyramid's base side, but defines the number of mean solar days in a mean solar tropical year.

SYMBOLISMS OF THE ANTE-CHAMBER.

(Sec. 75.) To reach the King's Chamber of the Great Pyramid we have to pass through the Ante-Chamber; we

have already gathered some useful hints from there, yet far from all that it was capable of giving.

One of the principal features mentioned regarding this Chamber, in a previous section was, the three curved hollows in the higher, or western, granite wainscot. There are no such hollows on the eastern side, and it is, moreover, cut off at the top to an absolutely lower level than what the western hollows descend to. Nearly every investigator asks, why was this east wainscot so cut down; evidently it was done *purposely*, from the perfection of the work by the original builders.

The architect is dead, but you may still virtually question him, in such a building of number, weight, and measure, by ascertaining *how much*? What height, for instance, was the eastern wainscot cut down to?

The answer is: 103.0 inches; since assumed, within the limits of the measures,—103.033 Pyramid inches. That is just half the King's Chamber breadth, and is therefore important. It has been found that the floor of the Ante-Chamber, is partly in granite and partly in limestone; and that the length of the former portion is given (in the mean) as 103.033 Pyramid inches; and here are placed two similar and of the place characteristic lengths of granite in rectangular position to each other. This is said to represent *square* measure; but what is the circular equal, *in area*, of such a square? The mean length of the whole ante-chamber is given at 116.26 Pyramid inches; this is made up of 103.03 of granite, and 13.23 of limestone; Major U. A. Tracey, pointed out, that 116.260 is the diameter of a circle having precisely equal area to a square of 103.033 in the side. Whereupon the Abbe and Chanovine Moigno exclaimed in his scientific journal, *Les Mondes*, "Who could pretend now that the diversity of the materials forming the floor, and their relations and differences of length, were a brute accident on the part of the ancient architect of 4,000 years ago?" And still less when the following additional features are produced by these numbers, 103.03 and 116.26, in their

Pyramid positions, and Pyramid *inch* units of measure there:

- (1.) 103.033×5 (Pyramid number) $= 515.165$; or is the length in Pyramid inches of the cubic diagonal of the King's Chamber.
- (2.) 103.033×50 (the number of masonry courses of the Pyramid the chamber stands upon) $= 5151.65$; or is in Pyramid inches the length of the side of square of equal area to a triangle of the shape and size of the Great Pyramid's vertical meridian section.
- (3.) $116.260 \times 2 = 232.520$; or is, in Pyramid inches, the mean, nearly, of the 1st and 2nd heights of the King's Chamber.
- (4.) $116.260 \times \pi = 365.242 \dots$ &c.; or shows the number of mean solar days in a mean solar tropical year.
- (5.) $116.260 \times \pi \times 5 \times 5 = 9131.05$; or is, in Pyramid inches, the length of a side of the base of the Great Pyramid from a mean of all the measures.
- (6.) $116.260 \times 50 = 5813.0$; or is, in Pyramid inches, the ancient vertical height of the Great Pyramid, from a mean of all the measures.

Hence, as the earlier of the above cases, including the 103.033 , show, the uses of the east wainscot of the ante-chamber, in being lower than the west wainscot, have been most remarkable. But, as every student of the Great Pyramid is led to ask—"can any object be assigned to the west wainscot being of the greater height it has been found to be by measure, *viz.*— 111.8 Pyramid inches?"

It being so signal a feature of the chamber, and executed expensively and solidly, shows conclusively, that it was purposely intended by the builders of the Great Pyramid through their architect. And for the purpose to have an additional design to assist in solving, the hidden mysteries of *perfect mathematics*.

Mr. W. C. Pierrepont, of Pierre Pont Manor, Jefferson County, N. Y., some 38 years ago, pointed out, that "if a model of a meridian section of the Great Pyramid be conceived to stand on the flooring of the ante-chamber, verti-

cally over the center of the granite leaf, then, the north foot of such pyramidal section rests on the great step at the head of the grand gallery, exactly there where the ramp line continued comes through; and south of such pyramidal section rests on the granite floor of the passage leading from the ante-chamber onwards to the King's Chamber; and is defined there to within a tenth of an inch by a 'joint' line in the granite; the only joint line too in that passage.

From that joint line in the floor, then, the vertical angle to the ceiling of the ante-chamber immediately over the singular and most important, granite leaf's center = $51^{\circ} 51'$, or the Great Pyramid's angle side rise; and from the same joint line to the center of the lower stone of the granite leaf (which divides the whole height, into base side and vertical height $\div 100$) the angle of $26^{\circ} 18'$ nearly, or the angle of all the inclined passages of the Pyramid."

THE GRANITE LEAF INCH MEASUREMENT.

A strange structure is the granite leaf in the ante-chamber, standing all across the room between the floor and ceiling, as it does, is hedged about with important symbols connected with the scientific theory of the Great Pyramid; some objectors to the Pyramid scientific theory have said, "We do not admit the reality of Pyramid inches with its original builders, when such inches are obtainable by subdividing immense lengths; but show us a single such inch, and we may believe." Whereupon Major U. A. Tracey, R. A., pointed out that such single inch is actually marked, and in a Pyramid manner, on, or rather by means of, the above granite leaf in the ante-chamber; and is thus explained:—

"In that small apartment its grand symbol on the south wall is the already mentioned illustration of a division into five: and if the symbol had virtue enough to extend into and dominate some features in the next or King's Chamber (as in illustrating its now undoubted number of *five* wall courses), why should it not typify something in its own

chamber as well? But what is there in the ante-chamber, divided into five? "The Great Pyramid's own scientific, earth-commensurable, cubit"; for here it is so divided in the shape of this projecting *boss* on the granite leaf, just five inches broad. And, further, that fifth part of that cubit of the Great Pyramid's symbolical design is divided before our eyes into five again; for the thickness of this remarkable *boss* is on fifth of its breadth. So there you have the division of the peculiar Pyramid cubit into 5x5 inches."

Further measures of the *boss* on the granite leaf, by Dr. J. A. S. Grant, in Dec., 1874: "We measured the *boss* and found it just out from its stone *one inch*; and also to be removed from the center of the breadth of its stone exactly *one inch*; measurements which corroborate former measurements."

PRINCIPAL AND LEADING MEASURES CONNECTED WITH THE
INTERIOR OF THE GREAT PYRAMID.

(For their application see Plates I. to XV.)

(PRESENT) ENTRANCE INTO GREAT PYRAMID.

(Sec. 76.) This is at present, simply a hole, or doorway, at upper end of a hollow passageway, inclining thence downwards and inwards. It is situated on the northern flank of the Pyramid, in a very broken part of the masonry now, at a height above the ground, or pavement, rudely and imperfectly considered about: (in Pyramid feet and inches)—49 feet.

Distance of the center of that doorway hole eastward of center of the Pyramid's north- ern flank, as between its E. and W. ends..	<i>Feet</i>	<i>Ins.</i>
	24	6.
Height of said doorway, transversely to length of the passage way, of which it is the outer, northern, end	3	11 1/4
Breadth of the same	3	5.56
Angle of descent of the floor of the passage southwards	26°	28'

Length along that downward, and southward, slope, from a supposed original northern beginning of this passage, to its junction lower down with the first <i>ascending</i> passage inside the building, in Pyramid feet and inches.....	=	82	4.
Thence to Caliph Al Mamoun's broken hole.	=	17	10.
Thence, chiefly by excavation through solid rock, but still in one straight, downwardly inclined line as before, to the well's lower mouth.....	=	215	2.
Thence, to the end of the inclined and full bored part of the passage.....	=	24	8.
Thence, in horizontal direction to the north wall of Subterranean Chamber.....	=	27
Whole length of descending entrance passage	=	367
Part length, or from "the 2170 mark" in the up- per part of the passage to its falling into Subterranean Chamber.....	=	337	9.
Bore in horizontal subterranean region:—			
For height.....	=	3	
For breadth.....	=	2	9.

SUBTERRANEAN UNFINISHED CHAMBER.

Flat finished ceiling, length East to West...	=	46
breadth North to South	=	27	1.

Depth of walls from said ceiling, variously
and irregularly, from 3 feet, 4 inches, to 13
feet, 4 inches; floor not yet cut out of the
rock, and walls not full depth.

Small blind, horizontal hole or passage commencement, penetrating into the rock Southwards, from south wall of this cham- ber low down; length.....	=	52	9.
height.....	=	2	7.
breadth.....	=	2	5.

THE ASCENDING PASSAGE; (Limestone.)

Starts in an upward and Southward direction, from a
point on the descending entrance passage, 82 feet, 4 inches

inside the ancient building; and the first 15 feet of its length is still filled up with the fast jammed granite plugs.

(NOTE—If this passageway was cleaned out it would reveal a part of the *real* entrance.)

The whole length, from the descending passage

up to junction with, and entrance into the *Feet* *Ins.*

Grand Gallery is. = 128 6.4

Measured angle of floor's ascent southwards = 26° 8'

Transverse height of the passage bore, now 3

feet, 11 inches, to 4 feet, 11 inches; anciently = 3 11.24

Breadths now, in broken state from 3 feet, 6

inches to 5 feet; anciently. = 3 5.56

GRAND GALLERY; (Limestone.)

ALSO, AND FURTHER ASCENDING.

Length of inclined floor line, from N. to S. wall = 156 10

Measured angle of ascent, southwards. = 26° 17'

Vertical height, at any one *average* point. = 28 3½

Overlappings of roof, in *number*. = 36

Overlappings of the walls, in *number*. = 7

Ramps height. = 1 9

breadth. = 1 8

Breadth of floor between ramps. = 3 6

Breadth of gallery above ramps. = 6 10

Breadth of gallery between first overlap = 6 4.2

Breadth of gallery between 2nd. overlap = 5 10.4

Breadth of gallery between 3rd. overlap = 5 4.6

Breadth of gallery between 4th. overlap = 4 10.8

Breadth of gallery between 5th. overlap = 4 5

Breadth of gallery between 6th. overlap = 3 11.2

Breadth of gallery between 7th. overlap = 3 5.4

Great step at southern end of gallery, vertical

height of north edge. = 3

Length along the flat top from north to south = 5 1

Lower and further exit, or South doorway

passage, height. = 3 7.7

breadth. = 3 5.4

length horizontally from G. G. to

ante-chamber = 4 4½

Upper exit, at top of eastern wall at its south-	<i>Feet</i>	<i>Ins.</i>
ern end, height..... =	2	9
breadth..... =	1	8

ANTE-CHAMBER; (Limestone and Granite.)

Extreme length, North to South..... =	9	8.26
Extreme breadth at top, East to West..... =	5	5.2
Extreme height at top, East to West..... =	12	5.3
Eastern wainscot, granite, high..... =	8	7.03
Western wainscot, granite, high..... =	9	3.8

Granite (density=0.479, earth's density=1)
begins to be employed in the course of
the length of this room, and in the *Gran-
ite Leaf* which crosses it, at various dis-
tances, as 8 to 24 inches, from North wall,
in floor, and side walls.

Exit passage, horizontal, from ante-chamber, southward to King's Chamber, in granite all the way; length..... =	8	4.2
height at the North end..... =	3	7.7
height at the South end..... =	3	6
breadth at the South end..... =	3	5.4
Number of vertical grooves on South wall... =	4	
Length of each groove..... =	8	11.4

KING'S CHAMBER. (Granite.)

Structure entirely in granite, form rectangular, length, East to West..... =	34	4.132
breadth, North to South..... =	17	2.066
height, floor to ceiling..... =	19	2.389
from base of walls, below the floor, to ceiling =	19	7.35

The walls are in 5 equal height courses, and
composed of 100 blocks, no two of which are
exactly the same size; except the top course
on the East and West ends; and they extend
the entire width of the Chamber.

The hollow coffer therein; mean length outside =	7	6.01
The hollow coffer therein; mean length inside. =	6	5.85

	<i>Feet Ins.</i>	
The hollow coffer therein; mean height outside =	3	5.23
The hollow coffer therein; mean depth inside =	2	10.31
The hollow coffer therein; mean breadth outside =	3	2.61
The hollow coffer therein; mean breadth inside =	2	2.7
North air channel, length to exterior of Pyr. =	233	
South air channel, length to exterior of Pyr. =	174	3
Supposed height of their exits there. =	331	

The lower part of these air channels just before entering the King's Chamber, are bent at a large angle in the vertical and the Northern one is further tortuous in azimuth; so that they cannot be used as a means of looking through to the daylight sky, from the King's Chamber—though they may ventilate it admirably when cleared of modern obstructions.

The 'hollows' or needlessly called 'Chambers' of *Construction* above the King's Chamber, are of the same length and breadth of floor, but not above 30 to 50 inches high, except the uppermost of the five, which angular, or gable, roofed (See Plate XIV.).

HORIZONTAL PASSAGE TO QUEEN'S CHAMBER.

Length from North end of Grand Gallery,		
Southward, to the beginning of low part of the	<i>Feet</i>	<i>Ins.</i>
passage under Grand Gallery floor. =	18	1.8
Thence to low portion of floor. =	90	5.5
Thence to North wall of Queen's Chamber. . . =	18
Average height of longest part. =	3	10.34
Of Southern deep part = 5ft, 7½ ins.; breadth =	3	5.15

QUEEN'S CHAMBER. (Limestone.)

Length from east to west (in Pyr. ft. and ins.) =	18	10.7
Breadth—north to south (in Pyr. ft. and ins.) =	17	1.8
Height at north and south walls (in Pyr. ft. & in.) =	15	2.4
Height in center of gable ridge of ceiling. . . . =	20	4.4
Grand niche in the East wall; Height of. . . =	15	3
Breadth, greatest below. =	5	1.3
Breadth, at 1st. overlap. =	4	4.25
Breadth, at 2nd. overlap. =	3	5.5

	<i>Feet</i>	<i>Ins.</i>
Breadth, at 3rd. overlap..... =	2	6
Breadth, at 4th. overlap..... =	1	7.5
Eccentricity of Niche, or displacement of its vertical axis southward from central verti- cal line of the east wall..... =	2	1

Air channels exist in North and South walls; but blinded anciently inside, by a solidly left, uncut-out thickness of 5 inches of stone and their outcrop on the Pyramid flank now, not known.

Wall courses, number of, equally heighted all round up to the level of the top of North and South walls..... = 6

Additional wall courses in the upper gables of East and West walls, not yet examined.

Wall courses, as reported by Mr. W. Dixon approximately—

1st. or lowest, in height..... =	3
2nd. from floor, in height..... =	2	10
3rd. from floor, in height..... =	2	8
4th. from floor, in height..... =	2	6
5th. from floor, in height..... =	2	2
6th. from floor, in height..... =	2

THE WELL. (Lime-stone.)

Enters near North-west corner of Grand Gallery shaft square in bore; measures in length of side of bore..... =	2	4
Distance of center of entrance from the North end of Grand Gallery..... =	2	10
Vertical depth to grotto in rock, under masonry of Pyramid..... =	58	6
Further vertical depth, with some horizontal distance, to junction with the lower part of the entrance passage near the Subterranean Chamber..... =	133

NAME OF DEITY IN VARIOUS TONGUES.

These names of God include names of the Supreme Being, or, among polytheists, those of the principal deity or the chief of the gods; also the generic names, with the different nationalities, for god or a god. The alleged names of God range themselves in three classes: (1) Those which are, beyond doubt, properly so designated; (2) those which are, beyond doubt, improperly so called,—are erroneously said to be names of the Deity; and (3) those of a doubtful character,—are said to be Deific names, but for which the evidence is not conclusive. Those in the second class have been excluded from this list. Those in the third class have been included herein, and have an asterisk (*) preceding them. All others pertain to the first class.

WM. EMMETTE COLEMAN.

DEITY.	TONGUE.	DEITY.	TONGUE.	DEITY.	TONGUE.
Adi-Buddha.....	Hindu	Elohim.....	Hebrew	Nodens.....	Keltic
Adon.....	Hebrew	El-Shaddai.....	Hebrew	Nuada.....	Keltic
Adonal.....	Hebrew	Elyon.....	Hebrew	Num.....	Finnish
Ahura Mazda.....	Eranian	Engai.....	Masai	Odin.....	Norse
Akua.....	Hawaiian	Esus.....	Gaulish	Ogmios.....	Gaulish
Al.....	Hebrew	Gad.....	Hebrew	Olorun.....	Yoruba
Aleim.....	Hebrew	God.....	English	Om.....	Hindu
Allah.....	Arabic	Godh.....	Icelandic	Omakuru.....	Damara
Almighty.....	English	Gott.....	Old German	*Omh.....	Keltic
Amen.....	Egyptian	Gott.....	German	Ormuzd.....	Persian
Ammon.....	Egyptian	Govinda.....	Hindu	Osirid.....	Egyptian
Amun.....	Egyptian	Gud.....	Scandinavian	Ove.....	Fijian
Amun-Ra.....	Egyptian	Gudh.....	Icelandic	Perkunos.....	Slavonian
Ana.....	Chaldean	Guth.....	Gothic	Perun.....	Slavonian
Anu.....	Chaldean	Hara.....	Hindu	Peryv.....	Welsh
Anyambia.....	Gaboon	Hari.....	Hindu	Phthah.....	Egyptian
*Artugon.....	Tartar	Hara-Hari.....	Hindu	Pillan.....	Araucanian
As.....	Teutonic	Heavenly Father.....	English	Prajapati.....	Hindu
Assur.....	Assyrian	Heitjubil.....	Hottentot	Providence.....	English
Asura.....	Vedic	Herre (Lord).....	Swedish	Ptah.....	Egyptian
Atua.....	Tahitian	Hiranyagarbha.....	Vedic	Puthen.....	Assamese
Aum.....	Hindu	Hotoke.....	Japanese	Quabootze.....	Nootka
Avalokiteshwara.....	Hindu	*Hu.....	Celtic	Ra.....	Egyptian
Baal.....	Phœnician	Iddlo.....	Italian	Rama.....	Hindu
Batara Guru.....	Javanese	Iesusus.....	Greco-Hebrew	Rangi.....	Maori
Batava.....	Borneo	Ilu.....	Chaldean	Rheen.....	Welsh
Bel.....	Babylonian	Indra.....	Vedic	Rongo.....	Polynesian
Bel-Marduk.....	Babylonian	Intl.....	Peruvian	Ruler.....	English
*Belu.....	Welsh	Iodhol.....	Gaelic	Sabazios.....	Phrygian
Bhagavata.....	Hindu	Ion.....	Welsh	Serapis.....	Egyptian
Bhagwan.....	Gond	Isten.....	Hungarian	Shaddai.....	Hebrew
Bill-Bill.....	Babylonian	Iswara.....	Hindu	Shang-ti.....	Chinese
Bobowissi. Afr. Gold Coast		Ishwara.....	Hindu	Shin.....	Japanese
Bogh.....	Russian	*Iunak.....	Slavonic	Shiva.....	Hindu
Bogu.....	Slavonic	Jagannatha.....	Hindu	Siva.....	Hindu
*Boze.....	Polish	Jah.....	Hebrew	Supreme Being.....	English
Brahma.....	Hindu	Jahweh.....	Hebrew	Svantovit Baltic Slavon'n	
Brihaspati.....	Vedic	*Jain.....	Irish	Swayambhuva.....	Hindu
Buddha.....	Hindu	*Jao.....	Phœnician	*Tamil.....	Lapland
*Cali.....	Irish	Jehovah.....	Hebrew	Tando.....	African Gold Coast
Cell.....	Welsh	Jerroang.....	Borneo	Tangeloa.....	Polynesian
Chemosh.....	Moabite	Jesus.....	Romano-Hebrew	Tengere.....	Mongolian
*Chodfa.....	Irish	Joss.....	Anglo-Chinese	Teotli.....	Aztec
Christ.....	English	Juggernaut.....	Hindu	*Tharseo.....	Gothic
Christos.....	Greco-Hebrew	Jupiter.....	Roman	Theos.....	Greek
Conshobar.....	Irish	Kami.....	Japanese	Thian.....	Chinese
Creator.....	English	Karwar.....	Papuan	Ti.....	Chinese
*Crom.....	Irish	Keshava.....	Hindu	Tien.....	Chinese
Dea (female).....	Roman	Khoda.....	Persian	Tinia.....	Etruscan
Deity.....	English	*Ko.....	Tamil	Tivl.....	Icelandic
Deon.....	Welsh	*Ku.....	Yucatan	Trimurti.....	Hindu
Deos.....	Greek	Logos.....	Greek	Tumut.....	Egyptian
Deus.....	Roman	Lord.....	English	Tu-metua.....	Polynesian
Deva.....	Hindu	Mahadeva.....	Hindu	Tupanaui.....	Brazilian
Deva.....	Lithuanian	Maker.....	English	Tuppa.....	Borneo
Dewas.....	Lettish	Manabozho.....	Algonquin	Uasar.....	Egyptian
Dia.....	Gælic and Irish	Maneto.....	American Indian	Unkulunkulu.....	Kaffir
*Dia.....	Essequibo	Marang Buru.....	Santal	Varuna.....	Vedic
Dieu.....	French	Mau.....	Dahomey	Vasudeva.....	Hindu
Dio.....	Italian	Maul.....	Maori	Vishnu.....	Hindu
Dios.....	Spanish, Portuguese	Melek.....	Hebrew	Woden.....	Teutonic
Divy.....	Welsh	Mithra.....	Eranian	Word, The.....	English
Dovydd.....	Welsh	Mithras.....	Greco-Persian	Wootan.....	Teutonic
Dummedeu.....	Roumanian	Moloch.....	Ammonite	Yah.....	Hebrew
Duw.....	Welsh	*Monimus.....	Syrian	Yahweh.....	Hebrew
Dyaus.....	Vedic	Morimo.....	Bechuana	Yr Hen Ddihenydd.....	Welsh
Dyaush-Pitar.....	Vedic	Motoro.....	Polynesian	Yuh-hwang. China (Taoist)	
Ehyeh.....	Hebrew	Mulungu.....	East African	Yumala.....	Finnish
El.....	Hebrew	Nana-nyankupon, Afr. G.C.		Zarvana Akarana, Eranian	
Eloah.....	Hebrew	*Ndengel.....	Fijian	Zeus.....	Greek

CAPACITY MEASURE OF THE GREAT PYRAMID COFFER.

PART IV.

(Sec. 77) In the Great Pyramid, as already stated, is given the grand standard of *capacity*, by the contents or internal cubical measure, of the granite COFFER at the further or western end of the King's Chamber; and that, the final and crowning apartment of the whole of the interior of our Earth's most gigantic monument of stone.

The said coffer, however, is loose, isolated, standing on a flat floor without any guide-marks to show how it should be placed, and without the smallest hinderances (except its prodigious weight) to prevent it, in its present lidless condition, being pushed about anywhere; and except for the contraction, at one particular point in the first ascending passage way, might be pushed entirely out of the Pyramid. This point has been questioned by many, but Dr. Grant, of Cairo, accompanied by Mr. Waller, a medical man of the same place, specially looked into that matter in 1873; and settled then and there by direct and immediately successive measures, with the same scale on both the passage breadth at the indicated place, and the breadth of the coffer vessel; reporting the case as follows:—“The coffer in the King's Chamber, although turned straight into the axis of the first ascending passage, could not have passed the *whole* way along it. Lower end of ascending passage, measured close to north end of portcullis, in British inches: breadth from East to West, across the top, or North edge, sensibly the same as the breadth of the passage itself at that point 38.38 Br. inches; breadth across middle 38.44 Br. inches; breadth across bottom, or South edge 38.12 Br. inches.

COFFER IN KING'S CHAMBER.

Breadth of North end 38.62; and breadth at South end 38.75 Br. inches.

These, says Dr. Grant, "are my measures, and I can vouch for their accuracy *within* one-fourth of an inch."

That being the case, the coffer could not have been introduced by the regular passage way leading to the King's Chamber, neither can it be taken out that way now.

From the exactness with which the coffer was constructed, it is self-evident that each and every feature of it was *intended* by the ancient architect. Intended, moreover, for a further very necessary purpose; for though the coffer as a capacity measure is larger than any other standard *unit* of capacity in existence, it being *four* times the size of the English "*quarter*,"—yet one, single *coffer* measure is a very small thing to set before the whole world, and ask all nations to accept it as a standard in preference to any other box or cylinder or other shaped measure which they might have already made, or be thinking of making, for themselves.

All this difficulty was perfectly foreseen, however, by the ancient architect, as well as the possible questionings as to the authenticity and contemporaneousness of the vessel with the building of the Great Pyramid, after the thousands of years that has passed over its head. Therefore it was that he identified the coffer by certain abstruse, yet positively identifiable, scientific features with the King's Chamber in which it is placed; and that chamber, the most glorious hall that has ever yet been constructed in polished red granite, with the enormous mass of the Great Pyramid itself; and that building with the sector shaped land of Lower Egypt; and Lower Egypt with the center of the inhabited land-surface of the whole world. So that, small though the coffer may be, in itself, there cannot be another vessel of such central importance in the eye of Nature, and to the whole of mankind also, when explained.

Evidently it requires some one who has been favored with more than ordinary understanding, to explain it. Professor Smyth gives the honors to Mr. James Simpson, a young bank clerk, in Edinburgh, during the early seventies

of the last century, for the most concise, and clear, mathematical elucidation yet published. As follows:—

For the full measures of all the particulars of the coffer, the reader is referred to the proceeding pages. But for convenience we will repeat the chief results here, *viz*—

OUTSIDE MEASURES OF COFFER IN PYR. INCHES.

Length, from 89.92 to 89.62 corrected for concavity of sides

Breadth from 38.68 to 38.61 corrected for concavity of sides

Height from 41.23 to 41.13 corrected for concavity of sides

INSIDE MEASURES OF COFFER IN PYR. INCHES.

Length—77.85 supposed to be true to within 1-20 of an inch.

Breadth—26.70 supposed to be true to within 1-20 of an inch.

Depth—34.31 supposed to be true to within 1-20 of an inch.

Thickness of bottom, 6.91 Pyramid inches. Thickness of sides, 5.98 Pyramid inches.

Now all these numbers are necessary to be kept in mind, for they have all a part to play in the proofs to come.

We have already shown, and Professor H. L. Smith, of New York, has independently confirmed, with regard to the coffer, taken in and by itself that—

Exterior cubic size (In Pyr. cubic in.)	= 142,316	} = $\frac{2}{1}$ nearly
Interior cubic contents	= 71,317	
Also that, Sides of coffer, cubic size	= 47,508	} = $\frac{2}{1}$ nearly
Bottom of coffer, cubic size	= 23,758	

But now for the connections with the red granite chamber, which the coffer is placed in; and with the Pyramid building itself. *By Mr. Simpson*—

(1.) “The chief line of the whole King’s Chamber is geometrically its cubic diagonal, and that has been certainly now ascertained by modern measure, assisted by computation, to be equal to 515.165 Pyramid inches. (This is Mr. Simpson’s base line from which he reaches up to the Great Pyramid on one side and down to the coffer on the other thus:—)

(2.) $515.165 \times 10 = 5151.65$ = side of a square of equal area with the Great Pyramid’s vertical right section.

! (3.) 515.165 = twice the greatest horizontal circumference of the coffer nearly—

(4.) $\frac{515.165}{10} = 51.5165$ = (A.) the mean length of all the coffer's "arris," or edge lines.

= (B.) Diameter of a circle whose area is represented in the coffer's interior horizontal area *i. e.*, its inside floor.

= (C.) Side of a square whose area = mean area of the four external vertical sides of coffer

= (D.) The diameter of a sphere, whose contents (71,588) come very near those of the hollow part of the coffer, and do, in a sense, exist there.

= (E.) The diameter of a circle in which the natural tangent of a *Draconis* (the Pyramid's Polar star at the date of erection) was at its higher culmination, *viz.*, $33^{\circ} 41' 20'' = 34.344$ Pyramid inches = coffer's depth.

So exactly, though extraneously, appears thus to be given the coffer's depth, that every element, which the senseless hammerings of modern travellers breaking off specimens of the material—have now very nearly deprived the world of seeing again in the body.

(5.) At the same time the external correlative of inside *depth*, namely, the *height* is given simply by the tenth part the length of the King's Chamber containing it, *viz.*, 41.213 .

(6.) While the *breadth* of the coffer base is given thus, based on the number of days in the solar year:—In a circle with circumference = 365.242 Pyramid inches, the natural

tangent of $33^{\circ} 41' 20''$, or the Pyramid Polar star's upper culmination = 38.753 Pyramid inches = breadth of coffer's base; and again = ante-chamber's length 116.260 divided by 3.

(7) The depth and height are moreover thus related:—Depth squared : height squared :: so is area of side \dagger end. If 103.033 Pyramid inches was found an important touchstone of commensurability in the King's Chamber, bringing out the "sums of squares there," we may expect to find it in the coffer also; where accordingly—

(8.) 103.033^2 = area of four external sides of the coffer nearly.

(9.) $\frac{103.033}{3} = 34.344$ = depth of coffer.

(10.) $\frac{103.033^2}{2\pi i} =$ height of the coffer squared."

This last theorem brings into view the invaluable quantity πi , which the Great Pyramid commemorates by the shape of its whole external figure. And now to that good beginning Mr. Simpson adds—

(11.) "Coffer's internal floor has a boundary whose length = the circumference of a circle of equal area to coffer's outer floor or base; a curious result this of the *long* shape of the coffer, compared with the cube, or cylinder, which it might have been for capacity measure alone.

(12.) Coffer's depth multiplied by 2 πi = area of East and West (*i. e.*, the two long) sides of the coffer.

(13.) Coffer's height squared = area of $\frac{\text{side} \dagger \text{end}}{\pi i}$.

(14.) A circle with diameter 38.753 Pyramid inches (the breadth of the coffer's base), or again

A square with side 34.344 Pyramid inches (the depth of the coffer), has an area = the area of the external long side divided by πi .

(15.) Finally, if two vertical, right, sections be made through the middle of the coffer, then such are the proportions of lengths, breadths, and thicknesses, that

(A.) Area of the sections of the walls of coffer, is to area of whole section included, as 1 to πi . And

(B.) Area of sectional walls = height of coffer 'squared.' Then follow some most interesting correspondences, with distinctions, between these three apparently most diverse things, the pointed Great Pyramid, the enclosed King's Chamber, and the lidless granite coffer; thus—

(16.) "In each of these three structures, *one* rule governs their shape *viz.*, two principal dimensions added together are π times the third.

Illustrates thus:—

In Great Pyramid, Length + breadth = π height.

In King's Chamber, Length + height = π breadth.

In Coffin, Length + breadth = π height.

Wherefore Pyramid and Coffin have their radii vertical, and King's Chamber, horizontal."

POSITION OF COFFIN IN KING'S CHAMBER.

The *position* of this remarkable vessel having been described as on a flat, smooth, unmarked floor, and that a nodule of hard jasper from the desert outside, had been pushed under one corner of the south end, and tilted it out of position; supposed to have been done (by the native Arabs) in the interest of some investigator of modern times, in search of an inscription, which was never found. But in so doing the coffer was pushed some ten inches towards the north, of where it had been intended to stand; for after subtracting that quantity from the previous measured distance, from the south wall, each distance came out just 4 feet 10.2 Pyramid inches from both the north and south walls, which distance is = the height of the Great Pyramid divided by 100.

We have, theoretically, divided the King's Chamber, transversely to its length, into two equal halves. Is anything else gained by that?

This most important illustration of the very groundwork of the claim of the coffer to be a vessel of capacity having an earth size reference.

The earth size relations then of the coffer, as deducted

for itself alone, are justified by the whole King's Chamber; and the actual size is Pyramidally recognized by the lower course capacity of the chamber being 50 times the contents of the coffer, and the coffer standing on the 50th course of the masonry of the whole of the Great Pyramid from the pavement upwards. But the shape; yes, the shape of the coffer as a capacity measure—what is to justify that? John Taylor suggested, but not very strongly, “that the shape of the coffer was derived from the hot bath, the *Calidarium*, long known in the East—a long and deep box shape in which a man might lie down at full length, or sit up; and such a shape, he showed had been found more convenient for a corn holder, or large corn measure, than a cube of the same contents.”

PRACTICAL APPLICATION OF THE COFFER IN CAPACITY MEASURE.

The practical uses in capacity measure of the granite coffer in the King's Chamber, as its architect originally intended, is a vessel measuring very closely to 71,250 cubic Pyramid inches.

The whole quantity subdivides itself easily, after the manner of the Pyramid arithmetic and Pyramid construction, as follows:—the two most important steps being, *first*, the division into 4, as typifying the four sides of the Pyramid's base; and *second*, the division into 2,500, or 50 x 50 parts; fifty being the special number of the room, and the number also of the masonry courses of the whole structure on which that chamber, or rather the two adjoined chambers, rest in their places; this one, containing 10,000 000 cubic inches.

PYRAMID CAPACITY MEASURE.

Division or number of each denomination contained in the whole coffer	Intermediate divisions	Capacity of each denomination in Pyramid cubic inches	Equivalent weight in Pyramid pounds of water	Name proposed to be given to each successive portion
1	0.	71,250.	2,500.	Coffer.
4	4.	17,812.5	625.	Quarter.
10	2.5	7,125.	250.	Sack.
25	2.5	2,850.	100.	Bushel.
250	10.	285.	10.	Gallon.
2,500	10.	28.5	1.	Pint.
25,000	10.	2.85	0.1	Wine glass or fluid oz.
250,000	10.	0.285	0.01	Tea-spoon or fluid dr.
25,000,000	10.	0.00285	0.0001	Drop.

The above table begins, the large measured and scientific quantity of the coffer; and ends with a unit which, in an *approximate* form as a drop (*i. e.*, the cubical space occupied by a drop of water falling freely in air at a given Pyramid temperature and pressure), is in everyone's hands, and is definable accurately upon the coffer by the stated proportion.

PYRAMID WEIGHT MEASURE.

Division or number of each part contained in the weight standard	Intermediate divisions	Weight of the part so divided in Pyramid lbs.	Capacity of the parts in Pyramid cubical inches of earth's mean density	Capacity of the parts in Pyramid cubical inches of distilled water T 59° B 30. of Pyramid	Name proposed to be given to each kind of part
1	2,500.	12,500.	71,250.	Ton.
4	4.	625.	3,125.	17,812.5	Quarter.
10	2.5	250.	1,250.	7,125.	Wey.
25	2.5	100.	500.	2,850.	Cwt.
250	10.	10.	50.	285.	Stone.
2,500	10.	1.	5.	28.5	Pound.
25,000	10.	0.1	0.5	2.85	Ounce.
250,000	10.	0.01	0.05	0.285	Dram.
25,000,000	10.	0.0001	0.0005	0.00285	Grain.

We consider the above tables an improvement on the combination measures of the United States and Great Britain; and should in time become International.

PYRAMID WEIGHINGS WITH REFERENCE TO SPECIFIC GRAVITIES, TEMPERATURES AND PRESSURES.

(Sec. 78.) Weights, then, on the Pyramid system are equally referable, as with the French system, to one given and scientifically definable, point on both the temperature and pressure scales, but when nicety is required. But that given point in the Pyramid case is an easier, pleasanter, and a better known one; while for the rough work of the world, the Pyramid weights are calculable at once from Pyramid linear measure, without any reference to observations of thermometer and barometer at the instant, much more accurately than the French can be from theirs, under similar circumstances. The Pyramid rules, too, being expressable in the following simple manner:

For small things, ascertain their bulk in cubical inches, divide by 5, and the result is the weight in Pyramid pounds, if the said articles are of the same specific gravity as the earth's average material of construction.

For *large* masses, ascertain their bulk in cubical Pyramid cubits, add $\frac{1}{4}$, and the result is the weight in Pyramid *tous*—under the same conditions of specific gravity.

But if the matter measured in either case were not of earth's mean density, but, say, ordinary stone, the real weight would be nearer a half, and if of the more common metals, double, the amount given by the above process; the raw number first procured by it, requiring for accuracy's sake, in the case of every different pyhsical substance, to be multiplied by its specific gravity *in terms of that of the earth's*. Hence, such tabular multiplier is 1 when the specific gravity is the same as that of the mean of the whole earth ball's contents; a fraction of 1 when lighter; and 1 with something added to it, when heavier; as in the following table, prepared from various authors:—

PYRAMID SYSTEM OF SPECIFIC GRAVITES.

(Sec. 79.) Earth's mean density = 1; Temperature = 68° Fahr.; Barometric Pressure = 30.025 English inches.

Cork.....	.043	Desert sand, near Sphinx.....	.454	Lead ore, cubic.....	1.33
White pine (American)....	.072	Aluminum.....	.460	Iron, wrought.....	1.36
Oats (loose as in bushel)...	.088	Red granite (Peterhead)...	.464	Copper, native.....	1.37
Larch (Scotland).....	.093	Marble (Carrara).....	.477	Steel, hardened.....	1.37
Lithium.....	.100	Red granite, Great Pyr....	.479	Brass, cast.....	1.37
Riga fir.....	.105	Emerald.....	.487	Manganese.....	1.40
Barley (loose as in bushel)...	.112	Jasper.....	.494	Brass, cast, special.....	1.47
Ether, sulphuric.....	.129	Basalt.....	.500	Mercury, precipitated, red.....	1.47
Wheat (as in bushel)....	.132	Glass, flint.....	.527	Cobalt.....	1.48
Alcohol, pure.....	.139	Sapphire.....	.550	Cadmium.....	1.50
Pumice stone.....	.160	Diamond.....	.618	Brass wire, drawn.....	1.50
Ice.....	.163	Topaz.....	.621	Nickel.....	1.54
Butter, tallow, fat.....	.165	Ironstone.....	.670	Copper wire, drawn.....	1.56
Beeswax.....	.169	Sapphire, special.....	.701	Bismuth, native.....	1.58
Old oak.....	.170	Garnet.....	.720	Bismuth, molten.....	1.72
Distilled water.....	.175	Ruby.....	.750	Silver, native.....	1.76
Sea water.....	.180	Loadstone.....	.843	Mercury, precipitated.....	1.91
Blood.....	.180	Silver ore.....	.997	Lead, molten.....	2.00
Heart of oak.....	.206	Arsenic, molten.....	1.010	Palladium.....	2.07
Cannel coal.....	.223	Chromium.....	1.04	Thallium.....	2.10
Aloes.....	.239	Tungsten.....	1.07	Mercury, fluent.....	2.38
Chloroform.....	.267	Tellurium.....	1.10	Mercury, congealed.....	2.75
White sugar.....	.282	Litharge.....	1.10	Gold, not hammered.....	2.76
Bone of an ox.....	.291	Uranium.....	1.13	Gold, hammered.....	2.77
Magnesium.....	.310	Antimony.....	1.17	Gold, 22 carats.....	3.31
Ivory.....	.321	Lead ore, black.....	1.20	Gold, 24 carats.....	3.38
Brick.....	.351	Zinc in its common state.....	1.21	Gold, English standard, hammered.....	3.40
Casing stone Great Pyr....	.367	Tin ore, black.....	1.22	Platinum, purified.....	3.42
Sulphuric acid, concen....	.373	Wolfram.....	1.25	Platinum, hammered.....	3.57
Numulitic limestone, Pyr.	.412	Zinc, compressed.....	1.26	Platinum wire drawn.....	3.60
Porcelain (China).....	.420	Tin, pure, Cornish.....	1.28	Platinum, compressed.....	3.87
Glass, crown.....	.439	Iron, cast.....	1.28	Iridium.....	3.90
"Common stone".....	.442	Iron ore, prismatic.....	1.29		

No efficient system, then, of determining weights by linear measure, can possibly go unaccompanied by some kind of table of specific gravities.

HARMONIOUS COMMENSURABILITY OF GREAT PYRAMID AND THE EARTH, BY WEIGHT OF THE WHOLE.

If we desired the weights in Pyramid pounds, we should begin by taking the linear dimensions of each of the bodies in inches. But as tons are usually employed for large weights, and the weights to be dealt with are large enough in this case, we will follow that custom (our tons, however, will be Pyramid tons), and begin with the dimensions of

the bodies before us, in linear *cubits*, of the Pyramid (each cubit 25 Pyramid inches long, and each Pyramid inch 1-250 millionth of the earth's semi-axis of rotation.)

GREAT PYRAMID'S LINEAR ELEMENTS OF SIZE.

(Sec. 80.)

Pyramid Cubits.

Vertical height of Great Pyramid.....	= 232.52
Inclined height of Pyramid face.....	= 295.72
Side of square base of Great Pyramid.....	= 365.24
Transverse thickness of ancient casing stone film =	4.00

CUBICAL CONTENTS OF SIZE OF GREAT PYRAMID.

Cubical Pyramid cubits in the whole building,
computed from the above linear elements..... 10,339,850

Subtract for hollow internal spaces, such as
the grand gallery, chambers, and passages, com-
puted extraneously..... 5,250

Balance..... 10,334,600

Subtract casing stone film's cubical contents = 861,952

Remains, for cubical contents of general mass. . 9,472,648

All these calculations, thus far, would have to be performed on *any* system of computing weights from linear measurements, even on the French metrical system; and there, also, we should have still further to ascertain the specific gravity of the materials we are dealing with, *not one of them being the same as water*. But the casing stones, of which there are 861,952 cubical cubits, have a specific gravity (ascertained by direct experiment on hand specimens) of 0.367, where unity represents the mean density of the whole earth; while the general residual mass of the building, of which there are 9,472,648 cubical cubits, has a specific gravity, under the same circumstances of 0.412.

WEIGHT OF GREAT PYRAMID.

The conversion of the previous data into weight, proceeds thus:—

Casing stone cubical cubits.....	= 861,952
Add $\frac{1}{4}$ for Pyramid cubits.....	= 215,488
Total.....	1,077,440

Multiply by specific gravity 0.367	= tons	<u>395,420</u>
And, Residual mass in cubical cubits	=	<u>9,472,648</u>
Add $\frac{1}{4}$		<u>2,368,162</u>
	Total .	<u>11,840,810</u>

Multiply by specific gravity = 0.412 = tons 4,878,414
 Wherefore, $395,420 + 4,878,414$ = tons $5,273,834$ = weight of whole Great Pyramid.

Now let us proceed to ascertain the mass of practical weight of the whole earth.

LINEAR ELEMENTS OF THE EARTH.

Polar diameter = 20,000,000 Pyramid cubits
 Equatorial diameter = 20,070,000 Pyramid cubits
 Mean of all diameters, nearly = 20,047,000 Pyramid cubits

CUBICAL ELEMENTS OF THE EARTH.

Cubical Pyramid cubits contained in the earth, computed from the above linear elements, on the usual formula depending on value of p = 4,218,400,000,000,000,000.

Now to turn these cubical cubits into tons, we have merely to add $\frac{1}{4}$; for as the earth itself is its own, and the Pyramid's unit of density, the multiplier there is simply unity. Hence—

$$\begin{array}{r}
 4,218,400,000,000,000,000 \\
 + 1,054,600,000,000,000,000 \\
 \hline
 \text{Weight of the earth } \left. \begin{array}{l} \text{in Pyramid tons.} \end{array} \right\} = \underline{\underline{5,273,000,000,000,000,000}}
 \end{array}$$

Comparing now this weight, with that of the Great Pyramid as given above in the same tons (5,273,834), the first four places of numbers are found to be identical; quite as close, or rather much closer, correspondence than could well have been expected; while the difference in the number of times of figures, or the number of times that the weight of the earth is absolutely greater than that of the Great Pyramid, is in the proportion of 10^{15} to 1; or, as some prefer to express it $10^{5 \times 3}$ to 1.

Now this very proportion is in peculiar Pyramid numbers, and must further be considered to have been intended.

INTERNATIONAL APPENDIX TO GREAT PYRAMID
WEIGHT MEASURE.

(Sec. 81.) *Pound Weight Measures, Different Countries.*

Country or City	Name of Weight	Weight in Avoirdupois Grains
Great Britain—United States.....	Pound.....	7,000
Portugal.....	Arratel or Libra.....	7,077
Argentina, Geneva.....	Libra.....	7,084
Lyons.....	Livre, poids de soie...	7,088
Bolivia, Canary Islands, Chile, Cuba, Guatamala, Honduras, Manila, Mexico, Spain and Uruguay.....	Libra.....	7,098
Colombia, Venezuela.....	Libra.....	7,112
Mecca.....	Rotolo.....	7,144
St. Gall.....	Light Pound.....	7,175
Brunswick, Leipsic.....	Pound.....	7,206
Frankfort.....	Light Pound.....	7,210
<i>Great Pyramid</i>	<i>"Pound"</i>	7,212
Cologne.....	Pound.....	7,216
Prussia.....	Pound.....	7,218
Stettin.....	Pound.....	7,219
Wurtemberg.....	Pound.....	7,220
Dantzic, Konigsberg, Berlin.....	Pound.....	7,231
Zurich.....	Light Pound.....	7,233
Ulm, Aix-la-Chapelle.....	Pound.....	7,234
Rotterdam.....	Light Pound.....	7,243
Strasbourg.....	Livre.....	7,266
Constance, Erfurt.....	Pound.....	7,285
Augsburg.....	Light Pound.....	7,295
Liege.....	Pound.....	7,330
Guiana.....	Livre.....	7,539

The above table speaks for itself; and while no one of the cities or countries enumerated, have ever adopted the exact number of grains, that the Pyramid pound is found to contain (7,212) yet, the variation of less or more is only slightly over 200 grains, or less than half of one per cent.

LINEAR AND SURFACE MEASURE STRICTLY
EARTH-COMMENSURABLE.

(Sec. 82.) The commercial arrangement of the most important of all the measures of a nation, we have now

arrived at; and that one which requires parctically to be attended to first, and which *was* first attended to, and secured with more than sufficient accuracy, as well as with the grandest of suitable and harmonius earth-commensurability, in the Great Pyramid; *viz.*, linear, or length measure. And, after all that was accomplished in laying out the exterior of the building in terms of this standard, we have seen in previous sections, that the interior arrangements of the Pyramid are similarly laid out; and there, both in a harder material and in a constant temperature which brings all standards of all materials into a uniform and intercomparable condition, most unexceptionably.

The Great Pyramid's particular *standard* of length measure is, *viz.*, its 25 inch cubit, the one-ten-millionth of the earth's semi-axis of rotation, and has its length most exactly ascertainable by modern measure (combined with and understanding fromula, so as to take advantage of a multiple of the single standard arranged by the original builders, through the Architect himself), in the King's Chamber; where, as Prof. H. L. Smith has well shown, it is given with surpassing accuracy by the expression: "Cubic diagonal of the room multiplied by 10, and divided by the breadth of the floor. That is, in Pyramid inches deduced from the English inches of actual measurement, $\frac{5 \cdot 51 \cdot 646}{206 \cdot 066} = 25.000$ Pyramid, or 25.025 English inches.

Evidently this is the length to which, in a concrete, single, and distinctly separate shape, we were shown to exist in the granite leaf of the ante-chamber. While the granite leaf still further shows the subdivisions of a single cubit, first into five parts (25th parts of the whole cubit), which parts we will designate as "inches of the Great Pyramid."

Any one of these inches is the unit standard of the Great Pyramid linear measure. Accurately this inch is the 1-500,000,000th of the earth's axis of rotation, an inch, too, which decimally subdivided, whereon extreme accuracy is concerned.

Division or number of each part in the grand Length Standard	Interme- diate division	Length in Pyr- miles	Length in Pyramid cubits	Length in Pyramid inches	Name of each division
1		4000	10,000,000.	250,000,000.	{ Earth's half breadth or semi- axis of rotation
1,000	1000.	4.	10,000.	250,000.	League.
4,000	4.	1.	2,500.	62,500.	Mile.
40,000	10.	0.4	250.	6,250.	Furlong.
100,000	2.5		100.00	2,500.	Acre-side.
1,000,000	10.		10.	250.	Rod.
10,000,000	10.		1.	25.	Cubit.
(4,800,000		0.48	12.	Foot.)
250,000,000	25.			1.	Inch.
2,500,000,000	10.			0.1	Tenths.
25,000,000,000	10.			0.01	Hundredths.
250,000,000,000	10.			0.001	Thousandths.

A small standard, viz., the foot of 12 inches is left in place; because, although not evenly earth-commensurable, and inappropriate, therefore, for scientific purposes, there is a large operative use for it; and it is connected at one end, though not at the other, with the Pyramid system. And if we next compare all the mutually approximating Pyramid items with the British, and in terms of present English inches (so that we may not be speaking in an unknown tongue), we shall have the following table:—

PYRAMID AND ENGLISH LINEAR MEASURE.

Compared through the temporary medium of English linear inches.

<i>Pyramid Inches.</i>	<i>English Inches.</i>
1 earth's semi-axis of rotation.. = 250,250,000,000	
1 league..... = 250,250,000	1 league..... = 218,721.600
1 mile..... = 62,562.500	1 mile..... = 63,360.000
1 acre-side..... = 2,502.500	1 acre-side..... = 2,504.525
1 rod..... = 250.250	1 rod..... = 198.000
1 cubit..... = 25.025	2 foot rule..... = 24.000
1 foot..... = 12.012	1 foot..... = 12.000
1 inch..... = 1.001	1 inch..... = 1.000

INTERNATIONAL APPENDIX TO GREAT PYRAMID
LINEAR MEASURE.

“Cloth Measure,” Close to Pyramid Cubit.

Country or City	Name of Linear Measure	Length in English Inches
Algears	Turkish pic	24.53
Ancona	Braccio	25.33
Bergen, Copenhagen	Ell	24.71
Betalfagui, Basoria, Mocha	Guz	25.00
Bologna	Braccio (Woolen)	25.00
Candia	Pic	25.11
Egypt	Derah	25.49
Ferrara	Braccio (Silk)	24.75
<i>Great Pyramid</i>	<i>“Pyramid Cubit”</i>	25.025
Mantua	Braccio	25.00
Moldavia, Roumania	Kot	24.86
Nancy	Aune	25.18
Padua	Braccio (Silk)	25.30
Parma	Braccio (Cloth)	25.10
Patras	Pic (Silk)	25.00
Persia	Guerze	25.00
Smyrna	Indise	24.65
Trieste	Ell (Silk)	25.22
Tunis	Pic (Silk)	24.83
Venice	Braccio (Silk)	24.81
Verona	Braccio (Silk)	25.22
Zante	Braccio (Silk)	25.37

THERMOMETERS AND THEIR SCALES IN DIFFERENT COUN-
TRIES.

(Sec. 83.) A “thermometer” in this enlightened age is one of the most widely essential of all scientific instruments and there is probably no modern science which can advance far without its aid.

Prominently connected with *thermometers* is the name of “Mynheer Gabriel Daniel Fahrenheit,” who was born at Hamburg as some say; at Dantzig, according to others; while all allow that he afterwards lived at Amsterdam. Exactly *when* his birth took place is not known, nor is the date of his death, but his “Dissertation on Thermometers”

was published in London in 1724, not many years after the first successful introduction of quicksilver, to take the place of air, in thermometers; and seems to have been the chief agent, over and above his own practical success in the manufacture of such thermometers, in causing his system of numbers and scale-graduations to become such an almost universal favorite in England. And yet it is now alleged that Fahrenheit was not the original inventor of the scale which bears his name; that having been really devised and first used by Olaus Roemer, the celebrated astronomer of Copenhagen, about 1709. Touching absolute cold, is seen every winter to be a mistake, whenever his thermometer descends below its own carefully marked zero; while the all-important point of the freezing of water is left at the not very signal, but certainly rather inconvenient number of 32° ; and the boiling point at the not more convenient one of 212° .

Many, therefore have been the demands that either the German Reaumur, or the French Centigrade should be adopted; in terms of any of which, water freezing marks 0° ; and all degrees below that notable point are negative; above, positive.

As a greater number of states of temperature are generally demanded, between the freezing and boiling points, why not adopt the 250 of the Great Pyramid scale? For, by so doing, not only will the world's population reap that one advantage above mentioned, to a still greater extent, but they will suffer less shock, as it were, in their feelings, when talking of summer temperatures, than even if they retained the Fahrenheit degrees, but placed at 0° at freezing; as simply illustrated by the following numbers giving the absolute temperatures in terms of five different thermometric scales:—

Fahrenheit	Mod. Fahrenheit	Centigrade	Reaumur	Pyramid
122°	90°	50°	40°	125°
104°	72°	40°	32°	100°

The Pyramid system which so often ends with reference

to the four sides of its base, again comes to our aid in the fixing of temperatures. Multiply, therefore, the 250° (of water-boiling by 4, making $1,000^{\circ}$; at the notable and dividing line of heat, where it causes bodies to begin to give out light. Again, multiply this $1,000$ by 5 (a Pyramid number) and we have $5,000^{\circ}$ of the Pyramid, or that glowing white-hot heat, where the chemists of the different nations would place the melting point of the most dense and refractory of all metals, platinum. Or descend again to -400° Pyramid, and we find a point regarded by some existing chemists as the absolute zero of temperature.

The French metrical temperature reference was originally intended by its scientific authors, admirable for their day, to have been the freezing point for water; on the arithmetical and mathematical, rather than physical and experimental, conclusion—that they would find water in its densest condition when coldest, or immediately before passing into the state of ice. But when they began to experiment, nature refused to be bound by human ideas, and water was discovered to be of the greatest density at a very sensible distance of heat above freezing, or at 39.2° Fahr.

But all these anomalies are corrected at once at the Great Pyramid; for its position on the earth's surface in that parallel of latitude (*viz.* 30°) which, by the geometry of a sphere, has an equal amount of terrestrial *surface* between itself and the equator on one side, and itself and the Pole on the other, evidently points to something like mean terrestrial surface temperature as the proper central point of comparison in the affairs of men. Equally, too, does the Pyramid point to 30 of its inches of mercurial pressure of the atmosphere, as the international reference in that department of Nature. Exhibiting the quantity also as the very clear and distinctly separating line between good and bad of the weather all the world over; above 30 inches of the barometer meaning dry weather, sun-shine and bracing Polar air; below 30 inches, rain, clouds moisture and electric equatorial gales.

The Pyramid reference indeed for pressure would not be exact, if observed very scientifically and microscopically in its own latitude and longitude *at the sea level*. But that low down reduction of all materiologists, is only another case of their going on one side, instead of to the middle, of the fact; for the bulk of mankind does not live at that most dangerous level, where the record of the "tidal-wave" tells its own story—but at such a mean and perfectly safe height above it, as that of the King's Chamber of the Great Pyramid, *viz.*, 4,297 inches (or 358 ft. 1 inch) A height which both gives out, on an annual mean of barometric observations, the required 30 inches; and at the same time makes the temperature observed there, under normal circumstances, the true Pyramidal 1-5 between boiling and freeing of water; and not the slightly higher temperature of that latitude and longitude, if reduced to what does not exist there the sea-shore and its level.

TEMPERATURES IN PYRAMID THERMOMETER DEGREES.

(Sec. 84.) *Atmospheric pressure = 30 inches, except when otherwise stated.*

Platinum melts.....	5000	Mercury boils.....	882
Wrought iron melts.....	4000	Mercury boils.....	875
Wrought iron melts.....	3750	Sulphuric acid, strong boils	845
Steel melts.....	3500	Sulphuric acid boils.....	812
Steel melts.....	3250	Lead melts.....	815
Cast iron melts.....	3875	Cadmium melts.....	788
Cast iron, grey, melts.....	3130	Phosphorus boils.....	725
Cast iron, white, melts....	2625	Bismuth melts.....	575
Gold, pure, melts.....	3125	Water boils under 20 at-	
Gold, alloyed as in coinage	2950	mospheres.....	535
Copper melts.....	2875	Under 15 atmospheres..	500
Silver, pure, melts.....	2555	Under 10 atmospheres..	450
Silver, pure, melts.....	2500	Under 5 atmospheres..	381
Bronze melts.....	2250	Spirit of Turpentine boils	325
Sulphur boils.....	1100	Acetic acid boils.....	290
Antimony melts.....	1080	Sulphur melts.....	278
Zinc melts.....	1028	WATER BOILS.....	250
Zinc melts.....	900	Sodium melts.....	238
Iron visible in the dark..	1000	Benzol boils.....	200

Alcohol, pure, boils.....	198	Ether boils.....	28
Alcohol, pure, boils.....	195	Mean temperature of London.....	25
Stearic acid melts.....	174	Low winter temperature at Great Pyramid.....	20
White wax melts.....	170	Water freezes.....	0
Wood spirit boils.....	166	Freezing mixture, snow and salt.....	—50
Potassium melts.....	158	Sulphuric acid freezes....	—87
Yellow wax melts.....	155	Mercury freezes.....	—98
Greatest observed shade temperature.....	139	Greatest cold experienced—	125
Stearine melts.....	138	Greatest artificial cold, nitrous oxide and carbonic disulphide, <i>in vacuo</i>	—350
Spermaceti melts.....	122	Absolute zero (Miller's Chemistry.....	—400
Summer temperature at Great Pyramid.....	100	Theoretical base of air thermometer; or air supposed to be so excessively contracted in bulk by cold, as at last to occupy no space at all, and in that case to become of infinitely great specific gravity.....	—682
Ether, common, boils....	92		
Blood heat.....	91.5		
Butter and lard melts....	82		
Mean temperature at level of King's Chamber in Great Pyramid.....	50		
Pyramid temperature— $T^{\frac{1}{2}}$			
Mean temperature of all lands inhabited by man, and temperature of the most suitable degree to man.....	50		

PYRAMID ANGLE MEASURE.

(Sec. 85.) Astronomical scientific development, feels the necessity, and demands an angular, as well as a linear measure to refer to for distances; while the same demand for angular measure is experienced in each of the purely terrestrial sciences as well.

The French *savants* of the Revolution attempted to introduce into their decimally arranged metrical system an *angular* graduation where the quadrant contained 100, and the whole circle 400, degrees. But, after trying it for some years, they had to give it up; for it seems the influence of "Great Babylon," which is, by many persons, believed to have originally invented, and then fixed on the world, our present sexagesimal system, or 360° to the circle, and $60'$ to the degree, was too powerful for the then, mathematicians of Paris, to contend successfully against.

But there could have been no more community feeling among the Babylonians, and the extreme ancient Builders of the Great Pyramid in their goniometry, than in their methods of astronomical orientation, which we have already seen were entirely diverse. What system, then, for angle was more probably employed at the Great Pyramid?

A system, apparently, of 1000° to the circle; 250° to the quadrant. This conclusion has been ventured, by prominent Egyptologists, to be deducted from the following features at the Pyramid:—

(a.) The angle of rise of the Pyramid's flanks, and the angle of descent or ascent of its passages, are both very peculiar angles, characteristic of the Great Pyramid; and though rough and incommensurable on either the Babylonian, or French, or any known angular system, are in a practical way evenly commensurable on the Pyramid system.

Pyramid Feature	System of Angle Measures			
	Babylonian	French	Vulgar	Pyramid
A whole circumference	360°	400°	32°	1000°
Angle of side with horizon	$50^\circ 51' 14''$	$57^\circ.62$	$4^\circ.61$	$144^\circ.05$
Angle of passages	$26^\circ 18' 10''$	$29^\circ.23$	$2^\circ.34$	$73^\circ.08$

(b.) Whereas the King's Chamber has been in a manner utilized as the chamber of the standard of 50, and the Queen's as that of the standard of 25, and are both of them witnessed to by the number of Pyramid courses on which they stand, the subterranean chamber may be considered the chamber of angular measure; and does, at its center, view the whole pyramid side, at an angle of $75^\circ 15' 1''$ Babylonian, but $209^\circ.03$ Pyramid. And though there are now only 202, there are shown to have been in the original finished Pyramid somewhere between 209 and 218 complete masonry courses; or agreeing within the limits of error of those researches, with the angular result of 209° .

(c.) And then there follows a useful practical result

to Navigation, and its peculiar itinerary measure, the 'knot,' or nautical, or sea-mile; *viz.*, the length of a mean minute of a degree of latitude.

At present there is much inconvenience from the large difference in the length between our land and sea miles; for they measure 5,280 and 6,085.88+ feet respectively. (See index for length of statute and nautical mile compared.) But granted that a Pyramid *knot* shall be 1-25th part of a Pyramid degree, then the respective lengths of a Pyramid land, and a Pyramid sea, mile will be the comparatively approaching quantities, in inches, of 62,500 and 62,995.

MONEY. (WHY NOT PYRAMID MONEY?)

(Sec. 86.) Many inquirers have demanded, "What about money on the Pyramid system?"

Nothing whatever has been discovered up to this date (except coincidence) that has coupled the subject of money with the Great Pyramid. And, no wonder, for no one has as yet defined exactly, what money is.

The nearest approximation to the subject (we have ever seen) we think is, in a small volume entitled "A Thirty Years' War on Silver," by Supreme Judge Fitzgerald, of the State of Nevada. Look at any piece of (coin) money whatever: whose image and superscription does it bear? That of some earthly Cæsar or other. None of the present or past coinages, with which we are familiar, have any fixed weight or measurement, relative to any *other* fixed weight or measurement; with the single exception of the "5 cent *nickel*" of the United States, which is: "a millimetre in thickness, and is said to weigh 15 grammes," in its relation to the "French metric system." The following *astonishing coincidence*, however, is worth quoting; given to the world by Dr. Watson F. Quinby, of Wilmington Delaware, some forty years ago, as follows:—

"Our (U. S.) silver coinage corresponds in grains to the measures of the King's Chamber in the Great Pyramid, in English inches. So that the length of that chamber being

412.5 of those inches, the standard weight of the "Dollar of the Fathers" is 412.5 grains; the half-dollar, weighing 206.2 grains represents the breadth of the same chamber—206.25 English inches; and the quarter-dollar of 103.1 grains represents in inches the half breadth of the same chamber, or the 'touch-stone' length as it has been called of so many of the Great Pyramid's measurements.

"At the same time the grander golden coin, the American Eagle, contains 232.5 grains of pure gold, or the number of Pyramid cubits in the vertical height of the Great Pyramid; and the 'half-eagle' contains 116.25 of the same gold in grains, equal almost exactly to the length of the Ante-Chamber of the King's Chamber in the same Pyramid expressed in Pyramid inches."

TRANSCENDENTALISMS OF GREAT PYRAMID ASTRONOMY

[By Prof. Piazzzi Smyth, R. A., with comments by the author.]

(Sec. 87.) "Now the only source from whence one uniform system of sidereal chronology, and which, though endued with *some* change in respect to the seasons, yet alters so slowly year by year and generation after generation as to require 25,827 years before it passes through all the seasons—the only source, I say, from whence it could have emanated in that early age of the world, and have been impressed upon the *origines* of all races of mankind, is, was, and ever will be, Divine inspiration; and the Divine intention touching that mystery of God, the human race on earth.

"But not by any means implying that the terrestrial human race is the only object cared for by God, throughout all the sidereal universe. For had it been so, they might have been created for man's chronological purposes alone—instead of man being taught, as in this case, to make the best practical use of pre-existent, pre-created means. Here, accordingly, what we are called upon to note, may rather remind us of that which Josephus records

of the descendants of Seth, *viz.*, that no creation miracles were wrought for them, but that they, though favored with Divine assistance, had to study astronomy in the laws of the stars as they already existed. And pushing our calculations to the extreme of modern science, we shall undoubtedly find that those stars were by no means in themselves absolutely perfect for this one end alone. But take them as they were 4,000 years ago, and after they had been already set in motion by the divine power æons and æons of ages before the Pyramid day—and you will find that they did, at that epoch, come quite near enough to form an excellent practical chronological system of the kind indicated; and no better mode of utilizing those actual phenomena of the starry sky, nor any better choice among the stars, ever has been imagined since then, in any country of the world.

Thus, to moderate observation (and with far greater accuracy than the annuals of the profane history of mankind have been kept to) all these hereinafter-following features may be said, in *ordinary* terms, to obtain—

1. The Great Pyramid is astronomically oriented in its sides; and its passages are in the plane of the meridian.

2. The entrance passage, with its alt. angle of $26^{\circ} 16'$ nearly, points $3^{\circ} 42'$ vertically below the Northern Pole of the sky.

3. In the year 2170 B. C., a *Draconis* was $3^{\circ} 42'$ from the Pole of the sky, and therefore looked down the axis of the entrance passage, when at its *lower* culmination.

4. When a *Draconis* was so looking down the entrance-passage in the North, then *Tauri*, the chief star in the Pleiades group, was crossing the local terrestrial meridian, towards the South; in the vertical plane of direction of the Grand Gallery, but at a point high up in the sky, near the equator.

5. At the same moment of that year, 2170 B. C., the celestial meridian of the Vernal Equinox also coincided with that same *Tauri* star, and gave it for the time an extraordinary, chronological, super-eminence over all others.

6. That whole stellar combination had not taken place for 25,827 years previously, and will not take place again for 25,827 years subsequently. It has not consequently repeated, or confused, itself yet in all the history of the human race; through the Sothiac cycle, the Phoenix cycle, and other chronological inventions of the profane Egyptian priests, men long after the Pyramid day, and supposed generally to have been the most learned of the ancients—have done so again and again; to the lamentable confounding of dates in the old Pagan, and modern Egyptological world too.”

NOTE.—It will be observed in the above quotation, that Professor Smyth reaches back in his astronomical calculations, *nearly 30,000 years*, but he does not go back with his dates, “*to the first advent of man upon the earth*” beyond 4,004 B. C., thereby, rather mixing his theory, of the “4th day of Creation,” as recorded in the first chapter of Genesis. Again he says:—

“But if the calculations on which the above Pyramid results are founded, shall be pushed to much greater refinement, or to proportions of space invisible to the naked eye,—it then appears that (1.) the Pole star, when it was $3^{\circ} 42'$ from the Pole, (2.) the equatorial star opposite to it, and (3.) the celestial meridian of the equinox, were not all of them on the Pyramid's meridian, below and above the Pole, *precisely* at the same instant, either in the year 2170 B. C., or in any other year.

But this difficulty is not by any means entirely dependent on the stars, in their places, not being as exact as if they had been created originally for no other than the above purpose; for there are hindrances also to modern astronomy, in precisely realising every simple thing in number, weight, and measure, that has taken place in Nature during the last 4,000 years. Two astronomers, for instance, using the same data, may compute back the place of a given star 4,000 years ago from its present place, and they shall agree to a second in the result; but it does not therefore follow that

the star was precisely there at that time, as though a contemporary astronomer had observed it then; because proper motion, and variations of proper motion, may exist, quite unknown to the short period of surveillance over the second in the result; but it does not therefore follow that the star was as precisely there at that time, as though a contemporary astronomer had observed it then; because proper motion, and variations of proper motion, may exist, quite unknown to the short period of surveillance over the stars yet enjoyed by modern astronomy. Some of the quantities too, of the celestial mechanics concerned, such as the precise amount of the very precession of the equinoxes itself, and its accompanying phenomena of nutation and aberration, may have been erroneously assumed, and never can, or will be ascertained perfectly by man. The accepted numerical values of such quantities do, in fact, vary at the same time between one astronomer and another (unless both were brought up in the same school, and then both may differ from truth), and also between one generation and another of astronomers in the same place.*

[At the request of Prof. Smyth, in 1871, Dr. Brunnow, (then Astronomer-Royal for Ireland,) prepared the following table on the Pyramid star calculations], viz.—

- (1.) "*a* Draconis was for the first time (†) at the distance of $3^{\circ} 41' 50''$ from the pole in the year = 3443 B. C.
- (2.) "It was at the least distance from the Pole, or $0^{\circ} 3' 25''$, in the year = 2790 B. C.
- (3.) "It was for the second time at the distance of $3^{\circ} 41' 42''$ from the Pole in the year ... = 2136 B. C.

* Viz—Astronomers even of 40 years ago are no longer quoted authoritatively; for it is found that the theories of Mercury, Jupiter, Saturn, Uranus and Neptune, are all in need of revision. The Tables of the Planets by Professor M. Le Verrier, and Newcomb, differ materially from present observations.

† How did he *know* that it was there for the *first* time?

- (4.) "*Tauri* (Alcyone of the Pleiades) was in the same right ascension as the equinoctial point in the year = 2248 B. C. when it crossed the meridian above the Pole $3^{\circ} 47'$ north of the Equator, with *a Draconis* crossing below the Pole, nearly but not exactly at the same instant; and *a Draconis* was then nearly 90° ($89^{\circ} 16'$) from Alcyone in the meridian, measured through the Pole.
- (5.) "*a Draconis* and *Tauri* were exactly opposite to each other, so that one of them could be on the meridian above the Pole, and the other on the meridian below the Pole at the same absolute instant, only at the date of = 1574 B. C. but when all the other data diverged largely.

"We have now to deal with the last three dates. Of these three, the first two evidently include between them my own previous quantity of 2170 B. C.; but the third differs extravagantly. Nevertheless, the visible effect in the sky of that one apparently very large difference in absolute *date*, is merely this, according to Dr. Brunnow's computation; *viz.*, that when *Tauri*, or the Pleiades, were crossing the meridian above the Pole, at my Pyramid date of 2170 B. C., *a Draconis* was not doing the same thing, *exactly* beneath the pole, at the same instant; for the star was then at the distance of $0^{\circ} 17'$ *west* of the meridian. But it would have been doing the same thing perfectly, according to an *entrance-passage observation* of it, if the northern end of that passage had been made by the builders to trend $17'$ westward, still keeping to its observed angular height in the vertical plane; *viz.*, $26^{\circ} 18'$.

"Whereupon comes the question whether—granting temporarily that Dr. Brunnow's excellent calculations in modern astronomy replace everything that has happened in Nature during the last 4,000 years—whether that $17'$ of the Pole star's *west* distance from the meridian was a thing

of moment;—and if so, is this the first occasion on which the divergence has been discovered?

“Seventeen minutes of space, or less than the thousandth part of the azimuthal scale, is but a small quantity for any one to appreciate in all the round of the blue expanse, without instruments; and the first effort of Greek astronomy 1,800 years after the Pyramid was built, [? how did he, or how does any other human being, living, know just *when* it was built?] is reported to have been the discovery that the Pole star of that day, then 6° from the Pole, was not as *they*, the Greeks, had previously held, *exactly* on the Pole. Greek and other profane nations, then, had been in the habit of overlooking, long, long after the epoch of the Pyramid, an error twenty times as great as this which is now charged on the Great Pyramid astronomy, by the present day science of precision, which has been at last elaborated amongst men after a further consumption of 4,000 years.

“And yet it was not all error either, on the part of the Great Pyramid. For here we should take account of the results of my observations in 1865, when I succeeded in comparing the directions of both the outside of the Pyramid, the internal axis of the entrance passage, and the axis of the azimuth trenches separately and successively with the Polar star. These observations were made with a powerful altitude-azimuth instrument, reading of its angles with micrometer-microscopes to tenths of seconds; and the conclusions from them were, that everything at the Great Pyramid trended, *at its, north end towards the west*—the azimuth trenches by 19 minutes, the socket side of the base by 5 minutes, and the axis of the entrance passage by more nearly 4 minutes and a half. What *could* all these features have been laid out for with this slight tendency to the west of north? was a question which I frequently pondered over at the Great Pyramid, and sometimes even accused the earth's surface of having shifted with respect to its axis of rotation during 4000 years. But now the true ex-

planation would appear to be, that the Seth-descended architect, knowing perfectly well the want of exactly the 12 hours, or 50 inch, correspondence between his Polar and Equatorial stars (though they were the best in the sky), had so adjusted in a minute degree the position of the Great Pyramid when building it, as to reduce any error in his Pleiades system of chronology arising out of the stellar discrepancy, to a *minimum*. Whence the fact of the *western* divergence of the north pointing of the entrance-passage, as detected by the modern astronomy observations in 1865, combined with the computation in 1871—becomes the most convincing practical proof of intention, and not accident, having guided all these time arrangements of the Great Pyramid.

“On discussing recently with some of the astronomers who were sent to Egypt in December 1874, to observe the Transit of Venus (as a stepping stone toward attaining a knowledge of the sun distance)—the palm of merit for the best time observations seemed to be unanimously accorded to those of them who had adopted a new method of using their transit instruments, recently elaborated by M. Otto Struve, of the Central Russian Observatory; and which consisted in observing, not exactly in the plane of the meridian (as usually done or tried to be done), but *in the vertical of the Pole star at the instant*;—or, as nearly as possible, on the very method of ultra-refinement adopted at the ancient Great Pyramid. Hence the object of this chapter is now fully obtained: for not only does the ancient monument fix an absolute date for itself, *viz.*, something very close to 2170 B. C., which all the profane monuments were confessed to be incapable of even approximately attempting, but it does so by methods unknown of old elsewhere, and only recently begun to be appreciated in the best *European astronomy*.”

The foregoing copious notes, from Professor Smyth's final effort, before he passed to the beyond, in his attempt to fix the date of the building of the Great Pyramid, is

one of the best efforts of his life, and is indicative of the man. He was a *noted astronomer* and *mathematician*, and wrote *nothing* but what he thoroughly believed to be true. But his science was narrow, and warped, at times, in his vain attempt to *prove*, that a "Deified Architect" directed the building of the Great Pyramid, in the year 2170 B. C.

With the perfect mechanical skill which he knew was necessary, to construct the inner, finished portions of the Great Pyramid; and the mathematical and astronomical intelligence requisite for its architect to lay out and plan such a building, his knowledge of past history taught him:—that no such individual, or set of individuals had preceeded our present scientific age, within the last 6,000 years, or even existed today.

And with his further belief, (and to *him, knowledge*) that this earth of ours was only about 5,883 years old in the year 1879 A. D.; it was perfectly natural that he should not only suggest, but *believe* that the Architect was gifted with Deific intelligence. But in his great enthusiasm for his *Deified Architect* he neglected to apply that same term to the mechanics and laborers on the Great Pyramid, which were certainly—equally necessary. That the Great Pyramid is the most perfect building in the world for a "Depositary of Weights and Measures," geographically, astronomically and mathematically, every person who has read up the subject must confess. And, every Fraternal man, no matter as to what organization he represents, must also acknowledge its perfect adaptability, as an asylum or lodge outfit.

But just what use it could be to religious worshipers, we are at a loss to know, and Professor Smyth has not informed us. For, as a matter of course, if its architect was *Deified*, it was for a purpose; and, that purpose should stand out somewhere in that *grand structure*, to point out one "God," or the "Father and Son"; or, Heaven, and Hades. But, no such significance has been pointed out, by *any Egyptologist* as existing therein.

Our theory therefore, comes to the front. For, as no human being has appeared upon the face of the earth in the record of history; or that can be found today in the whole civilized world, that would be egotistical enough even to *assert*: that he could plan, and cause the erection of a similar structure, as that of the Great Pyramid Jeezeh; therefore, as the building *really* exists, somebody must have been the architect, and some body of intelligent human beings must have assisted him in its erection. Who were they?

Let us reason together. The earth is proven to have been several millions of years in existence, by both geology, and *astronomy*. If that is so, will any one attempt to argue in this enlightened age, that is has only been peopled for 6,000 years? Suppose in minimum figures, that the earth has stood just 1,000,000 years; and that it has been inhabited, off and on, for one-fourth of that period, or 250,000 years; and that during some one of those inhabited periods, the geneology existed through more than 50,000 years; could not *they* as a race of people, have gained more knowledge, general intelligence, scientific and mechanical skill, in 50,000 years, than we have stored up in our little insignificant 6,000 years? The internal fires of the earth, and the changing of the earth's polarity from various causes, has caused most of the continents to change places with the waters of the earth, many times, but at long intervals. During some one of these long inhabited periods, the wise men of their day, *discovered* that there was a small peice of territory located near to 30° N. Lat., and $31^{\circ} 10' 1''$ E. Lon. that would not again change places with the watery deep, for at least 500,000 years. On this spot they erected that "Great *First Wonder of the World*," that has kept our geology guessing for over 5000 years. We have in a previous section of this work stated, the purpose that led to its erection. Before closing this volume we will picture one of the 'degrees'

taken in this asylum over 50,000 years ago. But first, a little more conservative information in measurement and capacity.

THE ARK OF THE COVENANT OF MOSES.

(Sec. 88.) The size of that Ark-box of Moses is given in the Old Testament as being $2\frac{1}{2}$ cubits long, $1\frac{1}{2}$ cubits broad, and $1\frac{1}{2}$ high; which measures being reduced to Pyramid inches, on Sir Isaac Newton's valuation of the sacred cubit of Moses, $= 62.5 \times 37.5 \times 37.5$ of those inches.

But was this outside measure or inside measure? for that must make a very material difference in the cubical result.

Outside measure, without a doubt, and for the following reasons:—

Because the vertical component is spoken of as height, and not depth; and because the lower lid of gold, or the Mercy-seat, being made only the *same* stated length and breadth as the Ark itself, it would have stood insecure, and run a chance of tumbling down to the bottom of the box, if that length and breadth had signified the top of the box's inside, and not its outside area. Scripture does not inform us just what thickness the sides were, and therefore we do not know exactly how much to subtract from the outside, to give the inside dimensions; but the outside having been given, and the material stated, the limits within which such thickness must be found are left very narrow indeed. Let the thickness, for instance, be assumed to be 1.8 Pyramid inches; then the length, breadth, and depth will be reduced from an outside of $62.5 \times 37.5 \times 37.5$ to an inside of $58.9 \times 33.9 \times 35.7$; which gives 71,282 cubic inches for the capacity contents of this open box without a lid.

Or, if we place the sides and ends at 1.75 inch in thickness, and the bottom at 2 inches—which are very fair proportions in carpentry for such a sized box in such a quality of wood, as that from which it was constructed,—then its inside measure would be $59.0 \times 34.0 \times 35.5$; which

makes the cubical contents = 71,213 cubic inches. Which makes it almost identical with the capacity of the coffer in the King's Chamber of the Great Pyramid; or within 0.37 of a cubic inch.

The brazen lavers of Solomon's Temple were also of the same cubic capacity as the coffer in the Great Pyramid; and measured on the Hebrew system 40 baths or 4 homers; while each of those *homers* was of equal value in capacity as the Anglo-Saxon 'quarter,' used for corn measure amongst that people.

SOLOMON'S MOLTEN SEA.

(Sec. 89.) This vessel, by name the "Molten Sea" was cast in bronze, though of a shape and size which have defied all essayists hitherto to agree upon. Even in the Bible, something of what is said there about it, is stated variously in different books thereof, as in that of Kings, the cubical contents are given as 2,000 baths, while in Chronicles they are set down as 3,000. As the latter is only fragmentary, we will take the former statement; and then find that the statement in baths, that the 'molten sea' would have contained the contents of a laver 50 times; or a Pyramid number at once.

In I. Kings, VII. 23-26, we are told that the 'molten sea' "was ten cubits from one brim to the other; it was round all about, and its height was five cubits; and a line of thirty cubits did compass it round about and it was a hand's-breadth thick."

To realize the shape is the first point. Some devout students have imagined it cylindrical; some of a swelling cauldron form, but the greater numbers, a hemispherical shape; and this, perhaps, is most agreeable (1.) to the phrase "round all about," (2.) to its diameter being twice its height, and (3.) to the traditionary testimony of Josephus that it *was* hemispherical.

If this point is settled, are the measures given, of the inside, or outside denomination? By the rule established

for the Ark, the breadth and *height* are outside, of course; but in that case, what is the meaning of a circle of 10 cubits in *diameter*, having a *circumference* of 30 cubits? That is a total impossibility; and wholly against the principal measurements of the Great Pyramid itself, which proves in various ways that the circumference of a circle having 10 for diameter, cannot be less than 31.4159, etc.

We conclude therefore, (as an indication of the thickness of the vessel is given, *viz.* at a hand-breadth) that the *inside* circumference was alluded to, but the *outside* diameter.

A hemisphere, then, with an inside circumference of 30 Pyramid cubits, its diameter would be 238.73 Pyramid inches, giving, with an outside diameter of 10 cubits, nearly 5.5 inches for thickness (or the space which the hand of a strong man spread out would easily cover). The cubic contents, then, of such internal hemisphere will be 3,562,070 Pyramid cubit inches; and divided by the Pyramid number of 50, give 71,241 of the same cubic inches; *i. e.*, within a seven-thousandth part the same as either the Ark of the Covenant, or the Coffin of the Great Pyramid.

Solomon's reason for making his "molten sea" 50 times larger than his already large brazen vessels, the lavers, was most probably occult; and used only for the purpose of demonstrating some of the mysteries of the great *Unknowable*. Think of it, this "molten sea" of Solomon's had a capacity of over 15,420 U. S. gallons; could it have been used for storing corn, wine or oil?

The cubit used by Solomon at the building of the Temple being also of the same 25 inch, and earth-commensurable, length as that employed by Moses on the Tabernacle in the Wilderness; and that again identical with the cubit chiefly monumentalized in the design of the Great Pyramid: yet we have been obliged to conclude that Moses, though he lived long in Egypt, could never have been inside of the Great Pyramid, and had, therefore, no opportunity of *humanly* copying the cubic contents of the coffin; or supply-

ing himself with a note of the length of its cubit; vastly more certain may we be that King Solomon was never inside the Great Pyramid either, or in a position to note the exact amount of cubic contents of the lower course of the coffers' containing chamber, or to copy the Pyramid cubit length and its subdivisions from the granite leaf in the a te-chamber.

Whence, then, came the metrological ideas common to three individuals in three different ages; and involving reference to deep cosmical attributes of the earth, understood by the best and highest of human learning at none of those times? We leave the subject with you.

ARE THERE OTHER ROOMS STILL UNDISCOVERED WITHIN THE GREAT PYRAMID?

(Sec. 90.) Modern quarrying into this, nearly solid structure, at different periods, is evidence on its face, that the delvers into this massive structure, expected to discover other open space. And, as only about 1-2000th of the whole mass, is found to be open space, it is not to be wondered at; and we believe it, as we have previously stated.

Several important personages have delved into the floor of the Queen's Chamber, in years past, expecting to find a passageway leading to the "Sphinx." While we firmly *believe* that such a passage way exists, we think it will be found to enter somewhere beneath the N. E. corner. As the "Sphinx" is located about three-fourths of a mile away from the S. E. corner of the Pyramid, the passage way would have to run in a circuitous course and quite deep down to enter the building at the point we have suggested.

Everyone has read or been told the story of Caliph Al Mamoun, after blasting his way from the middle of the northern side into the solid fabric of the Great Pyramid for six weeks, was just about to give up the research when he heard a stone fall in a hollow space close on one side

and breaking on further in that direction, he presently found himself in the entrance passage; while the stone which had fallen at that precise instant, was a *prism*-shaped block that had been anciently inserted in the ceiling. While the space to be filled up by the base of the stone is square, the two sides parallel with the walls of the passage require to be triangular, on account of the angle, at which the bottom of the portcullis block of the ascending passage meets the ceiling, of this entrance and descending passage prismoidal shape meets the case exactly. Professor Smyth asks:—

“Would that first ascending passage, then, *never* have been discovered, if that faithless, perhaps timerous, block had not fallen out, whether in Al Mamoun’s or any other day? Let the following facts indicate:—When measuring the cross joints in the floor of the entrance passage in 1865, I went on chronicling their angles, each one proving to be very nearly at right angles to the axis, until suddenly one came which was *diagonal*; another, and that was diagonal too, but after that the rectangular position was resumed. Further, the stone material carrying these diagonal joints was harder and better than elsewhere in the floor, so as to have saved that part from the monstrous central holes and ditches perpetrated in other parts of the same inclined floor by some moderns. Why then did the builders change the rectangular joint angle at that point, and execute such unusual angle as they chose in place of it, in a better material of stone than elsewhere; and yet with so little desire to call general attention to it, that they made the joints fine and close to such a degree that they had escaped the attention of all men until 1865 A. D.?

“The answer came from the diagonal joints themselves, on discovering that the stone between them was *opposite* to the butt end of the portcullis of first ascending passage, or to the hole whence the *prismatic* stone of concealment through 3,000 years, had dropped out almost before Al Mamoun’s eyes. Here, therefore, in a peculiar relation

of position to something concealed, was a secret sign in the pavement of the entrance passage, appreciable only to a careful eye and a measurement of angle, but made in such hard material that it was evidently intended to last to the end of human time with the Great Pyramid, and *has* done so thus far."

Again the Professor is at sea, and lost both as to his reasoning, and to account for another hidden mystery; our answer is:—that this is one of the doors, or inlets, that lead to other hidden passages, and chambers; of which there are many more to be brought to light. There are no 'doors' on hinges, nor padlocks, hasps or staples, to allow or prevent the entering to any part of the Great Pyramid. But, in time, it will be found, that there is a perfect system of inlets and outlets, through the apparently solid walls; by a system of pressure, which we have yet to discover. Still another *as great a mystery exists*; how did they light it? certainly not by torches or candles.

THE QUEEN'S CHAMBER, NOW OPEN, WAS ONCE SO
CONCEALED.

(Sec. 91.) There was once, at or just inside the northern end of the Grand Gallery, and in, or beneath, the rising floor thereof—a more extensive trap-door, which then concealed all access to the now so-called Queen's Chamber and the horizontal passage in these days leading so clearly to it. At present, when the traveller enters the north end of the grand gallery from the sloping difficulties of the first *ascending* passage, he is delighted to meet with a level floor; but following that southward, he finds that it guides presently, not to the further end of the grand gallery, but to a hole under a steep escarpment, only a few feet further on, formed by a cleft broken down of that gallery's true floor; in fact to the beginning of the low horizontal passage leading to the, in modern times, so-called Queen's Chamber. (See Plates IX., X., and XI.) The floor surface of the grand gallery itself is inclined upwards at the typical

angle of $26^{\circ} 18'$; and did once run from the lowest north end, directly up, through 150 feet of distance, to the "great step" at the south, or upper, and further, termination of the gallery, in one continued slope. But now we are met, at the very beginning by a great hole, or absence of gallery floor. Yet there are traces still visible in the masonry on either side of that hole, well interpreted, first by Mr. Perring, and later by Mr. W. Dixon, both engineers; showing, that a neatly laid and joist-supported flooring, nine inches thick, did once exist all along over that hole, completing thereby the grand gallery's floor; and in that case entirely concealing and utterly shutting out all approach to, or knowledge touching the very existence of, the Queen's Chamber.

The Queen's Chamber seems to have given the principal Egyptologists, more than the average food for thought. Mr. Perring, for instance, imagined that it was used for a store room during the building of the Pyramid. To which others queried:—"and if so, to what end are all the following features; features, too, which are more certain than that use; for the features exist still, and can be seen every day; but who ever witnessed the alleged use?"

(1.) The central axis of the niche in the east wall (and that niche is this Queen's Chamber's only architectural adornment, but a most noticeably grand one) is strangely not in the central vertical line of that wall but is removed southward therefrom, by just one Pyramid cubit ($= 25.025$ English inches). See Plate XI.)

(2.) The height of the niche, multiplied by that grandly fundamental quantity in the Great Pyramid, π , and that multiplied by the Pyramid number, 10 = the height of the Great Pyramid; or $185 \times \pi \times 10 = 5812$, in place of 5813 inches. This very close approach must, however, be accidental, for the height of the niche is uncertain, on account of the roughness of the floor, by 2 or 3 inches." One of the most curious points, however, regarding this chamber, is: its salt-encrusted stone, both from the floor and on one side.

(?) is there not another chamber adjoining, filled with salt? used to demonstrate the 'life-giving' qualities of this mineral substance?

(3.) The height of the niche, less the height of its inner species of long shelf, equals similarly the half of the base-side length of the Great Pyramid; or $185 (-39.6) \times 10 \pi i = 4568$, in place of 4566 inches. (The shelf's height is by the very rough measures, between 38 and 40 inches.)

(4.) The height of the north and south walls of the Queen's Chamber measured = 15 feet 2.22 Pyramid inches = 1 inch, and assumed 182.62 give—

(a.) $\frac{182.62 \times 100}{2} = 9131 = \text{length of Great Pyramid's base side in Pyramid inches.}$

(b.) $182.62 \times 2 = 365.24 = \text{solar days in solar tropical year.}$

(5.) The breadth of the Queen's Chamber measured = 205.6 assumed 205.0, gives—
 $182.62 : 205 :: 205 : 230.1 = \text{height of King's Chamber from floor to ceiling; i. e., the first height there.}$

(6.) The square root of 10 times the height of the north or south wall, divided by the height of the niche = πi ; or,

$$\pi i = \sqrt{\frac{182.62 \times 10}{185}}$$

All of the above theorems, save the first, are the discoveries of Professor Hamilton L. Smith (of Hobart College, Geneva, New York), who, without having been to Egypt, has, by successfully interpreting the principal authorities on the Great Pyramid, constituted himself in a most unexceptional manner the chief authority on the Queen's Chamber. 'Either,' said he, "there is proof in that chamber of supernatural inspiration granted to the architect; or—that primeval official possessed, without inspiration, in an age of absolute scientific ignorance, 4,000 years ago, scientific knowledge equal to, if not surpassing, that of the present highly developed state of science in the modern world."

Mr. W. Dixon, in 1872, discovered that the Queen's Chamber is supplied with two perfect ventilating channels in its north and south walls, nearly similar to those in the King's Chamber; although apparently they have never been put to use. Through the aid of a hired man with a hammer and chisel, Mr. Dixon has a hole driven into each of those ventilating channels; and *in each*, the said hired man lost (by accident) a steel chisel, in endeavoring by over zealous force, to break into the said channels. *Some day* those chisels *will be found*, and then the cry will go forth, "oh! the Pyramid is only a modern structure; I told you so."

THE QUEEN'S CHAMBER'S AIR CHANNELS
—*Unexplained Feature.*

When the inner ends, or ports, were proved to have been separated from the air of said chamber merely by a thin plate of soft limestone (so easily pierced by the laborer's chisel), that the general impression was, that they had originally been in use, but had been stopped by some mediæval traveller with a small stone patch. But this was not the case; for Dr. Grant and Mr. Dixon successfully proved that there was no jointing, and that the thin plate was a 'left,' and a very skillfully and symmetrically left, part of the grand block composing that portion of the wall on either side. That block, had had the air channel tube (9 x 8) inches sculptured into it (from the outside direction as of the whole building), neatly and beautifully so far as it went; but that distance was not quite through the whole block and into the room, by the typical quantity in the Great Pyramid of five inches. The whole air channel then, save that little unopened bit, was in place; but could never have been used. Not, too, that it had been tried, found inconvenient, and was then stopped up by the original builders; for they would in that case, according to their usual style of masonry, either have filled the port with a long plug, or would have replaced the whole block carrying the inner end of the channel, with another solid block

The whole air channel, however, is in place, but just how far the channels courses are carried through the 300 feet of masonry which separate this chamber from the outer air, is not yet known, but believed to have had an outer entrance.

ENTRANCE INTO THE GREAT PYRAMID.

(Sec. 92.) What sort of entrance had the Great Pyramid originally? The front and chief gate, or door, of almost every other species of public building, from temples to churches, and castles to palaces, is usually the most elaborated and ornamental part of the whole structure to which it belongs; but, excepting only the obscure mention of a movable stone in Strabo's time, by which a man might just creep into the descending entrance passage—it is believed there was nothing to mark any entering-in place at all at the Great Pyramid; but that the smooth, planed-down surface of the casing-stones covered, and concealed, all that region; and in fact did most effectually hide the essential point from any one who approached without traditional information to guide him.

Nothing of what we see *now* connected with the internal masonry and constructive arrangements, ever projected through the casing stone film; and the very fact of Caliph Al Mamoun making his excavation in a different place, may be taken as a proof that nothing ever did, in any conspicuous manner, externally mark the spot.

Then why did the builders commemorate the one and only (*apparently*) outside entrance, not on the exterior, but in the *interior* masonry; and so grandly, with four inclined stones, which we can now see?

The above and similar questions have been kept before the public, from 820 A. D., down to the present date.

But, what sort of entrance had the Great Pyramid originally? We will try to present a "key to the Mystery." In the first place, we can see no reason why there should be any exception to the generally accepted conditions,

for a *large* and "elaborate entrance" to the Great Pyramid, than for any other prominent building in the world; in this, or during any other age. Acknowledging as we do, that the builders of the Great Pyramid were far wiser than the wisest of our present civilization, then what? *Why*, they *did* leave a *very elaborate*, and appropriate entrance to that building. What kind of an entrance would be appropriate for a structure of that magnitude, irrespective of its character?

Let us draw a pen picture of its size: The Great Pyramid when it stood perfectly enveloped with all its angle stones in place, in and previous to the year 820 A. D.; covered an area of about $13\frac{3}{8}$ (English measurement) acres; it stood in perfect pyramidal shape, with its apex 486 feet above the pavement on which it stands; and weighed 5,273,834 (Pyramid) tons.

Such a large mass of material as that, could not (*consistently*) be represented by an entrance, so insignificant as the present (supposed) entrance on the north side of the building represents; with an opening of only 47 by 42 inches. But, you will say; that is the only entrance visible, or that can be found. Let us see: imagine yourself standing on the top of the Great Pyramid in its present dilapidated condition, near the center of the structure, then cast your eyes away in a southeast direction; and at a point 5,380 feet from where you stand, or about $\frac{7}{8}$ of a mile from the S. E. corner of the Pyramid, you will discover the (very much abused 'Sphinx,' looking away from you in the same direction. This inanimate stone being is the Guardian, (or Tyler) of this greatest of all structures, the Great Pyramid. The entrance to which, we firmly believe, will be found to be, beneath the body of this oldest and most remarkable statute in the world today. Which, if it could speak—would say:—"Knock, and you may enter here."

The distance we have given above, of the location of the "Sphinx" away from the S. E. corner of the Pyramid, is found to be just *five* times the distance of the 'diagonal

socket length' of the Great Pyramid, from the center of the Subterranean Chamber, under the Pyramid, to the supposed entrance under the Sphinx.

We quote from the 'American Cyclopædia,' a little modern history of the Sphinx, *viz.*—"The great Sphinx at the pyramids was supposed by Lepsius to represent King Cephren, the builder of the second pyramid; but an inscription has lately been discovered which renders it probable that it was sculptured even before the time of Cheops, the builder of the first pyramid. The Egyptians called it Hor-em-khu, or Har-ma-khu, the 'setting sun,' the name of the god to whom it was dedicated, which was converted by the Greeks into Armachis. It is near the eastern edge of the platform on which the pyramid stands, with its head turned toward the Nile. The head measures 28 feet 6 inches, from the top to the chin. The total length of the body, which is that of a lion crouching close to the ground, is 146 feet. Across the shoulders it measures 36 feet, and the paws are extended about 50 feet. Between the paws was built a small temple, which was of masonry, as were the paws, while all the rest of the Sphinx seems to be carved out of solid rock. Col. Vyse drilled a hole 27 feet deep into one of the shoulders, and found that it was one piece of stone throughout. Near the sphinx Mariette discovered a vast temple buried in the sand, which is supposed to have been dedicated to the worship of the divinity of the sphinx. The countance is now so much mutilated that the outline of the features can with difficulty be traced. The head has been covered with a cap, the lower part of which remains, and it had originally a beard, the fragments of which were found below. Immediately under the breast stood a granite tablet, and another of limestone on either side resting against the paws. The first contains a representation of Thotmes IV. offering incense and making libation to the sphinx, with a long inscription in hieroglyphics reciting the titles of the king. On the paws are inscriptions of the Roman times, expressive of adoration to the sphinx or to the Egyptian deities."

FURTHER FROM THE CRITICS OF THE "GREAT SPHINX."

(Sec. 93.) Nearly every Egyptologist, and writer upon the subjects of antiquity and Egyptology have *studiously* avoided giving any details regarding the Great Sphinx. When they have, it has usually been couched in a language of abuse for its designers, and sculptors; designating them—as idolators and pagans. Apparently avoiding the subject as though it were dangerous. Let us quote from Prof. Smyth:—

"But the reign of the Great Sphinx over the souls of some men, is not over yet.

"Long since I had remarked that there is no agreement possible between the Great Sphinx and the Great Pyramid. Those who admire the one cannot appreciate, and rather war against, the other.

"So it was given lately to a pure Egyptologist, quite anti-Pyramidal in sentiment—the eminent Mariette Bey, to set the whole of his world alight (for a time) with a supposed monumental proof that the Sphinx, instead of belonging, as hitherto so generally supposed, to the 11th or 15th dynasty, was far older than the Great Pyramid in the 4th dynasty; and was, in fact, so ancient, that it had become an object of dilapidated, but revered, antiquity in the time of King Cheops himself; who immortalized his name, in his very primeval day, by repairing it." Again, Mariette Bey states in his fourth edition of his "Catalogue of the Museum of Egyptian Antiquities at Boulak:—

"A fragmentary stone which may be *supposed* to have formed once part of a wall of a certain building, or temple, some problematical ruins only of which have been found near one of the small Pyramids on the east side of the Great Pyramid."

"The stone is abundantly inscribed with little hieroglyphics; in good preservation, but of *mediocre style*."

Dr. Grant, of Cairo, said to a friend, that the hieroglyphics on the Sphinx, were '*more like scratches than any-*

thing else.' And adds further that 'Mariette's Sphinx temple stone *bears a lie on the face of it*—that the style of sculpture is not very ancient, and that the whole inscription is simply a legend that has been scratched upon it at a late date, and that it cannot be quoted as an authority on any of the points mentioned in it.' "

That is just what we should have expected to have found. As we *firmly believe* that every *scratch* or *hieroglyphic* carved upon the Great Sphinx, or upon any thing adjoining or in close proximity to it have all been done by others than the original sculptors, thousands of years after the original was placed in position.

The builders of the Great Pyramid (and that includes the Sphinx) placed no names, numbers, or hieroglyphics, upon their work; but by the looks, and mathematical proportions, the intelligence of their followers *knew* what each design meant. Every chamber, passage-way, and layer of stone, had its meaning. So, that at each step taken by a candidate for higher honors, the unwritten lesson appealed to his intelligence, but, was whispered in his ear. In comparison with which a "French 1st degree in Masonry was *boys' play*.

Let me paint a little pen picture of the Great Sphinx, appealing to all intelligent 'travelers' who are unable, or cannot visit the Great Pyramid and Sphinx:—imagine a perfectly sculptured image of a "lion's" body 146 feet in length, with the *strong grip of his paws* extending fifty feet from his shoulders; the whole body covered by a proportionate sized *intelligent* human head. Then ask yourself if the greatest human intelligence, coupled with the greatest animal strength; appeals to your sense of *being raised from the grave* and an ignominious death, and asked to live on?

Then as a fitting climax to close this subject of the "Sphinx" we will ask—is this a suitable, proper, and sufficiently imposing "entrance" to a building 486 feet high, weighing 5,273,834 tons, and covering 13³/₈ acres in area?

THE SPHINX HAS AT LEAST ONE INVESTIGATOR.

For several years previous to 1896 A. D., Mr. Geo. E. Raum, a resident of San Francisco, Cal., has been delving under the *Great Sphinx* with the aid of a number of Egyptian natives. His friends say that he has issued a small book on the subject of the Sphinx, giving his discoveries. If so (?) we have been unable to trace it, or to have the pleasure of meeting Mr. Raum. A rumor exists, however, that he has discovered something regarding the Sphinx, that he desires to keep as a secret for the present. Be this as it may, we have written the above in self defense, that our friends will not charge *our theory* of the Sphinx to have been taken from any person or publication.—THE AUTHOR.

THE VERTICAL AXIS, AND THE N. E. CORNER OF
GREAT PYRAMID—*Conclusions of Mr. C. Muir.*

(Sec. 94.) The length of the King's Chamber is now known to be 412.132 Pyramid inches. Subtract from that quantity half the already well-measured breadth of the doorway, *viz.*, 20.606 Pyramid inches, at the east end, to get the place of the central plane of the passages themselves; and then subtract from the other end roodth of the Pyramid's base-side, or 91.310, and we have left 300.216 Pyramid inches, displacement of the passage plane, east of the meridian plane of the whole Great Pyramid; and the horizontal distance from the north-east corner of the coffer to the central vertical axis of the Pyramid, in meridian direction. That is not at present to be tested accurately but it cannot be far from the truth; and it places the north-east corner of the coffer in a very remarkable position vertically over the Great Pyramid's base, it reminds also that the *northeast corner socket* of the four corner sockets of the base, is the largest of the whole of those sockets; and that, of the northeastern socket's own corner's, its *north-east* one is the most accurately finished; and is *the* one which defines the ancient position of the northeast angle of the whole basal plane.

What then shall we make of the 300.216 Pyramid inches quantity obtained in this manner? The first use is to multiply it by 10, as with the cubic diagonal of the King's Chamber, to translate it into whole Pyramid proportions; and then to use it as the sine for its actually overlying radial quantity, the inclined height of the Great Pyramid, otherwise determined = 7391.55 Pyramid inches; when it yields the angle = $23^{\circ} 57' 50''$. Which is within 49 seconds of arc of what the obliquity of the ecliptic was in 2170 B. C."

CUBIC CONTENTS IN PYRAMID INCHES.

(Sec. 95.) Of the Queen's Chamber = 10,000,000; or 69,444.44 cubic feet.

Of the King's Chamber = 20,000,000; or 138,888.88 cubic feet.

Of the Grand Gallery = 36,000,000; or 250,000 cubic feet.

The Grand Gallery has exactly 36 roof stones = 1,000,000 cubic inches capacity, for each roof stone.

THE GRAND GALLERY'S RAMPS AND RAMP HOLES.

The ramps, or inclined stone benches, that extend along the entire length of the Grand Gallery number 28 on each side; if you count one on each end of the great step. Of these 28, on either side 25, *viz.*, all except the lowest two and upper one, are distinguished by a piece of stone something like 13 Pyramid inches broad and 18 high, but with considerable variations, being let into the wall vertically and immediately over them; while of those 25, no less than 24 (on either side) are crossed slantingly, not by another let-in stone, says Dr. Grant, but by a broad, transverse, shallow groove, measuring more or less about 22 inches long 12 broad, and 1 deep; with its lower edge about three inches above the ramp's surface.

Our aim in placing this volume before the general public at this time is; that every important point existing in the Great Pyramid, or regarding the Great Sphinx, that

has really been discovered, and *positively known* to exist at this date; shall find a place somewhere in these pages. And, not be dependent upon a score of 'other references.' The *purely theoretical*, 'of others,' will only be used, for comment in self defense.

At a point about 180 feet, 10 inches, (or 2170 inches, as Professor Smyth puts it), from the entrance of the north passageway (or present way of entering the Great Pyramid) there exists a double joint; with a line ruled across, or cut into the stone, that has created considerable comment, from the time it was first given publicity in 1865, down to this date. It is located at a place where two adjacent wall-joints, similarly too, on either side of the passage, and almost *vertical*; while every other wall-joint above and below it, are *rectangular* to the length of the passage, and therefore largely *inclined* to the vertical. It has been speculated on by various persons as possibly pointing to some still undiscovered chamber; and it may do so, just as the diagonal joints in the floor at a lower level are now clearly seen to point, to the upper ascending passage, and all that it leads to. This mark was a line, nothing more, ruled on the stone, from top to bottom of the passage wall, at right angles to its floor. Such a line might be ruled with a blunt steel instrument, but by a master hand for power, evenness, straightness and still more eminently for rectangularity to the passage axis. Every engineer that has placed his square upon this line, in modern times, that supposed it was out of true, on reversing his instrument—was led to remark, "I cannot positively accuse the ancient line on the stone of *anything* wrong." There is one such line on either wall, the west and the east, of the passage; and the two lines seem to pretty accurately opposite to each other; nor is any such agreement required for mere mechanical considerations in the masonry simply as such; for that is rather in favor of the joints on one wall 'breaking joint' with those on the other. This is the point, where Professor Smyth, gets *his* date of the building of the Great Pyramid, *viz.*, in 2170 B. C., as it is

located just that many Pyramid inches from the beginning of the angle passage on the north side of the building. *We think*, that it simply shows the *anniversary* of 'a Draconis' being central in that passageway, at that time, if it means anything regarding a date.

DISCOVERY OF THE ROSETTA STONE.

(Sec. 96.) The discovery of the "Rosetta Stone" by Young and Champollion, occurred in 1802; this 'trilingual,' or, as it is known, "Rosetta Stone," takes its name from the village of the same name, located some 36 miles E. N. E. of Alexandria, on the westerly or Rosetta branch of the Nile; and about 6 miles from the Mediterranean, by way of the river. The vivifying of this noted 'relic' by Professors Young and Champollion, in 1820, was followed and most ably developed, by Professors Birch, Brugsch, Chabas, De Rouge, De Saulcy, Lepsius, Mariette, Osburn, Poole, Rossellini, and many others. The interpretation of which, makes it rank among the most extraordinary discoveries of the last century. Of which, more later.

CHRONOLOGY OF THE EGYPTOLOGISTS.

(Sec. 97.) The leading principal, of the best Egyptological chronologists is to seek out and confide in *monuments*; to consider nothing fixed in Egyptian history or fact unless there is a monument for it to show, and that monument contemporary, or nearly so, with the facts which it relates—they allow faithfully that they know of no monuments whatever at all earlier; Dr. Lepsius is very clear on this point. In his "Letters from Egypt," he wrote from his encampment amongst the tombs in the neighborhood of the Great Pyramid in 1843;—"Nor have I yet found a single cartouche that can be safely assigned to a period previous to the fourth dynasty. The builders of the Great Pyramid, seem to assert their right to form the commencement of monumental history."

To make an exhibit of how *little* any of the Egyptological scholars *know* regarding back dates; especially regarding the first fifteen Dynasties of Egypt: Let us quote:—The date of the first dynasty is placed in the year 5735 B. C. by Lesueur, Mariette, Renan, etc., and in 3892 B. C., by Lepsius, Bunsen, Fergusson, etc.; and in 2700 B. C., by Lane, Wilkinson, Rawlinson, etc.; and by William Osburn in 2429 B. C., a difference between the two extremes, of 3306 years. The difference is not a *very* great quantity; only about *one half* the present age of the earth, (as figured by biblical scholars); *but just think* of our depending upon these *eminent gentlemen* for *real* information. The extremes between the above named eminent gentlemen, in the 15th dynasty dates is only 201 years. But even *that* makes us turn grey at 21 and feel young at five score.

ARCHITECTURAL FACTS OF THE GREAT PYRAMID.

(Sec. 98.) From all the Egyptological writings, and from all the authors, whose works we have been privileged to investigate, and quote; those of Professor James Ferguson have been of the most satisfying character. Especially where *sound*, theoretical judgment was necessary; of the *detective* character. And, this class of judgment, is needed at every step in Egyptological research.

Speaking of the Great Pyramid professionally, and because professionally with him, learnedly, Mr. Ferguson allows it to be “the most perfect and gigantic specimen of masonry that the world has yet seen”; and that, according to mere human methods of development and all rationalistic theories of progression, almost infinite myraids of years must have intervened between the first rude tumuli, (or stone sepulchres) erected, or which he believes were, or should have been, erected in Egypt, and the building of *such* a Pyramid.

But in steps a dozen other Egyptologists, with the query: “In that case, there ought to be vastly more stone monuments scattered around Egypt, representing the work

of man *before* the day of the Great Pyramid, than *after* it; especially as in the dry Egyptian climate, we are told again and again that *nothing decays*." In reply to this we repeat what we said in the early portion of this work: that, the builders of the Great Pyramid, obtained their experience (through thousands of generations) in another country, with a different climate, that now lies at the bottom of an ocean; now covered by over 500 feet of chalk; the formation and accumulation of thousands of years. And *some day*, it will again be a continent; and reveal to survivors of other parts of the earth, or the new created population; the wonders of the misty past.

Professor Ferguson, Dr. Lepsius, and many other Egyptologists announce: "that however multitudinous may be the Egyptian mounments *after* the Great Pyramid, there are *no* monuments at all in and throughout Egypt older than the Great Pyramid."

We claim, and the substantial theory of our reasoning is: that when the Great Pyramid was erected, on the banks of (what we now call) the Nile, that there were no inhabitants then living in the whole of Egypt. And, if there were, they represented the lowest class of intelligence of that age. This Pyramid was placed there, (as we have previously stated) because it was the center of all the land of the earth. And, would withstand a "cataclysm."

THE NOACHIAN DELUGE OF THE BIBLE.

(Sec. 99.) Dates of, by prominent Divines, and Biblical scholars. *viz.*—A letter written 41 years ago, by the Archbishop of Canterbury, states: (1.) "The Church of England has assigned no date to the Noachian Deluge. (2.) the Church has not fixed any dates between which it must have taken place. (3.) The Church of England has not authorized the insertion into the authorized copy of the English Bible, of any system of dates."

<i>Authorities.</i>	<i>Date of Deluge, B. C.</i>
Septuagint, Alexandrine (Kitto's Palestine)	= 3246
Jackson	= 3170
Hales	= 3155
R. Stewart Poole (Smith's Bible Dictionary)	= 3129
Samaritan (Kitto's Palestine)	= 2998
W. Osburn (Mónumental History of Egypt)	= 2500
Elliot's Horæ Apocalypticæ	= 2482
Browne's Ordo Sæclorum	= 2446
Playfair	= 2351
Usher	= 2348
Petavius (Smith's Bible Dictionary)	= 2327
Smyth, Mean of the whole	= 2741
Variation of the extremes—919 years.	

FUTURE OF THE GREAT PYRAMID.

(Sec. 100.) Of all the Egyptologists and writers on the past, present, and future of the Great Pyramid, none have been so devoted, and persistent, in their efforts to establish a theory of their own, as Professor Piazzzi Smyth. He has devoted hundreds of pages in his different issues regarding the 'Great Pyramid,' to substantiate his *theory* of the 'Divine origin' of this "First Great Wonder of the World." Hundreds of quotations from the prophesies of the Bible have been lined up by Professor Smyth to prove his measurements. The most noted point that we now desire to call attention to is, his measurement of the principal passage-way, up to a point in the Grand Gallery; which distance, as measured is: 1881.4 Pyramid inches. The beginning of this passage way (to him) indicated the birth of Christ. The measurement '1881.4 inches' up that passage way appealed to him—that some *great religious* change would occur, about the year 1881, A. D., or before the (4th) fourth month of 1882. He did not think, (so he wrote) that it would bring us to the end of all things terrestrial; but something equal to the "Second Coming" would occur.

As the Professor passed to the beyond (peace to his ashes), just before the final months of that date, he was not present at the peaceful passing of that year; barring the usual 'earthquake reminders,' of the frailness of this orb which we still inhabit.

Professor Howard Vyse made the length of the Grand Gallery only 1872 inches; this (1872 A. D.) was his date for the phenomena. And, a Mr. Lane, had a date (1894), for extraordinary occurrences.

As all those dates have come and gone we must seek other conditions to satisfy our tape line and square.

THE SEVEN NATURAL WONDERS OF THE WORLD.

I. THE GRAND CANYON OF THE COLORADO RIVER.

(Sec. 101.) Nature has prepared the most wonderful combination of *chaos* and *harmony* for many miles along the Colorado river, that can be found in the known world. The *views* to behold from "Rowe's Point" and at, or near the site of the Santa Fe R. R. Co.'s new hotel, located some 59 miles north of Williams, on the main line, on the south side of the river, are simply *indescribable*. At the points above mentioned in viewing the north shore of the canyon, known to be some 400 feet greater elevation, than on the south side at the points mentioned; it is so deceptive, that you imagine with a good rifle you could kill a deer on the opposite bank from where you stand, yet you are told that the distance is *13 miles away*; and the stream itself over a mile beneath your feet. Wrapped in such an inextricable and bewildering labyrinth of matter and color, as to *deadens* your senses.

It is noted, that *all visitors* irrespective of character, on first viewing the scenes above mentioned, either remain *mute* for some minutes, or speak in subdued tones.

2. THE MAMMOTH CAVE OF KENTUCKY.

The largest cavern known, is situated in Edmondson County, near Green river, and about 75 miles S. S. W.

of Louisville, Kentucky. The entrance to which is reached by passing down a wild, rocky ravine through a dense forest; it is an irregular, funnel-shaped opening, from 50 to 100 feet in diameter at the top, with steep walls about 50 feet high. The cave extends about nine miles, and it is said that to visit the portions already traversed requires from 150 to 200 miles of travel. This vast interior contains a succession of marvelous avenues, chambers, domes, abysses, grottoes, lakes, rivers, cataracts, etc., which for size and wonderful appearance are unsurpassed. One of its avenues (Stillman's) is about $1\frac{1}{2}$ miles long, from 20 to 200 feet wide, and from 20 to 40 feet high. The "Temple or Chief City" in it, is a chamber having an area of about five acres, and covered by a single dome of solid rock 120 feet high. There are several bodies of water in the cave, the most considerable being Echo River, which is about $\frac{3}{4}$ of a mile long, 200 feet wide at some points, and from 10 to 30 feet deep; its course is beneath an arched ceiling of smooth rock about 15 feet high. This river has invisible communication with Green River, the depth of water and the direction of the current in the former being regulated by the stage of water in the latter. The river Styx, 450 feet long, from 15 to 40 feet wide, and 30 to 40 feet deep, is spanned by an interesting natural bridge about 30 feet above it. Two remarkable species of animal life are found in the cave, in the form of an eyeless fish and an eyeless crawfish, nearly white in color. Another species of fish has been found with eyes, but totally blind. The atmosphere of the cave is pure and healthful; the temperature is about 59° and the same in winter and summer.

3. CALAVERAS GROVE OF BIG TREES.—(*Arba Vita*.)

This grove (which includes South Grove 3 miles distant) is located 14 miles north of Murphy's in Calaveras County, California; and contains about 275 trees (of *Arba Vita*) that are from 16 to 38 feet in diameter, and from 175 to 350 feet in height. One of the fallen 'Monarchs' of this grove,

known as the "Father of the Forest," stood 450 feet in height, and 40 feet in diameter. Some 375 feet of this remarkable tree still remains. It is estimated that this tree was 4,500 years old when it fell; and as another tree known as the "Mother of the Forest," has grown up since, on the same spot where this tree was uprooted, that is estimated to be now over 2,500 old, the "Father of the Forest" (the *fallen monarch*) must have stood over 7,000 years ago.

Some 25 years ago the proprietors of the Calaveras Big Tree Grove, had the ground pieced near where the Father of the Forest lies; with the result that their auger ran into an *arba vita log in perfect* preservation at some 30 feet below the surface. How old must that log have been before the Father of the Forest was even a seed? And still they say the earth is only 5,900 years old.

4. YOSEMITE VALLEY.

This noted valley, through which flows the Merced River, is located in Mariposa County, California; distant some 88 miles from Merced (on the S. P. Co.'s R. R.) and is now reached by the Y. V. R. R. *via* Merced to El Portal, (80 miles) thence by stage (12 miles) into the valley.

The valley proper is about $3\frac{1}{2}$ miles long, and varies from $\frac{1}{2}$ to $1\frac{1}{4}$ miles in width; with walls almost perpendicular (of natural rock) on either side of the valley, from $\frac{1}{2}$ to 1 mile high. The climate is so mild, that (although the surrounding peaks are covered with snow and ice for six months in the year) the wild flowers are in bloom the year around, throughout the valley.

Its waterfalls; 'The Cascades,' 'Bridal Veil,' and 'Nevada Fall,' are noted for their beauty; but the 'Yosemite Fall' near the center of the valley, is probably the highest waterfall in the world. During the spring and early summer months, this fall has a clear descent of 2,600 feet.

But the *wonderful* features of this valley, consist of what can be seen pictured on the face of the rocks that surround

it. *Viz.*—On the face of the rock, or peak, 'El Capitan,' can be seen the perfect figure of an 'Indian Chief,' in full dress, standing erect, looking down the valley. This figure is estimated to be over 80 feet in length, and is situated at least half a mile *vertically* above the valley. There are many other pictures of human beings on the adjacent rocks, but of lesser importance.

Also on the face of a peak in the upper end of the valley known as 'The South Dome,' if viewed about the hour of sunset, will reveal what would startle an astronomer: *viz.*—a perfect picture of the principal constellations of the northern heavens. Just after a visit to this valley during the year 1865, the Rev. T. Star King, was asked, if the above assertion was a fact? King replied: "Well, *yes*, but I would rather some one else would tell the story."

5. NIAGARA FALLS.

Located in the Niagara River, connecting the great lakes of Erie and Ontario, between the State of New York and the Province of Ontario; although only 164 feet in height, and less than a mile wide, has the largest body of water passing over it of any single waterfall in the world besides being the most beautiful clean-cut waterfall known. The scene from the Suspension Bridge, below the falls in midwinter, when almost encased in ice is almost beyond description.

This fall *ran dry once* in the history of the U. S.; it occurred on March 31, 1848, caused by an ice jam in the river between Buffalo, N. Y., and the Canadian side; coincident with a strong east wind which drove the waters of Lake Erie to the west side. It lasted about a whole day. During which time a lady walked from "Table Rock" one third of the way across to Goat Island and returned in safety.

6. THE ROCKING STONE OF TRUCKEE, CALIFORNIA.

Owned and Housed by Hon. C. F. McGlashan.

There are several rocking stones throughout the U. S. and Europe; but none of them so completely mystifies the observer, as the one located as above stated. This one is so isolated from the surrounding rocks, and the rocking stone itself so perfectly and delicately poised in the center of its perfectly level (on top) table stone, as to leave a doubt in the minds of most visitors, as to whether a freak of nature did the work, or, as some important personages claim, it was done by an extinct *race of giants* that flourished in the time of the 'giant Og,' who was 16 feet tall. (See Deuteronomy 3-11.)

The table (stone) upon which this particular rocking stone rests, is shaped (very) like the 'human heart' and stands on the small end, perfectly poised, some 30 feet high, with the strata or grain of the rock, running perpendicular. The top almost perfectly level, and some 25 feet in diameter. The Rocking Stone itself, shaped also like the 'human heart' (but more *perfect* than its table stone), is located almost exactly in the center of the one on which it stands, (also poised on its small end) and weighs about 16 tons; and yet it is so perfectly balanced that a child of five years can move it either way. The table stone upon which this Rocking Stone rests, *may contain* a considerable amount of 'radium'; but whether it does or not, it is noted that snow (which lies all around it during the winter season, for weeks at a time) has never been known to remain upon this rock more than a few hours after any snow storm.

7. ANCIENT ANIMAL AND HUMAN FOOTPRINTS (OR TRACKS)
ON THE FLOOR OF THE STATE PRISON YARD AT
CARSON, NEVADA.

The tracks of a 'Mastoden' or 'mammoth elephant' showing a stride of between 6 and seven feet and a track nearly 2 feet in diameter; together with a trail of human

(*moccasined feet*) foot prints that are over 18 inches in length, and well proportioned; and bird tracks that are larger than those of our ostrich, are some of the preserved curiosities to be seen, on the floor of the State Prison, at Carson, Nevada.

Over 40 feet in thickness of rock, limestone in character, apparently of original formation, was removed from over the tracks, when the prison was built. Geologists assert: that over 40,000 years elapsed during the formation of the rocks, that overlaid the footprints above mentioned.

The bones of one 'Baby Elephant' were found here; also a single piece of '*horn-blende granite*,' over 30 feet down in the limestone, large enough for a doorstep; they have preserved it.

EMPIRICISM—PHYSICAL SCIENCE—POSITIVISM.

Modern science accepts sensations, emotions, thoughts and volitions as the ultimate premises from which all our knowledge is derived. The spiritual and the supernatural it relegates to the domain of the unknowable, and takes no cognizance of them as facts. As mankind are divided into Aristotelians and Platonists, the modern scientist would call himself an Aristotelian minus metaphysics. Science proper as we know it to-day dates back to the 17th century—the age of Bacon and Harvey; but the greatest strides in its progress have been made since 1830. It was not till then that a philosophical classification of the sciences was attempted. Even to-day the method of arranging the sciences is a matter of serious debate. According to Comte (1840) the dependence and order of the sciences follow the dependence of the phenomena. The more particular and complex depend upon the simpler and more general. The latter are easier to study. Therefore science will begin with those attributes and objects which are most general, and pass on gradually to others that are combined in greater complexity. Each science rests on the truths of the sciences that precede it, while it adds to them the truths by which it is itself constituted. Comte's series or hierarchy of the sciences is, in its main divisions, as follows: **Mathematics**, *i. e.*, number, geometry, mechanics; **Astronomy**, **Physics**, **Chemistry**, **Biology**, **Sociology**, **Ethics**. Each member of the series is one degree more special than the science preceding it, and depends upon the facts of all the former members, and can not be fully understood without them. Herbert Spencer takes issue with Comte and denies that the principle of the development of the sciences is the principle of decreasing generality. He asserts that there are as many examples of the advent of a science being determined by increasing generality as by increasing speciality. He holds again that any grouping of the sciences in a succession gives a radically wrong idea of their genesis and interdependence; no true filiation exists; no science develops itself in isolation; no one of them is independent either logically or historically. Huxley agrees with Spencer; but still Comte has a large following all over the world. For the purpose of this work it will suffice to set down the greatest of the sciences in an order that will be intelligible and conform in some degree with their origin and development. Mathematics and mechanics are treated at some length in other parts of this work.

General Classification.—**Mathematics**, *pure*, arithmetic, algebra, geometry, trigonometry, calculus, *applied*, mechanics. **Astronomy**, **physics**, solids, fluids, gases, heat, light, sound, magnetism, etc. **Chemistry**, inorganic, organic, practical, *pure*. **Biology**, science of life, protoplasm, protein, germs, evolution, species, development. **Sociology**, social science, human society—yet in its infancy. Before there can be reached in sociology generalizations worthy of being called scientific, there must be definite accounts of the institutions and activities of societies, of various types and in various stages of evolution, so arranged as to furnish the means of ascertaining what social phenomena are habitually associated. Sociology will narrate how men became grouped in political communities, how they constituted authority and property, how they originated castes and guilds, and by degrees separated into high and low, rich and poor. To this comprehensive science many will be subservient, especially, **anthropology**, **ethnology**, **philology**, **history**, **archæology**, **politics**, **religion**, **literature**, and **political economy**. In all the main divisions there are numberless subdivisions, from elementary mathematics to ethics. The modern tendency is to specialize, and a lifetime now is not long enough for the mastery of one of the special sciences. Unfortunately, the moral sciences, or those dealing with man, are least developed, and have not yet been rescued by philosophy from empiricism. A disposition is, however, manifest now all over the world to employ in the moral sciences those methods which have heaped up such useful and undisputed truths in the physical sciences, especially in astronomy, physics, chemistry and physiology. Beyond sociology, a further step remains to be taken, *viz.*, to morals. At this point theory and practice tend to coincide, because every element of conduct has to be considered in relation to the general good. In the final synthesis all the previous analyses will have to be used as instrumental—all the great laws which regulate the phenomena of the inorganic world, of organized beings, and of society, must be the material from which ethics, the coping stone of the sciences, is to be wrought. Before there can be satisfactory human morals, based on rational altruism, every field of inquiry must be diligently explored in order that every real quality of things and men may be made to converge to the welfare of humanity. This is the creed of many a modern scientist.

TRANSCENDENTALISM, METAPHYSICAL PHILOSOPHY MYSTICISM.

The platonist, idealist, or speculative philosopher of the German school asserts that sensations, emotions, thoughts and volitions are not ultimate premises or fundamental truths, but only derivative and dependent for their validity on a spiritual, intangible, and universal reality or noumenon, the Pure Reason or Idea, of which all material phenomena, including sensations, etc., are only evidences. It is from this reality that mind and matter spring. There have been only two complete encyclopedic constructions in philosophy, viz., Aristotle's (323 B.C.) and Hegel's (1830). They embodied the philosophic aspects of all human experience in their respective epochs. Though the ancient Greek has not been wholly superseded by the modern German, it accords with the tenor of this work to present only a scheme of the Hegelian system. The *Great Introduction* opens with a review of man's experience, showing his mind, in respect to nature, under six aspects, viz.: mere consciousness, self-consciousness, reason, spirit, religion, philosophy. He can not rest till he has found absolute knowledge (*absolutes wissen*). He discovers that truth has three phases, dogmatism, skepticism, mysticism, or thesis, antithesis, synthesis. The universe is the self-evolution of the *idea*, or pure spirit, which first expands in nature, ended with mind, the product of both. The **logic**, which is at the same time a metaphysic, is an account, called transcendental dialectic, of the process in its infinite gradations, subdivided into three stages: (1) *Being*, becoming, and pure number and quantity by which *Being* is measured. (2) *Essence*, those correlative terms, law and phenomenon, cause and effect, substance and attribute, by which we explain the world. (3) *Notion*, the subjective terms, conception, judgment, syllogism, appearing in forms mechanical, chemical and teleological, leading to life and science as the complete interpretation of thought and objectivity, called the perfect *Idea*, with which begins the philosophy of **nature**. Here thought becomes perception, dialectic, gravitation, and causation, sequence in time. (1) *Mechanics*, space in time, matter, force. (2) *Physics*, the laws of heat, motion, sound, light, electricity, chemical affinity, and all material movements of change and interchange. (3) *Organic*, the completed work of these forces in space and time, ending in geology, botany and animal physiology. With the perfection of organized existence, begins the philosophy of **mind**. (1) *Subjective* deals with anthropology, or the natural soul, races, ages, dreams, insanity, phrenology, etc., and under phenomenology, with simple consciousness, self-consciousness, reason, spirit; under psychology, with theoretical and practical mind tracing the course of intelligence from the animal sensitivity of the Dryad up to the realization of spirit by mind. (2) *Objective*, including philosophical jurisprudence, morals, politics, and the philosophy of history. (3) *Wisdom* (*absolutes wissen*), the final grasp of the absolute in art, religion, and philosophy—the æsthetic, the philosophy of religion, and the history of philosophy. This wonderful construction of Hegel gave a great impetus to science by proving the sameness of many apparently different forces. He pointed out in the *logic* the path to be followed by philosophic inquirers, viz., a criticism of the terms of ordinary and scientific thought in their filiation and interdependence. The *logic* of Hegel is the only rival of the logic of Aristotle. What Aristotle did for the theory of demonstrative reasoning, Hegel attempted to do for the whole of human knowledge. Though Hegelianism has now ceased to exist as an isolated system, its spirit and method have leavened the whole mass of philosophic thought. French criticism of modern German metaphysicians declares that their vast constructions now hang in ruins, because with a high notion of human powers, they had none of human limitations. Abstraction is a German failing; cold fact, the English. Spencer, finding that sensible knowledge alone can be proved, declares that our own and all other existence is a mystery, absolutely and forever beyond our comprehension. Modern agnosticism and transcendentalism are antipodes of thought. Hegel's philosophy is so hard to understand that he once said, "Only one man has understood me, and even he has not." It has been eloquently said: "From all periods of history; from medieval piety and stoical pride; from Kant and Sophocles, science and art, religion and philosophy, Hegel gathered, in the vineyard of the human spirit, the grapes from which he crushed the wine of thought."

EXPLANATION OF CHARACTERS

Used in Calculating, Mathematics; Etc.

(Sec. 102).

= *Equal to*, as 12 inches = 1 foot, or 3 feet = 1 yard.

+ *Plus* or *More*, signifies addition; as $7+9+8=24$.

− *Minus* or *Less* signifies subtraction; as $21-7+10=24$.

× *Multiplied by*, or *into*, signifies multiplication; as $3 \times 8 = 24$.

÷ *Divided by*, signifies division; as $a \div b$; that is, a divided by b ; $72 \div 3 = 24$.

$\frac{a}{b}$ Division is also indicated thus: $\frac{a}{b}$; that is, a divided by b ; $\frac{72}{3} = 24$.

: *Is to*; also, *To*; the ratio of;) —signifies proportion; as $3:6::12:24$; that is, as 3 is to 6, so is 12 to 24.

:: *As*; or *So is*; equals;

) 3 is to 6, so is 12 to 24.

$\overline{\hspace{1cm}}$ Vinculum, or *Bar*, signifies that the numbers, etc., over which it is placed,

are to be taken together; $12-2+14=24$, or $3+5 \times 3=24$.

. *Decimal point* signifies, when prefixed to a number, that that number has some power of 10 for its denominator; as .1 is $\frac{1}{10}$, .12 is $\frac{12}{100}$, .123 is $\frac{123}{1000}$, .1234 is $\frac{1234}{10000}$, .12345 is $\frac{12345}{100000}$, etc.

~ *Difference* signifies, when placed between two quantities, that their difference is to be taken, it being unknown which is the greater.

° ' " " " signify *Degrees*, *Minutes*, *Seconds*, and *Thirds of Seconds*.

∠ Signifies *Angle*. ⊥ Signifies *Perpendicular*. Δ Signifies *Triangle*.

□ Signifies *Square*, as □ inches; and ∛ *Cube*, as cubic inches. □ *Rectangle*.

> *Is greater than*; or > *Is greater than*; as, $a > b$; that is, a is greater than b ; $6 > 5$.

< *Is less than*, or < *Is less than*; as, $a < b$; that is, a is less than b ; $5 < 6$.

⋯ *Is not greater than*; the contradictory of >; as, $a \not> b$; that is, a is not greater than b ; may be equal to, or less than, but not greater.

⋯ *Is not less than*; the contradictory of <; as, $a \not< b$; that is, a is not less than b ; may be equal to, or more than, but not less.

∞ *Indefinitely great*; *infinite*; *infinity*;—used to denote a quantity greater than any finite or assignable quantity. Δ *Finite difference*.

0 *Indefinitely small*; *infinitesimal*;—used to denote a quantity less than any assignable quantity; also, naught; nothing; zero.

∴ signifies *Therefore* or *Hence*; ∵ signifies *Because*.

() [] *Parenthesis* and *Brackets*, signify that all the figures, etc., within them are to be operated upon as if they were only one; thus, $(6+2) \times 3 = 24$; $[8-2] \times 4 = 24$.

∥ *Parallel*; is parallel to; as, $AB \parallel CD$.

ρ or π is used to express the ratio of the circumference of a circle to its diameter = 3.1416

○ *Circle*; circumference; 360°. ⤵ *Arc of a circle*; arc. a' a'' a''' signify a *prime*, a *second*, a *third*, etc.

± signify that the formula is to be adapted to two distinct cases.

√ or √— *Root* or *radical sign*; indicating when used without a figure placed above it, the square root; as, $\sqrt{4}=2$; $\sqrt{4a^2}=2a$. To denote any other than the square root, a figure, (called the index) expressing the degree of the required root, is placed above the sign; as, $\sqrt[3]{a}$, $\sqrt[6]{a}$, $\sqrt[13]{a}$, &c.; that is, the cube root, the fifth root, the thirteenth root, &c., of a . $\sqrt[n]{a}$ The root of a quantity is also denoted by a fractional index at the right-hand side of the quantity and above it, the denominator of the index expressing the degree of the root; as, $a^{\frac{1}{2}}$, $a^{\frac{1}{3}}$, $a^{\frac{1}{6}}$; that is, the square, cube, and sixth roots of a , respectively; or, as $4^{\frac{1}{2}}$ is $4 \times 4 = 64$.

g is the common expression for gravity = 32.166; $2g = 64.33$; $\sqrt{2g} = 8.02$ feet.

☒ signifies *Dead Flat*, or the location of the frame of a vessel at its greatest transverse section. ' ' ' ' set *superior* to a figure or figures, signify *feet* and *inches*.

℞ (Lat. *Recipe*.) Take; āā, of each; lb, pound; ℥, Ounce; ℥, Drachm;

℥ Scruple; ℥, Minim, or drop; O or o, Pint; f ℥, fluid Ounce; f ℥, fluid Drachm; as, ℥ss, half an ounce; ℥i, one ounce; ℥iiss, one ounce and a half; ℥iij, two ounces; etc., etc.

* Asterisk; † Dagger; ‡ Double Dagger; § Section; ∥ Parallels; ¶ Paragraph; ⚡ Index; and * or * or * Asterism, are used in printing and writing as a reference to a passage or note in the margin, and take precedence in the order arranged above, when one or more than one are used.

DAY OF THE WEEK OF ANY GIVEN DATE,
For Sixty Centuries.

RATIOS FOR CENTURIES.

4	2	0	5	4	2	0	5	4	2	0	5
*	100	200	300	2000	2100	2200	2300	4000	4100	4200	4300
400	500	600	700	2400	2500	2600	2700	4400	4500	4600	4700
800	900	1000	1100	2800	2900	3000	3100	4800	4900	5000	5100
1200	1300	1400	1500	3200	3300	3400	3500	5200	5300	5400	5500
1600	1700	1800	1900	3600	3700	3800	3900	5600	5700	5800	5900

*The years 1 to 99, inclusive.

RATIOS OF MONTHS.

January.....	3	April.....	2	September.....	1
" Leap Year.....	2	May.....	4	October.....	3
February.....	6	June.....	0	November.....	6
" Leap Year.....	5	July.....	2	December.....	1
March.....	6	August.....	5		

RULE.—Of the figures denoting the year, strike off those occupying the place of units and tens; to this number add its one-fourth part, (disregarding the remainder, if any) the day of the month, the ratio for the century and the ratio for the month. Divide the sum by 7, and the remainder will denote the day of the week.

- If the remainder be 1 the day denoted is Sunday.
" " " 2 " " Monday.
" " " 3 " " Tuesday.
" " " 4 " " Wednesday.
" " " 5 " " Thursday.
" " " 6 " " Friday.
If there be no remainder " " Saturday.

EXAMPLE 1.—Upon what day of the week did Columbus discover America?

Solution.—Date.....October 12, 14 | 92
One-fourth of 92..... 23
Day of month..... 12
Ratio for century 1400.. 0
Ratio for month of Oct.. 3
Ratio for Old Style Date 2
Divide by.....7 | 132

18—6 remainder, denot-

ing that the day of the week was Friday.

EXAMPLE 2.—Upon what day of the week was George Washington born?

Solution.—Date.....February 22, 17 | 32
One-fourth of 32..... 8
Day of the month..... 22
Ratio for century 1700.. 2
Ratio for month of Feb. 5
Divide by.....7 | 69

9—6 remainder, denot-

ing that the day of the week was Friday.

THE OLD AND NEW STYLE.

A year is the time required for the revolution of the earth around the sun, viz.: 365 days, 5 hours, 48 minutes, and 49 7-10 seconds. To include the fraction of a day Julius Cæsar decreed that every fourth year should consist of 366 days. This is the Julian, or Old Style, and is an excess for each year of 11 minutes, and 10 3-10 seconds, so that in 1582 there had been an over-reckoning of ten days. To correct this the 5th of October of that year was reckoned the 15th. Still there was an overplus amounting in a century to 18 hours, 37 minutes and 10 seconds so it was agreed that every centennial year that was not divisible by 400 should not be a leap year. This is the Gregorian or New Style, and was adopted by an act of the British Parliament, September 3, 1752. The difference between the New and Old Style is twelve days. The dates of some of the events previous to that year of that century (the date of Washington's birth, for example) were changed to accord with the New Style. In using the above rule regarding dates of events previous to 1752, care must be used as to what style they belong.

MATHEMATICS.

DEFINITIONS.

Fraction is one or more parts of a unit.

Decimal is a fraction, having for its denominator a unit with as many ciphers annexed as the numerator has places. It is usually expressed by writing the numerator only with a point at the left of it.

Rule of Three applies to cases in which three terms or numbers are given to ascertain a fourth and is direct or inverse.

Compound Proportion—resolves into one statement questions which require several statings in rule of three.

Involution is multiplying any number into itself a certain number of times, the products are called powers, and the number is called the root or first power.

Evolution is finding root of any number.

Properties of Numbers.—If the sum of the digits constituting any number is divisible by 3 or 9, the whole is divisible by them. A square number cannot end with an odd number of ciphers. No square number can end with two equal digits except two ciphers or two fours. No number, the last digit of which is 2, 5, 7 or 8, is a square number.

Position is single or double and determined by the number of suppositions.

Fellowship is a method of ascertaining gains or losses of individuals engaged in joint operations.

Permutation determines in how many different ways any number of things may be varied in their position.

Arithmetical Progression is a series of numbers increasing or decreasing by a constant number or difference.

Geometrical Progression is any series of numbers continually increasing by a constant multiplier or decreasing by a constant divisor.

Alligation discovers the mean rate or quality of materials when mixed together.

Discount or Rebate is a deduction from money paid before it is due.

Perpetuities are annuities that continue forever.

Unit of Circular Measure is an angle which is subtended at center of a circle by an arc equal to radius of that circle. Circular measure of an angle is equal to a fraction which has for its numerator the arc subtended by that angle at center of any circle, and for its denominator the radius of that circle.

Probability that an event will occur is the ratio of the favorable cases to all the cases which are similarly circumstanced in reference to that event. The probabilities of two or more single events being known, the probability of their occurring in succession may be determined by multiplying together the probabilities of their events, considered singly.

Reciprocal of a number is the quotient arising from the division of 1 by the number. The product of a number and its reciprocal is always equal to 1. The reciprocal of a vulgar fraction is the denominator divided by the numerator.

Logarithms facilitate numerical computation and the logarithm of a number is the exponent of a power to which 10 must be raised to give that number. Addition is substituted for multiplication, subtraction for division, multiplication for involution, and division for evolution.

Cone is made by the revolution of a right-angled triangle about one of its legs.

Conic Sections are made by planes cutting a cone.

Ellipse is made by an oblique plane cutting a cone above its base.

Parabola is made by a plane cutting a cone parallel to its side.

Hyperbola is made by a plane cutting a cone at any angle with base greater than that of the side of the cone. The *perimeter* of a figure is the sum of all its sides. A *problem* is something proposed to be done. A *postulate* is something supposed or assumed. A *theorem* is something proposed to be demonstrated. A *lemma* is something premised, to render what follows more easy. A *corollary* follows from a preceding demonstration. A *scholium* is a remark upon something which precedes it.

Table of Geometrical Progression.

Whereby any Questions of Geometrical Progression and of Double Ratio may be solved by Inspection, the Number of Terms not Exceeding 56.

1	1	15	16384	29	268435456	43	4398046511104
2	2	16	32768	30	536870912	44	8796093022208
3	4	17	65536	31	1073741824	45	17592186044416
4	8	18	131072	32	2147483648	46	35184372088832
5	16	19	262144	33	4294967296	47	70368744177664
6	32	20	524288	34	8589934592	48	140737488355328
7	64	21	1048576	35	17179869184	49	281474976710656
8	128	22	2097152	36	34359738368	50	562949953421312
9	256	23	4194304	37	68719476736	51	1125899906842624
10	512	24	8388608	38	137438953472	52	2251799813685248
11	1024	25	16777216	39	274877906944	53	4502599627370496
12	2048	26	33554432	40	549755813888	54	9007199254740992
13	4096	27	67108864	41	1099511627776	55	18014398509481984
14	8192	28	134217728	42	2199023255552	56	36028797018963968

ILLUSTRATIONS—The 13th power of 2=8192, and the 8th root of 256=2.

GEOMETRICAL DEFINITIONS.

CURVIFORM FIGURES.

A **CIRCLE** is a plain figure bounded by a regular curved line, every part of which is equally distant from a point within it called the *center*.

The **CIRCUMFERENCE** of a circle is the curved line by which the circle is bounded.

The **DIAMETER** of a circle is a straight line terminating in the circumference and passing through the center; or, the longest straight line that can be drawn within a circle.

The **RADIUS** of a circle is a straight line extending from its center to any point in its circumference; or, the semi-diameter of a circle.

An **ARC** is a portion of a circumference.

A **CHORD** is a straight line uniting the extremities of an arc of a circle, but does not pass through the center.

A **SEGMENT** is that part of a circle included within a chord and an arc; or, that part of a circle cut off by a chord.

A **SECTOR** is that part of a circle bounded by two radii and the included arc.

A **SEMI-CIRCLE** is half of a circle.

A **QUADRANT** is one quarter of a circle.

A **PERIPHERY** is the circumference of a circle, ellipse or other curvilinear figure.

An **ELLIPSE** is a figure bounded by an oval curved line having one long and one short diameter at right angles to one another.

A **CYCLOID** is a curve generated by a point in the plane of a circle when the circle is rolled along a straight line, keeping always in the same plane. A *common cycloid* is the curve described when the generating point is on the circumference of the generating circle; the *curtate cycloid* when that point is without the circumference; the *prolate* or *inflected cycloid* when the generating point lies within the circumference.

A **PARABOLA** is formed by the intersection of the surface of a cone with a plane parallel to one of its sides.

ANGLES.

An **ANGLE** is the opening of two lines that meet at one point, or that would meet if sufficiently extended. The point of meeting is called the *vertex* of the angle.

The number of degrees of a circle contained in the arc of a sector is the measure of the angle formed by the two radii.

A **RIGHT ANGLE** is one formed by a line joining another perpendicularly; or, at an angle of 90° marked by a quarter circle.

An **ACUTE ANGLE** is less than a right angle; or, less than 90°.

An **OBTUSE ANGLE** is more than a right angle; or, more than 90°.

TRIANGLES.

A **TRIANGLE** OR **TRIGON** is a figure of three sides.

An **EQUILATERAL TRIANGLE** has all of its sides equal.

An **ISOSCELES TRIANGLE** has only two of its sides equal.

A **SCALENE TRIANGLE** has all of its sides unequal.

A **RIGHT-ANGLED TRIANGLE** has one right angle.

An **ACUTE-ANGLED TRIANGLE** has all of its angles acute.

An **OBTUSE-ANGLED TRIANGLE** has one obtuse angle.

QUADRANGLES.

A QUADRANGLE is a figure of four sides.

A PARALLELOGRAM has its opposite sides parallel, and its opposite angles equal.

A SQUARE or TETRAGON has its four sides equal and four right angles.

A RECTANGLE has its opposite sides equal and four right angles.

A RHOMBUS has four equal sides and its opposite angles equal, two of the angles being acute and two obtuse.

A RHOMBOID is the same as a parallelogram.

A TRAPEZOID has only two opposite sides parallel.

A TRAPEZIUM has no two sides parallel or equal.

POLYGONS.

A POLYGON is a plane and right lined figure.

A REGULAR POLYGON has its sides equal.

AN IRREGULAR POLYGON has its sides unequal.

SOLIDS.

A CUBE or HEXAHEDRON is a solid with six equal faces.

A SPHERE is a solid, every part of whose surface is equally distant from a point within called a *center*.

A SPHEROID is a sphere flattened or depressed at two opposite sides; an *oblate spheroid* is a sphere flattened or depressed at the poles; a *prolate spheroid* is a sphere extended, or elongated at the poles.

A PARABOLOID is a solid described by the revolution of a parabola about its axis.

A CYLINDER is a solid described by the revolution of a rectangle about one of its sides.

A CONE is a solid described by the revolution of a right-angled triangle about one of its sides.

A PYRAMID is a solid the base of which is any kind of a polygon, and its other faces triangles uniting at a common point called a *vertex*.

A FRUSTUM of a cone or pyramid is the part which remains after the top is cut off by a plane parallel to the base.

AN UNGULA is the part of a cone or cylinder which remains after the top is cut off by a plane oblique to the base.

A PARALLELOPIPED is bounded with six parallelograms.

A PRISM is a solid whose ends, called bases, are equal polygons, and whose sides or faces are parallelograms.

A PRISMOID is a prism cut obliquely at the ends.

A PERIMETER is the sum of all the sides of a figure plane or solid

POLYHEDRONS.

A POLYHEDRON is a solid contained by many faces or planes.

A REGULAR POLYHEDRON is a solid its faces or planes being equal.

AN IRREGULAR POLYHEDRON is a solid its faces or planes being unequal.

UNITS OF MEASURE.

The unit of measure for lines is a linear unit.

The unit of measure for area or surface is a square unit.

The unit of measure for solidity or contents is a cubic unit.

All similar lines are to each other as their like dimensions.

All similar areas or surfaces are to each other as the squares of their like dimensions.

All similar solids are to each other as the cubes of their like dimensions.

PROPOSITIONS AND FORMULAS.

1. The diameter (d) of a circle being given, required the circumference (c):
 $d \times 3.1416 = c.$
2. The circumference (c) of a circle being given, required the diameter (d):
 $c \div 3.1416 = d.$
3. The diameter (d) of a circle being given, required the area (a):
 $d^2 \times .7854 = a.$
4. The diameter (d) and circumference (c) of a circle being given, required the area (a):
 $d \times c \div 4 = a.$
5. The number of degrees (a) contained in an arc, and the diameter (d) of the circle being given, required the length (c) of the arc:
 $a \times d \times 3.1416 \div 360 = c.$
6. The chord (a) of an arc and the chord (b) of one-half the arc being given, required the length (c) of the arc:
 $b \times 8 - a \div 3 = c.$
7. The base (a) and height (c) of a segment of a circle being given, required the diameter (d):
 $(a \div 2)^2 \div 3 : c = d.$
8. The number of degrees (c) in the arc of a sector and the diameter (d) of the circle being given, required the area (a) of the sector:
 $c \times 3.1416 \div 360 \times d \div 2 \times \frac{1}{2} d = a.$
9. The greater (c) and less (d) diameters of a circular ring being given, required the area (a):
 $c^2 - d^2 \times .7854 = a.$
10. The greater (c) and less (d) diameters of an ellipse being given, required the area (a):
 $c \times d \times .7854 = a.$
11. The diameter (d) of the generating circle of a common cycloid being given, required the length (a) of the cycloid:
 $d \times 4 = a.$
12. The diameter (d) of the generating circle of a common cycloid being given, required the area (a) of the cycloid:
 $d^2 \times .7854 \times 3 = a.$
13. The base (b) and parameter (c) of a common parabola being given, required the altitude (a):
 $(b \div 2)^2 \div (c \times 2) = a.$
14. The base (b) and altitude (a) of a common parabola being given, required the area (c):
 $b \div a \times 2 \div 3 = c.$
15. The base (b) and perpendicular (c) of a triangle being given, required the area (a):
 $b \times c \div 2 = a.$
16. The base (a) and perpendicular (b) of a right angled triangle being given, required the hypotenuse (c):
 $\sqrt{a^2 + b^2} = c.$
17. The hypotenuse (c) and one of the sides (b) of a right-angled triangle being given, required the other side (a):
 $\sqrt{c^2 - b^2} = a.$
18. The longer (a) and short (b) parallel sides of a trapezoid and the distance (c) between them being given, required the area (d):
 $a + b \times c \div 2 = d.$
19. The diameter (d) or circumference (c) of a circle being given, required the side (a) of an inscribed square:
 $d \times .7071 = a$ or $c \times .2251 = a.$
20. The diameter (d) or circumference (c) of a circle being given, required the side (a) of a square of equal area:
 $d \times .8862 = a$ or $c \times .282 = a.$

TABLE OF REGULAR POLYGONS WHOSE SIDES ARE ONE.

NAME.	No. Sides.	AREA (<i>k</i>)	Radius (<i>n</i>) Inscribed Circle.	Radius (<i>t</i>) Circumscribed Circle.
Trigon.....	3	.4330127	.2886751	.5773503
Tetragon.....	4	1.0000000	.5000000	.7071068
Pentagon.....	5	1.7204774	.6881910	.8506508
Hexagon.....	6	2.5980762	.8660254	1.0000000
Heptagon.....	7	3.6339124	1.0382617	1.1523824
Octagon.....	8	4.8284271	1.2071068	1.3065628
Nonagon.....	9	6.1818242	1.3737387	1.4619022
Decagon.....	10	7.6942088	1.5388418	1.6180340
Undecagon.....	11	9.3656399	1.2628437	1.7747324
Dodecagon.....	12	11.1961524	1.8660254	1.9318517

21. A side (*a*) of a regular polygon being given, required the area (*c*).

$$k \times a^2 = c.$$

22. A side (*a*) of a regular polygon being given, required the radius (*r*) of an inscribed circle:

$$n \times a = r.$$

23. A side (*a*) of a regular polygon being given, required the radius (*r*) of a circumscribed circle:

$$t \times a = r.$$

24. The diameter (*d*) of a sphere being given, required its surface (*s*):

$$d \times 3.1416 \times d = s.$$

25. The diameter (*d*) of a sphere being given, required its cubic contents (*c*):

$$d^3 \times .5236 = c.$$

26. The greater (*a*) and less (*b*) diameters of an oblate spheroid being given, required its cubic contents (*c*).

$$a^2 \times b \times .5236 = c.$$

27. The greater (*a*) and less (*b*) diameters of a prolate spheroid being given, required its cubic contents (*c*):

$$b^2 \times a \times .5236 = c.$$

28. The diameter (*d*) and altitude (*a*) of a paraboloid being given, required its cubic contents (*c*)

$$d^2 \times a \times .3927 = c.$$

29. The length (*a*) and diameter (*d*) of a cylinder being given, required its convex surface (*s*):

$$d \times 3.1416 \times a = s.$$

30. The length (*a*) and diameter (*d*) of a cylinder being given, required its cubic contents (*c*):

$$d^2 \times .7854 \times a = c.$$

31. The diameter (*d*) of the base and the slant height (*a*) of a cone being given, required its convex surface (*s*):

$$d \times 3.1416 \times a \div 2 = s.$$

32. The diameter (*d*) of the base and the altitude (*a*) of a cone being given, required its cubic contents (*c*):

$$d^2 \times .7854 \times a \div 3 = c.$$

33. The perimeter (*a*) of the base and the slant height (*b*) of a regular pyramid being given, required its slant surface (*s*):

$$a \times b \div 2 = s.$$

34. A side (*b*) of the base and the altitude (*a*) of a regular pyramid being given, required its cubic contents (*c*):

$$k \times b^2 \times a \div 3 = c.$$

35. The greater (*a*) and less (*b*) diameters, and the slant height (*c*) of the frustum of a cone being given, required its convex surface (*s*):

$$(a \times 3.1416) + (b \times 3.1416) \div 2 \times c = s.$$

36. The perimeter (*a*) of the greater base, the perimeter (*b*) of the less base, and the slant height (*c*) of the frustum of a regular pyramid being given, required the slant surface (*s*):

$$a \div b \div 2 \times c = s.$$

37. The greater (*a*) and less (*b*) diameters, and the altitude (*d*) of the frustum of a cone being given, required its cubic contents (*c*):

$$a^2 \div b^2 \div (a \times b) \times .7854 \times d \div 3 = c.$$

38. A side (*a*) of the greater base, a side (*b*) of the lesser base and the altitude (*c*) of the frustrum of a regular pyramid being given, required the cubic contents (*d*):

$$a^2 + b^2 : (a \times b) \times k \times c \div 3 = d.$$

39. The perimeter (*a*) of the base and the altitude (*b*) of a prism being given, required the convex surface (*s*):

$$a \times b = s.$$

40. A side (*a*) of the base and the altitude (*b*) of a regular prism being given, required its cubic contents (*c*):

$$k \times a^2 \times b = c.$$

TABLE OF REGULAR POLYHEDRONS.

NAME.	No. Faces	Surface (<i>v</i>) Edge of Polyhedron being one.	Cubic Contents (<i>z</i>) Edge of Polyhedron being one.	Diameter (<i>y</i>) In- scribed Sphere being 1 the Edge of Polyhedron is	Diameter (<i>z</i>) Circumscribed Sphere being one the Edge of Polyhedron is
Tetrahedron..	4	1.7320508	.1178513	2.4494897	.8164966
Hexahedron..	6	6.0000000	1.0000000	1.0000000	.5773503
Octahedron..	8	3.4641016	.4714045	1.2247447	.7071068
Dodecahedron	12	20.6457288	7.6631189	.4490279	.3568221
Icosahedron..	20	8.6602540	2.1816950	.6615845	.5257309

41. An edge (*a*) of a regular polyhedron being given, required its surface (*s*):

$$v \times a^2 = s.$$

42. An edge (*a*) of a regular polyhedron being given, require its cubic contents (*c*):

$$z \times a^3 = c.$$

43. The diameter (*d*) of an inscribed sphere being given, required the edge (*a*) of the circumscribing polyhedron:

$$y \times d = a.$$

44. The diameter (*d*) of a circumscribed sphere being given, required the edge (*a*) of the inscribing polyhedron:

$$z \times d = a.$$

NUMERALS, OR NOTATION.

Arabic. Rom.		Arabic. Rom.		Arabic. Rom.	
Naught	0	Thirteen	13 XIII	Eighty	80 LXXX
One	1 I	Fourteen	14 XIV	Ninety	90 XC
Two	2 II	Fifteen	15 XV	One hundred	100 C
Three	3 III	Sixteen	16 XVI	Two hundred	200 CC
Four	4 IV	Seventeen	17 XVII	Three hundred	300 CCC
Five	5 V	Eighteen	18 XVIII	Four hundred	400 CCCC
Six	6 VI	Nineteen	19 XIX	Five hundred	500 D
Seven	7 VII	Twenty	20 XX	Six hundred	600 DC
Eight	8 VIII	Thirty	30 XXX	Seven hundred	700 DCC
Nine	9 IX	Forty	40 XL	Eight hundred	800 DCCC
Ten	10 X	Fifty	50 L	Nine hundred	900 CM
Eleven	11 XI	Sixty	60 LX	One thousand	1,000 M
Twelve	12 XII	Seventy	70 LXX	Two thousand	2,000 MM

Arabic. Rom.		Arabic. Roman.	
Three thousand	3,000 MMM	Fifty thousand	50,000 $\overline{\text{L}}$
Four thousand	4,000 $\overline{\text{IV}}$	Sixty thousand	60,000 $\overline{\text{LX}}$
Five thousand	5,000 $\overline{\text{V}}$	One hundred thousand	100,000 $\overline{\text{C}}$
Six thousand	6,000 $\overline{\text{VI}}$	One million	1,000,000 $\overline{\text{M}}$
Seven thousand	7,000 $\overline{\text{VII}}$	Ten million	10,000,000 CCCCCC
Eight thousand	8,000 $\overline{\text{VIII}}$	One hundred million	100,000,000 CCCCCC
Nine thousand	9,000 $\overline{\text{IX}}$	One thousand million*	1,000,000,000 CCCCCC
Ten thousand	10,000 $\overline{\text{X}}$	One billion†	1,000,000,000,000 CCCCCC

As often as a character is repeated, so many times is its value repeated.

A less character before a greater diminishes its value, as IV=I-V, or 1 subtracted from 5=4.

A less character after a greater increases its value, as XI=X+I, or 1 added 10=11.

For every 0 annexed the sum is increased 10 times.

For every C and 0 placed one at each end (of the character I), the sum becomes twice as many as the 0 placed singly.

A bar, thus —, over any number increases it 1,000 times. Illustration.—10,000 = CCCL0, or $\overline{\text{X}}$. 1883, MDCCCLXXXIII; 1,883,000 $\overline{\text{MDCCCLXXXIII}}$.

* French and American for a billion. † English

WEIGHTS AND MEASURES

LINEAR OR LONG MEASURE.

12	Inches = 1 Foot		<i>Inches.</i>	<i>Feet.</i>	<i>Yards.</i>	<i>Rods.</i>	<i>Fur.</i>
3	Feet = 1 Yard	=	36				
5½	Yards = 1 Rod or Pole	=	198	=	16½		
40	Rods = 1 Furlong	=	7,920	=	660	=	220
8	Furl'gs = 1 Mile (Statute)	=	63,360	=	5,280	=	1,760 = 320
3	Miles = 1 League	=	190,080	=	15,840	=	5,280 = 960 = 24

The English Standard unit of long measure is the yard, which is determined from the length of a pendulum vibrating seconds of mean time in vacuo in London at the level of the sea. The measurement is made on a brass scale at a temperature of 62° Fahrenheit. The length of the pendulum thus measured is 39 13929 Imperial inches; the length of the standard yard is 36 inches of that measurement of inches.

The United States standard, of which the State standards are copies, is a brass scale 82 inches in length which is in the office of Weights and Measures at Washington; and was prepared in London for the survey of the coast of the United States. The English and United States standards are identical.

LENGTH OF A PENDULUM VIBRATING SECONDS AT THE LEVEL OF THE SEA IN VARIOUS PLACES.

	Latitude	00° 00'	00"	39.0152 inches
	Latitude	45° 00'	00"	39.1270 inches
Washington,	Latitude	38° 53'	23"	39.0958 inches
New York,	Latitude	40° 42'	40"	39.1017 inches
London,	Latitude	51° 31'	00"	39.1393 inches
Stockholm,	Latitude	59° 21'	30"	39.1845 inches

SURVEYORS' AND ENGINEERS' MEASURE.

7.92	Inches = 1 Link		<i>Inches.</i>	<i>Feet.</i>	<i>Yds.</i>	<i>Lks.</i>	<i>Rods.</i>
25	Links = 1 Rod or Pole	=	198	=	16½ =	5½	
4	Rods = 1 Chain	=	792	=	66	=	22 = 100
80	Chains = 1 Mile (Statute)	=	63,360	=	5,280	=	1,760 = 8,000 = 320

Engineers use another chain which consists of 100 links, each one foot long.

MARINERS' MEASURE.

6	Feet	=	1 Fathom		<i>Feet.</i>	<i>Fms.</i>
120	Fathoms	=	1 Cable-length	=	720	
7½	Cable-lengths	=	1 Mile	=	5,280	= 880

1	Statute mile	=	5280	feet	=	0.8675806	Nautical mile
1	Nautical mile	=	6085.889568	feet	=	1.1526306	Statute mile
1	Equatorial degree	=	60	Nautical miles	=	69.1578372	Statute miles

The nautical term *knot* refers to a division of the log line which is used to ascertain a vessel's motion. The number of knots which run off the reel in half a minute shows the number of miles the vessel sails in one hour. When a vessel goes eight miles an hour she is said to make eight *knots*, (Nautical miles)

CIRCULAR MEASURE.

60 Seconds	= 1 Minute			
60 Minutes	= 1 Degree	=	3,600	
30 Degrees	= 1 Sign	=	108,000 =	1,800
12 Signs	= 1 Circle	=	1,296,000 =	21,600 = 360

Every circle, large or small, is divided into 360 equal parts, called degrees.

A degree has no fixed linear extent; it is always the 360th part of any circle to which it is applied.

90° = a Quadrant, or Right Angle.

60° = a Sextant; or $\frac{1}{6}$ of a circle.

TIME MEASURE.

60 Seconds	= 1 Minute	SECONDS.	MINUTES.	HOURS.
60 Minutes	= 1 Hour	=	3,600	
24 Hours	= 1 Day	=	86,400 =	1,440
7 Days	= 1 Week	=	604,800 =	10,080 = 168
365 Days	= 1 Year	=	31,536,000 =	525,600 = 8,760
366 Days	= 1 Leap year	=	31,622,400 =	527,040 = 8,784

The time in which the earth makes one revolution is divided into 24 hours and $\frac{360}{24}^\circ = 15^\circ$ per hour.

RECKONING TIME FROM LONGITUDE.

To reduce longitude into time, divide the number of degrees, minutes and seconds by 15; the quotient is the time. This is equivalent to finding the difference in time between a designated longitude and the meridian.

EXAMPLE 1—Reduce the longitude of San Francisco into time.

Solution. $122^\circ 24' 53'' \div 15 = 8$ hours, 9 minutes, 39.5 seconds.

To find the difference in time between two places divide the difference in longitude by 15; the quotient is the difference in time.

EXAMPLE 2—Required the difference in time between New York and San Francisco.

Solution—Longitude of San Francisco, $122^\circ 24' 53''$
Longitude of New York, $74^\circ 00' 03''$

Difference in Longitude, $48^\circ 24' 50''$

$48^\circ 24' 50'' \div 15 = 3$ hours, 13 minutes, 39½ seconds, the difference in time. When it is 12 M. at the Russian Hill Observatory in San Francisco, it is 3 hrs. 13 min. 39½ sec. P. M. at the City Hall in New York.

TO DETERMINE LONGITUDE FROM TIME.

EXAMPLE 3—A vessel sails from New York to Liverpool, after having been at sea for one week, the difference in time with New York was found to be 1 h. 51 m. 45 s. Required the longitude from New York.

Solution. $1 \text{ h. } 51 \text{ m. } 45 \text{ s.} \times 15 = 27^\circ 56' 15''$ from New York.

PENDULUMS.

The lengths of pendulums for different vibrations in the latitude of Washington are 39.0958 in. for one second; 9.774 in. for half a second; 4.344 in. for third of a second; 2.4435 in. for quarter of a second. At the equator, N. Y., Paris, London, and latitude 45 degrees, the pendulum is only a small fraction of an inch shorter or longer than at Washington.

Time Measure.—The standard unit of time is the sidereal day, 23 h. 56 m. 4.092 sec. in solar or mean time. Sidereal time is the period which elapses between time of a fixed star being in meridian of a place and time of its return to that place. Mean solar time is deduced from the time in which the earth revolves on its axis, as compared with the sun, making 365.242218 revolutions in a mean solar or Gregorian year.

Apparent time is shown by the sun-dial, and is deduced from observations of the sun.

The solar day is 24 hours 3 minutes 56.555 sec. in sidereal time.

The civil day begins at midnight, and the astronomical day at noon of the civil day, 12 hours later.

The marine day begins 12 hours before civil time or one day before the astronomical.

Solar equinoctial, tropical, civil or calendar year is the time in which the sun returns from one vernal equinox to another, and its average time is 365.242218 solar days, or 365 days, 5 hours, 48 minutes, and 47.6 seconds.

The mean lunar month is 29 days, 12 h'rs, 44 min., 2 seconds, and 5.24 thirds. Gregorian or New Style is now adopted by all Christian countries except Russia and Greece.

Standard time for the five divisions of the U. S. went into effect Nov. 18, 1883. When the sun crosses the 75th meridian at Washington, it is noon, and the difference from E. to W. for every 15 degrees is just one hour, so that when it is noon or 12 M. in New York it is 8 A. M. in San Francisco.

TIDES.

The elevation of a tidal wave towards the moon slightly exceeds that of the opposite one, and the intensity of it diminishes from equator to the poles. The sun by its action twice elevates and depresses the sea every day, following the action of the moon, but with less effect. Spring tides arise from the combined action of the sun and moon when they are on the same side of the earth. Neap tides arise from the divided action of the sun and moon, when they are on opposite sides of the earth, and the greatest elevations and depressions do not occur until the second or third day after a full or new moon. When the sun and moon are in conjunction, and the time is near the equinoxes, the tides are highest. The mean effect of the moon on the tidal wave is 4.5 times that of the sun. The various conformation of shores, straits, capes, rivers, lengths and depths of channels, shoals, etc., disturb the general rules. A rolling wave 20 feet high will exert a force about one ton per square foot. The action of waves is most destructive at low water line. Waves of oscillation, when reflected, will produce no effect at a depth of 12 feet below the surface. Waves of translation are nearly as powerful at a great depth as at the surface. The semi-diurnal or free tide wave is produced by the action of sun and moon, and its period is about 12 hours and 24 minutes.

Tides and Waves.—The rise of water which takes place in tidal rivers is not due to the direct action of the moon on their waters, but in consequence of the change of level in the surface of the ocean, caused by the tidal wave passing the mouth of the river. The direction of strong winds, as well as the varying pressure of the atmosphere, considerably affects both the times and the heights of high water. The tidal wave in the deep sea is merely an undulation; but, when shallow seas or bays are reached, the movement of the water is discernible. The general principle is, that in the deep sea there is a quick movement of the wave and a slow movement of the water; in the shallow sea there is a slow movement of the wave and a quick movement of the water, which is called the Tidal Current. Such currents have much to do with the formation of bars at the mouth of rivers. Therefore, unless the harbor engineer have a full knowledge of their set and force, and of their conjunction with or opposition to Ocean Currents, his plans of improvement may be rendered abortive.

THE PLANETS.

NAME.	Diameter.	Mean Distance from Sun.	Least Distance from Earth.	Greatest Distance from Earth.	No. of Days in its Year.
	<i>Miles.</i>	<i>Miles.</i>	<i>Miles.</i>	<i>Miles.</i>	
Mercury...	2,962	35,000,000	47,000,000	136,000,000	88
Venus.....	7,510	66,000,000	23,000,000	160,000,000	225
Earth.....	7,916	91,000,000	365
Mars.....	4,920	139,000,000	62,000,000	245,000,000	687
Jupiter...	85,890	476,000,000	419,000,000	952,000,000	4,333
Saturn....	71,904	872,000,000	831,000,000	1,014,000,000	10,759
Uranus....	33,024	1,753,000,000	1,746,000,000	1,929,000,000	30,687
Neptune...	36,620	2,746,000,000	2,629,000,000	2,863,000,000	60,127

It is supposed that α^2 Centauri, one of the brightest stars of the Southern Hemisphere, is the nearest fixed star to the earth. Its distance from the earth is reckoned to be 20,000,000,000 miles. A ray of light from this star is 3 years and 3 months in reaching the earth.

Magnetic Pole is nearer to the U. S. by 1,400 miles than the geographical pole, and is the pole of Aurora Borealis or center of greatest electrical manifestation. This center is now due north of U. S., but is constantly changing from E. to W., and 400 years ago was near Spitzbergen. At this magnetic pole the compass needle refuses to perform its regular function, and the dip needle in a vertical plane stands straight.

SQUARE OR SURFACE MEASURE.

244	Square Inches (sq. in.)	= 1 Square Foot,	sq. ft.
9	Square Feet,	= 1 Square Yard,	sq. yd.
30¼	Square Yards,	= 1 Square Rod,	sq. rd.
		or Perch,	p.
40	Square Rods, or Perches	= 1 Rood,	r
4	Roods,	= 1 Acre,	a
640	Acres	= 1 Square Mile,	sp. m
36	Square Miles, (6 miles sq.)	= 1 Township,	T
16	Perches,	= 1 Square Chain,	sq. ch.
10	Square Chains,	= 1 Acre,	a.

SQUARE INCHES. SQUARE FEET. SQUARE YARDS. SQUARE RODS.

1 Square Foot	=	144		
1 Square Yard	=	1,296	=	9
1 Square Rod	=	39,204	=	272¼ = 30¼
1 Square Chain	=	627,264	=	4,356 = 484 = 16
1 Rood	=	1,568,160	=	10,890 = 1,210 = 40
1 Acre	=	6,272,640	=	43,560 = 4,840 = 160
1 Square Mile	=	4,014,489,600	=	27,878,400 = 3,097,600 = 102,400
1 Township	=	144,521,625,600	=	1,003,622,400 = 111,513,600 = 3,686,400

A square, as used by mechanics, is 10 feet square, or 100 square feet.

More frequently than many might suppose, square inches and inches square, square feet and feet square, etc., are regarded as being of no difference. By 9 feet square is meant a square figure each side of which is 9 feet; but by 9 square feet is meant 9 small squares, each 1 foot long and 1 foot wide. It will then be seen that there is no difference between 1 foot square and 1 square foot; but by increasing the number above 1, the difference rapidly increases.

The difference between 5 foot square and 5 square feet is 20 square feet.

The difference between 1,000 feet square and 1,000 square feet 999,000 square feet.

CUBIC, OR SOLID MEASURE.

1,728	Cubic Inches	= 1 Cubic Foot.
27	Cubic Feet	= 1 Cubic Yard.
16	Cubic Feet	= 1 Cord foot.
8	Cord Feet	= 1 Cord of Wood.
24¾	Cubic feet, or 16½ feet long, 1½ feet } high and 1 foot wide }	= 1 Perch.
40	Cubic Feet of round timber, or }	= 1 Ton or Load.
50	Cubic Feet of hewn timber }	

A cubic yard of earth is called a load.

A square of earth is a cube measuring 6 feet on each side, and is equivalent to 216 cubic feet.

In civil engineering the cubic yard is the unit to which estimates for excavations, embankments and levees are reduced.

In commerce, the cubic foot is often the unit on which charges are estimated and made for freight, the space occupied being measured.

ORIGIN OF TROY AND AVOIRDUPOIS WEIGHTS.

From the time of William I to Henry VII of England, the standard of weight was determined by the weight of grains of wheat; 32 grains taken from the middle of the ear and well dried, made the weight of a penny, or a pennyweight, 20 pennyweights an ounce, and 12 ounces a pound. Henry VII changed this weight and introduced another pound in its place, which was ¼ of an ounce heavier than the old pound. The same divisions were retained, but the number of grains in a pennyweight was changed to 24; although the name was still used, it had no reference to the weight of grains of wheat. This is the Troy pound of the present time.

Henry VIII introduced another weight, for the purpose of weighing meat in the market, which is the Avoirdupois pound of the present time.

TROY OR MINT WEIGHT.

24 Grains	=	1 Pennyweight.	Grains.	Pennyweights.
20 Pennyweights	=	1 Ounce.	=	480
12 Ounces	=	1 Pound.	=	5,760 = 240

The Troy pound is the standard unit of weight of the United States Mint. It is identical with the Troy pound of England and derives its name from Troy Novant, the ancient name of the city of London.

The Troy pound is equivalent to the weight of 22.79442 cubic inches of distilled water, at its maximum density, or 22.8157 cubic inches, 62° Fahrenheit, barometer at 30 inches, in both cases.

SIDE OF A SQUARE CONTAINING A GIVEN NUMBER OF ACRES.

Acres.	Side.		Acres.	Side.		Acres.	Side.		Acres.	Side.	
	<i>Ft.</i>	<i>In.</i>		<i>Ft.</i>	<i>In.</i>		<i>Ft.</i>	<i>In.</i>		<i>Ft.</i>	<i>In.</i>
1-640	8	3	3 ½...	390	5 ½	10 ¼...	638	2 ¾	17 ½...	873	1 ½
1-360	11		3 3-5...	396		10 ½...	676	3 ¾	17 ¾...	879	3 ¾
1-160	16	6	3 ¾...	404	2	10 ¾...	684	3 ¾	18 ...	885	5 ½
1-90.	22		4 ...	417	5	11 ...	692	2 ½	18 ¼...	891	7 ¾
1-40.	33		4 ¼...	430	3 ¾	11 ¼...	700	¾	18 ½...	897	9 ¾
2-45.	44		4 ½...	442	8 ¾	11 ½...	707	9 ¼	18 ¾...	903	9
5-72.	55		4 ¾...	454	10 ½	11 ¾...	715	5	19 ...	909	9
1-10.	66		5 ...	466	8 ¾	12 ...	722	11 ¾	19 ¼...	915	7 ¼
½...	73	9 ¾	5 ¼...	478	2 ¾	12 ¼...	730	5 ¾	19 ½...	921	7 ¾
9-40.	99		5 ½...	489	5 ¾	12 ½...	737	10 ¾	19 ¾...	927	6 ¾
½...	104	4 ¾	5 ¾...	495		12 ¾...	745	2 ¾	20 ...	933	4 ¾
5-18.	110		5 ¾...	500	5 ¾	13 ...	752	6 ¾	20 ¼...	939	2 ¾
¾...	127	9 ¾	6 ...	511	2 ¾	13 ¼...	759	8 ¾	20 ½...	944	10 ¾
2-5...	132		6 ¼...	521	9 ¾	13 ½...	766	10 ¼	20 ¾...	950	8 ¾
¾...	147	7	6 2-5...	528		13 ¾...	773	11	21 ...	956	5 ¾
¾...	165		6 ½...	532	1 ¼	14 ...	780	11 ¾	21 ¼...	962	2
¾...	180	9	6 ¾...	542	3	14 ¼...	787	10 ¾	21 ½...	967	9
¾...	195	2 ¾	7 ...	552	2 ¾	14 2-5...	792		21 ¾...	973	4 ¾
9-10.	198		7 ¼...	561	11 ¾	14 ½...	794	8 ¾	22 ...	978	10 ¾
1.....	208	8 ¾	7 ½...	571	6 ¾	14 ¾...	801	6 ¾	22 ¼...	984	5 ¾
1 ¼...	233	4 ¾	7 ¾...	581	¾	15 ...	808	4	22 ½...	990	
1 ½...	255	7 ¾	8 ...	590	3 ¾	15 ¼...	815	¾	22 ¾...	995	5 ¾
1 3-5...	264		8 ¼...	599	5 ¾	15 ½...	821	8 ¼	23 ...	1000	10 ¾
1 ¾...	276	1 ¾	8 ½...	608	5 ¾	15 ¾...	828	3 ¾	23 ¼...	1006	4 ¾
2.....	295	1 ¾	8 ¾...	617	4 ¾	16 ...	834	10 ¾	23 ½...	1011	9 ¾
2 ¼...	313	¾	9 ...	626	1 ¾	16 ¼...	841	4	23 ¾...	1017	1 ¾
2 ½...	330		9 ¼...	634	9 ¾	16 ½...	847	9 ¾	24 ...	1022	5 ¾
2 ¾...	346	1 ¾	9 ½...	643	3 ¾	16 ¾...	854	2 ¾	24 ¼...	1027	9 ¾
3.....	361	6	9 ¾...	651	8 ¾	17 ...	860	6 ¾	24 ½...	1033	¾
3 ¾...	376	3 ¾	10 ...	660		17 ¼...	866	10	25 3-5...	1056	

The number of acres (*a*) in a square piece of ground being given required the length of a side of the square in feet (*s*).

$$\sqrt{43560 \times a} = s.$$

HILLS IN THE AREA OF AN ACRE.

Feet Apart.	Number.	Feet Apart.	Number.	Feet Apart.	Number.	Feet Apart.	Number.
1	43560	5	1742	9	538	16	170
1 ½	19360	5 ½	1440	9 ½	462	17	151
2	10890	6	1210	10	435	18	134
2 ½	6969	6 ½	1031	10 ½	394	20	108
3	4840	7	880	12	302	25	69
3 ¾	3556	7 ¾	775	13	258	30	48
4	2722	8	680	14	225	35	35
4 ¾	2151	8 ½	602	15	193	40	27

AVOIRDUPOIS WEIGHT.

SHORT TON.

			<i>Grains.</i>	<i>Drams.</i>	<i>Ozs.</i>	<i>Lbs.</i>	<i>Qrs.</i>
27 $\frac{1}{32}$	Grains	= 1 Dram					
16	Drams	= 1 Ounce =	437.5				
16	Ounces	= 1 Pound =	7,000	= 256			
25	Pounds	= 1 Q'rter =	175,000	= 6,400	= 400		
4	Quarters	= 1 Cwt.	700,000	= 25,600	= 1,600	= 100	
20	Cwt.	= 1 Ton	14,000,000	= 512,000	= 32,000	= 2,000	= 80

ENGLISH OR LONG TON.

			<i>Grains.</i>	<i>Drams.</i>	<i>Ozs.</i>	<i>Lbs.</i>
27 $\frac{1}{32}$	Grains	= 1 Dram				
16	Drams	= 1 Ounce =	437.5			
16	Ounces	= 1 Pound =	7,000	= 256		
112	Pounds	= 1 Cwt.	784,000	= 28,672	= 1,792	
20	Cwt.	= 1 Ton	15,680,000	= 573,440	= 35,840	= 2,240

The avoirdupois weight of the United States and England are identical. They rest in fact upon existing pieces of brass which have been declared by law to be the units of the system; and 252.458 of these units are supposed to be exactly equal in weight to a cubic inch of distilled water when the conditions named below are observed.

1 cubic inch of distilled water at its maximum density = 252.693 grains; or, 252.458 grains 62° Fahrenheit, barometer at 30 inches in both cases.

1 cubic foot of distilled water at its maximum density = 62.37907 pounds Avoirdupois; or, 62.32104 pounds Avoirdupois 62° Fahrenheit, barometer at 30 inches in both cases.

1 pound Avoirdupois = 27.7015 cubic inches of distilled water at its maximum density; or, 27.7274 cubic inches 62° Fahrenheit, barometer at 30 inches in both cases.

RELATIVE VALUE OF AVOIRDUPOIS AND TROY WEIGHTS.

Avoirdupois Ozs. Reduced to Grains & Troy Weights.					Troy Ozs. Reduced to Grains & Avoirdupois Weights.				
Avoirdupois.			Troy.		Troy.			Avoirdupois.	
Ozs.	=	Grs.	=	Ozs.	Ozs.	=	Grs.	=	Ozs.
1		437.5		18	5		18		15.15625
2		875		16	11		16		2.96875
3		1,312.5		2	14		16.5		18.12500
4		1,750		3	12		22		5.93750
5		2,187.5		4	11		3.5		21.09375
6		2,625		5	9		6		8.90625
7		3,062.5		6	7		14.5		24.06250
8		3,500		7	5		20		11.87500
9		3,937.5		8	4		1.5		27.03125
10		4,375		9	2		7		14.84375
11		4,812.5		10			12.5		2.65625
12		5,250		10	18		18		17.81250
13		5,687.5		11	16		23.5		
14		6,125		12	15		5		
15		6,562.5		13	13		10.5		
16		7,000		14	11		16		

1 dram Avoirdupois = 27 $\frac{1}{32}$ or 27.34375 grains.

1 pound Avoirdupois = $\frac{175}{144}$ of 1 pound Troy.

1 ounce Avoirdupois = $\frac{175}{192}$ of 1 ounce Troy.

APOTHECARIES' WEIGHT.

20 Grains—(gr.)	=	1 Scruple	=	gr.	℥	⅓
3 Scruples—(℥)	=	1 Dram	=	60		
8 Drams—(℥)	=	1 Ounce	=	480	=	24
12 Ounces—(℔)	=	1 Pound	=	5,760	=	288 = 96

The grain, the ounce and the pound of this weight are the same as those of Troy weight.

MEDICAL DIVISIONS OF THE GALLON.

60 Minims—(M)	=	1 Fluidram	M	f 3	f ⅓
8 Fluidrams—(f 3)	=	1 Fluidounce	=	480	
16 Fluidounces—(f ⅓)	=	1 Pint	=	7,680	= 128
8 Pints—(O)	=	1 Gallon (Cong.)	=	61,440	= 1,024 = 128

O is an abbreviation of *octans*, the Latin for one-eighth; *Cong.* for *congiarium*, the Latin for gallon.

1 Common teaspoonful	=	45 drops.
1 Common teaspoonful	=	¼ common tablespoonful = 1 fluidram.
1 Common tablespoonful	=	½ common teacup = about ½ fluidounce.
1 Common teacup	=	about 4 fluidounces.
1 Pint of water	=	about 1 pound.

R is an abbreviation for *recipe*, or take; ā aa., for equal quantities; j. for 1; ij. for 2; iij. for 3; ss. for *semi*, or half; gr. for grain; P for *particula*, or little part; P. æq. for equal parts; q. p., as much as you please.

LIQUID MEASURE.

4 Gills	=	1 Pint	Gills.	Pints.	Quarts.	Gallons.
2 Pints	=	1 Quart	=	8		
4 Quarts	=	1 Gallon	=	32	=	8
31½ Gallons	=	1 Barrel	=	1,008	=	252 = 126
2 Barrels	=	1 Hogshead	=	2,016	=	504 = 252 = 63

The United States standard unit for liquid measure is the gallon=231 cubic inches=8.338822 pounds of the standard pound avoirdupois of distilled water.

The English standard is the Imperial gallon=277.2738 cubic inches=10 pounds avoirdupois of the standard pound avoirdupois of distilled water.

In some States the barrel is estimated at 31½ gallons, and in others at 32.28.

DRY MEASURE.

2 Pints	=	1 Quart	Pints.	Quarts.
8 Quarts	=	1 Peck	=	16
4 Pecks	=	1 Bushel	=	64 = 32

The United States standard unit for dry measure is the old English Winchester bushel, and contains 2,150.42 cubic inches or 77.627413 pounds, of the standard pound avoirdupois of distilled water.

The heaped bushel, the cone of which is 6 inches above the brim of the measure, contains 2,747.7 cubic inches.

In New York a bushel contains 2,218.191 cubic inches, which is the same as the Imperial bushel of England. 33 English or Imperial bushels are equal to 34.04 Winchester or United States bushels.

WHEAT GRADES.

Weight, color and cleanliness are the principal considerations in determining the grade of wheat.

The word *club* is used in America and other countries to designate a kind or species of wheat, but in Liverpool it is used only to designate the best quality or the highest grade, and in that market any kind or species of wheat of the quality of the grade is called Club Wheat.

In Liverpool the grades are *Club* and *Average*, and buyers are further guided by subdivisions of these grades.

LIVERPOOL WHEAT GRADES.

Grades.		First Division.		Second Division.		Color.	Cleanliness.
No.	Name.	No.	Name.	No.	Weight per Bushel.		
1	Club.....	1	Choice.....	1	63 lbs.	{ Extra } { White }	Clean.
		2	Common. {	1	63 lbs.	White....	Clean.
				2	63 lbs.	Light....	Clean.
				1	63 lbs.	Dark....	Clean. [other grain
2	Average..	1	Choice.... {	2	63 lbs.	Dark....	Mixed with dust and
				3	60 lbs.	Light....	Clean.
				4	60 lbs.	Dark....	Clean. [other grain.
				1	60 lbs.	Dark....	Mixed with dust and
		2	Common. {	2	57 ½ lbs.	Light....	Clean.
				3	57 ½ lbs.	Dark....	Clean. [other grain.
				4	57 ½ lbs.	Dark....	Mixed with dust and

In some of the wheat-growing districts of California buyers have introduced three grades, which have been adopted only to a limited extent, they are:

1. Weight, 63 pounds; Color, light; Clean.
2. Weight, 62 pounds; Color, dark; Clean.
3. Weight, 57½ pounds; Color, dark; Mixed with dust and other grain.

THE ENGLISH QUARTER.—The English Quarter, at which wheat is quoted in the English reports, is 560 pounds, or one-fourth of the ton gross weight of 2,240 pounds. The English legal bushel is 70 pounds, and consequently 8 of those bushels is a quarter—equal to 9½ of our statute bushels of 60 pounds.

WEIGHT OF GRAIN, PRODUCE, ETC., PER BUSHEL.

Minimum Weight according to the Laws of the United States.

Wheat.....per bushel.....	60 lbs	Clover Seed.....per bushel..	60 lbs
Corn, in the ear..	70 lbs	Flax Seed.....	56 lbs
Corn, shelled....	56 lbs	Millet Seed.....	50 lbs
Rye.....	56 lbs	Hungarian Grass Seed	50 lbs
Buckwheat..	48 lbs	Timothy Seed.....	45 lbs
Barley.....	48 lbs	Blue Grass Seed.....	44 lbs
Oats.....	32 lbs	Hemp Seed.....	44 lbs
Peas.....	60 lbs	Fine Salt.....	167 lbs
White Beans....	60 lbs	Salt, coarse.....	151 lbs
Castor Beans....	46 lbs	Corn Meal.....	48 lbs
Irish Potatoes...	60 lbs	Ground Peas.....	24 lbs
Sweet Potatoes...	55 lbs	Malt.....	38 lbs
Onions.....	57 lbs	Bran.....	20 lbs
Turnips.....	55 lbs	Stone Coal.....	80 lbs
Dried Peaches....	33 lbs	Lime, unslacked..	30 lbs
Dried Apples....	26 lbs	Plastering Hair....	8 lbs

The number of United States bushels in a quantity of grain is equal to its measurement in cubic inches divided by 2,150.42.

EXAMPLE 1. Required the number of bushels in a bin even full of grain the inside dimensions being—length, 12 feet; width, 7 feet 5 inches; depth, 6 feet 6 inches.

Solution. Reduce to inches. $144 \times 89 \times 78 = 2150.42 = 464.86$ bushels.

In measuring fruit, vegetables and other substances, the "heaped bushel" is the measurement; for this divide the number of cubic inches by 2,747.

Note.—For bins of wheat where machinery causes jar, add 6% to 9% to the above solution. Still bins filled with No. 1 wheat, add 2½%.

Foreign Weights and Measures in U. S. Equivalents.

Abyssinia.*		Argentine Republic.†‡		1 Guz, Bombay.....27 ins.	
1 Pic, stamboulli.....26.8 ins.		1 Pie.11.3736 ins=0.9478 ft		1 " Bengal.....36 "	
1 Pic, geometri'l.....30.37 "		1 Vara.....34.12 ins.		1 Corah, minim.....3.417 ft.	
1 Wakea.....400 grs.		1 Legua.....3.266 ft.		1 Coss, Bengal.....1.136 mi.	
1 Mocha.....1 oz., troy		1 Arroba.....25.36 lbs.		1 " Calcutta.....1.2273 "	
1 Rottolo.....10 ozs., troy		1 Quintal.....101.42 "		1 Kuttu.....9.8175 sq. yds.	
1 Madega.....3.466 bush.		1 Cuadra.....4.2 acres		1 Biggah, Bengal.....	
1 Ardeb.....34.66 bush		1 Suertes de Estancia.....	0.3306 acre	
1 Ardeb-Musah.....83.184 "		1 Baril.....27,000 sq. varas		1 Biggah, Bombay.....	
Africa, Alexandria.		1 Fanega.....20.0787 gals.	0.8114 acre	
Cairo and Egypt.		1 Fanega.....1.5 bush.		1 Seer, Factory.....0.68 cu. in.	
1 Cubit.....20.65 ins.		Australasia.		1 Covit, Bombay.....	
1 Derah.....25.49 "		1 Land Section.....80 acres	12.704 cu. ft.	
1 Pic.....21.25 "		Austria.†		1 Maund, Bombay.....	
1 Pic, geometric.....29.53 "		1 Zoll.....1.0371 ins.	28 lbs. avoiz.	
1 Kassaba.....11.65 ft.		1 Fuss.....1.0371 ft.		1 Maund, Bengal.....	
1 Mile.....2.146 yds.		1 Meile.....8,000 yds.	82.285 lbs. avoiz.	
1 Feddan al-risach.....		1 Jochart.....6.884 sq. "		1 Candy, Bombay.....	
.....55248 acre		1 Klafter, quadrat.....	560 lbs. avoiz.	
1 Feddan.....1.03 acres	35.854 sq. "		1 Seer, Bombay.....1.234 pt.	
1 Rottol.....9821 lb.		1 Cube Fuss.....1.1155 cu. ft.		1 Parah.....4.4802 gals.	
1 Oka.....2.7235 lbs.		1 Unze.....0.8642 grs.		1 Mooda.....112.0045 "	
1 Roobak.....1.684 gals.		1 Pfund.....1.2347 lb.		<i>Liquids and grain meas-</i>	
1 Ardeb.....7.6907 bush.		1 Centner.....123.47 lbs.		<i>ured by weight.</i>	
1 Maragha.....15° or 1 hr.		1 Achtel.....1.692 gals.		Bohemia.	
Aleppo and Syria.		1 Viertel.....3.1143 "		1 Foot, Prague.....11.88 ins.	
1 Dra Mesroul.....21.845 ins.		1 Eimer.....12.774 "		1 " Imperial.....12.45 "	
1 Pic.....26.63 "		1 Metze.....1.6918 bush.		<i>Also same as Austria.</i>	
Road measures are com-		Baden.†		Bolivia, Chile and	
puted by time.		1 Fuss.....11.81 ins.		Peru.†	
Algeria.†		1 Klafter.....5.9055 ft.		1 Vara.....33.367 ins.	
1 Rob (Turkish).....3.11 ins.		1 Ruthe.....9.8427 "		1 Fanegada.....1.5888 acres	
1 Pic (Arabic).....18.89 "		1 Stunden.....4.860 yds.		1 Libra.....1.014 lb.	
1 Pic (Turkish).....24.92 "		1 Morgen.....0.8896 acre		1 Arroba.....25.36 lbs.	
Alicante, Spain.		1 Pfund.....1.1023 lbs.		1 Quintal.....101.61 "	
1 Palmo.....8.908 ins.		1 Stutze.....3.3014 gals.		1 Fanega, Peru.....140 Cas. "	
1 Vara.....35.632 "		1 Malter.....4.1268 bush.		1 Gallon.....0.74 gal.	
Amsterdam, Holland.		Barbary States.		1 Fanega.....1.572 gals.	
1 Voet.....11.144 ins.		1 Pic, Tunis linen.....18.62 ins.		Brazil.	
1 El.....21.979 "		1 " cloth.....26.49 "		1 Palmo, Bahia.....8.5592 ins.	
1 Faden.....5.57 ft.		1 " Tripoli.....21.75 "		1 Vara.....3.566 ft.	
1 Lieue.....6.383 yds.		Bavaria.†		1 Braca.....7.132 "	
1 Maat.....1.6728 acres		1 Fuss.....11.49 ins.		1 Geora.....1.448 acre	
1 Morgen.....2.0095 "		1 Klafter.....5.74536 ft.		1 Arroba.....32.38 lbs.	
1 Vat.....40 cub. ft.		1 Ruthe.....3.1918 yds.		1 Quintal 130.06 lbs. avoiz.	
Antwerp, Belgium.		1 Meile.....8.060 "		Burma.	
1 Fuss.....11.275 ins.		1 Ruthe quadrat.....		1 Paulgat.....1 in.	
1 Elle (cloth).....26.94 "	10.1876 sq. yds.		1 Dain.....4.277 yds.	
1 Bonnier.....3.2507 acres		1 Morgan (Tagwerk).....		1 Viss.....3.6 lbs.	
1 Corde.....24.494 cub. ft.	0.8410 acre		1 Taim.....5.5 "	
Arabia (Mocha) and		1 Kubie Klafter.....		1 Saading.....22 "	
Basoria, Turkey.†	4.097 cu. yds.		<i>Also same as England.</i>	
1 Foot, Arabic.....1.0502 ft.		1 Pfund.....8.642 grs.		Canary Islands.	
1 Covid, Mocha.....19 ins.		1 Eimer.....15.05856 gals.		1 Onza.....0.927 in.	
1 Guz.....25 "		1 Soheffel (dry).....6.119 gals.		1 Pic, Castilian.....11.128 ins.	
1 Kassaba.....12.3 ft.		1 Metze.....1.0196 bush.		1 Almude.....0.0416 acre	
1 Mile, 6,000 ft. 2.146 yds.		Belgium and Hol-		1 Fanegada.....0.5 "	
1 Farsakh.....5.280 "		land.†		1 Libra.....1.0148 lb.	
1 Baryd.....21.120 "		1 Meile.....2.132 yds.		Cape of Good Hope.	
1 Feddan.....57.606 sq. ft.		1 Last.....85.134 bush.		1 Foot.....11.616 ins.	
1 Noostia, Arabic.....		Bengal, Bombay and		1 Morgen.....2.11654 acres	
.....138 cu. ins.		Calcutta.		Ceylon.	
1 Maund.....3 lbs.		1 Moot.....3 ins.		1 Seer.....1 qt.	
1 Tomand.....168 "		1 Span.....9 "		1 Parrah.....5.62 gals.	
1 Gudda.....2 gals.		1 Ady, Malabar.....10.46 "		<i>Also same as England.</i>	
		1 Hath.....18 "			

* Also same as Egypt and Cairo. † Also Metric System. ‡ Other measures like those of Egypt; see Africa, etc. § Includes Buenos Ayres, Paraguay, Uruguay, and Patagonia. ¶ All other measures same as English.

Foreign Weights and Measures, Etc.—Continued.

China.		France.		Foot, Architects' 11.73 ins.	
1 Fen	0.141 in.	<i>See Index for Metric Sys- tem.</i>		1 Braccio	30.73 "
1 Li (small)	0.486 "	Germany.*		1 Miglio	1628 yds.
1 Tsun	1.41 "	<i>The old measures of each State differ; but generally,</i>		1 Quarta	1.1414 acres
1 Chih, engineers' 12.71 ins.		Lucca and Tuscan.		1 Palmo	11.49 ins.
1 " or Covid	13.125 "	1 Foot Rhineland		1 Pie	11.94 "
1 " legal	14.1 "	12.357 ins.		1 Braccio	22.98 "
1 Pu	4.05 ft.	1 Meile		1 Passetto	3.829 ft.
1 Chang	11.75 "	4.603 miles		1 Passo	5.74 "
1 Li (large)	486 "	Greece.*		1 Miglio	1.0277 mile
1348 + Chang	1 mile	1 Pike		1 Quadrato	0.8413 acre
1 Chang, fathom	10.9375 ft.	1 Stadium		1 Saccato	1.324 "
1 Li (sq. meas.)	7.26 sq. "	1 Stremma		Japan.*	
1 Hao (sq. meas.)	72.6 "	1 Livre		1 Shi	0.00011875 in.
1 Pu or Kung (sq. meas.)		1 Oke		1 Mo—10 Shi	0.0011875 "
3.32 sq. yds.		1 Cantar		1 Rin—10 Mo	0.011875 "
1 Fen (sq. meas.)	726 sq. ft.	1 Baril (wine)		1 Bu—10 Rin	0.11875 "
1 Mu or Mau (sq. meas.)		1 Kilo		1 Sun—10 Bu	1.1875 "
1.6 acre		Hamburg.*		1 Ki—10 Sun	11.875 ins.
1 King, 100 Mu	16,485 acres	1 Fuss		1 Kiyoka-shaku	11.875 "
1 Fen (avoir.)	5.8333 grs.	1 Klafter		1 Kuji-a-shaku	14.84375 ins.
1 Tsein (avoir.)	58.333 "	1 Morgan		1 Ken—6 Ki	5 ft. 11 1/4 "
1 Liang or Tael	1.333 oz.	1 Cube Fuss		1 Go—10 Ki	9 ft. 10 1/4 "
1 Kin or Catty	1 1/2 lb.	1 Tehr		1 Cho	1.067 1/2 mile
1 Tan or Picul	133 1/2 lbs.	1 Pfund		1 Ri (marine)	1.1507 "
1 Tau	1.13 gal.	1 Ton		1 Ri (long meas.)	2.4403 ms.
NOTE.—In the coast towns of China these weights are called by their Malay names, viz.: Candaren (for Fen), Mace (for Tael), Tael (for Liang), Catty (for Kin), and Picul (for Tan).		Hanover.		1 Tsubo (sq.)	3.9538 sq. yds.
Cochin China.		1 Fuss		1 Tan (sq.)	0.2451 acre
1 Thuoc or Cubit	19.2 ins.	1 Morgen		1 Cho (sq.)	2.4507 acres
1 Sao	64 sq. yds.	Hindustan.		1 Ri (sq.)	5.9552 "
1 Mao	1.32 acres	1 Borrel		1 Shi (avoir.)	0.005833 gr.
1 Tael (Troy)	590.75 grs.	1 Gerah		1 Mo, 10 Shi	0.058333 "
1 Nen (avoir.)	0.8594 lb.	1 Haut		1 Rin, 10 Mo	0.58333 "
1 Hao	6.222 gals.	1 Kobe		1 Fun, 10 Rin	5.8333 grs.
1 Shita	12.444 "	1 Coss		1 Momme	58 1/2 "
Colombia and Vene- zuela.*		1 Tuda		1 Kin or Catty	1 1/2 lb.
1 Vara	33.384 ins.	1 Candy		1 Kwan (avoir.)	8.28171 lbs.
1 Libra	1.0161 lb.	Hungary.		1 Picul	130 "
1 Oncha	25 lbs.	1 Fuss		1 Sai (liquid)	0.012706 gill
Denmark, Green- land, Iceland and Norway.*		1 Elle		1 Shaku	0.12706 "
1 Tomme	1.0297 in.	1 Meile		1 Go, 10 Shaku (liquid)	
1 Fot	1.0297 ft.	1 Oka			1.2706 gill
1 Fav, 3 Alen	6.1783 "	1 Oka (liquid)		1 Sho, 10 Go (liq.)	1.5881 qt.
1 Mil	4.6065 m's	Indian Empire.		1 To, 10 Sho (liq.)	3.9703 gal.
1 Mil, nautical	4.61072 "	1 Ady, Malabar		1 Koku, 10 To (liquid)	
1 Pund	1.1023 lb.	1 Guz			39.7033 gals.
1 Lispund	17.367 lbs.	1 Yard, Benares		1 Sai (dry)	0.003229136 pt.
1 Centner	110.11 "	1 Cowrie		1 Shaku, 10 Sai (dry)	
1 Anker	8.0709 gals.	1 Sen (cubic)			0.03229136 pt.
1 Skeppe	0.478 bush.	1 " (avoir.)		1 Go, 10 Shaku (dry meas- ure)	0.3229136 pt.
1 Fjerdingskar	0.9558 "	<i>See separate provinces.</i>		1 Sho, 10 Go (drv meas- ure)	1.614568 qt.
1 Tonde	3.94783 "	Italy.*		1 To, 10 Sho (dry meas- ure)	2.01821 pecks
Genoa, Sardinia and Turin.		<i>The metric system is in use, the Italian names of which are: Metra, Ara, Litro, Gramma, Stero, Tonelata de Mare.</i>		1 Koku, 10 To (dry meas- ure)	5.045525 bush.
1 Oncie	1.686 in.	Naples and Sicily.		Java.	
1 Palmo	9.8076 ins.	1 Palmo		1 Duim	1.3 in.
1 Piede, Manual	13.488 "	1 Canna		1 Ell	27.08 ins.
1 Piede, Liprando	20.23 ins.	1 Miglio		1 Djong	1.015 acres
1 Trabuco, Tesa	10.113 ft.	1 Migliago		1 Catty	1.356 lb.
1 Miglio	1.3835 mile	1 Moggia		1 Tael	593.6 grains
1 Giomaba	0.9394 acre	1 Pezza, Roman		1 Sach	61.034 lbs.
1 Starello	0.9804 "	Roman Measures.		1 Pecul	122.068 "
		<i>Old Measure.</i>		1 Pecul (Batavia)	135.1 "
		1 Palmo		1 Foot	12.357 ins.
		1 Foot		1 Covid	27 "
				1 El	27.75 "

*Also Metric System. †Used for measuring land. ‡For measuring cloth.

Mexican Weights and Measures.

MARINERS' MEASURE.—The Braza (used for making soundings)=2 varas of burgos, =1.6718 metre. 2,220 varas of burgos =1 marine mile; 3 marine miles (or 6,660 varas of burgos) =1 marine league.

Mexican Land or Square Measure.		Equivalents Metric.	Equivalents English Square Measure.
1 Square vara.....		= 0.702244 sq metr	= 1,089. sqr. inches
1-12 Caballeria or 276x184 varas.....	= 1 Fanega legal de sembradura de maíz.....	= 3.5663 hectares.	= 8.813 acres.
1104x552 varas.....	= 1 Caballeria de tierra.....	= 42.7953 “	= 105.75 “
1,200 Varas square..	= 1 Fundo legal para pueblos...	= 101.223136 “	= 249.9 “
½ Legua square....	= 1 Criadero de ganado menor.....	= 195.06 7-9 “	= 482. “
¼ “ “	= 1 Criadero de ganado mayor....	= 438.9025 “	= 1084.5 “
⅓ “ “	= 1 Sitio de ganado menor.....	= 780.27 1-9 “	= 2928. “
1 “ “	= 1 Sitio de ganado mayor.....	= 1755 61 “	= 4338. “

NOTE.—The fanega of land was divided into *almudes* and *cuarterones*, as the fanega of grain was divided (see dry measures below). The fanega rural was twice the fanega legal.

MEXICAN (OLD) DRY MEASURE.		Equivalents Metric.	Eng. Dry Measure.
1-16 Almud	= 1 Copa.....	= 0.472994 litre	=0.833 pint....
⅓ “	= 1 Cuartilla (id. id)	= 0.945988 “	=0.833 quart...
¼ “	= 1 Cuarteron.....	= 1.891977 “	=1.665 “....
1-12 Fanega.....	= 1 Al'd or celemin	= 7.567907 litres	=0.833 peck....
7,200 Cubic puigadas	= 1 Fanega.....	= 90.814888 “	=2.498 bushels
14,400 “ “	= 1 Carga.....	= 181.629775 “	=4.996 “....

MEXICAN (OLD) OIL MEASURE.		Equivalents Metric.	English Liquid Measure.
¼ Cuartillo	= Panilla.....	= 0.12654 litre	= 0.89 gill....
⅓ “	= 1 Libra-mensural	= 0.506162 “	= 0.89 pint....
25 Cuartillos	= 1 Arroba-mensu'l	= 12.65405 litres	= 2.785.... gallons.

MEXICAN LIQUID MEASURE. (Excepting Oil.)		Equivalents Metric.	English Liquid Measure.
¼ Cuartillo	= 1 Medio cuartillo	= 0.22815 litre	= 1.61 gill....
2 Medio cuartillos.	= 1 Cuartillo.....	= 0.4563 “	= 0.805.... pint....
2 Cuartillos	= 1 Azumbre.....	= 1.825 “	= 1.61 quart....
8 “	= 1 Galon.....	= 3.65 litres	= 0.805.... gallon..

NOTE.—The *cántara* was given as 1 *arroba* of 32 *cuartillos*. The *botija* or *jarra* was given as 20 *cuartillos*; it was also given (in some districts) as 18 *cuartillos*, or one-ninth part of the *barril medido*, of 162 *cuartillos*. Various smaller *barriles* were also given, down to 140 *cuartillos*. The *castañal* was ¼ of a *barril*. The name *cuarterota* suggests ¼ of a *tonelada* weight.

Mexican (old) Running Water Measure.		Equivalents Metric.	English Cubic Measure.
1-9 Dedo	= 1 Paja.....	= 0.015 litre per sec.	= 0.00053 cubic ft. per sec.
⅓ Real.....	= 1 Dedo.	= 0.135 “ “	= 0.00478 “ “ “
⅓ Naranja.....	= 1 Real.....	= 0.27½ “ “	= 0.00956 “ “ “
½ Surco.....	= 1 Naranja..	= 2.161 litres “	= 0.0765 “ “ “
1-48 Buey.....	= 1 Surco.....	= 6.5 “ “	= 0.23 “ “ “
* 1 Square vara.	= 1 Buey.....	= 312. “ “	= 11.02 cubic feet “

* 1 Square vara=33 x 33 ins.=1.089 square ins. A fall of 1 pulgada to every 3 varas box running full, but no head was required.

The following table gives the principle old weights based on the *libra*, = 460.24634 grammes. The *ca-ga*, was sometimes taken as 14, and at other times as 16 *arrobas*, in weighing metals.

MEXICAN WEIGHTS, with Relative Equivalents.		Equivalents. Metric.	Equivalents. Avoirdupois.
1-36 Adarme.....	= 1 Grano.....	= 0.04994 gramme	= 0.77 grain.
1-48 Onza.....	= 1 Tomin.....	= 0.5993 "	= 9.26 grains.
1-16 Onza.....	= 1 Adarme.....	= 1.7978 "	= 27.8 grains.
1-8 Onza.....	= 1 Ochava or dracma.	= 3.5957 grâmes	= 55.6 grains.
1-16 Libra.....	= 1 Onza.....	= 28.765 "	= 1.0150 ounce.
1-2 Libra.....	= 1 Marco.....	= 230.123 "	= 0.5075 pound.
1 Libra.....	= 2 Marcos.....	= 460.246 "	= 1.0150 pound.
25 Libras.....	= 1 Arroba.....	= 11,506.00 "	= 25.4 pounds.
100 Libras.....	= 1 Quintal.....	= 46,025.00 "	= 101.5 pounds.
12 Arrobas.....	= 1 Carga (most goods)	= 138,074.00 "	= 304.4 pounds.
2000 Libras.....	= 1 Tonelada de mar...	= 920,493.00 "	= 0.906 ton.

The unit of long measure was the "Mexican *vara*," $\frac{1}{4}$ of 1 per cent. longer than the "*vara* of Burgos." The "Mexican *vara*," as fixed by law now, = 838 millimeters.

MEXICAN LINEAR OR LONG MEASURE.		Equivalents. Metric.	Equivalents. Eng. Long Measure.
1-12 Linea.....	= 1 Punto.....	= 0.00016 metre	= 0.0064 inch.
1-12 Pulgada.....	= 1 Linea.....	= 0.00194 "	= 0.0763 "
1-48 Vara.....	= 1 Dedo.....	= 0.017458 "	= 0.687 "
1-12 Pié.....	= 1 Pulgada.....	= 0.0232 7-9 "	= 0.916 "
1-4 Vara.....	= 1 Palmo.....	= 0.2095 "	= 8.25 inches.
1-3 Vara.....	= 1 Pié.....	= 0.279 1-3 "	= 11.00 "
1 Vara.....	= 3 Piés.....	= 0.838 "	= 33.00 "
50 Varas.....	= 1 Cordel.....	= 41.9 metres	= 137.5 feet.
5000 Varas.....	= 1 Legua.....	= 4190. metres	= 2.60 miles.

Madras, India.

1 Ady (l. meas.).....	10.46 ins.
1 Covid (l. meas.).....	18.6 "
1 Guz (long meas.).....	.33 "
1 Culy.....	20.92 ft.
1 League.....	3472 yds.
1 Tola (avoir. wt.).....	180 grs.
1 Seer.....	.625 lb.
1 Viss.....	3.086 lbs.
1 Maund.....	24.686 "
1 Candy.....	500 "
1 Puddy (liquid).....	0.338 gal.
1 Marcal.....	2.704 gals.

Malacca.

1 Hasta or Covid.....	18.125 ins.
1 Depa.....	6 ft.
1 Orlong.....	80 yds.

Malta.

1 Palmo.....	10.8125 ins.
1 Pie.....	11.167 "
1 Canna.....	82.5 "
1 Salma.....	4.44 acres

Miscellaneous.

1 Centner, Darmstadt.....	110.24 lbs.
1 Centner, Zollverein.....	110.24 lbs.
1 Centner, Nuremberg.....	112.43 lbs.
1 Centner, Brunswick.....	117.5 lbs.
1 Centner, Vienna.....	123.5 lbs.
1 Centner, Bremen.....	127.5 lbs.
1 Jachtan, Guinea.....	12 ft.
1 Last, England.....	82.52 bush.

1 Livre, Guiana.....	1.0791 lb.
1 Picul, Borneo.....	135.64 lbs.
1 Picul, Celebes.....	135.64 lbs.
1 Picul of hemp, Manilla.....	139.45 lbs.
1 Picul of sugar, Manilla.....	140 lbs.
1 Quarter, Eng.....	8.252 bush.
1 Vara, Curacao.....	33.375 in.

Moldavia, Roumania.

1 Foot.....	8 ins.
1 Kot (silk).....	24.86 ins.
1 Fathom.....	8 ft.

Molucca Islands.

1 Covid.....	18 $\frac{1}{4}$ ins.
--------------	-----------------------

Morocco.

1 Tomin.....	2.81025 ins.
1 Cadea.....	20.34 "
1 Cubit.....	21 "
1 Rotal or Artal.....	1.12 lb.
1 Muhd.....	3.08135 gals.
1 Kula (oil).....	3.356 "

Liquids other than oil are sold by weight.

Mysore, India.

1 Angle.....	2.12 ins.
1 Haut.....	19.1 "
1 Guz.....	83.2 "
1 Candy.....	500 lbs.

Netherlands.

1 Elle.....	1 French meter
-------------	----------------

Persia.

1 Gereh.....	2.375 ins.
1 Gueza, common.....	.25 "
1 " Moukelrer.....	37.5 "
1 Archin, Schah.....	31.55 "
1 " Arish.....	38.27 "

1 Parasang.....	6076 yds.
1 Chenica.....	80.26 cu. ins.
1 Miscal.....	71 gra.
1 Ratel.....	2.1136 lbs.
1 Batman, Maund.....	6.49 "
1 Maund.....	27.32 "
1 Artaba.....	1.809 bush.

Liquids are measured by weight.

Poland.

1 Trevice.....	14.08 ins.
1 Precikow.....	17 "
1 Pretow.....	4.7245 yds.
1 Mille (short).....	6075 "
1 Morgen.....	1.8343 acre

Portugal and Mozambique.

1 Foot.....	13 ins.
1 Milha.....	1.2788 mile
1 Arratel or Libra.....	1.011 lb.
1 Arroba.....	32.38 lbs.
1 Almude.....	4.422 gals.
1 Fanga.....	1.488 bush.
1 Alguleri.....	8.6 "

Prussia.

1 Fuss.....	12.358 ins.
1 Ruthe.....	4.1192 yds.
1 Meile.....	24,000 ft.
1 Quadrat Fuss.....	1.0608 sq. ft.
1 Morgen.....	0.63103 acre
1 Cube Fuss.....	1.092 cu. ft.
1 Pound.....	7217 gra.
1 Zollfund.....	1.1023 lb.
1 Centner.....	113.44 lbs.
1 Anker.....	7.559 gals.
1 Scheffel.....	1.5121 bush.
1 Last.....	112.29 "

Also use the Metric System.

Russian Weights and Measures.**WEIGHTS.**

NAMES OF WEIGHTS.			EQUIVALENTS.	
96 Doiei	= 1 Solatnikou	=	2.408 Drams,	Avordupois.
3 Solatnik.	= 1 Latou....	=	0.451 Ounce,	"
96 Solatnikof = 32 Lotam	= 1 Pound....	=	0.903 Pound,	"
1,280 Latof	= 40 Pounds = 1 Pudou....	=	36.120 Pounds,	"
400 Pounds	= 10 Pud = 1 Berkovetsou.	=	3,612 Quintals = 361.2 lbs.	"

DRY MEASURE.

NAMES OF MEASURES.			EQUIVALENTS in Eng. Dry Measure.	
30 Chast	= 1 Garnets = $\frac{1}{2}$ Chetverika.	=	2.887 quartis.	
8 Garnets	= 1 Chetverik = $\frac{1}{4}$ Osmini..	=	2 pecks 7.1 quartis.	
32 Garnets	= 4 Chetverik = 1 Osmina..	=	2 bushels, 3 pecks, 4.4 quartis.	
8 Chetverik	= 2 Osmina = 1 Chetvert.	=	5 bushels, 3 pecks, 0.8 quart.	
24 Osmina	= 12 Chetvert = 1 Last.....	=	8 quarters, 5 bus., 1.184 pk., or 69.3 bus.	

APOTHECARIES' WEIGHT.

Medical Divisions.		Equivalents in Troy Weight.	
1 Salotnik	= 1.84 Pound.....	=	68.57142 (<i>repetend</i>) grains, troy.
7 Salotnikof	= 1.12 Pound.....	=	1 ounce = 480 grains, troy.
84 Salotnika	= 1 Pound.....	=	1 pound = 5,760 grains, troy.

LINEAR OR LONG MEASURE.

NOTE.—Since 1831, the English foot of 12 inches, each inch of ten parts, has been used as the ordinary standard of length measures.

Measures of Length.		Equivalents in Long Measure.	
1 Skroople	= 1 line.....	=	0.01 inch.
10 Skrooplof	= 1 Linia = 1 line.....	=	0.10 inch.
10 Linii	= 1 Duim = 1-12 foot....	=	1. inch.
$1\frac{1}{4}$ Duima	= 1 Vershok.....	=	1.750 inch.
12 Duimof	= 1 Foot.....	=	12 inches = 1 foot.
7 Footof	= 3 Arshine = 1 Sajen..	=	7 feet = 1.167 fathom.
1 Arshine	= 16 Verstak = 28 Duim...	=	28 ins. = $2\frac{1}{2}$ feet = .778 yard.
1 Versta	= 500 Sajen = 3,501 Feet	=	0.663 mile = 212.160 furlo'gs = 3501 ft.

SQUARE OR SURFACE MEASURE.

Square Measure.		English Equivalents.	
144 Square Duim	= 1 sqr. foot....	=	1 Square foot.
9 Square feet	= 1,296 sqr. Duim.....	=	1 Square yard.
1 Square Arshine	= 256 Sq. Vershkoff.	=	0.605 Square yard.
49 Sq. ft.	= 9 sq. Arshine = 1 sq. Sajen.	=	49 Square feet = 5 sqr. yds. 4 sqr. ft.
2,400 Square Sajen	= 1 square Desiatina.	=	432 Sqr. rods = 2.45 sqr. Acres.
80 x 30 sqr. Sajen	= 1 Russian Acre....	=	2.45 sqr. Acres.

CUBIC OR SOLID MEASURE.

Cubic Measure.		English Equivalents.	
1 Cubic foot	= 1,728 Cubic Duim....	=	1 cubic foot = 1,728 cubic inches.
1 Cubic Arshine	= 4,096 Cubic Vershok..	=	12.704 cubic feet.
1 Cubic Sajen	= 343 Cubic Feet.....	=	2.68 cords = 343 cubic feet.

LIQUID MEASURE.

Measures for Liquids.		Equivalents in U. S. Liquid Measure.	
1 Krushka	= 10 Charok.....	=	2.166 pints.
1 Vedro	= 8 Shtoff = 10 Krushka....	=	10.828 quarts = 2.707 gallons.
1 Botchka	= 40 Veder.....	=	0.859 pipe = 1.718 hogshead.
1 Chetverik	contains.....	=	64 lbs. of pure water.
1 Vedro	".....	=	30 " " " "

Siam.		1 Arroba, Castile 3.554 gals.	1 Klafter.....5.77 ft.	
1 K'up.....9.75 ins.		1 Arroba, wine.....4.26 "	1 Meile.....4.8568 miles	
1 Covid.....18 "		1 Fanega.....1.5077 bush.	1 Juchart, Berne.....0.85 acre	
1 Ken.....39 "		Stettin, Prussia		
1 Jod.....0.09848 mile		1 Fuss.....11.12 ins.	1 Pfund.....1.1023 lb.	
1 Boengeng.....2.462 miles		1 Foot, Rhineland.....12.357 ins.	1 Mass.....2.6412 pts.	
1 Catty.....1.35 lb.		1 Elle.....25.6 "	1 Eimer.....8.918 gals.	
Silesia.		1 Morgen.....1.5729 acre	1 Malter.....4.1268 bush.	
1 Fuss.....11.19 ins.		Sumatra.		
1 Ruthe.....4.7238 yds.		1 Jankal, or span.....9 ins.	Tripoli.	
1 Meile.....7086 "		1 Elle.....18 "	1 Pik, 3 Palmi.....26.42 ins.	
1 Morgen.....1.3825 acre		1 Hailoh.....3 feet	1 Almud.....319.4 cu. "	
Singapore.		1 Fathom.....6 "	1 Killow.....2023 " "	
1 Hasta or Cubit.....18 ins.		1 Tung.....4 yds.	1 Rottol.....7680 grs.	
1 Dessa.....6 ft.		1 Catty.....2.12 lbs.	1 Oke.....2.8286 lbs.	
1 Orlong.....80 yds.		Surat, India.		
Smyrna.		1 Tussoo, cloth.....1.161 in.	1 Barile.....14.267 gals.	
1 Pic.....26.48 ins.		1 Guz, cloth.....27.864 ins.	1 Temer.....0.7383 bush.	
1 Indise.....24.648 "		1 Covid.....18.5 "	Turkey.	
1 Berri.....1828 yds.		1 Hath.....20.9 "	1 Pik, small.....27.9 ins.	
Spain, Cuba, Malaga, Manila, Guatemala and Honduras.		1 Biggah.....0.51 acre	1 " large.....27.06 "	
		Sweden *		
1 Pie.....11.128 ins.		1 Fot.....11.6928 ins.	1 Berri.....1.823 yd.	
1 Vara.....33.384 "		1 Faden.....5.845 ft.	1 Oka (avoir.).....2.8288 lbs.	
1 Milla.....0.865 mile		1 Ref.....32.4703 yds.	1 Cantar.....124.7036 "	
1 Legua, 8,000 Varas.....4.2151 miles		1 League.....3.3564 miles	1 Alma.....1.154 gal.	
1 Fanegado.....1.6374 acre		1 Mil.....6.6417 "	Wurtemberg.	
1 Vara, cubo.....21.531 cu. ft.		1 Tunnuland.....1.2198 acre	1 Fuss.....11.812 ins.	
1 Libra, 7100 grs.....1.0144 lb.		1 Centner.....112.05 lbs	1 Elle.....2.015 ft.	
1 arroba.....25.36 lbs.		1 Anker.....8.641 gals.	1 Meile.....8146.25 yds.	
1 Quintal, Castile.....101.61 lbs.		1 Spann.....1.962 bush.	1 Morgen.....0.7798 acre	
1 Tonelado.....2028.2 "		Switzerland *		
1 Cuartilla.....0.888 gal.		1 Fuss, Berne.....11.52 ins.	1 Cube Fuss.....0.83045 cu. ft.	
		1 Fuss.....11.54 "	1 Pound.....7217 grs.	
		1 Vaud.....11.81 "	1 Eimer.....647.21 gals.	
			1 Scheffel.....4.878 bush.	
		Zurich.		
		1 Fuss.....11.812 ins.	1 Elle.....23.625 "	
		1 Klafter.....5.9062 ft.	1 Meile.....4.8568 miles	
		1 Jachart.....0.808 acre	1 Jachart.....0.808 acre	
		1 Cube Klafter.....144 cu. ft.	1 Cube Klafter.....144 cu. ft.	

* Also Metric System.

Metric Weights and Measures Converted into English.

Metres into Yards.	Litres into Gallons and Quarts.	Hectolitres into Quarts and Bushels.	Kilogrammes into Cwts. Qrs. Lbs. Oz.	Hectares into Acres. * †.
1= 1.094	1= 0 0.880	1= 0 2.751	1= 0 0 2 3¼	1= 2 1 35
2= 2.187	2= 0 1.761	2= 0 5.502	2= 0 0 4 6½	2= 4 3 31
3= 3.281	3= 0 2.641	3= 1 0.254	3= 0 0 6 9¾	3= 7 1 26
4= 4.374	4= 0 3.521	4= 1 3.005	4= 0 0 8 13	4= 9 3 22
5= 5.468	5= 1 0.402	5= 1 5.756	5= 0 0 11 0¼	5= 12 1 17
6= 6.562	6= 1 1.282	6= 2 0.507	6= 0 0 13 3½	6= 14 3 12
7= 7.655	7= 1 2.163	7= 2 3.258	7= 0 0 15 7	7= 17 1 8
8= 8.749	8= 1 3.043	8= 2 6.010	8= 0 0 17 10¼	8= 19 3 3
9= 9.843	9= 1 3.923	9= 3 0.761	9= 0 0 19 13¾	9= 22 0 38
10= 10.936	10= 2 0.804	10= 3 3.512	10= 0 0 22 0¾	10= 24 2 34
20= 21.873	20= 4 1.608	20= 6 7.024	20= 0 1 19 1½	20= 49 1 28
30= 32.809	30= 6 2.412	30= 10 2.536	30= 0 2 16 2¼	30= 74 0 21
40= 43.745	40= 8 3.215	40= 13 6.048	40= 0 3 13 3	40= 98 3 15
50= 54.682	50= 11 0.019	50= 17 1.560	50= 1 0 10 3¾	50= 123 2 9
60= 65.618	60= 13 0.823	60= 20 5.072	60= 1 1 7 4½	60= 148 1 3
70= 76.554	70= 15 1.627	70= 24 0.585	70= 1 2 4 5¼	70= 172 3 37
80= 87.491	80= 17 2.431	80= 27 4.097	80= 1 3 1 6	80= 197 2 38
90= 98.427	90= 19 3.235	90= 30 7.609	90= 1 3 23 6¾	90= 222 1 24
100= 109.363	100= 22 0.039	100= 34 3.121	100= 2 0 20 7½	100= 247 0 18
200= 218.727	200= 44 0.077	200= 68 6.242	200= 4 1 15 15	200= 494 0 37
300= 328.090	300= 66 0.116	300= 103 1.362	300= 6 2 11 6¾	300= 741 1 15
400= 437.453	400= 88 0.155	400= 137 4.483	400= 8 3 6 14	400= 988 1 33
500= 546.816	500= 10 0.1931	500= 171 7.604	500= 11 1 2 5½	500= 1235 2 11

NOTE.—The United States unit of length is the same as the English unit; so also are our lb. avoirdupois and lb. Troy identical with the English, but our gallon is different; it contains 231 cubic inches, while the imperial gallon of England contains 277.274 cubic inches. To reduce English gallons, quarts, or pints, to the United States standards, multiply by 1.20024, and to reduce English bushels to United States bushels, multiply by 1.0313644. * Roods. † Perches.

Supplemental List of Foreign Weights and Measures.

Argentine.		Guiana.	1 League (land), 4,633 acres
1 Frasco.....	2.5096 quarts	1 Livre (pound), 1.0791 lb.	1 Quintal.....100 lbs.
1 Libra (pound).....	1.0127 lbs.	India.	1 Vara.....34 inches
Austria-Hungary.		1 Bongkal.....332 grains	Peru.
1 Joch.....	1.422 acres	1 Candy (Bombay), 529 lbs.	1 Quintal.....101.41 lbs.
Belgium and Holland		1 " (Madras), 500 "	Philippine Islands.
1 Last.....	85.134 bushels	1 Maund (Bengal), 82 $\frac{1}{2}$ "	1 Picul.....137.9 lbs.
Bremen and Brunswick.		1 Seer.....1 lb. 13 ounces	Portugal.
1 Centner.....	117.5 lbs.	Honduras.	1 Almude....4.422 gallons
British (England).		1 Milla.....1.1493 mile	1 Arratal or libra. 1.011 lb.
Crot (hundred weight).....	112 lbs.	Isle of Jersey.	1 Arroba.....32.38 lbs.
1 Last.....(dry malt).....	82.52 bushels	Japan.	Poland (Russian).
1 Load (timber) square, 50	cubic ft.; unhewn, 40	1 Catty (or "kin"), 1.31 lb.	1 Garnice0.88 gallon
cubic ft.; inch planks,	600 superficial feet.	1 Se.....0.02451 acre	1 Last.....11 $\frac{3}{4}$ bushels
1 Quarter....8.252 bushels		1 Tsubo.....6 feet square	Russia.
1 Quarter (coal)....36 bush.		Java and Malacca.	1 Berkovets...361.12 lbs.
1 Stone.....14 lbs.		1 Catty.....1.35 lb.	1 Chetvert .57748 bushels
Bolivia.		Luxemburg.	1 Funt.....0.9028 lb.
1 Marc.	0.507 lb.	1 Fuder.....264.17 gals.	1 Klafter....216 cubic feet
Borneo and Celebes.		Malta.	1 Pood (pud)....36.112 lbs.
1 Pecul.....	135.64 lbs.	1 Barrel (customs).....	1 Sagene (sajen)7 feet
Castile.	11.4 gallons	Sarawak.
1 Quintal.....	101.41 lbs.	1 Caffiso.....5.4 "	1 Coyan ...3,098 lbs.
Central America.		1 Cantaro (cantar), 175 lbs.	Spain.
1 Centaro....4.2631 gallons		1 Salm.....490 "	1 Arroba....4.263 gallons
1 Fanega....1.5745 bushel		Mexico.	1 Barrel (raisins)....100 lbs.
Chile.		1 Carga.....300 lbs.	1 Butt (wine)....140 gallons
1 Fanega....4.5745 bushels		1 Fanega (New).....	1 Dessiatine...1.599 bushel
1 Quintal.....101.41 lbs.	1.54728 bushel	1 Fanega (liquid), 16 gal's
China.		1 Frasco.....2.5 quarts	1 Frail of raisins..50 lbs.
1 Catty.....1 $\frac{1}{4}$ lbs.		1 Libra (lbs.)....1.01465 lb.	1 Last (salt)....4.760 "
1 Li.....2.115 feet		1 Quintal.....101.41 lbs.	1 Vara.....0.914117 yard
1 Picul.....133 $\frac{1}{4}$ lbs.		Morocco.	Siam (Koyan).
Cuba.		1 Cantar.....113 lbs.	1 Catty.....135 lbs.
1 Arroba (liquid) 4.263 gal.		1 Faneuga..strike=70 lbs.	1 Coyan.....2,667 "
1 Fanega....1.599 bushel		full=118 lbs	Sweden.
Costa Rica.		Nicaragua.	1 Tunna....4.5 bushels
1 Manzana1 5/6 acre		1 Manzana....1.727 acre	Syria (Damascus).
Curacao.		1 Milla.....1.1493 mile	1 Cantar.....575 lbs.
1 Vara.....33.375 inches		Newfoundland.	1 Pund.....1.102 "
Denmark.		1 Quintal...(fish)....112 lbs.	1 Quintal....125 "
1 Centner...110.11 pounds		Norway.	1 Rottle.....5 $\frac{3}{4}$ "
1 Tondeland....1.36 acre		1 Centner.....110.11 lbs.	Uruguay.
Germany.		Nuremberg.	1 Cuadra...nearly 2 acres
1 Last.....4,480 pounds		1 Centner.....112.43 lbs.	1 Fanega (single).....
Greece.		Palestine.3.888 bushels
1 Drachme....Half-ounce		1 Rottle.....6 lbs.	1 Libra (pound) 1.0143 lb
1 Quintal....123.2 pounds		Paraguay.	1 Suerte.....5,399 acres
		1 Arobe.....25 lbs.	Venezuela.
		1 Cuadra.....78.9 yards	1 Arroba (dry), 25.4024 lbs.
		1 " (square) .8.077 sq. ft.	1 " (liquid), 4.263 gal's
			1 Fanega (dry), 1,599 bush.
			Zanzibar.
			1 Frasila.....35 lbs.
			Zollverein.
			1 Centner.....110.24 lbs.

*Although the metric weights are used officially in Spain, the Castile quintal is employed in commerce in the Peninsula and colonies, save in Catalonia; the Catalan quintal equals 91.71 pounds.

METRIC WEIGHTS AND MEASURES.*Metric Weights.*

Milligram (1/1000 gram) equals **0.0154 grain.**
Centigram (1/100 gram) equals **0.1543 grain.**
Decigram (1/10 gram) equals **1.5432 grains.**
Gram equals **15.432 grains.**
Decagram (10 grams) equals **0.3527 ounce.**
Hectogram (100 grams) equals **3.5274 ounces.**
Kilogram (1,000 grams) equals **2.2046 pounds.**
Myriagram (10,000 grams) equals **22.046 pounds.**
Quintal (100,000 grams) equals **220.46 pounds.**
Millier or tonne—ton (1,000,000 grams) equals **2,204.6 pounds.**

Metric Dry Measures.

Milliliter (1/1000 liter) equals **0.061 cubic inch.**
Centiliter (1/100 liter) equals **0.6102 cubic inch.**
Deciliter (1/10 liter) equals **6.1022 cubic inches.**
Liter equals **0.908 quart.**
Decaliter (10 liters) equals **9.08 quarts.**
Hectoliter (100 liters) equals **2.838 bushels.**
Kiloliter (1,000 liters) equals **1.308 cubic yards.**

Metric Liquid Measures.

Milliliter (1/1000 liter) equals **0.0388 fluid ounce.**
Centiliter (1/100 liter) equals **0.338 fluid ounce.**
Deciliter (1/10 liter) equals **0.845 gill.**
Liter equals **1.0567 quarts.**
Decaliter (10 liters) equals **2.6418 gallons.**
Hectoliter (100 liters) equals **26.417 gallons.**
Kiloliter (1,000 liters) equals **264.18 gallons.**

Metric Measures of Length.

Millimeter (1/1000 meter) equals **0.0394 inch.**
Centimeter (1/100 meter) equals **0.3937 inch.**
Decimeter (1/10 meter) equals **3.937 inches.**
Meter equals **39.37 inches.**
Decameter (10 meters) equals **393.7 inches.**
Hectometer (100 meters) equals **328 feet 1 inch.**
Kilometer (1,000 meters) equals **0.62137 mile (3,280 feet 10 inches).**
Myriameter (10,000 meters) equals **6.2137 miles.**

Metric Surface Measures.

Centare (1 square meter) equals **1.550 square inches.**
Are (100 square meters) equals **119.6 square yards.**
Hectare (10,000 square meters) equals **2.471 acres.**

The Money, Weights, and Measures of India, and the British and U. S. Equivalents, are as follows:—

The pie= $\frac{1}{3}$ farthing
 3 pie=1 pice=1 farthing.
 4 pice, or 12 pie,=1 anna=1 penny=2 133/4800 cents.
 16 annas=1 rupee=1s. 4d.=32 cents.
 15 rupees=£1=\$4.86 6½.

The rupee weighs 1 tola (a tola=180 grains) 0.916 fine.

The sum of 100,000 rupees is called a "lac," and of 10,000,000 a "crore," of rupees.

The maund of Bengal of 40 seers=82 2/7 pounds avoirdupois.

The maund of Bombay=28 pounds, nearly.

The maund of Madras=25 pounds, nearly.

The tola=180 grains.

The guz of Bengal=36 inches.

THE METRIC SYSTEM

OF

WEIGHTS AND MEASURES.

The system derives its name from the *metre*, which is the primary base or unit from which the other units of the system are derived.

When the system was adopted by France the metre was assumed to be the ten-millionth part of the quadrant of the meridian passing through Barcelona and Dunkirk.

The *Metre*, the Unit of Length, is equal to—

39.37079 inches.
3.28089916 feet.
1.093633055 yard.
.1988423737 rod.
.0049710593 furlong.
.0006213824 mile.

The *Are*, the Unit of Surface, is a square whose side is 10 metres, and whose surface is 100 square metres. It is equal to—

155,005.91052241 square inches.
1,076.429934183 square feet.
119.603326020 square yards.
3.953828959 square rods.
.098845723 rood.
.024711430 acre.
.000038611 square mile.

The *Litre*, the Unit of Capacity, is a vessel whose volume is equal to a cube whose edge is one-tenth of a metre, and whose capacity is one-thousandth of a cubic metre. It is equal to—

61.027051519365944039 cubic inches.
.035316580740373810 cubic foot.
8.453963846838572320 United States gills.
2.113490961709643080 United States pints.
1.056745480854821540 United States quart.
.264186370213705385 United States gallon.
7.043094762720856448 Imperial gills.
1.760773690680214112 Imperial pint.
.880386845340107056 Imperial quart.
.220096711335026764 Imperial gallon.
1.816264402879167936 Winchester pint.
.908132201439583968 Winchester quart.
113516525179947996 Winchester peck.
.028379131294986999 Winchester bushel.
110048355667513382 Imperial peck.
.027512088916878345 Imperial bushel.

The *Gramme*, the Unit of Weight, is the weight of a cube of pure water, weighed in a vacuum, each edge of which is one-hundredth of a metre. It is equal to—

15.43234874 grains.
.0321507265 ounce troy.
.0352739399 ounce avoirdupois.
.0026792272 pound troy.
.0022046212 pound avoirdupois.

The changes from the standard units are according to the decimal scale of tens.

The descending changes are designated by prefixing the Latin ordinals to the names of the standard units.

The ascending changes are designated by prefixing the Greek cardinals to the names of the standard units.

DECI, expresses the	10th part.	DECA, expresses	10 times the value.
CENTI, expresses the	100th part.	HECTO, expresses	100 times the value.
MILLI, expresses the	1,000th part.	KILO, expresses	1,000 times the value.
		MYRIA, expresses	10,000 times the value.

MEASURES OF				PROPORTIONS.
LENGTH.	SURFACE.	CAPACITY.	WEIGHT.	
Millimetre.....		Millilitre	Milligramme.....	1,000th part
Centimetre.....	Centiare..	Centilitre	Centigramme	100th part
Decimetre.....		Decilitre.....	Decigramme.....	10th part
<i>Metre</i>	<i>Are</i>	<i>Litre</i>	<i>Gramme</i>	<i>1</i>
Decametre.....		Decalitre.....	Decagramme.....	10 times
Hectometre.....	Hectare..	Hectolitre	Hectogramme.....	100 times
Kilometre.....		Kilolitre or Stere.	Kilogramme.....	1,000 times
Myriametre.....		Myrialitre	Myriagramme.....	10,000 times
			Quintal	100,000 times
			Millier or Tonneau.	1,000,000 times

Methods of Reading.—The number 37,426.958 metres according to the English method, is read:

Thirty-seven thousand four hundred and twenty-six metres and nine hundred and fifty-eight thousandths of a metre.

In the language of the Metric System it is read:

Three myriametres, 7 kilometres, 4 hectometres, 2 decametres, 6 metres, 9 decimetres, 5 centimetres and 8 millimetres.

It is also read in a reversed direction by beginning with the lowest denomination instead of the highest.

The methods of reading in all the tables of the system are the same as those here explained.

MEASURES OF LENGTH.

10 Millimetres	=	1 Centimetre.
10 Centimetres	=	1 Decimetre.
10 Decimetres	=	1 <i>Metre</i> .
10 <i>Metres</i>	=	1 Decametre.
10 Decametres	=	1 Hectometre.
10 Hectometres	=	1 Kilometre.
10 Kilometres.	=	1 Myriametre.

MEASURES OF SURFACES.

100 Square Millimetres	=	1 Square Centimetre.
100 Square Centimetres	=	1 Square Decimetre.
100 Square Decimetres	=	1 Square Metre.
1 Square Metre	=	1 Centiare.
100 Centiares	=	1 <i>Are</i> .
100 <i>Ares</i>	=	1 Hectare.

MEASURES OF VOLUMES.

1 Cubic Centimetre	=	1 Millilitre.
10 Millilitres	=	1 Centilitre.
10 Centilitres	=	1 Decilitre.
10 Decilitres	=	1 <i>Litre</i> .
10 <i>Litres</i>	=	1 Decalitre.
10 Decalitres	=	1 Hectolitre.
10 Hectolitres	=	1 Kilolitre or Stero.
10 Kilolitres or Steres	=	1 Myrialitre.

WEIGHTS.

10 Milligrammes	=	1 Centigramme.
10 Centigrammes	=	1 Decigramme.
10 Decigrammes	=	1 <i>Gramme</i> .
10 <i>Grammes</i>	=	1 Decagramme.
10 Decagrammes	=	1 Hectogramme.
10 Hectogrammes	=	1 Kilogramme.
10 Kilogrammes	=	1 Myriagramme.
10 Myriagrammes	=	1 Quintal.
10 Quintals	=	1 Millier or Tonneau.

EQUIVALENTS

OF METRIC WEIGHTS AND MEASURES IN DENOMINATIONS OF ENGLISH AND AMERICAN SYSTEMS.

Table No. 1.

MEASURES OF LENGTH.	LONG MEASURE.					
	MILES.	FURLONGS.	RODS.	YARDS.	FEET.	INCHES.
1 Millimetre.....						.0393
1 Centimetre.....						.3937
1 Decimetre.....						3.9370
1 <i>Metre</i>				1		3.3707
1 Decametre.....			1	5	1	3.7079
1 Hectometre.....			19	4	2	7.079
1 Kilometre *.....		4	38	4	1	10.79
1 Myriametre....	6	1	28	2		11.9

The Kilometre is the Unit of Itinerary measure, and is nearly $\frac{5}{8}$ of an English mile

Table No. 2.

MEASURES OF SURFACES.	SQUARE MEASURE.					
	ACRES	ROODS.	SQ. RODS.	SQ. YARDS.	SQ. FEET.	SQ. INCHES
1 Square Millimetre...						.0015
1 Square Centimetre...						.1550
1 Square Decimetre.....						15.5005
1 Centiare or 1 Sq. Metre				1	1	110.0591
1 <i>Are</i>			3	28	7	97.9105
1 Hectare *.....	2	1	35	11	5	35.0322
1 Sq. Kilometre †.....	247		18	8	6	121.2241

* The Hectare is the Unit of Land measure, and is nearly $2\frac{1}{2}$ English acres.

† The Square Kilometre is the Unit for the Area of countries, and is .3861161 of an English square mile.

Table No. 3.

MEASURES OF VOLUMES.	CUBIC MEASURE.		
	CUBIC YARDS.	CUBIC FEET.	CUBIC INCHES.
1 Millilitre.....			.06102705151936
1 Centilitre.....			.61027051519365
1 Decilitre.....			6.10270515193659
1 <i>Litre</i>			61.02705151936594
1 Decalitre.....			610.27051519365944
1 Hectolitre.....		3	918.70515193659440
1 Kilolitre or Stere *	1	8	547.05151936594403
1 Myrialitre.....	13	2	286.51519365944039

* The Cubic Metre, Kilolitre or Stere, is sometimes used as the Unit of measures of Solidity.

Table No. 4.

MEASURES OF VOLUMES.	LIQUID MEASURE. (U. S. Gallon.)				LIQUID MEASURE. (Imperial Gallon.)			
	GALLONS.	QUARTS.	PINTS.	GILLS.	GALS.	QTS.	PINTS.	GILLS.
1 Millilitre.....				.0084				.0070
1 Centilitre.....				.0845				.0704
1 Decilitre.....				.8453				.7043
1 <i>Litre</i>		1		.4539			1	3.0430
1 Decalitre.....	2	2	1	.5396	2		1	2.4309
1 Hectolitre.....	26	1	1	1.3963	22			.3094
1 Kilolitre or Stere.	264		1	1.9638	220			3.0947
1 Myrialitre.....	2641	3		3.6384	2200	3	1	2.9476

Table No. 5.

MEASURES OF VOLUMES.	MEDICAL DIVISIONS OF THE GALLON.				
	GALLONS.	PINTS.	FLUID- OUNCES.	FLUIDRAMS.	MINIMS.
1 Millilitre.....					16.2316
1 Centilitre.....				2	42.3161
1 Decilitre.....			3	3	3.1610
1 <i>Litre</i>		2	1	6	31.6105
1 Decalitre.....	2	5	2	1	16.1058
1 Hectolitre.....	26	3	5	4	41.0585
1 Kilolitre.....	264	1	7	6	50.5859
1 Myrialitre.....	2641	6	14	4	25.8593

Table No. 6.

MEASURES OF VOLUMES.	DRY MEASURE. (U. S. or Winchester Bushel.)				DRY MEASURE. (Imperial Bushel.)			
	BUSHEL.	PECKS.	QUARTS.	PINTS.	BUSH.	PECKS.	QTS.	PINTS.
1 Millilitre0018				.0017
1 Centilitre0181				.0176
1 Decilitre1816				.1700
1 <i>Litre</i>				1.8162				1.7607
1 Decalitre		1	1	.1626		1		1.6077
1 Hectolitre	2	3	2	1.6264	2	3		.0773
1 Kilolitre or Stere.	28	1	4	.2644	27	2		.7736
1 Myrialitre	283	3	1	.6440	275		3	1.7369

Table No. 7.

WEIGHTS.	TROY WEIGHT.				AVOIRDUPOIS WEIGHT.			
	POUNDS.	OUNCES.	PWTS.	GRAINS.	LBS.	OZS.	DRAMS.	GRAINS.
1 Milligramme0154				.0154
1 Centigramme1543				.1543
1 Decigramme				1.5432				1.5432
1 <i>Gramme</i>				15.4323				15.4323
1 Decagramme			6	10.3234			5	17.6047
1 Hectogramme		3	4	7.2348		3	8	11.9848
1 Kilogramme *	2	8	3	.3487	2	3	4	10.4737
1 Myriagramme	26	9	10	3.4874	22		11	22.7061
1 Quintal	267	11	1	10.874	220	7	6	8.3115
1 Millier or Tonneau.	2679	2	14	12.74	2204	9	15	1.0837

* The Kilogramme is the Unit of Commercial Weight, and is 2 1-5 pounds avoirdupois.

Table No. 8.

WEIGHTS.	APOTHECARIES WEIGHT.				
	POUNDS.	OUNCES.	DRAMS.	SCRUPLES.	GRAINS.
1 Milligramme0154
1 Centigramme1543
1 Decigramme					1.5432
1 <i>Gramme</i>					15.4323
1 Decagramme			2	1	14.3234
1 Hectogramme		3	1	2	3.2348
1 Kilogramme	2	8	1		12.3487
1 Myriagramme	26	9	4		3.4874

MULTIPLIERS**TO REDUCE FROM THE DENOMINATIONS OF ONE SYSTEM TO THE OTHER.****Table No. 9.**

MEASURES OF LENGTH.	LONG MEASURE.					
	MILLS.	FUR- LONGS.	RODS.	YARDS.	FEET.	INCHES.
1 Millimetre.....			.00019	.00109	.00328	.63937
1 Centimetre.....		.00004	.00198	.01093	.03280	.39370
1 Decimetre.....	.00006	.00049	.01988	.10936	.32808	3.93707
1 <i>Metre</i>00062	.00497	.19884	1.09363	3.28089	39.37079
1 Decametre.....	.00621	.04971	1.98842	10.93633	32.80899	393.7079
1 Hectometre.....	.06213	.49710	19.88423	109.36330	328.08991	3937.079
1 Kilometre.....	.62138	4.97105	198.84237	1093.63305	3280.89916	39370.79
1 Myriametre.....	6.21382	49.71059	1988.42373	10936.33055	32808.99166	393707.9

Example—Reduce 523 kilometres to miles:
 $523 \times .62138 = 324.98$ miles.

Table No. 10.

LONG MEASURE.	MEASURES OF LENGTH.			
	MYRIAMETRES.	KILOMETRES	HECTOMETRES.	DECAMETRES.
1 Inch.....		.00002	.00025	.00253
1 Foot.....	.00003	.00030	.00304	.03047
1 Yard.....	.00009	.00091	.00914	.09143
1 Fathom.....	.00018	.00182	.01828	.18287
1 Rod.....	.00050	.00502	.05029	.50291
1 Furlong.....	.02011	.20116	2.01164	20.11643
1 Statute Mile.....	.16093	1.60931	16.09314	160.93149
1 Nautical Mile.....	.18549	1.85494	18.54945	185.49456
1 Statute League.....	.48279	4.82794	48.27944	482.79447
1 Nautical League..	.55648	5.56483	55.64836	556.48368

LONG MEASURE.	MEASURES OF LENGTH.			
	<i>Metres.</i>	DECIMETRES	CENTIMETRES.	MILLIMETRES.
1 Inch.....	.02539	.25399	2.53995	25.39954
1 Foot.....	.30479	3.04794	30.47944	304.79449
1 Yard.....	.91438	9.14383	91.43834	914.38348
1 Fathom.....	1.82876	18.28766	182.87669	1828.76696
1 Rod.....	5.02910	50.29109	502.91091	5029.10914
1 Furlong.....	201.16436	2011.64365	20116.43657
1 Statute Mile.....	1609.31492	16093.14926
1 Nautical Mile.....	1854.94562	18549.45628
1 Statute League.....	4827.94477	48279.44778
1 Nautical League..	5564.83688	55648.36886

Example—Reduce 146 yards to metres:
 $146 \times .91438 = 133.5$ metres.

Table No. 11.

MEASURES OF SURFACES.	SQUARE MEASURE.					
	ACRES.	ROODS.	SQ. RODS.	SQ. YARDS.	SQ. FEET.	SQ. INCHES
1 Sq. Millimetre.....					.00001	.00155
1 Sq. Centimetre.....				.00011	.00107	.15501
1 Sq. Decimetre.....			.00039	.01196	.10764	15.50059
1 Centiare00024	.00098	.03953	1.19603	10.76429	1550.05910
1 <i>Acre</i>02471	.09884	3.95382	119.60342	1076.42993
1 Hectare.....	2.47114	9.88457	395.38289	11960.33260
1 Sq. Kilometre....	247.11430	988.45723	39538.28959

Example—Reduce 647 hectares to acres:

$$647 \times 2.47114 = 1,598.82 \text{ acres.}$$

Table No. 12.

SQUARE MEASURE.	MEASURES OF SURFACES.			
	SQUARE KILOMETRES.	HECTARES.	<i>Ares.</i>	CENTIARES.
1 Square Inch.....				.00064
1 Square Foot.....			.00092	.09289
1 Square Yard.....		.00008	.00836	83609
1 Square Rod.....	.00002	.00252	.25291	25.29193
1 Rood.....	.00101	.10116	10.11677	1011.67755
1 Acre.....	.00404	.40467	40.46710	4046.71020
1 Square Mile....	2.58989	258.98945	25898.94531

SQUARE MEASURE.	MEASURES OF SURFACES.			
	SQ. METRES.	SQUARE DECIMETRES.	SQUARE CENTIMETRES.	SQUARE MILLIMETRES.
1 Square Inch.....	.00064	.06451	6.45136	645.13608
1 Square Foot.....	.09289	9.28996	928.99683	92899.68331
1 Square Yard.....	.83609	83.60971	8360.97149
1 Square Rod.....	25.29193	2529.19387
1 Rood.....	1011.67755
1 Acre.....	4046.71020
1 Square Mile....

Example—Reduce 160 acres to hectares:

$$160 \times .40467 = 64.74.$$

Table No. 13.

MEASURES OF VOLUMES.	CUBIC MEASURE.			
	CORDS.	CUBIC YARDS	CUBIC FEET.	CUBIC INCHES.
1 Millilitre.....	.0000702	.0000013	.0000353	.0610270
1 Centilitre.....	.0000027	.0000130	.0003531	.6102705
1 Decilitre.....	.0000275	.0001308	.0035316	6.1027051
1 Litre.....	.0002759	.0013080	.0353165	61.0270515
1 Decalitre.....	.0027591	.0130802	.3531653	610.2705151
1 Hectolitre.....	.0275910	.1308021	3.5316580	6102.7051519
1 Kilolitre.....	.2759107	1.3080215	35.3165807	61027.0515193
1 Myrialitre.....	2.7591078	13.0802150	353.1658074	610270.5151936

Example—Reduce 132 kilolitres or steres to cords:

$$132 \times .2759107 = 36.42 \text{ cords.}$$

Table No. 14.

CUBIC MEASURE.	MEASURES OF VOLUMES.			
	MYRIALITRES.	KILOLITRES.	HECTOLITRES.	DECALITRES.
1 Cubic Inch.....		.00001	.00016	.00163
1 Cubic Foot....	.00283	.02831	.28315	2.83153
1 Cubic Yard....	.07645	.76451	7.64513	76.45134
1 Cord.....	.36243	3.62435	36.24359	362.43599

CUBIC MEASURE.	MEASURES OF VOLUMES.			
	Litres.	DECILITRES.	CENTILITRES.	MILLILITRES.
1 Cubic Inch....	.01638	.16386	1.63861	16.38617
1 Cubic Foot....	28.31531	283.15311	2831.53119	28315.31193
1 Cubic Yard....	764.51342	7645.13422	76451.34221
1 Cord.....	3624.35992	36243.59927

Example—Reduce 234 cords to kilolitres or steres:

$$234 \times 3.62435 = 848.09 \text{ kilolitres or steres.}$$

Table No. 15.

MEASURES OF VOLUMES.	LIQUID MEASURE—(U. S. Gallon.)			
	GALLONS.	QUARTS.	PINTS.	GILLS.
1 Millilitre.....	.00026	.00105	.00211	.00845
1 Centilitre.....	.00264	.01056	.02113	.08453
1 Decilitre.....	.02641	.10567	.21134	.84539
1 Litre.....	.26418	1.05674	2.11349	8.45396
1 Decalitre.....	2.64186	10.56745	21.13490	84.53963
1 Hectolitre.....	26.41863	105.67454	211.34909	845.39638
1 Kilolitre.....	264.18637	1056.74548	2113.49096	8453.9638
1 Myrialitre....	2641.86370	10567.45480	21134.90961	84539.638

Example—Reduce 548 litres to U. S. gallons:

$$548 \times .26418 = 144.77 \text{ U. S. gallons.}$$

Table No. 16.

LIQUID MEASURE (U. S. Gallon.)	MEASURES OF VOLUMES.			
	MYRIALITRES.	KILOLITRES.	HECTOLITRES.	DECALITRES.
1 Gall.00001	.00011	.00118	.01182
1 Pint.00004	.00047	.00473	.04731
1 Quart.00009	.00094	.00946	.09463
1 Gallon.00037	.00378	.03785	.37852

LIQUID MEASURE (U. S. Gallon.)	MEASURES OF VOLUMES.			
	<i>Litres.</i>	DECILITRES.	CENTILITRES.	MILLILITRES.
1 Gall.11828	1.18287	11.82877	118.28770
1 Pint.47315	4.73150	47.31508	473.15082
1 Quart.94630	9.46301	94.63016	946.30165
1 Gallon.	3.78520	37.85206	378.52066	3785.20662

Example—Reduce 730 U. S. gallons to litres:
 $730 \times 3.7852 = 2,763.19$ litres.

Table No. 17.

MEASURES OF VOLUMES.	LIQUID MEASURE—(Imperial Gallon.)			
	GALLONS.	QUARTS.	PINTS.	GILLS.
1 Millilitre.00022	.00088	.00176	.00704
1 Centilitre.00220	.00880	.01760	.07043
1 Decilitre.02200	.08803	.17607	.70430
1 <i>Litre</i>22009	.88038	1.76077	7.04309
1 Decalitre.	2.20096	8.80386	17.60773	70.43094
1 Hectolitre.	22.00967	88.03868	176.07736	704.30947
1 Kilolitre.	220.09671	880.38684	1760.77369	7043.09476
1 Myrialitre.	2200.96711	8803.86845	17607.73690	70430.94762

Example—Reduce 548 litres to Imperial gallons:
 $548 \times .22009 = 120.61$ Imperial gallons.

Table No. 18.

LIQUID MEASURE (Imp. Gallon.)	MEASURES OF VOLUMES.			
	MYRIALITRES.	KILOLITRES.	HECTOLITRES.	DECALITRES.
1 Gall.00001	.00014	.00141	.01419
1 Pint.00005	.00056	.00567	.05679
1 Quart.00011	.00113	.01135	.11358
1 Gallon.00045	.00454	.04543	.45434

LIQUID MEASURE (Imp. Gallon.)	MEASURES OF VOLUMES.			
	<i>Litres.</i>	DECALITRES.	CENTILITRES.	MILLILITRES.
1 Gall.14198	1.41983	14.19830	141.98303
1 Pint.56793	5.67932	56.79321	567.93215
1 Quart.	1.13586	11.35864	113.58643	1135.86431
1 Gallon.	4.54345	45.43457	454.34572	4543.45725

Example—Reduce 730 Imperial gallons to litres:
 $730 \times 4.54345 = 3,316.71$ litres.

Table No. 19.

MEASURES OF VOLUMES.	MEDICAL DIVISIONS OF THE GALLON.				
	GALLONS.	PINTS.	FLUIDOUNCES	FLUIDRAMS	MINIMS.
1 Millilitre.....	.00026	.00211	.03381	.27052	16.231
1 Centilitre.....	.00264	.02113	.33815	2.70526	162.31610
1 Decilitre.....	.02641	.21134	3.38158	27.05268	1623.16105
1 <i>Litre</i>26418	2.11349	33.81585	270.52684	16231.61058
1 Decalitre.....	2.64186	21.13490	338.15855	2705.26843
1 Hectolitre.....	26.41863	211.34909	3381.58553	27052.68430
1 Kilolitre.....	264.18637	2113.49096	33815.85539
1 Myrialitre.....	2641.86370	21134.90961

Example—Reduce 7 litres to fluidounces;

$$7 \times 33.81585 = 236.71 \text{ fluidounces.}$$

Table No. 20.

MEDICAL DIV OF THE GALLON.	MEASURES OF VOLUMES.			
	MYRIALITRES.	KILOLITRES.	HECTOLITRES.	DECALITRES.
1 Minim.....
1 Fluidram.....00003	.00036
1 Fluidounce.....00002	.00029	.00295
1 Pint.....	.00004	.00047	.00473	.04731
1 Gallon.....	.00037	.00378	.03785	.37852

MEDICAL DIV OF THE GALLON.	MEASURES OF VOLUMES.			
	<i>Litres.</i>	DECILITRES.	CENTILITRES.	MILLILITRES.
1 Minim.....	.00006	.00061	.00616	.06160
1 Fluidram.....	.00369	.03696	.36964	3.69649
1 Fluidounce....	.02957	.29571	2.95719	29.57192
1 Pint.....	.47315	4.73150	47.31508	473.15082
1 Gallon.....	3.78520	37.85206	378.52066	3785.20662

Example—Reduce 14 fluidounces to centilitres:

$$14 \times 2.95719 = 41.4 \text{ centilitres.}$$

Table No. 21.

MEASURES OF VOLUMES.	DRY MEASURE—(Winchester Bushel.)			
	BUSHEL.	PECKS.	QUARTS.	PINTS.
1 Millilitre.....	.00002	.00011	.00090	.00181
1 Centilitre.....	.00028	.00113	.00908	.01816
1 Decilitre.....	.00283	.01135	.09081	.18162
1 <i>Litre</i>28379	.11351	.90813	1.81626
1 Decalitre.....	.28379	1.13516	9.08132	18.16264
1 Hectolitre.....	2.83791	11.35165	90.81322	181.62644
1 Kilolitre.....	28.37913	113.51652	908.13220	1816.26440
1 Myrialitre....	283.79131	1135.16525	9081.32211	18162.64402

Example—Reduce 631 hectolitres to Winchester bushels:

$$631 \times 2.83791 = 1.790.72 \text{ Winchester bushels.}$$

Table No. 22.

DRY MEASURE. (Winch. Bushel.)	MEASURES OF VOLUMES.			
	MYRIALITRES.	KILOLITRES.	HECTOLITRES.	DECALITRES.
1 Pint.....	.00005	.00055	.00550	.05505
1 Quart.....	.00011	.00110	.01101	.11011
1 Peck.....	.00088	.00880	.08809	.88092
1 Bushel.....	.09352	.03523	.35237	3.52371

DRY MEASURE. (Winch. Bushel.)	MEASURES OF VOLUMES.			
	<i>Litres.</i>	DECILITRES.	CENTILITRES.	MILLILITRES.
1 Pint.....	.55058	5.50580	55.05806	550.58063
1 Quart.....	1.10116	11.01161	110.11612	1101.16126
1 Peck.....	8.80929	88.09290	880.92900	8809.29008
1 Bushel.....	35.23716	352.37160	3523.71603	35237.16034

Example—Reduce 123 Winchester bushels to litres:

$$123 \times 35.23716 = 4,334.17 \text{ litres.}$$

Table No. 23.

MEASURES OF VOLUMES.	DRY MEASURE—(Imperial Bushel.)			
	BUSHEL.	PECK.	QUARTS.	PINTS.
1 Millilitre.....	.00002	.00011	.00088	.00176
1 Centilitre.....	.00027	.00110	.00880	.01760
1 Decilitre.....	.00275	.01100	.08803	.17607
1 <i>Litre</i>02751	.11004	.88038	1.76077
1 Decalitre.....	.27512	1.10048	8.80386	17.60773
1 Hectolitre.....	2.75120	11.00483	88.03868	176.07736
1 Kilolitre.....	27.51208	110.04835	880.38684	1760.77369
1 Myrialitre....	275.12088	1100.48355	8803.86845	17607.73690

Example—Reduce 631 hectolitres to Imperial bushels:

$$631 \times 2.7512 = 1,736 \text{ Imperial bushels.}$$

Table No. 24.

DRY MEASURE. (Imperial Bushel.)	MEASURES OF VOLUMES.			
	MYRIALITRES.	KILOLITRES.	HECTOLITRES.	DECALITRES.
Pints.....	.00005	.00056	.00567	.05679
Quarts.....	.00011	.00113	.01135	.11358
Pecks.....	.00090	.00908	.09086	.90869
Bushels.....	.00363	.03634	.36347	3.63476

Table No. 24—CONTINUED.

DRY MEASURE. (Imperial Busbel.)	MEASURES OF VOLUMES.			
	<i>Litres.</i>	DECILITRES.	CENTILITRES.	MILLILITRES.
Pints.....	.56793	5.67932	56.79321	567.93215
Quarts....	1.13586	11.35864	113.58643	1135.86431
Pecks.....	9.08691	90.86914	908.69145	9086.91451
Bushels....	36.34765	363.47658	3634.76580	36347.65804

Example—Reduce 123 Imperial bushels to litres:

$$123 \times 36.34765 = 4470.76 \text{ litres.}$$

Table No. 25.

WEIGHTS.	TROY WEIGHT.			
	POUNDS.	OUNCES.	PENNYWEIGHTS.	GRAINS.
1 Milligramme.....00033	.00033	.01543
1 Centigramme.....	.00002	.00032	.00323	.15432
1 Decigramme.....	.00026	.00321	.03230	1.54323
1 Gramme.....	.00267	.03215	.32301	15.43234
1 Decagramme.....	.02679	.32150	3.23014	154.32348
1 Hectogramme.....	.26792	3.21507	32.30145	1543.23487
1 Kilogramme.....	2.67922	32.15072	323.01453	15432.34874
1 Meriagramme.....	26.79227	321.50726	3230.14530
1 Quintal.....	267.92272	3215.07265	32301.45308
1 Millier or Tonneau.	2679.22721	32150.72654

Example—Reduce 432 grammes to ounces troy:

$$432 \times .03215 = 13.88 \text{ ounces troy.}$$

Table No. 26.

TROY WEIGHTS.	WEIGHTS.				
	MILLIER OR TONNEAU.	QUINTALS.	MYRIA- GRAMMES.	KILO- GRAMMES.	HECTOGRAMMES.
1 Grain.....00006	.00004
1 Pennyweight.....00001	.00015	.00155	.01555
1 Ounce.....	.00003	.00031	.00311	.03110	.31103
1 Pound.....	.00037	.00373	.03732	.37324	3.73241

TROY WEIGHTS.	WEIGHTS.				
	DECA- GRAMMES.	<i>Grammes.</i>	DECI- GRAMMES.	CENTI- GRAMMES.	MILLIGRAMMES
1 Grain....	.00647	.06479	.64793	6.47989	64.79895
1 Pennyweight.	.15551	1.55517	15.55174	155.51748	1555.17481
1 Ounce.....	3.11034	31.10349	311.03496	3110.34963	31103.49631
1 Pound.....	37.32419	373.24195	3732.41955	37324.19557

Example—Reduce 115 troy ounces to grammes:

$$115 \times 31.10349 = 3,576.9 \text{ grammes.}$$

Table No. 27.

WEIGHTS.	A VOIRDUPOIS WEIGHT.			
	POUNDS.	OUNCES.	DRAMS.	GRAINS.
1 Milligramme.....		.00003	.00056	.01543
1 Centigramme.....	.00002	.00035	.00564	.15432
1 Decigramme.....	.00022	.00352	.05643	1.54323
1 Gramme.....	.00220	.03527	.56438	15.43234
1 Decagramme.....	.02204	.35273	5.64383	154.32348
1 Hectogramme.....	.22046	3.52739	56.43830	1543.23487
1 Kilogramme.....	2.20462	35.27393	564.38303	15432.34874
1 Myriagramme.....	22.04621	352.73939	5643.83038
1 Quintal.....	220.46212	3527.39399	56438.30384
1 Millier or Tonneau....	2204.62124	35273.93990

Example—Reduce 432 grammes to ounces avoirdupois:

$$432 \times .03527 = 15.23 \text{ ounces avoirdupois.}$$

Table No. 28.

A VOIRDUPOIS WEIGHTS.	WEIGHTS.				
	MILLIER OR TONNEAU.	QUINTALS.	MYRIA- GRAMMES.	KILO- GRAMMES.	HECTO- GRAMMES.
1 Grain.....				.00006	.00064
1 Dram.....		.00001	.00017	.00177	.01771
1 Ounce.....	.00002	.00028	.00283	.02834	.28349
1 Pound.....	.00045	.00453	.04535	.45359	4.53592
1 Hundred Weight..	.04535	.45359	4.53592	45.35926	453.59265
1 Ton (2,000 lbs.)...	.90718	9.07185	90.71853	907.185 0	9071.85309
1 Ton (2,240 lbs.)...	1.01604	10.16047	101.60475	1016.04754	10160.47546

A VOIRDUPOIS WEIGHTS.	WEIGHTS.				
	DECA- GRAMMES.	Grammes	DECI- GRAMMES.	CENTI- GRAMMES.	MILLI- GRAMMES.
1 Grain.....	.00647	.06479	.64798	6.47989	64.79895
1 Dram.....	.17718	1.77184	17.71846	177.18463	1771.84630
1 Ounce.....	2.83495	28.34954	283.49540	2834.95409	28349.54090
1 Pound.....	45.35926	453.59265	4535.92653	45359.26545
1 Hundred Weight..	4535.92654	45359.26540
1 Ton (2,000 lbs.)...	90718.53090
1 Ton (2,240 lbs.)...	101604.75461

Example—Reduce 468 pounds avoirdupois to kilogrammes:

$$468 \times .45359 = 212.28 \text{ kilogrammes.}$$

Table No. 29.

WEIGHTS.	APOTHECARIES WEIGHT.				
	POUNDS.	OUNCES.	DRAMS.	SCRUPLES.	GRAINS.
1 Milligramme....00003	.00025	.00077	.01543
1 Centigramme....	.00002	.00012	.00257	.00771	.15432
1 Decigramme....	.00026	.00321	.02572	.07716	1.54323
1 Gramme.....	.00267	.03215	.25720	.77161	15.43234
1 Decagramme....	.02679	.32150	2.57205	7.71617	154.32348
1 Hectogramme..	.26792	3.21507	25.72058	77.16174	1543.23487
1 Kilogramme....	2.67922	32.15072	257.20581	771.61743	15432.34874
1 Myriagramme..	26.79227	321.50726	2572.05812	7716.17437

Example—Reduce 25 grammes to drams:
 $25 \times .2572 = 6.43$ drams.

Table No. 30.

APOTHECARIES WEIGHT.	WEIGHTS.			
	MYRIAGRAMMES.	KILOGRAMMES.	HECTOGRAMMES.	DECIAGRAMMES.
1 Grain.....00006	.00064	.00647
1 Scruple.....	.00012	.00129	.01295	.12959
1 Dram.....	.00038	.00388	.03887	.38879
1 Ounce.....	.00311	.03110	.31103	3.11034
1 Pound.....	.03732	.37324	3.73241	37.32419

APOTHECARIES WEIGHT.	WEIGHTS.			
	Grammes.	DECIGRAMMES.	CENTIGRAMMES.	MILLIGRAMMES.
1 Grain.....	.06479	.64798	6.47989	64.79895
1 Scruple.....	1.29597	12.95979	129.59790	1295.97901
1 Dram.....	3.88793	38.87937	388.79370	3887.93703
1 Ounce.....	31.10349	311.03496	3110.34963	31103.49631
1 Pound.....	373.24195	3732.41955	37324.19557

Example—Reduce 2 scruples to grammes:
 $2 \times 1.29597 = 2.59$ grammes.

THE GRAMME.

Different authors give the following values for the gramme in grains. The second in the list is now generally adopted:

15.432	15.432349	15.434	15.44
15.43234874	15.4327	15.43402344	15.4402
15.43234875	15.433159	15.438395	15.44242
15.4323488			15.44402

TABLE OF MERCHANDISE

Constituting a Ton by Weight or Measurement, also a Car Load.

ARTICLES.	Size. cub.ft.	Per Ton.		Car load, br'd gauge.
		Weight.	Measur'm't	
Acid, carboys, each.....	6.8	6 carboys	120 carboys	
Beans, sacks, 60 lbs. each.....		34 sacks	630 sacks	
Beans, sacks, gunny, 120 lbs. each.....		17 sacks	340 sacks	
Beef and pork, bbls., each.....	7	6 bbls.	120 bbls.	
Beef and pork, ½ bbls., each.....	8.6	12½ ½ bbls.	250½ bbls.	
Blinds, packages, each.....	9	9 pkgs.	180 pkgs.	
Boots and shoes, cases, each.....	4	10 cases	200 cases	
Brick, 8x4½x2½ inches.....		393 brick	837 brick	6000 brick
Brooms, packages, each.....	3.5	12 pkgs.	240 pkgs.	
Candles, boxes, each.....	.8	74 boxes	60 boxes	1200 boxes
Cattle, head of.....	40	1.9 head	1 head	18 to 20 hd
Cement, bbls., each.....	6.3	6.66 bbls.	7 bbls.	140 bbls.
Chain, casks, 500 lbs. each.....	8	4 casks	5 casks	80 casks
Chain, casks, 1,000 lbs. each.....	14	2 casks	3 casks	40 casks
Charcoal, sacks, 55 lbs. each.....	5.3	37 sacks	8 sacks	740 sacks
Coal, casks, 1,500 lbs each.....		1.33 casks		13 casks
Coal, sacks, 150 lbs. each.....	3.12	17 sacks	13 sacks	340 sacks
Coal (loose), 2,240 lbs., per ton.....		2240 lbs.	40 cu. ft.	10 tons
Coffee, sacks, 100 lbs. each.....		20 sacks		400 sacks
Coffee, sacks, 150 lbs. each.....		13 sacks		260 sacks
Coffee, cases, each.....	2.3	20 cases		400 cases
Copper, boxes, 600 lbs. each.....		4 boxes		80 boxes
Cordage, coils, small, each.....	1	40 cases		900 cases
Cordage, or Rope, coils, 2 each.....	2	20 cases		450 cases
Cordage, or Rope, coils, 3 each.....	6	7 cases		140 cases
Cordage, or Rope, coils, 4 each.....	10	4 cases		80 cases
Cordage, or Rope, coils, 5 each.....	15	3 cases		60 cases
Cotton, bales of, 475 lbs., each.....	10	4½ bales	4 bales	90 bales
Crockery, crates, small, each.....	20	2 crates		40 crates
Crockery, crates, large, each.....	40	1 crate		20 crates
Crockery, casks, small, each.....	20	2 casks		40 casks
Crockery, casks, large, each.....	40	1 cask		20 casks
Crockery, bbls., each.....	6.3	7 bbls.		140 bbls.
Doors.....		30 doors		600 doors
Excelsior, bales, each.....	15	3 bales		60 bales
Furniture, cases chairs, each.....	9	5 cases		89 cases
Flour, sacks, 100 lbs. each.....		20 sacks		400 sacks
Flour, sacks, 50 lbs. each.....		40 sacks		900 sacks
Flour, gunnies, 150 lbs. each.....		14 sacks		280 sacks
Flour, bbls., each.....	6.3	9½ bbls.	7 bbls.	90 bbls.
Flour, ½ bbls., each.....	3.6	19½ bbls.	14½ ½ bbls.	190½ bbls.
Fruits—apples, oranges, pears, quinces, grapes, etc., in cases.....	2	20 cases		400 cases
Fruits, preserved, cases.....	1.6	27 cases		540 cases
Glass, boxes, each.....	1	40 boxes		800 boxes
Glass, boxes, each.....	1.6	27 boxes		540 boxes
Glass, boxes, each.....	2	20 boxes		400 boxes
Grain—Barley, burlap sacks, 130 lbs. each.....		16 sacks		320 sacks
“ Bran, sacks, 50 lbs. each.....		40 sacks		800 sacks
“ Corn, ear, 70 lbs. per bushel.....		28½ bush.	16.77 bush.	360 bushels
“ “ shelled, 56 lbs. per bushel.....		36 bushels	32.1 bush.	7.0 bushels
“ “ sacks, 120 lbs. each.....		17 sacks		340 sacks
“ Middlings, sacks, 80 lbs. each.....		25 sacks		500 sacks
“ Oats, burlap sacks, 95 lbs. each.....		22 sacks		440 sacks
“ “ loose.....		2000 lbs.	32.1 bush.	6.0 bushels
“ Wheat, burlap sacks, 130 lbs. ea.....		16 sacks		320 sacks
Gunnies, bales, each (small).....	14	3 bales		60 bales
“ “ (large).....	20	2 bales		40 bales
Hair and Moss, bales of.....	15	3 bales		60 bales
Hams and Bacon, cases, each.....	9	5 cases		100 cases
Handles, Ax, cases, each.....	1.4	17 cases		340 cases
Iron, cast pipes, castings, etc.....		2240 lbs.		10 tons
“ pig, 2,240 lbs. per ton.....		2240 lbs.		10 tons
“ sheet, bdl., 120 lbs. each.....		17 bdl.		340 bdl.
Leather, rolls, each.....	9	5 rolls		100 rolls
Lime, bbls., each.....	6.3	7 bbls.		70 bbls.
Liquors, cases, each.....	1.6	27 cases		540 cases

**TABLE OF MERCHANDISE,
By Weight and Measurement.—Concluded.**

ARTICLES.	Size. cub.ft.	Per Ton.		Car-load, br'd gauge
		Weight.	Measure.	
Liquors, bbls., each.....	9.83	4 bbls.	80 bbls.	
“ ½ bbls., each.....	4.92	8½ ½ bbls.	170½ bbls.	
“ baskets, each.....	2.6	16 baskets	320 cases	
“ pipes, each.....	24.6	2 pipes	34 pipes	
Lumber (board measure), etc.....		480 feet	9,000 feet	
“ flooring, board measure.....		480 feet	3,000 feet	
“ hard wood.....		½ cord	6 cords	
“ joists or plank.....		480 feet	9,000 feet	
“ shingles.....		1,000 sh's	40,000 sh's	
“ siding, board measure.....		850 feet	17,000 feet	
“ soft or cord wood.....		½ cord	7 cords	
Matting, China, bales, each.....	5	8 bales	160 bales	
Merchandise, bbls., each.....	6.3	7 bbls.	140 bbls.	
Nails and spikes, kegs 100 lbs.....	1.3	20 kegs	400 kegs	
Oakum, bales, each.....	3.6	12 bales	240 bales	
Oils, bbls., each.....	12	4 bbls.	80 bbls.	
“ ½ bbls., each.....	4.93	8½ ½ bbls.	165½ bbls.	
“ casks, large, each.....	40	1 cask	20 casks	
“ “ small, each.....	20	2 casks	40 casks	
“ coal, lard, nut, etc., cases.....	2	20 cases	400 cases	
Onions, sacks, 100 lbs. each.....	2.7	20 sacks	400 sacks	
Paints, cases of 100 lbs. each.....		20 cases	400 cases	
“ “ of 200 lbs. each.....		10 cases	200 cases	
“ kegs of 200 lbs. each.....		10 kegs	200 kegs	
“ “ of 100 lbs. each.....		20 kegs	400 kegs	
“ “ of 50 lbs. each.....		40 kegs	800 kegs	
“ “ of 25 lbs. each.....		80 kegs	1,600 kegs	
“ tin cases, 25 lbs. each.....		80 cases	1,600 cases	
Papers, bales of, each.....	7	8 bales	150 bales	
Pianos, cases, each.....	40	1 case	40 cases	
Pitch, bbls. of, each.....	7	6 bbls.	120 bbls.	
Plaster, bbls. of, each.....	6.3	8 bbls.	160 bbls.	
Potatoes, sacks of, 125 lbs. each.....	3.3	16 sacks	240 sacks	
“ bushels of, 60 lbs. each.....		33.3 bush.	360 bushels	
Powder, cases or kegs of.....	1	40 c. or k.	800 kegs	
Resin, bbls. of, each.....	7	6 bbls.	120 bbls.	
Salt, bay, sacks, 110 lbs. each.....		19 sacks	380 sacks	
“ Carman Island or Liverp'l, 100 lbs.....		20 sacks	400 sacks	
“ Liverpool, sacks 220 lbs.....		10 sacks	200 sacks	
“ “ gunnies of 250 lbs.....		9 sacks	180 sacks	
Shot, kegs of, 250 lbs. each.....		8 kegs	160 kegs	
“ lead, kegs of, 100 lbs. each.....		20 kegs	400 kegs	
Shovels, cases of, each.....	29	2 cases	40 cases	
Soap, castile, boxes of, each.....	1	40 boxes	800 boxes	
“ “ boxes of, each.....	.6	80 boxes	1,600 boxes	
Spices, boxes of, each.....	.7	70 boxes	1,400 boxes	
Starch, “ “ “.....	.6	80 boxes	1,600 boxes	
Stone, granite, cubic feet of.....		13½ cu. ft.	121 cu. ft.	
“ sandstone, cubic feet of.....		16.4 cu. ft.	135 cu. ft.	
“ rubble, perch of.....	24¾	1.6 perch	6 perch	
Stove Castings, 250 lbs. per stove.....		8 stoves	160 stoves	
Stoves, each (set up).....	12	3½ stoves	70 stoves	
Sugar, bbls., each.....	7	6 bbls.	120 bbls.	
“ ½ bbls., each.....	3.6	14½ ½ bbls.	285½ bbls.	
Sirup, bbls., each.....	6.9	6 bbls.	120 bbls.	
“ ½ bbls., each.....	3.4	12½ ½ bbls.	245½ bbls.	
“ kegs, each.....	1.3	32 kegs	640 kegs	
Tar, bbls., each.....	7	6 bbls.	120 bbls.	
Tea, China, chests of.....	2.8	14 chests	280 chests	
Tea, Japan, chests of.....	2.2	18 chests	360 chests	
Tin, boxes of, 120 lbs. each.....	4	10 nests	200 nests	
Tobacco, boxes, small, each.....	2	80 boxes	1,600 boxes	
Trunks, nests, each.....	2.4	17 boxes	340 nests	
Tubs and Pails, nests, each.....	4.6	10 nests	200 nests	
Washboards, packages of, each.....	10	4 packages	80 packages	
Windows, packages of, each.....	4	12 packages	240 “	
Wool, bales of, 300 lbs. each.....	3.5	7 bales	11½ bales	140 bales

MISCELLANEOUS WEIGHTS AND MEASURES

4 Inches	=	A Hand.
3 Inches	=	A Palm.
9 Inches	=	A Span.
18 Inches	=	A Cubit.
36 Inches or 3 Feet	=	A Pace.
28 Inches or 2½ Feet	=	A Military Pace.
33.38676 Inches	=	1 Vara.
25 Pounds	=	1 Keg of powder.
56 Pounds	=	1 Firkin of butter.
100 Pounds	=	1 Cental of grain.
100 Pounds	=	1 Cask of raisins.
100 Pounds	=	1 Quintal of dried fish.
136 Pounds	=	1 Barrel of flour.
200 Pounds	=	1 Barrel of beef, pork or fish.
36 Pounds	=	1 Barrel of soap.
150 Pounds	=	1 Barrel of salt.

IRON OR LEAD.

4 Pounds	=	1 Stone.
1½ Stone	=	1 Pig = 301 pounds.
8 Pigs	=	1 Fother = 2,408 pounds = 172 stone.

TABLE OF THE FRACTIONAL PARTS OF AN INCH.
(of 32 parts) and foot of 12 inches, reduced to Decimals.

Inch=Decimals	Inch=Decimals	Inch=Decimals	Foot=Decimals	Foot=Decimals
1=1.00000	21-32=.65625	5-16=.3125	12-12=1.00000	16=1.6666
1-32=.96875	20-32=.625	9-32=.28125	11-12=.9166	1-12=.08333
5-16=.9375	19-32=.59375	8-32=.25	10-12=.83333	7-96=.07291
9-32=.90625	9-16=.5625	7-32=.21875	9-12=.75	3-48=.0625
8-32=.875	17-32=.53125	3-16=.1875	8-12=.66666	5-96=.0528
7-32=.84375	16-32=.5	5-32=.15625	7-12=.58333	1-24=.04166
1-16=.8125	15-32=.46875	4-32=.125	6-12=.5	1-32=.03125
5-32=.78125	7-16=.4375	3-32=.09375	5-12=.41666	1-48=.02083
4-32=.75	14-32=.40625	1-16=.0625	4-12=.33333	1-96=.010415
3-32=.71875	13-32=.375	1-32=.03125	3-12=.25	1-99=.010101
1-32=.6875	11-32=.34375			

Table of the Decimal parts of a Pound—(16 oz's.)

Ounces=Decimals.	Ounces=Decimals.	Ounces=Decimals.	Ounces=Decimals.	Ounces=Decimals.
9 = 1.0000	12 = .78125	9 = .5625	5½ = .34375	2 = .125
11 = .9875	12 = .75	8½ = .53125	5 = .3125	1½ = .09375
13 = .9675	11½ = .71875	8 = .5	4½ = .28125	1 = .0625
11½ = .90625	11 = .6875	7½ = .46875	4 = .25	¾ = .03125
11 = .8875	10½ = .65625	7 = .4375	3½ = .21875	
11½ = .84375	10 = .625	6½ = .40625	3 = .1875	
13 = .8125	9½ = .59375	6 = .375	2½ = .15625	

NUMBER OF CUT NAILS IN ONE POUND (NEW STANDARD), weighed on a Fairbanks & Co's scales at the establishment of Huntington, Hopkins & Co., San Francisco. By the editor hereof personally.

Penny	3	4	5	6	7	8	9	10	12	16	20	30	40	50	60
Length, inches	1½	1½	1½	1½	2	2½	2½	2½	3	3½	3½	4	4½	5	6
No. in pound, fine	673	569	514½	474½	434½	394½	354½	314½	274½	234½	194½	154½	114½	84½	64½

NUMBER AND LENGTH OF TACKS IN ONE POUND.

Oz.....	1	1½	2	2½	3	4	6	8	10	12	14	16	18	20	22	24
Inch...	¾	¾	¾	¾	¾	¾	¾	¾	¾	¾	¾	¾	¾	1	1½	1½
No. in lb	16000	10560	8000	6400	5333	4000	2666	2000	1600	1333	1143	1000	888	800	727	666

APPROXIMATE NUMBER OF STEEL WIRE NAILS PER POUND.

Length, Inches.	3-16	¼	⅜	½	⅝	¾	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2	2 1/4	2 1/2	2 3/4	3	3 1/2	4	4 1/2	5	6	7	8	9	10	11	12
Penny.						1d		2d	3d	4d	5d	6d	7d	8d	9d													
Roebing Gauge.																												
No 0.	33	27	23	20	18	16	15	14	12	10	9	8	7	6	5	4 1/2	4	3 3/4	3 1/4
" 0.	34	29	25	21	19	17	16	15	13	11	10	9	8	7	6	5	4 1/2	4	3 1/2
" 1.	45	38	32	28	25	23	21	19	16	14	13	11	10	9	8	7	6	5 1/2	4 1/2
" 2.	57	50	44	37	32	29	26	24	22	19	16	14	13	11	10	9	8	7	6 1/2
" 3.	65	58	52	44	37	32	29	26	24	22	19	16	14	13	11	10	9	8	7 1/2
" 4.	72	60	51	45	40	36	33	30	28	25	22	19	17	15	13	11	10	9	8
" 5.	85	71	60	53	47	42	39	35	30	26	24	21	18	15	13	11	10	9	8
" 6.	99	82	71	62	55	50	45	41	35	31	28	25	21	18	15	13	11	10	9
" 7.	120	100	85	75	67	60	54	50	43	37	33	30	25	21	18	15	13	11	10
" 8.	133	111	98	86	76	69	62	57	49	43	39	35	29	25	21	18	15	13	11
" 9.	149	123	110	103	92	82	75	69	59	52	46	41	35	30	25	21	18	15	13
" 10.	165	137	124	110	103	92	82	75	69	59	52	46	41	35	30	25	21	18	15
" 11.	184	151	137	124	110	103	92	82	75	69	59	52	46	41	35	30	25	21	18
" 12.	209	179	165	151	137	124	110	103	92	82	75	69	59	52	46	41	35	30	25
" 13.	229	197	184	165	151	137	124	110	103	92	82	75	69	59	52	46	41	35	30
" 14.	248	214	197	184	165	151	137	124	110	103	92	82	75	69	59	52	46	41	35
" 15.	279	251	209	179	165	151	137	124	110	103	92	82	75	69	59	52	46	41	35
" 16.	314	279	251	209	179	165	151	137	124	110	103	92	82	75	69	59	52	46	41
" 17.	359	314	279	251	209	179	165	151	137	124	110	103	92	82	75	69	59	52	46
" 18.	408	359	314	279	251	209	179	165	151	137	124	110	103	92	82	75	69	59	52
" 19.	468	408	359	314	279	251	209	179	165	151	137	124	110	103	92	82	75	69	59
" 20.	518	468	408	359	314	279	251	209	179	165	151	137	124	110	103	92	82	75	69
" 21.	568	518	468	408	359	314	279	251	209	179	165	151	137	124	110	103	92	82	75
" 22.	618	568	518	468	408	359	314	279	251	209	179	165	151	137	124	110	103	92	82

These approximate numbers are an AVERAGE only, and the figures given may be varied either way, by changes in the dimensions of the heads or points.

MISCELLANEOUS MEASUREMENTS.**Bricks.**

Variations in dimensions by various manufacturers, and different degrees of intensity of their burning, render a table of exact dimensions of different manufactures and classes of bricks altogether impracticable. Average dimensions of the following descriptions of brick:

DESCRIPTION.	INCHES.	DESCRIPTION.	INCHES.
Baltimore..... { Front }	8.25x4.125x2.375	Maine.....	7.5 x3.375x2.375
Philadelphia..... { or }		Milwaukee.....	8.5 x4.125x2.375
Wilmington. (Pressed)		North River.....	8 x3.5 x2.25
Croton.....	8.54 x2.25	Ordinary.....	{ 7.75 x3.625x2.25
Colabaugh.....	8.25x3.625x2.375	San Francisco.....	{ 8 x4.125x2.5
Eng. ordinary.....	9 x4.5 x2.5	Stourbridge, fire brick..	8.25 x4.125x2.5
" Lond. stock.....	8.75x4.25 x2.5	Amer. N. Y. " " ..	9.125x4.625x2.375
Dutch Clinker.....	6.25x3 x1.5		8.875x4.5 x2.625

Variations in dimensions of bricks, and thickness of the layer of mortar or cement in which they may be laid, make it impracticable to give any rule of general application for volume of laid brickwork.

Volume of bricks in masonry may be found as follows:

RULE.—Face dimensions of particular bricks used, add one-half thickness of the mortar or cement in which they are laid, and compute the area; divide width of wall by number of bricks of which it is composed; multiply this area by quotient thus obtained, and product will give volume of the mass of a brick and its mortar in inches. Divide 1,728 by this volume, and quotient will give number of bricks in a cubic foot.

By the above rule, the number of bricks contained in a cubic foot of "Philadelphia front," manufacture=**18.22** bricks. The average weight of a cubic foot of brickwork in mortar is about 102 pounds.

Laths are $1\frac{1}{4}$ to $1\frac{1}{2}$ -inch by four feet in length, set $\frac{1}{4}$ of an inch apart, and a bundle contains 100. It takes 20 laths to cover 1 square yard.

Plastering.—In measuring plasterers' work, all openings, as doors, windows, etc., are computed at one-half their areas, and cornices are measured upon their extreme edges, including that cut off by mitering. In weight, plastering, lathing, and furring, will average 9 pounds per square foot.

Glazing.—In glaziers' work, oval and round windows are measured as squares.

CUBIC FEET IN A TON OF HAY: 270 cubic feet of new meadow hay, or 243 cubic feet of hay from old stacks will weigh a ton; 297 to 324 cubic feet of dry clover weigh a ton; 512 cubic feet of oat or wheat hay, in Cal., are taken for a ton; Gov't officials in the Pacific States purchase hay at the latter figure. No two States accept the same measurement.

CHARCOAL, WEIGHT AND MEASUREMENT.

The best quality of charcoal is made from beech, chestnut, maple, oak and pine. Wood will furnish, when properly burned, about 23 per cent. of coal. Oak charcoal absorbs about 4.28 and pine 8.9 per cent. of water.

One bushel of charcoal contains 2,747.7 cubic inches; and if made from red or white pine will weigh 22 lbs.; if made of oak, or triturated, will weigh from 30 to 43 lbs.

CASTINGS AND PATTERNS COMPARED.

Rule.—Multiply the weight of the pattern (*of white pine*) in pounds by the following multiplier, and the product will give the weight of the casting: brass, 15; iron, 14; lead, 22; tin, 14; zinc, 13.5.

Leather Belting, and all substances in Rolls and Coils.—To find the length of a roll of belting; measure (in inches) the diameter of the roll, and the diameter of the hole in the center of the roll, add the two diameters together, divide the result by 2, then multiply that quantity by 3.1416, multiply this last amount by the number of coils or folds in the roll, and you have the length of the belt in inches. How many feet of belting in a roll 31 in's in diameter, hole in center 4 in's in diameter, number of folds 100? Example.— $31 + 4 = 35$; $35 \div 2 = 17.50$; $17.50 \times 3.1416 = 54.978$; $54.978 \times 100 = 5,497.800$; $5,497.800 \div 12 = 458.150$ feet. Another.—Count the number of folds of belting between the center of the coil and its circumference ($=n$); measure the diameter of the coil ($=D$); measure the diameter of the circular hole in the center of the coil ($=d$); then add the outside diameter (D) to the inside diameter (d) and multiply this sum ($D+d$) by the number of folds (n), and this product by 1.5708; the result of the multiplication is the length of the belting L ; or in a formula: $L = 3.1416 \times n \times \left(\frac{D+d}{2} \right) = 1.5708 \times n \times (D+d)$. This last formula by C. Ewald Grunsky, C. E.]

MECHANICS—Miscellaneous.

Mechanics, that branch of applied mathematics which treats of forces and equilibrium. There are two divisions, Statics and Dynamics, the first embracing equilibrium of forces or bodies at rest, the second of bodies in motion. There is a further division into mechanics of solid, fluid, and aeriform bodies, classed under the names, Geostatics, Geodynamics (solids); Hydrostatics, Hydrodynamics (fluids); Aerostatics, Pneumatics (gases). Forces either have motion or resistance, and may be summed up as follows: Gravity, Musc, Elasticity, Central, Heat, Magnetism, Percussion, Expansion, Inertia, Cohesion, Adhesion, Explosion.

Electricity is a form of persistent force, and is evolved in any disturbance of molecular equilibrium, whether from a chemical, physical or mechanical cause. According to the British Association tables, the electrical unit of resistance is termed an *Ohm*, which represents resistance of a column of mercury of 1 sq. millimeter in section, and 1.0486 meters in length, at temperature 0° C. It is equivalent to resistance of a wire 4 millimeters in diameter and 100 meters in length.

One microhm = 10 absolute electro magnetic units; 1,000,000 microhms = 1 ohm, or 10,000,000 absolute electro magnetic units; 1,000,000 ohms = 1 megohm, or 10^{13} absolute electro magnetic units. The unit of electro motive force, or difference of potentials is the *volt*.

One microvolt = .1 of an absolute electro magnetic unit; 10 microvolts = 1 absolute electro magnetic unit; 1,000,000 microvolts = 1 volt, or 100,000 absolute electro magnetic units; 1,000,000 volts = 1 megavolt.

The unit of electro current is equal to 1 weber per second, or the current in a circuit has an electric motive force of one *volt* and a resistance of an *ohm*.

The unit of electric volume is called ampere, and represents that volume of electricity which flows through a circuit having an electro motive force of 1 *volt* and a resistance of 1 *ohm* in a second, or it represents a *volt* diminished by an *ohm*. One million microvolts or 100 absolute units of volume = 1 *ampere*. 1,000,000 amperes = 1 megawber. The unit of electric capacity is called a *farad*. 1,000,000 microfarads, or 10,000,000 absolute units of capacity = 1 *farad*. 1,000,000 *farads* = 1 megafarad. An electric current with 30 Faure cells, 74 *volts*, 1.81 *ampere*, is equal to 16 standard candles; with 50 like cells, 124 *volts*, and 3.2 amperes, it is equal to 333 similar candles, in producing the light of a Maxim incandescent lamp.

Gravity acts equally on all bodies at equal distances from the earth's center, its force diminishing as the distance increases, and increasing as the distance diminishes. Bodies attract each other directly as their masses, and inversely as squares of their distances. The specific gravity of a body is the proportion it bears to the weight of another body of known density or of equal volume, taken as a standard. Bodies moving around a center have a tendency to fly off in a tangent, centrifugally. The attraction of the central fixed point is the centripetal force, opposed to centrifugal, and producing an orbital balance. Kepler first announced in his three laws the astronomical application of this principle; Newton verified and extended it universally.

Heat or Caloric is a mode of motion or manifestation of universal persistent force. For expressing and measuring quantities of heat, a thermal unit is employed. This unit of heat is the quantity of heat which corresponds to an interval of 1° in the temperature of 1 lb. of pure liquid water, at or near its temperature of greatest density. The mechanical equivalent of heat is 772, as the mechanical power required to raise one pound 772 feet will generate one unit of heat. Air and gases are very bad conductors of heat. In heating rooms with air, the hot air should be let in at the bottom. Double windows owe their utility to the body of air between them which transmits heat imperfectly. Asphalt is the best composition for resisting moisture; it is a slow conductor and economizes heat and dryness. Slate is very dry, but conducts quickly, and will not retain heat. Plaster of Paris and woods make good lining for rooms, because they are poor conductors, while a composition of hair and lime is a quick conductor and very cold. Fire-brick absorbs much heat, and makes good lining for fireplaces, while iron is a high conductor, and the worst substance for that purpose. Underground temperature increases 1° with every 64 feet downward from surface.

Light.—Solids shine in the dark only at a temperature of 600° to 700° and at $1,000^{\circ}$ in the day. The intensity of light is inversely as the square of distance from the luminous body. The light of the sun travels at the rate of 185,000 miles a second. The standard measure of light is the candle power of a short 6 sperm, burning 120 grs. per hour. One thousand cubic feet of 13 candle coal gas is equal to 7.5 gal. of sperm oil, 52.9 lbs. of mold candles and 44.6 lbs. of sperm candles. The higher the flame from a gas burner, the greater the intensity of the light, the most effective height being 5 inches.

A Square of Slate is 100 superficial feet. Gauge is the distance between the courses of the slates. Lap is the distance which each slate overlaps the slate lengthwise next but one below it, and it varies from 2 to 4 inches; the standard is 3 inches. Margin is width, of course, exposed or distance between tails of the slates. Pitch of a slate roof should not be less than 1 in height to 4 of length.

MECHANICS—MISCELLANEOUS—Concluded.

Horse-power.—HP measures the rate at which work is done. One horse-power is reckoned as equivalent to raising 33,000 lbs. one foot high per minute, or 550 lbs. per second. It is called nominal, indicated, or actual. *Nominal* is used by manufacturers of steam engines to express the capacity of an engine, the elements being confined to the dimensions of steam cylinder, and a conventional pressure of steam and speed of piston. *Indicated* shows the full capacity of the cylinder in operation without deductions for friction. *Actual* marks its power as developed in operation involving elements of mean pressure upon the piston, its velocity, and a just deduction for friction of engine's operation.

Mechanical Powers are only three, viz.: the lever, inclined plane, and pulley. The wheel and axle, wedge and screw are only combinations of the three simple powers.

The Strength of Material is the resistance which a body offers to a separation of its parts, and is measured by the degree of its resistance to forms of force called Crushing, Detrusive, Tensile, Torsion, and Transverse. Cohesion is the quality by which the particles of bodies remain in contact. Elasticity is the quality of a body by which it resists changes of form. The resilience of a body is a combination of strength and flexibility. The deflection, bending, or variation of girders, beams, and bars depends chiefly upon their form. Continuous weights equal to those which girders, etc., are suited to bear will not cause their deflection to increase unless they are subjected to important changes of temperature. The heaviest load on a railway girder ought not to exceed .16 of such a weight as would destroy the girder if laid on in state of rest. The deflection of girders, etc., fixed at one end and loaded at the other, is 32 times that of the same when supported at both ends and loaded in the middle. Deflection is greatly increased by instantaneous loading, sometimes doubled. The momentum of a railway train in deflecting beams, or girders, is greater than its simple dead weight, and the deflection increases with the velocity of the weight. Beams broken by a running load are always fractured at points beyond their centers. The heaviest running weight is that of locomotives, 2 tons per linear foot. Girders must not be deflected more than .025 inch to a foot in length.

An Alloy is the proportion of a baser metal mixed with a finer or purer. *Amalgam* is a compound of mercury and a metal making a soft alloy; *compositions* of copper contract in admixture, and all *amalgams* expand. The less fusible metals should be melted first when alloys and compositions are made. Increase of the zinc proportion in composition of brass is followed by a decrease of malleability. The tenacity of brass is impaired by addition of lead or tin. Steel alloyed with one five-hundredth part of platinum or silver is rendered harder, more malleable, and better adapted for cutting instruments. The specific gravity of alloys does not follow the ratios of their ingredients, being sometimes above or below the mean. Brass is an alloy of copper and zinc; bronze, of tin and copper.

Gun Barrels to shoot well must not be less than 44 times diameter of bore nor more than 47 measured from the vent hole.

Mortar should be so mixed with lime or cement paste that the volume of cementing substance should be somewhat in excess of volume of voids or spaces in the sand or coarse material to be united, so that there may be enough to counteract the imperfect manipulation of the mass.

Portland Cement requires less water than Roman cement, sets slowly, and can be remixed with additional water after an interval of 12 or 24 hours from its first mixture. It improves by age if kept from moisture. The longer in setting the stronger it will be. Cleaner and sharper the sand, greater the strength. Strong cement is heavy; blue gray, slow setting. Quick setting generally has too much clay in its composition, is brownish and weak. Less water used in mixing cement, the better. Brick, stones, etc., used with cement should be well wetted before using. Cement setting under still water will be stronger than if kept dry. Bricks of Portland cement in a few months are equal to the best pressed or face. When concrete is being used, a current of water will wash away the cement. Artificial cement is made by a combination of slaked lime with unburned clay in suitable proportions. Salt water has a tendency to decompose cements of all kinds, and their strength is considerably impaired by their mixture with it. Whence it follows that cement in a climate like that of San Francisco, with a saline atmosphere and moderate rainfall, is not economical material, while in a climate like that of Arizona, it would be the most satisfactory for structures and all works not in or near water courses and lakes.

Scales and Balances.—To detect fraudulent balances after an equilibrium has been established between the weight and the article, transpose them and the weight will preponderate, if the article is lighter than the weight, and *vice versa*. To ascertain true weight, discover the weight which will produce equilibrium after the article and weight have been transposed; reduce these weights to the same denomination, multiply them together and the square root of their product will give true weight.

MISCELLANEOUS MEASURES

LEATHER WEIGHT.—A kilo in leather weight, is=2.20462124 lbs. *avoirdupois*, leather, spoken of as 14 kilo, means that 12 skins weigh $14 \times 2.2046 = 30.864697$, or approximately 30 $\frac{1}{2}$ lbs.; and so on for a greater or less number of kilos.

SHOEMAKERS' MEASURE.—No. 1 small size is $4\frac{1}{2}$ ins., inside length, and every succeeding number increases $\frac{1}{2}$ of an inch to 13. No. 1 large size is 8 and 11.24 ins., and every succeeding number increases $\frac{1}{2}$ of an inch to 15.

HOSE.—The numbers, of hose or stockings, viz: 6, 7, 8, $8\frac{1}{2}$, 9, etc., indicate the exact length of the foot of the hose in inches.

HATTER'S MEASURE.—The measure around the head to be taken just where the hat is accustomed to rest, and for the following sizes is as follows: Size $5\frac{1}{8}$,=18.45 ins. around the head; 6 ,=18.85 ins.; $6\frac{1}{8}$,=19.24 ins.; $6\frac{1}{4}$,=19.63 ins.; $6\frac{3}{8}$,=20.03 ins.; $6\frac{1}{2}$,=20.42 ins.; $6\frac{5}{8}$,=20.81 ins.; $6\frac{3}{4}$,=21.20 ins.; $6\frac{7}{8}$,=21.60 ins.; 7 ,=21.99 ins.; $7\frac{1}{8}$,=22.38 ins.; $7\frac{1}{4}$,=22.77 ins.; $7\frac{3}{8}$,=23.16 ins.; $7\frac{1}{2}$,=23.56 ins.; $7\frac{5}{8}$,=23.95 ins.; $7\frac{3}{4}$,=24.34 ins.; $7\frac{7}{8}$,=24.74 ins.; 8 ,=25.13 ins.; $8\frac{1}{8}$,=25.52 ins.; $8\frac{1}{4}$,=25.91 ins.

SIZES OF HATS WORN BY EMINENT MEN.—Dean Stanley, No. $6\frac{1}{4}$; Lord Beaconsfield, 7; Prince of Wales, 7; Robert Burns, $7\frac{1}{8}$; Chas. Dickens, $7\frac{1}{8}$; Gen. W. T. Sherman, $7\frac{1}{4}$; Stephen A. Douglas, $7\frac{1}{4}$; James G. Blaine, $7\frac{1}{4}$; Wm. E. Gladstone, $7\frac{3}{8}$; James A. Garfield, $7\frac{1}{4}$; Gen. U. S. Grant, $7\frac{3}{8}$; Henry Clay, $7\frac{3}{8}$; Grover Cleveland, $7\frac{1}{2}$; Daniel Webster, 8; Daniel O'Connell, 8; Samuel J. Tilden, $8\frac{1}{4}$.

WEIGHT OF BELLS OF THE WORLD.

BELLS.	LBS.	BELLS.	LBS.	BELLS.	LBS.
Moscow, Russia....	432,000	Montreal, Canada....	28,560	St. Paul's, London..	11,470
St. Ivan's, Moscow..	127,830	City Hall, N. Y.....	22,300	Linden, Germany....	10,854
Vienna, Austria....	40,200	Fire Alarm, 33d st.,		Lewiston, Maine.....	10,233
Olmütz, Bonemia....	40,000	New York City....	21,612	Worcester, England..	6,600
Rowen, France.....	40,000	St. Peter's, Rome....	18,600	York, England.....	6,384
*"Big Ben," London.	30,350	"Great Tom" Oxford	18,000		

WEIGHT AND SPECIFIC GRAVITY

Of Liquids, Metals, Mineral Substances and Woods.

NOTE.—The Specific Gravity of a body is the proportion it bears to the weight of another body of known density. An immersed body, ascending or descending in a fluid, has a force equal to the difference between its own weight and the weight of its bulk of the fluid, less the resistance of the fluid to its passage.

Water is well adapted for the standard of gravity; and as a cubic foot of it weighs 1,000 ounces *avoirdupois*, its weight is taken as the unit, viz., 1,000.

To find the weight of any substance, the specific gravity being known, divide the specific gravity by 16, and the quotient will give the weight of a cubic foot of it in pounds.

In this Table, Fluids at 32° Fahr. (except water, which is taken at 39° 1 Fahr.).

LIQUIDS.	Weight of a cubic foot in pounds, <i>avoirdupois</i> .	Specific gravity, pure Water=1.	LIQUIDS.	Weight of a cubic foot in pounds, <i>avoirdupois</i> .	Specific gravity, pure Water=1.
Acid, Acetic.....	66.375	1062	Alcohol, 40 per cent....	59.437	951
" Benzoic.....	41.687	667	" 25 ".....	60.625	970
" Citric.....	64.625	1034	" 10 ".....	61.625	986
" Concentrated.....	95.062	1521	" 5 ".....	62.060	992
" Fluoric.....	93.750	1500	Ammonia, 27.9 per cent..	55.687	891
" Muratic.....	75.000	1200	Aquafortis, double.....	81.250	1300
" Nitric.....	76.062	1217	Aquafortis, single.....	75.000	1200
" Phosphoric.....	97.375	1558	Beer.....	64.625	1034
" " solid.....	175.000	2800	Bitumen, liquid.....	53.000	848
" Sulphuric.....	115.562	1849	Blood, human.....	65.875	1054
Alcohol, pure, 60°.....	49.622	794	Brandy, 5-6 or 5 of spirit	57.750	924
" 95 per cent.....	51.000	816	Cider.....	63.625	1018
" 80 ".....	53.937	863	Ether, acetic.....	54.125	866
" 50 ".....	58.375	934	" " muratic.....	52.812	845

Weight and Specific Gravity—Continued.

LIQUIDS.	Specific Gravity— water = 1.		LIQUIDS.	Specific Gravity— water = 1.	
	Weight of a cubic foot in pounds, avoirdupois.	Weight of a cubic foot in pounds, water = 1.		Weight of a cubic foot in pounds, avoirdupois.	Weight of a cubic foot in pounds, water = 1.
Ether, sulphuric	44.687	715	Spirit, rectified	51.500	824
Honey	90.625	1450	Tar	63.437	1015
Mercury	849.750	13596	Vinegar	67.500	1080
Milk	64.500	1032	Water, Dead Sea	77.500	1240
Oil, Anise-seed	61.625	986	“ 60°	62.449	999
“ Codfish	57.687	923	“ 212°	59.812	957
“ Linseed	58.750	940	“ distilled, 39°	62.379	998
“ Naphtha	53.000	848	“ Mediterranean	64.312	1029
“ Olive	57.187	915	“ rain	62.500	1000
“ Palm	60.562	969	“ sea	64.125	1026
“ Petroleum	54.875	878	Wine, Burgundy	62.000	992
“ Rape	57.125	914	“ Champagne	64.375	997
“ Sunflower	57.875	926	“ Madeira	64.875	1038
“ Turpentine	54.375	870	“ Port	62.312	997
“ Whale	57.687	923			
METALS—Solids.			METALS—Solids.		
Aluminium	160.000	2560	Manganese	500.000	8000
Antimony	419.500	6712	Mercury—40°	977.000	15632
Arsenic	360.187	5763	“ + 32°	849.875	13598
Barium	29.375	470	“ 60°	848.750	13580
Bismuth	613.937	9823	“ 212°	835.625	13370
Brass, { Copper, 84	532.000	8832	Molybdenum	537.500	8600
“ { Tin, 16			Nickel	550.000	8800
“ { Copper, 67	488.750	7820	“ cast	517.437	8279
“ { Zinc, 33	523.750	8380	Osmium	1402.981	524
“ Plate	533.750	8214	Palladium	709.375	11350
“ Wire	543.750	8700	Platinum, hammered	1271.062	20387
Bronze, gun metal	125.000	2000	“ native	1000.000	16000
Boron	187.500	3000	“ rolled	1379.312	22069
Bromine	540.625	8650	Potassium, 59°	54.062	865
Cadmium	98.750	1580	Red-lead	558.750	8940
Chromium	368.750	5900	Rhodium	665.625	10650
Cinnabar	506.125	8098	Ruthenium	537.500	8600
Cobalt	537.500	8600	Selenium	281.250	4500
Columbium	375.000	6000	Silicium		
Copper, cast	549.250	8788	Silver, pure, cast	654.625	10474
“ Plates	543.625	8698	“ “ hammered	656.937	10511
“ Wire	555.000	8880	Sodium	60.625	970
Gold, pure, cast	1203.625	19258	Steel, plates	487.875	7806
“ hammered	1210.062	19361	“ soft	489.562	7833
“ 22 carats fine	1092.875	17486	“ tem. and hardened	488.625	7818
“ 20 “	981.812	15709	“ wire	490.437	7847
Iridium	1167.500	18680	Strontium	158.750	2540
“ hammered	1437.500	23000	Tin, Cornish, hammered	461.875	7393
Iron, cast	450.437	7207	“ pure	455.687	7291
“ cast gun metal	456.750	7308	Tellurium	381.875	6110
“ wrought bars	486.750	7788	Thallium	740.625	11850
“ wire	485.875	7774	Titanium	331.250	5300
“ rolled plates	481.500	7704	Tungsten	1062.500	17000
Lead, cast	709.500	11352	Uranium	1145.625	18330
“ rolled	711.750	11388	Wolfram	444.937	7119
Lithium	36.875	590	Zinc, cast	428.812	6861
Magnesium	109.375	1750	“ rolled	449.437	7191

NOTE.—The number of elements as at present recognized is 72, forty-seven of which are metals.

Weight and Specific Gravity—Continued.

MINERAL SUBSTANCES, ETC.	Weight of a cubic foot in pounds, avoirdupois.	Specific Grav- ity pure water = 1.	MINERAL SUBSTANCES, ETC.	Weight of a cubic foot in pounds, avoirdupois.	Specific Grav- ity pure water = 1.
Agate.....	161.875	2590	Flint, black.....	161.375	2582
Alabaster, white.....	170.625	2730	“ white.....	162.125	2594
“ yellow.....	168.687	2699	Fluorine.....	82.500	1320
Alum.....	107.125	1714	Garnet.....	261.812	4189
Amber.....	67.375	1078	“ black.....	234.375	3750
Ambergris.....	54.125	866	Glass, bottle.....	170.750	2732
Asbestos.....	192.062	3073	“ crown.....	155.437	2487
Asphaltum.....	56.562	905	“ flint.....	183.312	3333
	103.125	1650		196.000	3200
Barytes, sulphate.....	250.000	4000	“ green.....	165.125	2642
	304.062	4865	“ optical.....	215.625	3450
Basalts.....	171.250	2740	“ white.....	180.750	2892
	179.000	2864	“ window.....	165.125	2642
Borax.....	107.125	1714	Granite, Egyptian red.....	165.875	2654
	118.750	1900	“ Patapasco.....	165.000	2640
Brick.....	85.437	1367	“ Quincy.....	165.750	2652
“ fire.....	137.562	2201	“ Scotch.....	164.062	2625
“ work in cement.....	112.500	1800	“ Susquehanna.....	169.000	2704
“ “ mortar.....	100.000	1600	Gravel, common.....	109.312	1749
Carbon.....	125.000	2000	Grindstone.....	133.937	2143
Cement, Portland.....	218.750	3500	Gypsum, opaque.....	135.500	2168
“ Roman.....	81.250	1300	Hone, white razor.....	179.750	2876
	97.250	1560	Hornblende.....	221.250	3540
Chalk.....	95.000	1520	Iodine.....	308.750	4940
	174.000	2784	Jet.....	81.250	1300
Chrysolite.....	173.871	2782	Lime, hydraulic.....	171.562	2745
Clay.....	120.625	1930	“ quick.....	50.250	804
“ with gravel.....	155.000	2480	Limestone, green.....	198.750	3186
Coal, Anthracite.....	89.750	1436	“ white.....	197.250	3156
	102.500	1640	Magnesia, carbonate.....	150.000	2400
“ Borneo.....	80.625	1290	Marble, Adelaide.....	169.687	2715
“ Caking.....	79.812	1277	“ African.....	169.250	2708
“ Cannal.....	77.375	1238	“ Biscayan, black.....	168.437	2695
“ Cherry.....	82.375	1318	“ Carara.....	169.750	2716
“ Chili.....	79.750	1276	“ common.....	167.875	2686
“ Derbyshire.....	80.625	1290	“ Egyptian.....	166.750	2688
“ Lancaster.....	80.750	1292	“ French.....	165.562	2649
“ Maryland.....	79.562	1273	“ Italian, white.....	169.250	2708
“ Newcastle.....	84.687	1355	“ Parian.....	177.375	2838
“ Rive de Gier.....	79.375	1270	“ Vermont, white.....	165.625	2650
“ Scotch.....	81.250	1300	Marl, mean.....	109.375	1750
“ Splint.....	78.687	1259	Mica.....	175.000	2800
“ Wales, mean.....	81.250	1300	Millstone.....	155.250	2482
“ Splint.....	81.375	1302		86.500	1384
“ Wales, mean.....	82.187	1315	Mortar.....	109.375	1756
Coke.....	62.500	1000	Mud.....	101.875	1626
“ Nat'l, Va.....	46.640	746	Nitre.....	118.750	1900
Concrete, mean.....	125.000	2000	Opal.....	132.125	2114
Copal.....	65.312	1045	Oyster-shell.....	130.750	2092
Coral, red.....	168.750	2700	Paving-stone.....	151.000	2416
“ white.....	159.375	2550	Pearl, Oriental.....	165.625	2659
Cornelian.....	163.312	2613		37.500	606
Diamond, Oriental.....	220.062	3521	Peat.....	83.962	1329
“ Brazilian.....	215.250	3444	Phosphorus.....	110.625	1776
Earth, common soil dry.....	76.000	1216	Plaster of Paris.....	73.500	1176
“ loose.....	93.750	1500	Plumbago.....	131.250	2100
“ moist sand.....	128.125	2050	Porphyry, red.....	172.812	2765
“ mould, fresh.....	128.125	2050	Porcelain, China.....	143.750	2300
“ rammed.....	100.000	1600	Pumice-stone.....	57.187	915
“ rough sand.....	120.000	1920	Quartz.....	166.250	2660
“ with gravel.....	126.250	2020	Red-lead.....	558.750	8940
Emery.....	250.000	4000	Resin.....	68.062	1089

Weight and Specific Gravity—Continued.

MINERAL SUBSTANCES, ETC.	Weight of a cubic foot in pounds, avoirdupois.	Specific grav- ity, pure water = 1.	MINERAL SUBSTANCES, ETC.	Weight of a cubic foot in pounds, avoirdupois.	Specific grav- ity, pure water = 1.
Rock, crystal.....	170.937	2735	Stalactite.....	150.937	2415
Rotten-stone.....	123.812	1981	Stone, Bath, Eng.....	122.562	1961
Ruby.....	267.687	4283	“ Blue Hill.....	165.000	2640
Salt, common.....	133.125	2130	“ Bluestone (Basalt). ..	164.062	2625
Saltpetre.....	130.625	2090	“ Breackneck, N. Y. ..	169.000	2704
Sand, coarse.....	112.500	1800	“ Bristol, Eng.....	156.875	2510
“ common.....	104.375	1670	“ Caen, Normandy... ..	129.750	2076
“ damp and loose... ..	97.500	1560	“ Common.....	157.500	2520
“ dried and loose... ..	87.000	1392	“ Craigleth, Eng.....	144.750	2316
“ dry.....	88.750	1420	“ Kentish Rag, Eng. ..	165.687	2651
“ mortar.....	103.625	1659	“ Kip's Bay, N. Y.	172.437	2759
“ “ Brooklyn... ..	107.250	1716	“ Norfolk.....	144.000	2304
“ silicious.....	106.312	1701	“ Portland, Eng.....	148.000	2368
Sapphire.....	249.625	3994	“ Sandstone, mean... ..	137.500	2200
Schorl.....	198.125	3170	“ “ Sydney.....	139.812	2237
Shale.....	162.500	2600	“ Staten Island, N. Y. ..	186.000	2976
Slate.....	167.000	2672	“ Sullivan Co., N. Y. ..	168.000	2688
“ purple.....	181.250	2900	Talc, mean.....	156.250	2500
“ “.....	174.000	2784	Talc, black.....	181.250	2900
Small.....	152.500	2440	Tile.....	113.437	1815
Spar, Calcareous.....	170.937	2735	Topaz, Oriental.....	250.625	4011
“ Feld, blue.....	168.312	2693	Trap.....	170.000	2720
“ “ green.....	169.000	2704	Turquoise.....	171.087	2750
“ Fluor.....	215.500	3400			
MISCELLANEOUS SUB- STANCES.			MISCELLANEOUS SUB- STANCES.		
Asphaltum.....	56.562	905	Horn.....	105.562	1689
Atmospheric Air.....	103.125	1650	Ice at 32°.....	57.500	920
Beeswax.....	0753125	001205	Indigo.....	63.062	1009
Butter.....	60.312	965	Isinglass.....	69.437	1111
Camphor.....	58.875	942	Ivory.....	114.062	1825
Caoutchouc.....	61.750	988	Lard.....	59.187	947
Egg.....	56.437	903	Mastic.....	67.125	1074
Fat of Cattle.....	68.125	1090	Myrrh.....	85.009	1360
“ Hogs.....	67.687	923	Opium.....	53.500	1336
“ Sheep.....	58.500	936	Soap, Castile.....	56.937	1071
Gamboge.....	57.687	923	Spermaceti.....	58.937	943
Gum Arabic.....	76.375	1222	Starch.....	59.375	950
Gunpowder, loose.....	90.750	1452	Sugar.....	100.375	1606
“ shaken.....	56.250	900	“ .66.....	82.875	1326
“ solid.....	62.500	1000	Tallow.....	60.250	972
Gutta-percha.....	96.875	1550	Wax.....	58.812	941
	112.500	1800		60.250	964
	61.250	980		60.625	970
WOODS, DRY.			WOODS, DRY.		
Alder.....	50.000	800	Butternut.....	23.500	376
Apple.....	49.562	793	Campeachy.....	57.062	913
Ash.....	52.812	845	Cedar.....	35.062	561
“ extra dry.....	45.125	722	“ Indian.....	82.157	1315
Bamboo.....	25.000	400	Charcoal, pine.....	27.562	441
Bay.....	51.375	822	“ fresh burned.....	23.750	380
Beech, extra dry.....	39.000	624	“ oak.....	98.312	1573
“	43.125	690	“ soft wood.....	17.500	280
“	53.250	852	“ triturated.....	86.250	1380
Birch.....	35.437	567	Cherry.....	44.687	715
Box, Brazilian.....	64.437	1031	“ well seasoned.....	37.875	606
“ Dutch.....	57.000	912	Chestnut, sweet.....	38.125	610
“ French.....	83.000	1328	Citron.....	45.375	726
Bullet-wood.....	58.000	928	Cocoa.....	65.000	1040

Weight and Specific Gravity—Continued.

WOODS, DRY.	Weight of a cubic foot in pounds, avoirdupois.	Specific gravity pure water = 1.	WOODS, DRY.	Weight of a cubic foot in pounds, avoirdupois.	Specific gravity pure water = 1.
Cork	15.000	240	Oak, African	51.437	823
Cypress, Spanish	40.250	644	“ Canadian	54.500	872
“ well seasoned	27.562	441	“ Dantzic	47.437	759
Dogwood	47.250	756	“ English	58.250	932
Ebony, American	83.187	1331	“ green	71.625	1146
“ Indian	75.562	1209	“ heart, 60 years	73.125	1170
Elder	43.437	695	“ live, green	78.750	1260
Elm	35.625	570	“ “ seasoned	66.750	1068
“ water	41.937	671	“ white	53.750	860
Filbert	37.500	600	“ “ well seasoned	42.937	687
Fir (Norway spruce)	32.000	512	“ “ James R., well seasoned	42.437	759
Gum, blue	52.687	843	Orange	44.062	705
“ water	62.500	1000	Pear	41.312	661
Hackmatack	37.000	592	Persimmon	44.375	710
Hazel	53.750	860	Pine, pitch	41.250	660
Hawthorn	56.875	910	“ red	36.875	590
Hemlock	23.000	368	“ white	34.625	554
Hickory, pig nut	49.500	792	“ “ well seasoned	29.562	473
“ red, well seasoned	52.375	838	“ yellow	33.812	541
“ shell bark	43.125	690	“ “ dry	28.812	461
Holly	47.500	760	Plum	49.062	785
Jasmine	48.125	770	Pomegranate	84.625	1354
Juniper	35.375	566	Poon	36.250	580
Lancewood	45.000	720	Poplar	23.937	383
“	34.000	544	“ white	33.062	529
Larch	35.000	560	Quince	44.062	705
Lemon	43.937	703	Rosewood	45.500	728
Lignum-vite	83.312	1333	Sassafras	30.125	482
Lime	50.250	804	Satinwood	55.312	885
Linden	37.750	604	Spruce	31.250	500
Locust	45.500	728	Sycamore	38.937	623
Logwood	57.062	913	Tamarack	23.937	383
“	45.000	720	Teak African oak	41.062	657
Mahogany	66.437	1063	“	46.562	745
“ Honduras	35.000	560	Walnut	41.937	671
“ Spanish	53.250	852	“ black	31.250	500
“ St. Domingo, extra dry	45.000	720	Willow	30.375	486
Maple	46.875	750	“	36.562	585
“ bird's-eye	36.000	576	Yew, Dutch	49.250	788
Mastic	53.062	849	“ Spanish	50.437	807
“	35.062	561			
Mulberry	56.062	897			

RAILROAD TIES.—Prof. Sargent states that the Railroads of the United States, old and new, consume every year not far from 60,000,000 ties, destroying 30,000,000 vigorous, healthy young trees; upon the supposition that two ties are cut from a tree. The value of Railroad ties put down by completed roads in 1880, (not counting 10,000 miles in course of construction) amounted to nearly \$10,000,000. Ties are made chiefly from oak, hemlock and red-elm.

TELEGRAPH POLES.—These are cut from white-cedar, red-cedar, white-ash, red-wood, oak, and sometimes other woods. It is claimed that Chicago, Ill., furnishes one-third of all the telegraph poles used in the United States, one-ninth of all the Railroad ties, and 5 per cent. of the posts, supplying Railroad and telegraph lines from New York to Utah, southwest as far as Arizona, besides sending some poles to Mexico. No pine is used for poles. Average duration of posts and poles, is from 8 to 12 years, white-cedar lasting about 8, and oak about 12 years.

BOILING POINTS OF MISCELLANEOUS SUBSTANCES.
(Under One Atmosphere.) Degrees Fahrenheit.

SUBSTANCES.	DEGREE.	SUBSTANCES.	DEGREE.	SUBSTANCES.	DEGREE.
Acetate of Soda..	255.8	Linseed Oil.....	597	Salt, common....	227 2
“ “ Potash	336.	Mercury.....	648.	Sea Water average	213 2
Alcohol, s. g. 813.	173.	Milk.....	213.	Sulphur.....	570.
Ammonia.....	140.	Naphtha.....	186.	Sulphuric Acid.,	
Benzine.....	173.	Nitrate of Soda..	250.	g., 1.848.	590.
Brine.....	226.	Nitrate of Potash	240.6	Sulp. Acid s.g. 1.3	240.
Carbonate of Soda	220.3	Nit. Acid, s. g. 1.42	248.	Sulphuric Ether.	100.
Carb. of Potash..	275.	Nit. Acid, s. g. 1.5	210.	Turpentine.....	315.
Chloroform.....	146.	Oil of Turpentine	315.	Water.....	212.
Coal Tar.....	325.	Petroleum rect'd	316.	Water, in <i>vacuo</i> ..	98.
Ether.....	100.	Phosphorus.....	554.	Whale Oil.....	630.

NOTE.—Water may be heated in a Digester to 400° without boiling. Fluids boil in a vacuum with less heat than under pressure of atmosphere. Water may be reduced to 5° if confined in tubes of from .003 to .005 inch in diameter; this is in consequence of adhesion of water to surface of tube, interfering with a change in its state. It may also be reduced in its temperature below 32° if it is kept perfectly quiescent.

BOILING POINT OF PURE WATER AT DIFFERENT ALTITUDES.
Boiling Point at the Level of the Sea—212° Fahr.

Degree.	Feet.	Degree.	Feet.	Degree.	Feet.	Degree.	Feet.	Degree.	Feet.
215	* 1,551	202	5,300	189	12,489	176	20,016	163	27,881
214	* 1,036	201	5,841	188	13,056	175	20,609	162	28,500
213	* 519	200	6,384	187	13,625	174	21,204	161	29,121
212	0	199	6,929	186	14,196	173	21,801	160	29,744
211	521	198	7,476	185	14,769	172	22,400	159	30,369
210	1,044	197	8,025	184	15,344	171	23,001	158	30,996
209	1,569	196	8,576	183	15,921	170	23,604	157	31,625
208	2,096	195	9,129	182	16,500	169	24,209	156	32,256
207	2,625	194	9,684	181	17,081	168	24,816	155	32,889
206	3,156	193	10,241	180	17,664	167	25,425	154	33,524
205	3,689	192	10,800	179	18,249	166	26,036	153	34,161
204	4,224	191	11,361	178	18,836	165	26,649	152	34,806
203	4,761	190	11,924	177	19,425	164	27,264	150	36,084

* Feet below the sea level.

Transmission of Heat Through Glass of Different Colors.—Direct—100.

Plate.....	65.5	Window.....	52.	Yellow.....	40.
Red.....	53.	Orange.....	44.	Green.....	26.
Violet, deep.....	53.	Blue, light.....	42.	Blue, deep.....	19.

Melting Points of Metals and Various Substances.

Metals.	Deg.	Metals.	Deg.	Fusible Plugs.	Deg
Aluminum at red heat		Platinum.....	3080	Lead 2, Tin 2.....	372
Antimony.....	810	Potassium.....	136	“ 6, “ 2.....	383
Arsenic.....	365	Silver.....	{ 1250	“ 7, “ 2.....	388
Bismuth.....	476	“.....	{ 1873	“ 8, “ 2.....	410
Bronze.....	1692	Sodium.....	194	Miscellaneous.	
Calcium, at red heat		Steel.....	2500	Ambergris.....	145
Copper.....	1996	Tin.....	446	Beeswax.....	151
		Zinc.....	680	Carbonic Acid.....	108
Gold, pure.....	{ 2282	Alloys.		Glass.....	2377
Gold, standard.....	{ 2590	Lead 2, Tin 3, Bis. 5	212	Ice.....	32
Iron, cast.....	{ 2156	“ 1, “ 3, “ 5	210	Lard.....	95
	{ 2250	“ 1, “ 4, “ 5	240	Nitro-glycerine.....	46
	{ 3479*	“ 3, “ 2, “ 5	199	Phosphorus.....	112
“ 2d melting.....	{ 2450	“ 2, “ 3.....	334	Pitch.....	91
	{ 3700*	“ 3, “ 1.....	552	Saltpetre.....	606
“ wrought.....	{ 2912	“ 2, “ Isolder	475	Spermaceti.....	112
	{ 5509*	“ 1, “ 2soft “	360	Stearine.....	114
Lead.....	608	“ 1, “ 1.....	368	Sulphur.....	239
Lithium.....	356	Tin 1, Bismuth 1.....	286	Tallow.....	92
Mercury.....	39	“ 2, “ 1.....	336	Wax, white.....	142
Nickel, highest forge heat		“ 8, “ 1.....	392		
		Zinc 1, Tin 1.....	399		

* Rankine.

NOTE.—The volume of water, antimony and cast-iron in a solid state, exceeds that of the liquid, as evidenced by floating upon their own melted substances.

WEIGHT OF GASES.

Gases at 32° Fahr., and under one atmosphere. Weight of a cubic foot in lbs., avoirdupois.

NAMES.	Weight.	NAMES.	Weight.
Air	0.0753125	Hydrogen.....	0.005592
Bisulphuret-of-Carbon Vapor, (ideal)	0.2137	Nitrogen	0.078596
Carbonic Acid	0.12344	Olefiant Gas	0.0795
Ether Vapor (ideal)	0.2093	Oxygen	0.089256
		Steam, (ideal)	0.05022

SOUND.—The velocity of sound through the air in a temperature at 62° Fahrenheit is 1,125 feet per second.

The velocity of sound through water is 4½ times, through iron, 10 times, and through wood, from 11 to 17 times that in air.

DESCRIPTION OF SOUND.	Audible at a Distance of	
	FEET.	MILES.
A powerful human voice in the open air and no wind....	460	.087
Beating of a drum	10,560	2
Music of a heavy brass band.....	15,840	3
Report of a musket.....	16,000	3.02
Cannonading, very strong.....	475,000	90

LIGHT.—The velocity of light is 192,500 miles per second. Estimating the distance to be 95,000,000 miles, it passes from the sun to the earth in 8.2 minutes. It can pass through the distance of the circumference of the earth in ½ of a second.

VELOCITY AND FORCE OF WIND.

WIND.—The velocity of air in passing into a vacuum is 1346.4 feet per second.

Description	Miles per Hour.	Feet per Minute.	Force in lbs. per Sq. Foot	Description.	Miles per Hour.	Feet per Minute.	Force in lbs. per Sq. Foot
Hardly percept.	1	88	.005	High wind....	{ 30	2,640	4.429
Just perceptible	{ 2	176	.020	Very high wind	{ 35	3,080	6.027
	{ 3	264	.044		{ 40	3,520	7.873
Gentle breeze ..	{ 4	352	.079	Storm.....	{ 45	3,960	9.963
	{ 5	440	.123		{ 50	4,400	12.300
Pleasant breeze.	{ 6	528	.177	Great storm...	{ 55	4,840	14.883
	{ 9	792	.400		{ 60	5,280	17.712
Brisk gale.....	{ 10	880	.492	Hurricane....	{ 65	5,720	20.787
	{ 15	1,320	1.107		{ 70	6,160	24.168
Very brisk gale.	{ 20	1,760	1.968	Tornado.....	{ 85	7,480	35.547
	{ 25	2,200	3.075		100	8,800	49.200

PRESSURE OF LIQUIDS OR INELASTIC FLUIDS.

1. The area (*a*) of the base of a regular vessel, the height (*h*) of the fluid in feet, and the weight (*w*) of a cubic foot of the fluid being given; required the pressure (*p*) in pounds on the bottom of the vessel:

$$a \times h \times w = p.$$

2. The height (*h*) of a column of fluid in feet, and the weight (*w*) of a cubic foot of the fluid being given; required the pressure (*p*) in pounds of the column per square inch:

$$h \times w \div 144 = p.$$

3. The diameter in feet of the base (*b*) of a cylindrical reservoir, and the depth in feet (*d*) of fresh water contained therein being given; required the pressure (*p*) in pounds upon the staves:

$$b \times 3.1416 \times d \times (d \div 2) \times 62.5 = p.$$

WEIGHTS AND MEASUREMENTS OF WATER.

The constitution of fresh water is—

Oxygen, by weight, 88.889; by measure, 1
Hydrogen, “ 11.111; “ 2

A cubic foot of water weighs 998.06512 ounces, or 62.37907 lbs. avoirdupois.

For convenience of computation the weight of a cubic foot of water is taken at 1000 ounces, or 62.5 lbs.

A cubic foot is to a cylindrical foot as 1 is to .7854.

1	cubic foot of water	=	62.5 pounds.
1	cylindrical foot of water	=	49.1 “
1	gallon of water	=	8.33 “
12	gallons of water	=	1 cwt. (100 lbs.)
13.44	gallons of water	=	1 “ (112 “)
240	gallons of water	=	1 ton (2000 “)
268.8	gallons of water	=	1 “ (2240 “)
1.6	cubic foot of water	=	1 cwt. (100 “)
1.8	cubic foot of water	=	1 “ (112 “)
32	cubic feet of water	=	1 ton (2000 “)
35.84	cubic feet of water	=	1 “ (2240 “)
1	cubic foot of water	=	7.5 gallons.
1	cylindrical foot of water	=	5.9 “

PROPERTIES OF WATER.

Water vaporizes at all temperatures, even when in the form of ice.

As found in nature it is never pure, being always contaminated with foreign matter. Rain is the purest form of natural water, but always contains carbonic acid, and carbonate and nitrate of ammonia and other constituents, depending upon the locality in which it falls.

At a temperature of 212° Fahrenheit, with a barometric pressure of 29.92 inches, water boils and is converted into an invisible elastic vapor occupying 1,696 times its space.

As the temperature of water decreases it regularly contracts until cooled down to 39.2° Fahrenheit; but every decrease in temperature below this causes it to expand to almost the same extent for each degree as it had previously contracted.

In freezing, water expands .076 of its bulk.

A cubic foot of water weighs 62.5 lbs.
“ “ ice “ 58.08 “
35.84 cubic feet of water weigh a ton (2240 lbs.)
38.57 “ “ ice “ “ “

The weight of sea water is 1.029 times that of fresh water. One cubic foot of sea water weighs 64.3125 pounds, and one gallon 8.58 pounds. About one thirty-third part of its weight, or four ounces to each gallon, is salt.

PROPOSITIONS AND FORMULAS.

1. The length (l) width (w) and depth (d) in inches of a quadrilateral cistern being given; required its capacity in gallons (g):

$$l \times w \times d \div 231 = g.$$

2. The diameter (d) and depth (h) in inches of a circular cistern of uniform diameter being given required its capacity in gallons (g):

$$d^2 \times .7854 \times h \div 231 = g.$$

3. The lower diameter (D) the upper diameter (d) and the depth (h) in inches of a circular cistern of different diameters being given; required its capacity in gallons (g):

$$D^2 - d^2 \cdot (D + d) \times .7854 \times h \div 693 = g$$

That of formula 2 has the form of a cylinder; that of formula 3 the form of a frustum of a cone.

HYDRAULICS.

Gravity is the fundamental principal in Hydraulics. Descending Fluids are actuated by the same laws as *Falling Bodies*. A Fluid will fall through 1 foot in one-quarter of a second, 4 feet in one-half of a second, and through 9 feet in three-quarters of a second, and so on.

The velocity of a stream of water, flowing from an aperture in the side or bottom of a vessel, reservoir, or bulkhead, that is kept full, is the same that a heavy body would acquire by falling freely from a height equal to that between the surface of the fluid and the middle of the aperture; the distance between these levels is termed the head. The velocity of water flowing out of an aperture is as the square root of the height of the head of the fluid. The *Theoretical velocity*, therefore, in feet per second, is as the square root of the product of the space fallen through in feet and 64.333; consequently, for 1 foot it is $\sqrt{64.333} = 8.02$ feet. The *Mean velocity*, however, of a number of experiments gives 5.4 feet or .673.

Contracted Vein.—The vein or stream begins to contract at the outlet, and continues contracting for a distance equal to nearly three (3) times the diameter of the opening. At the point of greatest contraction its velocity is nearly equal to theoretical velocity. This contraction differs according to the conditions imposed. Thus the stream flowing from a thin-lipped orifice, under ordinary circumstances, becomes, on an average, contracted about 38 per cent. But the stream flowing from a smooth nozzle, with opposite sides including an angle of 16 degrees, the contraction amounts to about 2½ per cent.

Measurement of Water.—In Southern Cal. the flow of 1-50:h of a cubic foot of water per second, is an inch.

A Miner's Inch of water, legal measure, in the State of California, (*see* *Water Rights, State of California, Civil Code, Section 1415*) is that quantity of water which will flow through an opening of one square inch in the bottom or side of a vessel, under a pressure of four inches above the opening. **Fifty** of the above "Miners' Inches" is equivalent to the discharge of one cubic foot of water per second, and is less by .312 of a cubic foot per second than the "Nevada County Miner's Inch." (*See Miner's Inch Illustrated, in another part of this work.*)

The above-mentioned act was amended in 1903 so as to read: "Each square inch of the opening represents a miners' inch, and is equal to a flow of 1½ cubic feet of water per minute

Gallons in Miners' Inches.—Multiply the given number of "Miners' inches" by 14.961, pointing off five decimal places; the result gives the number of gallons discharged per second.

Miners' Inches in Gallons.—Divide the number of gallons, flow or discharged per minute, by 8.9766; result will be the number of Miners' Inches sought.

Velocity of Water through Clean Iron Pipe.—Eleven (11) times the number of Miners' Inches flow, divided by three (3) times the square of the diameter of the pipe, is equal to the velocity of the water in the pipe per second.

EXAMPLE.—The flow of water in a pipe 30 inches in diameter, with 9 feet fall to the mile, is 930 miners' inches. What is the velocity per second? *Solution:*—Pipe, $30 \times 30 = 900$ $900 \times 3 = 2,700$; Miners' Inches, $960 \times 11 = 10,560 \div 2,700 = 3.91$ feet per second velocity sought.

NOTE.—The carrying capacity of clean iron pipe is represented by the unit: (1); that of slightly rough iron pipe is .89 per cent. of that of a clean pipe; and that of very rough iron pipe is .77 per cent. of that of clean pipe.

To ascertain the number of Miners' Inches of Water that will flow through Clean Iron Pipe, the velocity of the water, and the diameter of pipe being known.

Three (3) times the product of the velocity of the water, and the square of the diameter, divided by 11 is equal to the Miners' Inches flow.

EXAMPLE.—The velocity of water in a pipe 22 inches diameter is 5 feet per second; required the number of Miners' Inches? *Solution:* $22 \times 22 = 484 \times 5 = 2,420 \times 3 = 7,260 \div 11 = 660$ the number of Miners' Inches sought.

Useful Facts in Hydraulics.—Doubling the diameter of a pipe increases the capacity four times.

Circular apertures are most effective for discharging water, since they have less frictional surface for the same area.

To find the pressure in pounds per square inch of a column of water, multiply the height of the column in feet by .434. (Approximately every foot of elevation is considered equal to ½ lb. pressure per square inch.)

The time occupied in discharging equal quantities of water, under equal heads, through pipes of equal lengths, will be different for varying forms, and proportionally as follows: For a *straight line*, 90; for a *true curve*, 100; and for a *right angle*, 140.

The quantities of water discharged in the same time, through different sized apertures, under different heads, are to one another in the compound ratio of areas of the apertures, and of the square roots of the heights of heads above the centers of the apertures.

HYDRAULICS.—Continued.

Measurement of Flowing Water in Ditches, Canals, Rivers, &c.—To measure the water flowing in a ditch or small stream; first select a position along such ditch or stream, so that a small weir dam constructed across it at a right angle (of a single 2-inch plank set up edgewise), would create an eddy from 75 to 100 feet above the same; cut a notch in the plank, sufficient in depth to pass all the water to be measured, and not more than two-thirds of the width of the stream in length; have the upper side of the plank lined with sheet-iron, and the sides and bottom of the notch chamfered on the lower side to an angle of about 45 degrees. Let this dam be so situated, that all the water passing over it will fall clear at least 10 inches, and run away unobstructed; next drive a stake in the stream (about one-third the way across, and 10 feet above the dam) down to the true level of the bottom of the notch in the plank forming the weir dam. After the water has come to a stand, and reached its greatest depth, a careful measurement can be made of the depth of the water over the top of the stake, which gives the true depth of the water passing over the notch; multiply the breadth of the water passing over the weir by the depth over the stake, and the product is the area. Multiply the area by the *mean* velocity of its flow in feet per second, and the product is the volume in cubic feet; divide the number of cubic feet by 1.57, and the result will be the number of Miners' Inches.

EXAMPLE.—A stream of water 90 inches wide running over a weir dam (as above defined), and 9 inches deep over the stake, with a mean velocity of 5 feet per second; required the cubic feet and Miners' Inches of water? *Solution:* $90 \times 9 \times 5 = 4,050$ cubic feet; $4,050 \div 1.57 = 2,579.62$ Miners' Inches.

The velocity of such a stream can be estimated by throwing floating bodies on the surface of near the same specific gravity as the water, and rating the time accurately, required in passing a given distance. The velocity is greatest in the center of the stream and near the surface, and is less near the bottom and side. Reliable experiments prove the *Mean* velocity to be .83 per cent. of the velocity of the surface in the center of the stream.

To Compute the Mean Depth of Flowing Water in Large Streams.—**RULE:** Set off the breadth of the stream, etc., into any convenient number of divisions; ascertain the mean depths of these divisions, then divide their sum by the number of divisions, and the quotient is the mean depth.

To Compute the Mean Area of Flowing Water.—**RULE:** 1. Multiply the breadth or breadths of the stream, etc., by the mean depth or depths, and the product is the area. 2.—Divide the volume flowing in cubic feet per second by the mean velocity in feet per second, and the quotient is the area in square feet.

To Compute the Volume of Flowing Water.—**RULE:** Multiply the area of the stream, etc., by the mean velocity of its flow in feet, and the product is the volume in cubic feet.

To Compute the Mean Velocity of Flowing Water.—**RULE:** Divide the velocity of the flow in feet per second by the area of the stream, etc., and the quotient will give the velocity in feet. The mean velocity at half depth of a stream has been ascertained to be as .915 to 1, and at the bottom of it as .83 to 1, compared with the velocity at the surface.

Friction of Water upon a Plane Surface.—By the experiments of Beaufoy, it was ascertained that the friction increased *very nearly* as the square of the velocity, and that a surface of 50 square feet, at a velocity of 6 feet per second, presented a resistance of 6 lbs. Hence $50 \div 6 = 8.33$ square feet = 1 lb. resistance at a velocity of 6 feet; and, consequently, $1 \div 8.33 = .12$ lbs. resistance per square foot at the same velocity.

Friction in Pipes.—The *Resistance of Friction* in the flow of water through pipes, etc., of a uniform diameter, is independent of the pressure, and increases directly as the length, very nearly as the square of the velocity of the flow, and inversely as the diameter of the pipe. With wooden pipes the friction is 1.75 times greater than in metallic.

Water and Steam Pistons.—The area of the water piston, multiplied by the pressure of water per square inch, gives the resistance. The area of the steam piston, multiplied by the steam pressure, gives the total amount of pressure exerted. A margin must be made between the power and the resistance to move the pistons at the required speed.

To Compute the Horse-power necessary to Raise Water to any given Elevation.—**RULE:** Multiply the weight of the column of the water by its velocity in feet per minute, and divide the product by 33,000.

EXAMPLE.—It is required to raise 1,000 gallons of fresh water per minute, to an elevation of 140 feet, through a cast-iron pipe 560 feet in length; what is the required power? *Solution:* 1,000 gallons of fresh water = $1,000 \times 231 = 231,000$ cubic inches, and $231,000 \div 1,728 = 133.68$ cubic feet per minute. Hence, $133.68 \times 62.5 \times 140 \div 33,000 = 35.44$ horse-power.


WATER MEASUREMENT in the State of Cal. by 11 Different Ditch Co's; Legal Measurement of the State Included.

NAME OF DITCH CO., ETC.	OPENING.		Through a Plank, inches.	PRESSURE BOARD		Miner's Inch.	Cu'ic feet per min.
	Dep'th in.	Width in.		Above open'ng inches.	Above centre open'ng inches.		
State of Cal. (legal measure)	†	†	†	†	†	= 1	1.50
Amador Canal Co.....	2	½	1	4	6	= 1	1.40
Eureka Lake and Canal Co.	2	½	1½	5	6	= 1	1.45
Park Canal and Mining Co.	2	½	1½	5	6	= 1	1.43
El Dorado Water & D G M Co	4	½	1	4	6	= 1	1.45
Mok & Campo Seco C & M Co	4	½	1½	3	5	= 1	1.40
Union Water Co., Murphys.	4	½	1	4	6	= 1	1.45
South Yuba Canal Co.....	4	½	1	4	6	= 1	1.45
N. Bloomfield B. G. M. Co.	2	½	• 3	6	7	= 1	1.575
Milton Ditch Co.....	2	½	• 3	6	7	= 1	1.575
La Grange Ditch Co.....	2	½	• 3	6	7	= 1	1.575
Smartsville Ditch Co.....	4	½	2	7	9	= 1	1.78

NOTE.—To measure any desired number of inches of water by the above table (by the standard of any one of the companies), increase the opening in the 2d column (headed width inches) to a number—which multiplied by the figure in the 1st column will make the number of inches desired. Thus:—Union Water Co., Murphys—For 100 inches of water, 2d column 25x4 (in 1st column) = 100 inches = 145.00 cubic feet of water.

It will be seen by reference to the above table that the Smartsville Ditch Co. furnish 26½ per cent. more water (for the number of inches sold) than the Amador Canal Co. * Last inch chamfered. † See Index, A miners' inch.

Illustrated Measurement of Miners' Inches of Water.



The size of the opening was taken with a measure (micrometer attached) which had been compared with and adjusted to a standard U. S. yard. Time was read to one-fifth of a second. The level of the water (drawn from a large reservoir) was determined with Boyden's hooks, micrometer adjustment. The following results were obtained:

	Cubic Feet.
1 miners' inch will discharge in 1 sec.	.026
" " " 1 min.	1.57
" " " 1 hour	94.2
" " " 24 hours	2260.8

Ratio of actual to theoretical discharge, 61.6 per cent. These figures are within the limits of 1-500 possible error. Experiments were made by Hamilton Smith, Jr., of North Bloomfield, Calif.

A series of experiments made at La Grange, to determine the effective value of the above described inch, gave the following results:

1 miners' inch discharged in 1 second02499 cubic feet.
" " " 1 minute	1.4994 "
" " " 1 hour	89.9640 "
" " " 24 hours	2159.1460 "

Ratio of effective to theoretical discharge, 59.05 per cent. These results are the average of a series of experiments by August J. Bowie, Jr., of San Francisco, to whom we are indebted for the facts.

POWER.—The units of force, distance and time, are respectively 1 pound, 1 foot and 1 minute.

Man Power.—One man's power=.0909 horse power=3,000 units of work=3,000 pounds raised vertically 1 foot in 1 minute, or its equivalent.

Horse Power.—One horse power=11 men's power=33,000 units of work=33,000 pounds raised vertically 1 foot in 1 minute, or its equivalent.

ATMOSPHERIC WEIGHT.—In whole numbers the atmospheric pressure per square inch is 15 pounds.

Atmospheric Air.—A column, 1 inch square, full height=14.73 pounds.

Mercury.—A column, 1 inch square, and 30 inches high=14.73 pounds.

Fresh Water.—A column, 1 inch square, and 33.95 feet high=14.73 pounds.

Salt Water.—A column, 1 inch square, and 33.05 feet high=14.73 pounds.

Miners' Inches of Water.

The following table shows the discharge in cubic feet per minute, of a miner's inch of water, as measured under the various heads and different lengths and heights of apertures used in California, the result of a series of very careful experiments made (in 1887) by W. F. Englebright, C. E. and L. A. Pelton, Hy. E. at Nevada City, Cal. The apertures were through material $1\frac{1}{2}$ inch thick and their lower edge 2 inches above the bottom of the measuring box, thus giving full contraction.

Length of Opening in inches.	HEIGHT OF OPENING 2 INCHES.			HEIGHT OF OPENING 4 INCHES.		
	HEAD TO CENTER OF OPENING.			HEAD TO CENTER OF OPENING.		
	5 Inches.	6 Inches.	7 inches.	5 Inches.	6 Inches.	7 Inches.
	Cubic Feet.	Cubic Feet.	Cubic Feet.	Cubic Feet.	Cubic Feet.	Cubic Feet.
4	1.348	1.473	1.589	1.320	1.450	1.570
6	1.355	1.480	1.596	1.336	1.470	1.595
8	1.359	1.484	1.600	1.344	1.481	1.608
10	1.361	1.485	1.602	1.349	1.487	1.615
12	1.363	1.487	1.604	1.352	1.491	1.620
14	1.364	1.488	1.604	1.354	1.494	1.623
16	1.365	1.489	1.605	1.356	1.496	1.626
18	1.365	1.489	1.605	1.357	1.498	1.628
20	1.365	1.490	1.606	1.359	1.499	1.630
22	1.366	1.490	1.607	1.359	1.500	1.631
24	1.366	1.490	1.607	1.360	1.501	1.632
26	1.366	1.490	1.607	1.361	1.502	1.633
28	1.367	1.491	1.607	1.361	1.503	1.634
30	1.367	1.491	1.608	1.362	1.503	1.635
40	1.367	1.492	1.608	1.363	1.505	1.637
50	1.368	1.493	1.609	1.364	1.507	1.639
60	1.368	1.493	1.609	1.365	1.508	1.640
70	1.368	1.493	1.609	1.365	1.508	1.641
80	1.368	1.493	1.609	1.366	1.509	1.641
90	1.369	1.493	1.610	1.366	1.509	1.641
100	1.369	1.494	1.610	1.366	1.509	1.642

Horse-Power of Pulleys and Belts.

EXPLANATION.—Multiply the horse-power found opposite any given pulley by the revolutions it is to make; this product multiplied by width of belt in inches, gives the horse-power they will transmit.

Diameter of Pulley in in.	Horse Power.	Diameter of Pulley in in.	Horse Power.	Diameter of Pulley in in.	Horse Power.	Diameter of Pulley in in.	Horse Power.
2	.00066	29	.00049	56	.01832	83	.02715
3	.00098	30	.00082	57	.01865	84	.02748
4	.00121	31	.01014	58	.01896	85	.02781
5	.00164	32	.01046	59	.01931	86	.02814
6	.00196	33	.01079	60	.01964	87	.02847
7	.00229	34	.01112	61	.01997	88	.02880
8	.00263	35	.01145	62	.02029	89	.02913
9	.00294	36	.01178	63	.02061	90	.02946
10	.00327	37	.01211	64	.02092	91	.02979
11	.00360	38	.01242	65	.02125	92	.03012
12	.00392	39	.01275	66	.02158	93	.03045
13	.00425	40	.01308	67	.02191	94	.03078
14	.00458	41	.01341	68	.02224	95	.03109
15	.00491	42	.01374	69	.02257	96	.03140
16	.00523	43	.01407	70	.02290	97	.03173
17	.00556	44	.01440	71	.02323	98	.03206
18	.00589	45	.01473	72	.02356	99	.03239
19	.00621	46	.01506	73	.02389	100	.03272
20	.00654	47	.01538	74	.02422	101	.03305
21	.00687	48	.01570	75	.02455	102	.03338
22	.00720	49	.01603	76	.02488	103	.03371
23	.00752	50	.01636	77	.02521	104	.03403
24	.00785	51	.01669	78	.02550	105	.03436
25	.00818	52	.01701	79	.02583	106	.03468
26	.00850	53	.01734	80	.02616	107	.03501
27	.00883	54	.01766	81	.02649	108	.03533
28	.00916	55	.01799	82	.02682	109	.03566

* Horse-power for one revolution per minute for a belt one inch wide.

**FLOW OF WATER THROUGH NOZZLES,
At Various Pressures, from 1 to 1,000 Feet. Velocity, Cubic Feet
and Miners' Inches of Water and Horse-Power Obtained.**

Head of Water. Feet.	Velocity per Second. Feet.	DIAMETER OF NOZZLES.											
		1 INCH.			1½ INCH.			2 INCHES.			2½ INCHES.		
		Cubic Feet.	Min's Ins.	Horse- Power.	Cubic Feet.	Min's Ins.	Horse- Power.	Cubic Feet.	Min's Ins.	Horse- Power.	Cubic Feet.	Min's Ins.	Horse- Power.
1.	8.02	.041	2.05	.004	.093	4.6	.010	.164	8.2	.018	.255	12.7	.029
1.5	9.83	.050	2.43	.008	.111	5.5	.019	.200	9.7	.034	.312	15.2	.053
2.	11.35	.058	2.81	.013	.130	6.3	.029	.232	11.2	.052	.360	17.6	.082
2.5	12.68	.064	3.20	.018	.145	7.2	.041	.256	12.8	.072	.402	20.1	.114
3.	13.90	.069	3.32	.024	.159	7.8	.054	.284	13.9	.096	.440	21.7	.150
3.5	15.01	.076	3.61	.030	.171	8.4	.068	.304	15.0	.120	.475	23.4	.189
4.	16.05	.081	3.32	.037	.183	9.0	.083	.324	16.1	.148	.507	25.0	.231
4.5	17.02	.086	4.22	.044	.194	9.6	.099	.344	17.2	.176	.540	26.7	.275
5.	17.95	.091	4.50	.051	.205	10.2	.113	.364	18.2	.204	.567	28.3	.315
6.	19.66	.100	4.90	.068	.224	11.0	.153	.400	19.7	.272	.622	30.7	.425
7.	21.23	.108	5.30	.086	.242	11.9	.193	.432	21.3	.344	.672	33.0	.535
8.	22.70	.116	5.70	.104	.260	12.7	.252	.464	22.9	.416	.720	35.4	.656
9.	24.08	.123	6.10	.125	.275	13.6	.290	.490	24.5	.500	.765	37.8	.782
10.	25.38	.129	6.50	.146	.290	14.5	.329	.516	25.8	.584	.805	40.2	.915
12.5	28.37	.144	7.21	.204	.324	16.1	.460	.576	28.6	.816	.897	44.7	1.28
15.	31.08	.158	7.90	.269	.355	17.7	.505	.632	31.6	1.08	.985	49.2	1.68
17.5	33.57	.170	8.52	.339	.383	19.1	.782	.680	34.0	1.36	1.06	53.1	2.11
20.	35.89	.182	9.10	.414	.410	20.5	.931	.723	36.4	1.66	1.14	57.0	2.58
22.5	38.07	.193	9.63	.494	.435	21.7	1.11	.772	38.6	1.98	1.21	60.0	3.08
25.	40.13	.204	10.20	.578	.458	22.9	1.30	.810	40.8	2.31	1.27	63.0	3.61
27.5	42.08	.213	10.81	.667	.480	24.2	1.50	.852	43.2	2.67	1.33	67.0	4.17
30.	43.95	.228	11.4	.760	.513	25.6	1.71	.913	45.6	3.04	1.42	71.0	4.75
32.5	45.75	.237	11.7	.857	.522	26.3	1.93	.928	46.9	3.43	1.45	75.0	5.35
35.	47.47	.241	12.0	.953	.542	27.1	2.15	.964	48.2	3.83	1.51	75.0	5.98
40.	50.75	.257	12.8	1.17	.579	29.0	2.68	1.03	51.0	4.68	1.61	80.0	7.31
45.	53.83	.273	13.6	1.40	.614	30.7	3.14	1.09	54.0	5.60	1.71	85.0	8.23
50.	56.75	.288	14.4	1.64	.648	32.4	3.68	1.15	57.0	6.56	1.79	90.0	10.2
60.	62.16	.315	16.7	2.15	.709	35.4	4.84	1.26	63.0	8.60	1.97	98.0	13.4
70.	67.14	.341	17.0	2.71	.766	38.3	6.10	1.36	68.0	10.8	2.13	106.0	16.9
80.	71.78	.364	18.2	3.31	.819	40.9	7.45	1.46	73.0	13.2	2.27	113.0	20.6
90.	76.13	.386	19.3	3.95	.864	43.2	8.88	1.54	77.0	15.8	2.44	122.0	24.6
100.	80.25	.407	20.3	4.63	.916	45.8	10.4	1.63	81.0	18.5	2.54	127.0	28.9
125.	89.72	.455	22.7	6.47	1.02	51.0	14.5	1.82	91.0	25.8	2.84	142.0	40.4
150.	98.28	.499	25.0	8.50	1.12	56.0	19.1	2.00	100.0	34.0	3.11	155.0	53.1
175.	106.10	.539	26.9	10.7	1.21	60.0	24.0	2.16	108.0	42.8	3.36	168.0	66.8
200.	113.50	.576	28.8	13.1	1.29	64.0	29.4	2.30	115.0	52.4	3.59	179.0	81.7
250.	127.1	.644	32.2	18.3	1.45	72.0	41.1	2.58	129.0	73.2	4.02	201.0	114.0
300.	139.0	.705	35.2	24.0	1.59	79.0	54.0	2.82	141.0	96.0	4.40	220.0	150.0
350.	150.1	.762	38.1	30.3	1.71	85.0	68.1	3.05	152.0	121.0	4.76	238.0	189.0
400.	160.5	.814	40.7	37.0	1.83	91.0	83.2	3.26	163.0	148.0	5.09	254.0	231.0
450.	170.2	.864	43.2	44.2	1.94	97.0	99.3	3.46	173.0	176.0	5.40	270.0	276.0
500.	179.4	.910	45	51.7	2.05	102.0	116.0	3.64	182.0	206.0	5.69	284.0	323.0
550.	188.2	.955	47.7	59.7	2.10	105.0	134.0	3.82	191.0	238.0	5.96	298.0	372.0
600.	196.6	.999	50.0	68.0	2.23	111.0	152.0	3.99	200.0	272.0	6.23	311.0	475.0
700.	212.3	1.06	53.0	85.7	2.46	123.0	192.0	4.36	218.0	342.0	6.79	339.0	535.0
800.	226.9	1.15	57.5	104.7	2.58	129.0	235.0	4.60	230.0	418.0	7.19	359.0	654.0
900.	240.7	1.22	61.0	124.9	2.75	137.0	281.0	4.88	244.0	490.0	7.63	381.0	780.0
1000.	253.8	1.29	64.5	146.2	2.89	144.0	329.0	5.16	258.0	534.0	8.04	402.0	914.0

Head of Water. Feet.	Velocity per Second. Feet.	DIAMETER OF NOZZLES.											
		3 INCHES.			3½ INCHES.			4 INCHES.			4½ INS.		
		Cubic Feet.	Min's Ins.	Horse- Power.	Cubic Feet.	Min's Ins.	Horse- Power.	Cubic Feet.	Min's Ins.	Horse- Power.	Min's Ins.	Horse- Power.	
1.	8.02	.372	18.6	.040	.50	25.0	.056	.656	33.0	.072	40.0	.090	
1.5	9.83	.444	22.1	.076	.61	29.7	.105	.800	39.0	.136	48.3	.183	
2.	11.35	.520	25.5	.116	.70	34.3	.160	.928	45.0	.208	56.6	.277	
2.5	12.68	.589	29.0	.164	.79	39.0	.224	1.02	51.0	.288	65.0	.370	
3.	13.90	.636	31.6	.216	.86	42.2	.295	1.14	55.4	.384	70.4	.500	
3.5	15.01	.684	34.2	.272	.94	45.4	.370	1.22	59.8	.480	75.8	.630	
4.	16.05	.742	36.8	.332	1.02	48.6	.452	1.30	64.2	.592	81.2	.700	
4.5	17.02	.776	39.4	.396	1.06	51.8	.540	1.38	68.6	.704	86.6	.890	
5.	17.95	.820	42.0	.452	1.11	55.0	.600	1.46	73.0	.816	92.0	1.020	
6.	19.66	.896	45.2	.612	1.22	59.6	.833	1.60	80.0	1.09	99.6	1.40	
7.	21.23	.968	48.4	.772	1.32	64.2	1.05	1.73	87.0	1.38	107.2	1.81	
8.	22.70	1.04	51.6	.928	1.40	68.8	1.28	1.85	94.0	1.66	114.8	2.19	
9.	24.04	1.10	54.8	1.124	1.48	73.4	1.53	2.01	101.0	2.00	122.4	2.58	
10.	25.38	1.16	58.0	1.32	1.57	78.0	1.79	2.16	108.0	2.34	130.0	2.97	
12.5	28.37	1.30	64.5	1.84	1.76	87.0	2.50	2.30	117.0	3.46	144.5	4.21	
15.	31.08	1.42	71.0	2.42	1.93	96.0	3.29	2.53	126.0	4.32	159.0	5.44	
17.5	33.57	1.53	76.5	3.13	2.08	103.5	4.20	2.72	135.5	5.44	171.5	6.90	
20.	35.89	1.63	82.0	3.72	2.23	111.0	5.07	2.91	145.0	6.64	184.0	8.37	

FLOW OF WATER THROUGH NOZZLES.—Continued.

Head of Water. Feet.	Velocity per Second. Fms.	DIAMETER OF NOZZLES.											
		3 INCHES.			3½ INCHES.			4 INCHES.			4½ INS.		
		Cubic Feet.	Min's Ins.	Horse Power.	Cubic Feet.	Min's Ins.	Horse Power.	Cubic Feet.	Min's Ins.	Horse Power.	Min's Ins.	Horse Power.	Horse Power.
22.5	38.07	1.74	86.5	4.44	2.36	119.	6.05	3.09	154.	7.92	195.	10.0	
25.	40.13	1.83	91.0	5.20	2.54	127.	7.08	3.26	163.	9.24	206.	11.7	
27.5	42.08	1.92	96.5	6.00	2.61	133.	8.17	3.41	172.	10.68	218.	13.5	
30.	43.95	2.05	102.0	6.84	2.79	139.	9.31	3.65	182.	12.16	230.	15.4	
32.5	45.75	2.09	105.	7.72	2.84	143.	10.50	3.71	187.	13.72	237.	17.3	
35.	47.47	2.17	108.	8.60	2.95	147.	11.71	3.86	193.	15.32	244.	19.3	
40.	50.75	2.32	116.	10.52	3.15	157.	14.33	4.12	206.	18.72	261.	23.7	
45.	53.83	2.46	123.	12.56	3.34	167.	17.10	4.36	218.	22.40	277.	28.3	
50.	56.75	2.59	121.	14.72	3.52	176.	20.03	4.60	230.	26.24	291.	32.1	
60.	62.16	2.84	142.	19.36	3.86	193.	26.32	5.04	252.	34.40	319.	43.6	
70.	67.14	3.06	153.	24.40	4.17	208.	33.17	5.42	271.	43.36	342.	54.9	
80.	71.78	3.28	164.	29.80	4.46	223.	40.55	5.84	290.	52.96	369.	67.0	
90.	76.13	3.46	173.	35.52	4.73	236.	48.37	6.16	308.	63.20	389.	79.9	
100.	80.25	3.66	183.	41.64	4.98	249.	56.67	6.52	326.	74.08	411.	93.7	
125.	89.72	4.08	204.	58.20	5.57	278.	79.20	7.28	364.	103.5	459.	131.0	
150.	98.28	4.48	224.	76.48	6.10	305.	104.10	8.00	400.	136.0	504.	172.0	
175.	106.10	4.84	242.	96.28	6.60	330.	131.5	8.64	433.	171.2	544.	217.0	
200.	113.5	5.10	255.	117.7	7.05	352.	160.2	9.20	462.	219.6	580.	262.0	
250.	127.1	5.87	290.	164.5	7.68	394.	223.9	10.16	512.	292.8	652.	370.6	
300.	139.0	6.36	318.	216.3	8.34	431.	294.3	11.12	560.	384.0	715.	487.0	
350.	150.1	6.84	342.	272.6	8.98	461.	371.2	12.09	606.	484.8	769.	613.0	
400.	160.5	7.30	366.	323.0	9.62	498.	453.2	13.05	650.	592.0	811.	749.0	
450.	170.2	7.76	388.	397.4	10.30	529.	541.0	14.01	692.	707.2	861.	894.0	
500.	179.4	8.20	410.	466.0	10.91	557.	627.0	14.97	732.	827.2	909.	1048.0	
550.	188.2	8.60	431.	536.8	11.55	584.	731.0	15.93	770.	955.2	955.	1208.0	
600.	196.6	9.04	451.	611.0	12.20	610.	832.7	16.90	806.	1088.0	999.	1376.0	
700.	212.3	9.71	492.	771.2	13.10	665.	1051.0	17.40	874.	1371.0	1083.	1735.0	
800.	226.9	10.38	516.	942.0	14.00	705.	1282.0	18.40	934.	1675.0	1159.	2119.0	
900.	240.7	11.05	550.	1124.0	14.90	745.	1530.0	19.50	986.	1998.0	1231.	2526.0	
1000	253.8	11.72	578.	1316.0	15.80	788.	1791.0	20.60	1032.	2339.0	1300.	2961.6	

Head of Water. Feet.	Velocity per Second. Fms.	DIAMETER OF NOZZLES.											
		5 INCHES.		5½ INS.		6 INCHES.		7 INCHES.		8 INCHES.		9 INCHES.	
		Min's Ins.	Horse Power.	Min's Ins.	Horse Power.	Min's Ins.	Horse Power.	Min's Ins.	Horse Power.	Min's Ins.	Horse Power.	Min's Ins.	Horse Power.
1.	8.02	51.	116	61.	140	74.	180	100.	236	131.	288	167.	36
2.5	12.63	80.	457	97.	553	116.	656	157.	896	204.	1,15	261.	1.48
5.	17.95	113.	1,26	137.	1,53	164.	1,81	220.	2,48	292.	3,26	369.	4.07
7.5	21.98	139.	2,38	171.	2,87	200.	3,42	270.	4,66	356.	6,08	450.	7.70
10.	25.38	161.	3,66	194.	4,42	232.	5,28	315.	7,16	432.	9,36	522.	11.90
12.5	28.23	179.	5,19	216.	6,27	258.	6,63	350.	10,18	469.	13,33	580.	16.85
15.	31.08	197.	6,72	238.	8,13	284.	8,08	386.	13,20	506.	17,30	639.	21.80
17.5	33.49	212.	8,51	257.	10,32	306.	11,49	416.	16,75	544.	21,95	688.	27.65
20.	35.89	227.	10,30	275.	12,5	328.	14,90	446.	20,3	582.	26,6	738.	33.50
22.5	38.01	240.	12,35	292.	15,0	347.	17,85	474.	24,3	617.	31,8	780.	40,15
25.	40.13	254.	14,40	308.	17,5	368.	20,8	503.	28,3	653.	37,0	823.	46,8
27.5	42.04	269.	16,34	327.	20,3	388.	24,1	531.	32,8	691.	42,8	872.	54,2
30.	43.95	285.	19,00	345.	23,0	410.	27,4	559.	37,3	730.	48,6	922.	61,6
32.5	45.71	293.	21,25	354.	26,0	432.	30,4	574.	42,0	751.	54,9	949.	69,5
35.	47.47	301.	29,5	364.	29,0	454.	33,4	590.	46,8	772.	61,3	976.	77,4
40.	50.75	322.	33,8	389.	35,3	464.	42,1	630.	57,3	824.	74,9	1044.	94,7
45.	53.83	341.	38,0	413.	42,2	492.	50,2	669.	68,4	872.	89,6	1107.	113,0
50.	56.75	359.	42,2	435.	49,5	518.	58,9	705.	80,1	920.	105,0	1165.	128,0
60.	62.16	394.	50,7	477.	65,0	568.	77,4	772.	105,0	1008.	138,0	1278.	174,0
70.	67.14	425.	59,1	515.	82,0	612.	97,6	804.	133,0	1084.	173,0	1377.	220,0
80.	71.78	455.	67,6	550.	100,0	656.	119,0	892.	162,0	1168.	212,0	1476.	268,0
90.	76.13	482.	76,2	579.	119,0	692.	142,0	941.	193,0	1232.	253,0	1557.	320,0
100.	80.25	508.	84,5	615.	140,0	732.	167,0	997.	227,0	1304.	296,0	1647.	375,0
125.	89.72	567.	95,7	688.	195,0	816.	233,0	1115.	317,0	1456.	414,0	1836.	524,0
150.	98.28	623.	127,0	754.	257,0	896.	306,0	1221.	416,0	1600.	554,0	2016.	688,0
175.	106.1	673.	148,0	764.	314,0	968.	385,0	1320.	521,0	1728.	682,0	2178.	866,0
200.	113.5	717.	163,0	875.	386,0	1032.	471,0	1410.	641,0	1840.	878,0	2322.	1059,0
250.	127.1	804.	211,0	973.	553,0	1160.	658,0	1577.	896,0	2064.	1171,0	2610.	1481,0
300.	139.0	881.	254,0	1106.	727,0	1272.	865,0	1727.	1177,0	2256.	1536,0	2862.	1947,0
350.	150.1	952.	297,0	1012.	916,0	1368.	1090,0	1866.	1485,0	2440.	1949,0	3078.	2453,0
400.	160.5	1017.	338,0	1231.	1179,0	1464.	1332,0	1994.	1813,0	2608.	2368,0	3294.	2997,0
450.	170.2	1079.	381,0	1396.	1335,0	1552.	1590,0	2115.	2104,0	2768.	2829,0	3492.	3577,0
500.	179.4	1137.	423,0	1377.	1565,0	1640.	1864,0	2200.	2508,0	2912.	3409,0	3690.	4194,0
550.	188.2	1193.	466,0	1444.	1805,0	1680.	2147,0	2239.	2923,0	3056.	3821,0	3780.	4831,0
600.	196.6	1246.	507,0	1508.	2056,0	1784.	2446,0	2443.	3331,0	3192.	4352,0	4014.	5504,0
700.	212.3	1359.	572,0	1644.	2391,0	1968.	3085,0	2663.	4203,0	3488.	5485,0	4428.	6941,0
800.	226.9	1478.	676,0	1746.	3166,0	2064.	3768,0	2820.	5129,0	3680.	6701,0	4640.	8478,0
900.	240.7	1528.	761,0	1847.	3778,0	2200.	4496,0	2991.	6120,0	3904.	9357,0	4950.	10116,0
1000	253.8	1698.	845,0	1946.	4424,0	2312.	5264,0	3153.	7166,0	4128.	9994,0	5200.	11844,0

Hydraulic Pipe, Pressure It Will Stand with Safety.

NOTE.—No. of iron by Birmingham Gauge, thickness in inches.

HEAD IN FEET PIPE WILL STAND, DOUBLE RIVETED.

Diameter of Pipe in Inches.	No. 8. .165 in.	No. 9. .148 in.	No. 10. .134 in.	No. 11. .120 in.	No. 12. .109 in.	No. 14. .083 in.	No. 16. .065 in.	No. 18. .049 in.
5	2136	1927	1755	1474	1344	887	582	353
6	1799	1622	1475	1238	1128	743	487	296
7	1552	1400	1272	1067	972	640	419	254
8	1366	1230	1117	938	854	560	367	222
9	1221	1098	997	836	761	499	327	198
10	1102	991	900	754	687	450	295	178
11	1008	904	820	687	626	412	269	162
12	922	829	753	630	574	377	246	157
13	853	768	696	583	530	348	228	138
14	795	714	648	543	494	324	211	128
15	742	667	606	507	460	302	197	119
16	696	625	567	474	432	283	185	
18	621	558	505	424	385	252	165	
20	559	502	456	380	346	227	148	
22	510	457	415	347	316	206	135	
24	466	420	379	318	290	188	123	
26	432	388	352	294	267	175		
28	400	360	327	273	247	162		
30	375	336	304	254	231	151		

HEAD IN FEET PIPE WILL STAND, SINGLE RIVETED.

Diameter of Pipe in Inches.	No. 8. .165 in.	No. 9. .148 in.	No. 10. .134 in.	No. 11. .120 in.	No. 12. .109 in.	No. 14. .083 in.	No. 16. .065 in.	No. 18. .049 in.
5	1709	1542	1404	1158	1056	739	466	265
6	1439	1297	1180	972	887	619	390	222
7	1242	1120	1018	838	763	533	335	191
8	1093	984	894	737	671	467	294	181
9	977	878	798	657	598	416	262	149
10	882	793	720	593	540	375	236	134
11	806	724	656	540	492	342	215	122
12	738	664	603	495	451	314	196	
13	683	614	557	459	417	290	182	
14	636	571	518	427	388	270	169	
15	594	534	485	398	362	252	158	
16	557	500	454	373	340	236	148	
18	497	446	404	333	302	210	132	
20	448	402	365	299	272	189	118	
22	408	366	332	272	248	172		
24	373	336	303	249	227	157		
26	345	311	282	231	210	146		
28	320	288	261	214	195	135		
30	300	269	243	200	181	126		

HYDRAULIC PIPE.

The thickness of iron is usually proportionate to the head of water and the diameter of the pipe used. Pipes made of different sizes of iron mentioned below, will stand a strain per sectional inch, in pounds avoirdupois, as follows:—

Water Co-efficients.—No 12, strain per inch, 7,000 to 9,000 lbs.; No. 10 to 9, 9,000 to 12,000 lbs.; No. 9 to 3.16, 12,000 to 14,000 lbs.; $\frac{1}{4}$ to $\frac{3}{8}$, 17,000 to 18,000 lbs.

The head of the water in pounds avoirdupois, multiplied by the diameter of the pipe in inches, and divided by the above coefficients, gives twice the thickness necessary of the iron to be used. It is advisable to lower the head of water to avoid leakage, for which due allowance should be made.

Diameter of Rivets to Iron Used.—No. 18 iron, 5-32-inch rivet; 16, 6-32; 14, 5-16; 12, 5-16; 11, 5-16; 10, $\frac{3}{4}$; 8, $\frac{3}{8}$; 7, $\frac{3}{8}$; $\frac{1}{4}$, $\frac{1}{2}$; 5-16, $\frac{5}{8}$; $\frac{3}{8}$, $\frac{3}{4}$ inch.

At Cherokee, Butte Co., Cal., is an inverted siphon of wrought iron; the pipe has an approximate inner diameter of 30 inches, discharging 52 cubic feet of water per second. The iron used in this pipe is ordinary English plate. At its greatest depression this pipe sustains a pressure of 887 feet, and the thickness of the iron at this point is $\frac{3}{8}$ of an inch. The maximum strain on the several sizes of iron used, will be found in the following table.

HYDRAULIC PIPE.—Continued.

Size of Iron.		Pressure.		Strain per	Size of Iron.		Pressure.		Strain per
No.	Inch.	Feet.	Pounds.	Sqr. inch in pounds.	No.	Inch.	Feet.	Pounds.	Sqr. inch in pounds.
14	.083	170	74	13.374	3-16	.187	435	188	15.080
12	.109	288	125	17.202	$\frac{1}{2}$.250	594	251	15.420
11	.012	293	127	15.878	5-16	.312	842	365	17.594
10	.134	355	154	17.240	$\frac{3}{8}$.375	887	384	15.367

The Virginia City & Gold Hill Water Co., Nevada, have a similar siphon, made of wrought iron, $1\frac{1}{2}$ inches in diameter. This pipe sustains a maximum pressure of 750 lbs. per square inch, at the point of its greatest depression, which is 1720 feet, (probably the greatest depression under which water, through pipes, is conducted in the world). This pipe when tested, is said to have stood a pressure of 14,000 lbs. to the square inch.

The accompanying tables will sufficiently illustrate (to those most interested) the manufacture of wrought iron pipe, for the conducting of water under great pressure. The accompanying figures show in detail, the construction of 5,800 feet of wrought iron pipe, 18 inches in diameter, manufactured by the "Risdon Iron Works," of San Francisco, under the superintendence of Mr. Joseph Moore, for the "Spring Valley Water Co.," which company supplies the City of San Francisco with water.

Thickness of Iron used in			Width of Iron			Diameter	Pitch of Circle
Pipe.	Bands.	Sleeves.	Sheets.	Bands.	Sleeves.	of Rivets.	seams in outside corners.
Inches.	Inches.	Size.	Inches.	Inches.	Inches.	Inch.	Inches.
$\frac{1}{4}$	5-16	No. 11	42	4 $\frac{1}{2}$	5 $\frac{1}{2}$	$\frac{1}{2}$	1.4522900
3-16	$\frac{1}{4}$	" 11	42	4 $\frac{1}{2}$	5 $\frac{1}{2}$	$\frac{1}{2}$	1.4522900
3-16	$\frac{1}{4}$	" 11	44	4 $\frac{1}{2}$	5 $\frac{1}{2}$	$\frac{1}{2}$	1.4522900
No. 9	$\frac{1}{4}$	" 9	46	4 $\frac{1}{2}$	5 $\frac{1}{2}$	$\frac{3}{8}$	1.1970000
" 11	$\frac{1}{4}$	" 9	40	4 $\frac{1}{2}$	5 $\frac{1}{2}$	5-16	.9934692
" 11	$\frac{1}{4}$	" 9	42	4 $\frac{1}{2}$	5 $\frac{1}{2}$	5-16	.9934692
" 12	$\frac{1}{4}$	" 9	40	4 $\frac{1}{2}$	5 $\frac{1}{2}$	5-16	.9934692
" 12	$\frac{1}{4}$	" 9	38	4 $\frac{1}{2}$	5 $\frac{1}{2}$	5-16	.9934692

Pitch of Circle seams in inside corners.	Length of two laps.	Space between double rows.	Length to the joining holes in the	
Inches.	Inches.	Inches.	Outside Corners.	Inside Corners.
1.410623000	2	1.10	56.63931	55.01431
1.4267515000	2	1.10	56.63910	55.40931
1.4267515000	2	1.10	56.63910	55.40931
1.7915000000	1.625	.625	57.45600	56.59900
.9816157517	1.5	.625	57.6212136	56.9337136
.9816157517	1.5	.625	57.6212136	56.9337136
.9837709000	1.25	.625	57.6212136	57.0587136
.9837709000	1.25	.625	57.6212136	57.0587136

Whole length of the corners		Spaces in		Pitch of	Length of the two.	
Outside.	Inside.	Circle seams	Double row.	the small row.	Outsidespaces small row.	Laps for the double row.
Inches.	Inches	Inch's	Inches	Inches.	Inches.	Inches.
59.73900	58.11400	39	22	17.223	2.1094	2.
59.73931	58.51931	39	22	17.223	2.1094	2.
59.73931	58.51931	39	23	17.223	2.3071	2.
59.70600	58.84920	48	26	1.468	2.2070	1.625
59.74600	59.05730	58	25	1.468	2.0500	1.250
59.74600	59.05730	58	26	1.468	2.3320	1.500
59.49600	58.93330	58	25	1.468	2.0500	1.250
59.49600	58.93330	58	24	1.468	1.5180	1.250

The pipe described in the above table, has as a tensile strain of 5,000 to 6,000 lbs. per sectional inch, and has been made with this low co-efficient in order to withstand the pulsation caused by a single acting plunger pump, working as high as 36 single strokes (four feet in length) per minute. These oscillations are found by testing, to run from 5 to 9 lbs. per stroke, when the air vessel is properly charged; through carelessness, however, it may exceed 50 lbs. per stroke.

CAPACITY OF RESERVOIRS IN GALLONS.

NOTE—The columns headed Length and Width denote the length and width in feet; the columns headed Gallons denote the capacity in U. S. gallons of **one foot** in depth.

Length and Width.	Gallons.	Length and Width.	Gallons.	Length and Width.	Gallons.	Length and Width.	Gallons.
1 x 1	7.481	8 x 8	478.753	17 x 11	1398.857	34 x 13	3306.390
2 x 1	14.961	9 x 8	538.597	18 x 11	1481.143	35 x 13	3403.636
3 x 1	22.442	10 x 8	598.442	19 x 11	1563.429	36 x 13	3500.883
2 x 2	29.922	11 x 8	658.286	20 x 11	1645.714	37 x 13	3598.130
3 x 2	44.883	12 x 8	718.130	21 x 11	1728.000	38 x 13	3695.377
4 x 2	59.844	13 x 8	777.974	22 x 11	1810.286	39 x 13	3792.623
5 x 2	74.805	14 x 8	837.818	23 x 11	1892.571	40 x 13	3890.870
6 x 2	89.766	15 x 8	897.662	24 x 11	1974.857	41 x 13	3989.116
3 x 3	67.325	16 x 8	957.507	25 x 11	2057.143	42 x 13	4087.362
4 x 3	89.766	17 x 8	1017.351	26 x 11	2139.428	43 x 13	4185.608
5 x 3	112.208	18 x 8	1077.195	27 x 11	2221.714	44 x 13	4283.854
6 x 3	134.649	19 x 8	1137.039	28 x 11	2304.000	45 x 13	4382.100
7 x 3	157.091	20 x 8	1196.883	29 x 11	2386.286	46 x 13	4480.346
8 x 3	179.532	21 x 8	1256.727	30 x 11	2468.571	47 x 13	4578.592
9 x 3	201.974	22 x 8	1316.571	31 x 11	2550.857	48 x 13	4676.838
4 x 4	119.688	23 x 8	1376.416	32 x 11	2633.143	49 x 13	4775.084
5 x 4	149.610	24 x 8	1436.260	33 x 11	2715.429	50 x 13	4873.330
6 x 4	179.532	9 x 9	605.922	12 x 12	1077.195	25 x 14	2618.182
7 x 4	209.455	10 x 9	673.247	13 x 12	1166.961	26 x 14	2722.909
8 x 4	239.377	11 x 9	740.571	14 x 12	1256.727	27 x 14	2827.636
9 x 4	269.299	12 x 9	807.896	15 x 12	1346.493	28 x 14	2932.364
10 x 4	299.221	13 x 9	875.221	16 x 12	1436.260	29 x 14	3037.091
11 x 4	329.143	14 x 9	942.545	17 x 12	1526.026	30 x 14	3141.818
12 x 4	359.065	15 x 9	1009.870	18 x 12	1615.792	31 x 14	3246.545
5 x 5	187.013	16 x 9	1077.195	19 x 12	1705.558	32 x 14	3351.273
6 x 5	224.416	17 x 9	1144.519	20 x 12	1795.325	33 x 14	3456.000
7 x 5	261.818	18 x 9	1211.844	21 x 12	1885.091	34 x 14	3560.727
8 x 5	299.221	19 x 9	1279.169	22 x 12	1974.857	35 x 14	3665.454
9 x 5	336.623	20 x 9	1346.493	23 x 12	2064.623	36 x 14	3770.182
10 x 5	374.026	21 x 9	1413.818	24 x 12	2154.390	37 x 14	3874.909
11 x 5	411.429	22 x 9	1481.143	25 x 12	2244.156	38 x 14	3979.636
12 x 5	448.831	23 x 9	1548.467	26 x 12	2333.922	39 x 14	4084.364
13 x 5	486.234	24 x 9	1615.792	27 x 12	2423.688	40 x 14	4189.091
14 x 5	523.636	25 x 9	1683.117	28 x 12	2513.455	41 x 14	4293.818
15 x 5	561.039	26 x 9	1750.442	29 x 12	2603.221	42 x 14	4398.545
6 x 6	269.299	27 x 9	1817.766	30 x 12	2692.987	43 x 14	4503.272
7 x 6	314.182	10 x 10	748.052	31 x 12	2782.753	44 x 14	4608.000
8 x 6	359.065	11 x 10	822.857	32 x 12	2872.520	45 x 14	4712.727
9 x 6	403.948	12 x 10	897.662	33 x 12	2962.286	46 x 14	4817.454
10 x 6	448.831	13 x 10	972.467	34 x 12	3052.052	47 x 14	4922.182
11 x 6	493.714	14 x 10	1047.273	35 x 12	3141.818	48 x 14	5026.909
12 x 6	538.597	15 x 10	1122.078	36 x 12	3231.585	49 x 14	5131.636
13 x 6	583.480	16 x 10	1196.883	37 x 12	3321.351	50 x 14	5236.364
14 x 6	628.364	17 x 10	1271.688	14 x 13	1361.454	23 x 15	2580.779
15 x 6	673.247	18 x 10	1346.493	15 x 13	1458.701	24 x 15	2692.987
16 x 6	718.130	19 x 10	1421.299	16 x 13	1555.948	25 x 15	2805.195
17 x 6	763.013	20 x 10	1496.104	17 x 13	1653.195	26 x 15	2917.403
18 x 6	807.896	21 x 10	1570.909	18 x 13	1750.442	27 x 15	3029.610
7 x 7	366.545	22 x 10	1645.714	19 x 13	1847.688	28 x 15	3141.818
8 x 7	418.909	23 x 10	1720.519	20 x 13	1944.935	29 x 15	3254.026
9 x 7	471.273	24 x 10	1795.325	21 x 13	2042.182	30 x 15	3366.234
10 x 7	523.636	25 x 10	1870.130	22 x 13	2139.429	31 x 15	3478.442
11 x 7	576.000	26 x 10	1944.935	23 x 13	2236.675	32 x 15	3590.649
12 x 7	628.364	27 x 10	2019.740	24 x 13	2333.922	33 x 15	3702.857
13 x 7	680.727	28 x 10	2094.545	25 x 13	2431.169	34 x 15	3815.065
14 x 7	733.091	29 x 10	2169.351	26 x 13	2528.416	35 x 15	3927.273
15 x 7	785.455	30 x 10	2244.156	27 x 13	2625.662	36 x 15	4039.480
16 x 7	837.818	11 x 11	905.143	28 x 13	2722.909	37 x 15	4151.688
17 x 7	890.182	12 x 11	987.429	29 x 13	2820.156	38 x 15	4263.896
18 x 7	942.545	13 x 11	1069.714	30 x 13	2917.403	39 x 15	4376.104
19 x 7	994.909	14 x 11	1152.000	31 x 13	3014.649	40 x 15	4488.312
20 x 7	1047.273	15 x 11	1234.286	32 x 13	3111.896	41 x 15	4600.519
21 x 7	1099.636	16 x 11	1316.571	33 x 13	3209.143	42 x 15	4712.727

CAPACITY OF RESERVOIRS IN GALLONS—CONTINUED.

Length and Width.	Gallons.	Length and Width.	Gallons.	Length and Width.	Gallons.	Length and Width.	Gallons.
43 x 15	4824.935	32 x 18	4308.779	34 x 22	5595.429	38 x 30	8527.792
44 x 15	4937.143	33 x 18	4443.429	36 x 22	5924.571	40 x 30	8976.623
45 x 15	5049.351	34 x 18	4578.078	38 x 22	6253.714	42 x 30	9425.454
16 x 16	1915.013	35 x 18	4712.727	40 x 22	6582.857	44 x 30	9874.286
17 x 16	2034.701	36 x 18	4847.377	42 x 22	6912.000	46 x 30	10323.117
18 x 16	2154.390	19 x 19	2700.467	44 x 22	7241.143	48 x 30	10771.948
19 x 16	2274.078	20 x 19	2842.597	24 x 24	4308.779	50 x 30	11220.779
20 x 16	2393.766	21 x 19	2984.727	26 x 24	4667.844	52 x 30	11669.610
21 x 16	2513.454	22 x 19	3126.857	28 x 24	5026.909	54 x 30	12118.442
22 x 16	2633.143	23 x 19	3268.987	30 x 24	5385.974	56 x 30	12577.273
23 x 16	2752.831	24 x 19	3411.117	32 x 24	5745.039	58 x 30	13016.104
24 x 16	2872.519	25 x 19	3553.247	34 x 24	6104.104	60 x 30	13464.935
25 x 16	2992.208	26 x 19	3695.377	36 x 24	6463.169	32 x 32	7660.052
26 x 16	3111.896	27 x 19	3837.506	38 x 24	6822.234	34 x 32	8138.805
27 x 16	3231.584	28 x 19	3979.636	40 x 24	7181.299	36 x 32	8617.558
28 x 16	3351.273	29 x 19	4121.766	42 x 24	7540.364	38 x 32	9096.312
29 x 16	3470.961	30 x 19	4263.896	44 x 24	7899.429	40 x 32	9575.065
30 x 16	3590.649	31 x 19	4406.026	46 x 24	8258.493	42 x 32	10053.818
31 x 16	3710.338	32 x 19	4548.156	48 x 24	8617.558	44 x 32	10532.571
32 x 16	3830.026	33 x 19	4690.286	26 x 26	5056.831	46 x 32	11011.325
17 x 17	2161.870	34 x 19	4832.416	28 x 26	5445.818	48 x 32	11490.078
18 x 17	2289.039	35 x 19	4974.545	30 x 26	5834.805	50 x 32	11968.831
19 x 17	2416.208	36 x 19	5116.675	32 x 26	6223.792	52 x 32	12447.584
20 x 17	2543.377	37 x 19	5258.805	34 x 26	6612.779	54 x 32	12926.338
21 x 17	2670.545	38 x 19	5400.935	36 x 26	7001.766	56 x 32	13405.091
22 x 17	2797.714	20 x 20	2992.208	38 x 26	7390.753	58 x 32	13883.844
23 x 17	2924.883	21 x 20	3141.818	40 x 26	7779.740	60 x 32	14362.597
24 x 17	3052.052	22 x 20	3291.429	42 x 26	8168.727	62 x 32	14841.351
25 x 17	3179.221	23 x 20	3441.039	44 x 26	8557.714	64 x 32	15320.104
26 x 17	3306.390	24 x 20	3590.649	46 x 26	8946.701	34 x 34	8647.480
27 x 17	3433.558	25 x 20	3740.260	48 x 26	9335.688	36 x 34	9156.156
28 x 17	3560.727	26 x 20	3889.870	50 x 26	9724.675	38 x 34	9664.831
29 x 17	3687.896	27 x 20	4039.480	52 x 26	10113.662	40 x 34	10173.506
30 x 17	3815.065	28 x 20	4189.091	28 x 28	5864.727	42 x 34	10682.182
31 x 17	3942.234	29 x 20	4338.701	30 x 28	6283.636	44 x 34	11190.857
32 x 17	4069.403	30 x 20	4488.312	32 x 28	6702.545	46 x 34	11699.532
33 x 17	4196.571	31 x 20	4637.922	34 x 28	7121.454	48 x 34	12208.208
34 x 17	4323.740	32 x 20	4787.532	36 x 28	7540.364	50 x 34	12716.883
18 x 18	2423.688	33 x 20	4937.143	38 x 28	7959.273	52 x 34	13225.558
19 x 18	2558.338	34 x 20	5086.753	40 x 28	8378.182	54 x 34	13734.234
20 x 18	2692.987	35 x 20	5236.364	42 x 28	8797.091	56 x 34	14242.909
21 x 18	2827.636	36 x 20	5385.974	44 x 28	9216.000	58 x 34	14751.584
22 x 18	2962.286	37 x 20	5535.584	46 x 28	9634.909	60 x 34	15260.260
23 x 18	3096.935	38 x 20	5685.195	48 x 28	10053.818	62 x 34	15768.935
24 x 18	3231.584	39 x 20	5834.805	50 x 28	10472.727	64 x 34	16277.610
25 x 18	3366.234	40 x 20	5984.416	52 x 28	10891.636	66 x 34	16786.286
26 x 18	3500.883	22 x 22	3620.571	54 x 28	11310.545	68 x 34	17294.961
27 x 18	3635.532	24 x 22	3949.714	56 x 28	11729.454	36 x 36	9694.753
28 x 18	3770.182	26 x 22	4278.857	30 x 30	6732.467	38 x 36	10233.351
29 x 18	3904.831	28 x 22	4608.000	32 x 30	7181.299	40 x 36	10771.948
30 x 18	4039.480	30 x 22	4937.143	34 x 30	7630.130	42 x 36	11310.545
31 x 18	4174.130	32 x 22	5266.286	36 x 30	8078.961	44 x 36	11849.143

To determine the capacity in gallons of a reservoir find the capacity in cubic inches and divide by 231.

EXAMPLE—Required the capacity in gallons of a reservoir 62 feet in length, 34 feet in width, and 40 feet in depth.

Solution 1.—By computation, with no reference to the table—

$$(62 \times 12) \times (34 \times 12) \times (40 \times 12) \div 231 = 630,757.4; \text{ or,}$$

$$62 \times 34 \times 40 \div 1728 \div 231 = 630,757.4$$

Solution 2.—In the table it is shown that the capacity of a reservoir 62 feet long and 34 feet wide and 1 foot in depth is 15,768.935 gallons.

$$15,768.935 \times 40 = 630,757.4 \text{ gallons.}$$

CAPACITY OF CIRCULAR RESERVOIRS IN GALLONS.

NOTE.—The columns headed Diameter denote the diameter in feet and inches; the columns headed Gallons denote the capacity in U. S. gallons of **one foot** in depth.

Diameter.	Gallons.	Diameter.	Gallons.	Diameter.	Gallons.	Diameter.	Gallons.
ft. in.		ft. in.		ft. in.		ft. in.	
1	5.8752	14	1151.5392	27	4283.0208	40	9400.32
1 3	9.18	14 3	1193.0328	27 3	4362.7032	40 3	9518.1912
1 6	13.2192	14 6	1235.2608	27 6	4443.12	40 6	9636.7968
1 9	17.9928	14 9	1278.2232	27 9	4524.2712	40 9	9756.1368
2	23.5008	15	1321.92	28	4606.1568	41	9876.2112
2 3	29.7432	15 3	1366.3512	28 3	4688.7768	41 3	9997.02
2 6	36.72	15 6	1411.5168	28 6	4772.1312	41 6	10118.5632
2 9	44.4312	15 9	1457.4168	28 9	4856.22	41 9	10240.8408
3	52.8768	16	1504.0512	29	4941.0432	42	10363.8528
3 3	62.0568	16 3	1551.42	29 3	5026.6008	42 3	10487.5992
3 6	71.9712	16 6	1599.5232	29 6	5112.8928	42 6	10612.08
3 9	82.62	16 9	1648.3608	29 9	5199.9192	42 9	10737.2952
4	94.0032	17	1697.9328	30	5287.68	43	10863.2448
4 3	106.1208	17 3	1748.2392	30 3	5276.1752	43 3	10989.9288
4 6	118.9728	17 6	1799.28	30 6	5465.4048	43 6	11117.3472
4 9	132.5592	17 9	1851.6552	30 9	5555.3688	43 9	11245.5
5	146.88	18	1903.5648	31	5646.0672	44	11374.3872
5 3	161.9352	18 3	1956.8088	31 3	5737.5	44 3	11504.0088
5 6	177.7248	18 6	2010.7872	31 6	5829.6672	44 6	11634.3648
5 9	194.2488	18 9	2065.5	31 9	5922.5688	44 9	11765.4552
6	211.5072	19	2120.9472	32	6016.2048	45	11897.28
6 3	229.5	19 3	2177.1288	32 3	6110.5752	45 3	12029.8392
6 6	248.2272	19 6	2234.0418	32 6	6205.68	45 6	12163.1328
6 9	267.6888	19 9	2291.6952	32 9	6301.5192	45 9	12297.1608
7	287.8848	20	2350.08	33	6398.0928	46	12431.9232
7 3	308.8152	20 3	2409.1992	33 3	6495.4008	46 3	12567.42
7 6	330.48	20 6	2469.0528	33 6	6593.4432	46 6	12703.6512
7 9	352.8792	20 9	2529.6403	33 9	6692.22	46 9	12840.6168
8	376.0128	21	2590.9632	34	6791.7312	47	12978.3168
8 3	399.8808	21 3	2653.02	34 3	6891.9768	47 3	13116.7512
8 6	424.4832	21 6	2715.8112	34 6	6992.9568	47 6	13255.92
8 9	449.82	21 9	2779.3368	34 9	7094.6712	47 9	13395.8232
9	475.8912	22	2843.5968	35	7197.12	48	13536.4608
9 3	502.6968	22 3	2908.5912	35 3	7300.3032	48 3	13677.8328
9 6	530.2368	22 6	2974.32	35 6	7404.2208	48 6	13819.9392
9 9	558.5112	22 9	3040.7832	35 9	7508.8728	48 9	13962.78
10	587.52	23	3107.9808	36	7614.2592	49	14106.3552
10 3	617.2632	23 3	3175.9128	36 3	7720.38	49 3	14250.6648
10 6	647.7408	23 6	3244.5792	36 6	7827.2352	49 6	14395.7088
10 9	678.9528	23 9	3313.98	36 9	7934.8248	49 9	14541.4872
11	710.8992	24	3384.1152	37	8043.1488	50	14688.
11 3	743.58	24 3	3454.9848	37 3	8152.2072	50 3	14835.2472
11 6	776.9952	24 6	3526.5888	37 6	8262.	50 6	14983.2288
11 9	811.1448	24 9	3598.9272	37 9	8372.5272	50 9	15131.9448
12	846.0288	25	3672.	38	8483.7888	51	15281.3952
12 3	881.6472	25 3	3745.8072	38 3	8595.7848	51 3	15431.58
12 6	918.	25 6	3820.3488	38 6	8708.5152	51 6	15582.4992
12 9	955.0872	25 9	3895.6248	38 9	8821.98	51 9	15734.1528
13	992.9088	26	3971.6352	39	8936.1792	52	15886.5408
13 3	1031.4648	26 3	4048.38	39 3	9051.1128	52 3	16039.6632
13 6	1070.7552	26 6	4125.8592	39 6	9166.7808	52 6	16193.52
13 9	1110.78	26 9	4204.0728	39 9	9283.1832	52 9	16348.1112

To determine the capacity in gallons of a circular reservoir multiply the square of the diameter in inches by .7854; multiply the product by the depth in inches; and divide by 231.

EXAMPLE.—Required the capacity in gallons of a circular reservoir 52 feet in diameter and 40 feet in depth.

Solution 1.—By computation with no reference to the table—

$$(52 \times 12)^2 \times .7854 \times (40 \times 12) \div 231 = 635,461.6 \text{ gallons.}$$

Solution 2.—In the table it is shown that the capacity of a circular reservoir 52 feet in diameter and 1 foot in depth is 15,886.5408 gallons.

$$15,886.5408 \times 40 = 635,461.6 \text{ gallons.}$$

DIMENSIONS OF CIRCULAR CANS, VESSELS, ETC.—CONTINUED.

DIAMETER.	2¼ Gal.	2½ Gal.	2¾ Gal.	3 Gal.	3¼ Gal.	3½ Gal.	3¾ Gal.	4 Gal.	4¼ Gal.	4½ Gal.	4¾ Gal.	5 Gal.
6.	18 6											
6¼.	16 15 18 13											
6½.	15 10 17 6	19 2										
6¾.	14 8 16 2	17 11	19 4	20 13								
7.	13 8 15 0	16 8	18 0	19 8	21 0							
7¼.	12 9 14 0	15 6	16 12	18 3	19 9	20 15						
7½.	11 12 13 1	14 6	15 11	17 0	18 4	19 9	20 14	22 3				
7¾.	11 0 12 4	13 7	14 11	15 14	17 2	18 6	19 9	20 13	22 0	23 4		
8.	10 5 11 8	12 10	13 12	14 15	16 1	17 4	18 6	19 8	20 11	21 13	22 15	
8¼.	9 11 10 13	11 14	12 15	14 1	15 2	16 3	17 4	18 6	19 7	20 8	21 10	
8½.	9 2 10 3	11 3	12 3	13 4	14 4	15 4	16 4	17 5	18 5	19 5	20 6	
8¾.	8 10 9 10	10 9	11 8	12 8	13 7	14 6	15 6	16 5	17 4	18 4	19 3	
9.	8 3 9 1	10 0	10 14	11 13	12 11	13 10	14 8	15 7	16 5	17 4	18 2	
9¼.	7 11 8 9	9 7	10 5	11 3	12 0	13 12	14 13	15 12	16 10	17 8	18 5	
9½.	7 5 8 2	8 15	9 12	10 9	11 6	12 3	13 0	14 13	15 10	16 7	17 5	
9¾.	6 15 7 12	8 8	9 4	10 1	10 13	11 9	12 6	13 2	14 15	15 11	16 7	
10.	6 10 7 5	8 1	8 13	9 9	10 5	11 0	11 12	12 8	13 4	14 15	15 11	
10¼.	6 5 7 0	7 11	8 6	9 1	9 13	10 8	11 3	12 11	13 14	14 12	15 14	0
10½.	6 0 6 11	7 5	8 0	8 11	9 5	10 0	10 11	11 5	12 0	13 11	14 5	
10¾.	5 11 6 6	7 0	7 10	8 4	8 14	9 9	10 3	11 13	12 11	13 7	14 12	11
11.	5 7 6 1	6 11	7 5	7 14	8 8	9 2	9 11	10 5	10 15	11 9	12 2	
11¼.		5 13	6 6	6 15	7 9	8 2	8 11	9 5	9 14	10 7	11 0	11 10
11½.		5 9	6 2	6 11	7 3	7 12	8 5	8 14	9 7	10 0	10 9	11 2
11¾.			5 14	6 6	6 15	7 8	8 0	8 8	9 1	9 9	10 12	10 10
12.				6 2	6 10	7 2	7 10	8 3	8 11	9 3	9 11	10 3
12¼.					6 2	6 9	7 1	7 8	8 0	8 7	8 15	9 6
13.							6 8	6 15	7 6	7 13	8 4	8 11
13½.							6 7	6 14	7 4	7 10	8 1	
14.										7 2	7 8	

	6 Gal.	7 Gal.	8 Gal.	9 Gal.	10 Gal.	11 Gal.	12 Gal.	13 Gal.	14 Gal.	15 Gal.	16 Gal.	17 Gal.
9¼.	20 10	24 1	27 8									
9½.	19 9	22 13	26 1	29 5								
9¾.	18 9	21 10	24 12	27 13	30 15							
10.	17 10	20 9	23 8	26 7	29 6							
10¼.	16 13	19 9	22 6	25 3	28 0	30 12						
10½.	16 0	18 11	21 5	24 0	26 11	29 5	32 1					
10¾.	15 4	17 13	20 6	22 14	25 7	28 0	30 8	33 1				
11.	14 9	17 0	19 7	21 14	24 5	26 12	29 2	31 9	34 0			
11¼.	13 15	16 4	18 9	20 14	23 4	25 9	27 14	30 3	32 8	34 14		
11½.	13 5	15 9	17 12	20 0	22 4	24 7	26 11	28 14	31 2	33 6	35 9	
11¾.	12 12	14 14	17 0	19 3	21 5	23 7	25 9	27 11	29 13	31 15	34 1	36 3
12.	12 4	14 4	16 5	18 6	20 7	22 7	24 8	26 9	28 9	30 10	32 11	34 11
12¼.	11 5	13 3	15 1	16 15	18 13	20 11	22 9	24 7	26 5	28 4	30 2	32 0
12½.	10 7	12 3	13 15	15 10	17 6	19 2	20 14	22 10	24 6	26 2	27 13	29 9
13.	9 11	11 5	12 14	14 8	16 2	17 12	19 6	20 15	22 9	24 3	25 13	27 7
13¼.	9 0	10 8	12 0	13 8	15 0	16 8	18 0	19 8	21 0	22 8	24 0	25 8
14.	7 13	9 2	10 7	11 12	13 1	14 6	15 11	17 0	18 5	19 10	20 14	22 3
15.	6 14	8 0	9 3	10 10	11 8	12 10	13 12	14 15	16 1	17 3	18 6	19 8
16.	6 2	7 2	8 2	9 2	10 3	11 3	12 3	13 4	14 4	15 4	16 4	17 5
17.	5 7	6 5	7 4	8 3	9 1	10 0	10 14	11 13	12 11	13 10	14 8	15 7
18.	4 14	5 11	6 8	7 5	8 2	8 15	9 12	10 9	11 6	12 3	13 0	13 13
19.	4 6	5 2	5 14	6 10	7 5	8 1	8 13	9 9	10 5	11 0	11 12	12 8
20.												

	18 Gal.	19 Gal.	20 Gal.	21 Gal.	22 Gal.	23 Gal.	24 Gal.	25 Gal.	26 Gal.	27 Gal.	28 Gal.	29 Gal.
14.	27 0	28 8	30 0	31 8	33 0	34 8	36 0	37 8	39 0	40 8	42 0	43 8
15.	23 8	24 13	26 2	27 7	28 12	30 1	31 6	32 11	34 0	35 5	36 9	37 14
16.	20 11	21 13	22 15	24 2	25 4	26 7	27 9	28 11	29 14	31 0	32 2	33 5
17.	18 5	19 5	20 5	21 6	22 6	23 6	24 7	25 7	26 7	27 7	28 7	29 8
18.	16 5	17 4	18 2	19 1	19 15	20 14	21 12	22 11	23 9	24 8	25 6	26 5
19.	14 10	15 7	16 5	17 2	17 15	18 12	19 9	20 6	21 3	22 0	22 13	23 10
20.	13 4	13 15	14 11	15 7	16 3	16 14	17 10	18 6	19 2	20 13	21 9	22 5

ARTESIAN WELLS.—An artesian well is one in which the waters of a lower stratum are enabled to rise sufficiently near to the surface to permit their economical use. The name artesian is derived from Artois, a province of France, where water has been obtained, from a remote period, by boring vertically down through impermeable strata to a stratum more or less permeable, charged with water in a basin-shaped depression, or so inclined as to reach the surface of the earth at some distance from the point at which the bore-hole is made. Wells of this kind were known to the ancients, and they abounded in the Libyan Desert and the plains of Tyre. To-day they are being successfully used for reclaiming large tracts of Sahara. The principle of the artesian well is very simple. When a hole is bored down through the upper impermeable layer to the surface of an underground reservoir, water is forced up, by the law compelling it to seek its level, to a height greater or less, according to the elevation of level in the feeding column, thus forming a natural fountain on precisely the same principle as that of the common artificial fountain which gets its supply from a height above the jet. It is essential to the success of an artesian well, that there be continuity of permeable stratum between two impermeable strata which have neither flaw nor leakage. The ground to be bored may have a steep inclination extending to the bottom of the water-bearing beds, and then the water supply is necessarily limited. Yet a good supply can be secured if the water-bearing strata be very porous, and have a considerable lateral extension. On the other hand, the inclination of the strata may be very gradual, with a larger area of surface receiving the rainfall. But the condition most favorable to large and constant flow is when most of the rainfall on a surface percolates through to the water-bearing strata. When a boring has to be made to water-bearing strata through other rocks slightly permeable, the quantity of water is more or less seriously affected, and artificial hydrostatic pressure is required. Several kinds of water may be encountered in the same sinking. To suppress an impure flow, water tubes must be inserted in the bore-holes, and this is always necessary when loose sand and strata are struck. When the water has so little hydrostatic pressure that it can not rise to the surface, a pump of some kind must be used. If the level of the water is below thirty feet from the surface, only a plunger-pump is useful. The quantity of water found in any strata does not depend solely on the surface of such strata exposed to the rainfall, but is much influenced by the degree of porosity of the strata, which is the test of their saturative capacity. Water may be obtained by means of short holes a few yards down, when the object is to collect the surface drainage by means of small pumps. Where gravel only is found, water can not generally be procured through short holes; but when the gravel rests on impervious clay, success is assured. If there be a river close to porous strata, it will probably carry off much of the water which would otherwise have saturated the permeable rocks. The geological formations most favorable to artesian borings are those which combine compact and impermeable strata with porous and open rocks. It is hard, even in a known district, to calculate what quantity of water may be expected to drain to a bore-hole, because it is impossible to determine the lateral extension of the drainage. The more porous and saturable the water-bearing strata, the greater the drainage carried to a given point. Artesian tools are not essentially different from those used in sinking mine shafts. Free falling tools, worked by steam power, are employed when bore-holes of large diameter are needed, the weight of the tool giving sufficient percussion to pierce the hardest rock. It is said that a serious difficulty in boring artesian wells has been conquered by an ingenious contrivance invented by the engineer who bored the well on Mare Island, near San Francisco, Cal. He claims to have succeeded in boring an 8-inch hole with a 6-inch drill, and thus making a hole with uniform diameter from top to bottom, instead of the tapering bore which heretofore necessitated serious expense for various casings. The oldest well still flowing is at Lillers, France, dating back to the 12th century. The deepest boring of importance is at Sprenburg, 20 miles from Berlin, sunk for the purpose of getting rock salt. Several years ago it had reached a depth of 4,194 feet, and it is said that the work is still vigorously pushed. A well at Passy, one of the suburbs of Paris, flows steadily at the rate of 5,600,000 gallons a day. But the well of Grenelle, another Parisian suburb, has long been regarded as the most famous and successful of all artesian exploits. Here the chalk was overlaid by gravels, marls, and clays, capable of intercepting the passage of water. It was decided to bore through the chalk into water-bearing sand. This was done; and in 1841, after 8 years' labor, the rods suddenly sank several yards through the subterranean waters. In a few hours the discharge of water was at the rate of 881,884 gallons in 24 hours, with a temperature of 82° F. The surface of the ground at the well is 102 feet above the level of the sea, and the pressure is enough to carry the water 120 feet above this. The exposed surface of the water-bearing beds which supply the well of Grenelle is about 117 square miles; the subterranean area in connection with these lines of outcrop may possibly be about 20,000 square miles; and the average thickness of the sand, etc., or underground reservoir, is not more than 30 feet. The well is 1,798 feet deep, cost \$72,500, and has been flowing steadily for about 56 years.

CAPACITY OF BARRELS, CASKS, PIPES AND PUNCHEONS.

NOTE.—The Length and Mean Diameter of a Cask or Package having been found, opposite the former, on the left hand margin, and beneath the latter, on the upper margin, will be found the capacity in **Wine Gallons**.

In computing this table the following rule has been observed:—The square of the mean diameter of the cask, in inches and tenths of inches, is multiplied by the decimal **.0034**, and this product by the length of the cask.

In the final product, any fraction less than **.25** is dropped; if **.25**, or any intermediate fraction to and including **.75**, it is called one-half gallon; if above **.75** to the unit, it is called a whole gallon.

VARIETIES OF CASKS.

Casks are classed in *three* varieties, and the distinction consists in the curvature of the staves, at what is termed the quarter-hoop; that is at a point midway between the bung and chime; viz., Casks having the least curvature are termed the *first* variety; those having a medium curvature the *second* variety; and those having the greatest curvature the *third* variety.

RULE.—To find the **Mean Diameter** of the *first* variety of casks, multiply the difference between the head diameter and the bung diameter (*inside measurement*) by the decimal **.55** and add the product to the head diameter, the sum being the **mean diameter**; for the *second* variety multiply the difference between the two diameters by the decimal **.63**, adding the product to the head diameter; for the *third* variety multiply by the decimal **.70**, and, as above, adding the product to the head.

Having thus found the mean diameter, to find the **Capacity**, multiply the square of the mean diameter, in inches, by the decimal **.0034**, which is substantially the same as dividing by 294, being the number of cylindrical inches in a wine gallon, and the product will be the wine gallons in one inch in length. Multiply this by the length in inches and the product will be the capacity in wine gallons.

MEAN DIAMETER OF CASKS IN INCHES.

Lengths in Inches.	10.0 Gals.	10.5 Gals.	11.0 Gals.	11.5 Gals.	12.0 Gals.	12.5 Gals.	13.0 Gals.	13.5 Gals.	14.0 Gals.	14.5 Gals.	15.0 Gals.	15.5 Gals.	16.0 Gals.
14.0	5	5	6	6 $\frac{1}{2}$
14.3	5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
14.5	5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
14.7	5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8
15.0	5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9
15.3	5	5 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10
15.5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11
15.7	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$
15.9	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7	8	9	10	11	12	13	14
16.0	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7	8	9	10	11	12	13	14	15	16
16.3	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7	8	9	10	11	12	13	14	15	16
16.5	5 $\frac{1}{2}$	6	7	7 $\frac{1}{2}$	8	9	10	11	12	13	14	15	16
16.7	5 $\frac{1}{2}$	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8	9	10	11	12	13	14	15	16
16.9	5 $\frac{1}{2}$	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	10	11	12	13	14	15	16
17.0	6	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	10	11	12	13	14	15	16
17.3	6	6 $\frac{1}{2}$	7	8	8 $\frac{1}{2}$	9	10	11	12	13	14	15	16
17.5	6	6 $\frac{1}{2}$	7	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10	11	12	13	14	15	16
17.7	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10	11	12	13	14	15	16
17.9	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	13	14	15	16
18.0	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	13	14	15	16
18.3	6	7	7 $\frac{1}{2}$	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12	13	14	15	16
18.5	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	10	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13	14	15	16
18.7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	10	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$
18.9	6 $\frac{1}{2}$	7	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10	11	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$
19.0	6 $\frac{1}{2}$	7	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10	11	12	13	14	15	16	17
19.3	6 $\frac{1}{2}$	7	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	13	14	15	16	17
19.5	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	13	14	15	16	17
19.7	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12	13	14	15	16	17
19.9	7	7 $\frac{1}{2}$	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14	15	16	17
20.0	7	7 $\frac{1}{2}$	8	9	10	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	17 $\frac{1}{2}$
20.3	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	10	11	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	17 $\frac{1}{2}$
20.5	7	8	8 $\frac{1}{2}$	9	10	11	12	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	18
20.7	7	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10	11	12	13	14	15	16	17	18
21.0	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	13	14	15	16	17	18
21.3	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12	13	14	15	16 $\frac{1}{2}$	17 $\frac{1}{2}$	18 $\frac{1}{2}$
21.5	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	17 $\frac{1}{2}$	18 $\frac{1}{2}$
21.7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	17 $\frac{1}{2}$	19
22.0	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9	10	11	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	17 $\frac{1}{2}$	19
22.3	8	8 $\frac{1}{2}$	9	10	11	12	13	14	15	16	17	18	19 $\frac{1}{2}$
22.5	8	8 $\frac{1}{2}$	9	10	11	12	13	14	15	16	17	18 $\frac{1}{2}$	19 $\frac{1}{2}$
22.7	8	9	9 $\frac{1}{2}$	10	11	12	13	14	15	16	17 $\frac{1}{2}$	18 $\frac{1}{2}$	20
23.0	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	17 $\frac{1}{2}$	19	20
23.3	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	14 $\frac{1}{2}$	15 $\frac{1}{2}$	16 $\frac{1}{2}$	18	19	20 $\frac{1}{2}$

MEAN DIAMETER OF CASKS IN INCHES.—*Continued.*

Length in Inches.	MEAN DIAMETER OF CASKS IN INCHES.—Continued.															
	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	20.5	21.0	21.5	22.0			
	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	
23.5	20½	22	23	24½	26	27½	29	30½	32	33½	35	36½	38			
23.7	20½	22	23½	24½	26	27½	29	30½	32	34	35½	37	38½			
23.9	21	22	23½	25	26½	28	29½	31	32½	34	36	37½	39½			
24.0	21	22	23½	25	26½	28	29½	31	32½	34½	36	37½	39½			
24.3	21	22½	24	25½	27	28½	30	31½	33	34½	36½	38	40			
24.5	21½	22½	24	25½	27	28½	30	31½	33½	35	36½	38½	40½			
24.7	21½	23	24½	26	27½	29	30½	32	33½	35½	37	39	40½			
24.9	21½	23	24½	26	27½	29	30½	32	34	35½	37½	39	41			
25.0	22	23	24½	26	27½	29	30½	32½	34	35½	37½	39½	41			
25.3	22	23½	25	26½	28	29½	31	32½	34	35½	37½	39½	41½			
25.5	22	23	25	26	28	29½	31½	33	34	36½	38	40	42			
25.7	22	24	25½	27	28½	30	31½	33	35	36½	38½	40½	42½			
25.9	22½	24	25½	27	28½	30	32	33½	35	37	39	41½	43½			
26.0	22½	24	25½	27	28½	30½	32	33½	35½	37	39	41	43			
26.3	23	24½	26	27½	29	30½	32½	34	36	37½	39½	41½	43½			
26.5	23	24½	26	27½	29	31	32½	34½	36	37½	39½	41½	43½			
26.7	23	24½	26	28	29	31	33	34½	36½	38	40	42	44			
26.9	23½	25	26½	28	29	31½	33	35	36½	38½	40½	42½	44½			
27.0	23½	25	26½	28½	29	31½	33	35	36½	38½	40½	42½	44½			
27.3	24	25½	27	28½	30	32	33½	35½	37	39	41	43	45			
27.5	24	25½	27	28½	30½	32	34	35½	37½	39½	41	43	45			
27.7	24½	25½	27	29	30	32	34	36	37½	39½	41½	43½	45½			
27.9	24½	26	27½	29	30	32½	34	36	38	40	42	44	46			
28.0	24½	26	27½	29	31	32½	34½	36	38	40	42	44	46			
28.3	25	26½	28	29½	31	33	34	36½	38½	40½	42½	44½	46½			
28.5	25	26½	28	29½	31½	33	35	37	39	40½	42½	45	47			
28.7	25	26	28	30	31½	33½	35	37	39	41	43	45	47			
28.9	25½	27	28½	30	32	33½	35½	37½	39½	41½	43½	45½	47½			
29.0	25½	27	28	30	32	33½	35½	37½	39½	41½	43½	45½	47½			
29.3	26	27½	29	30½	32½	34	36	38	40	42	44	46	48			
29.5	26	27½	29	30½	32	34½	36	38	40	42	44	46	48			
29.7	26	27	29	31	32½	34½	36½	38½	40½	42½	44½	46½	48½			
29.9	26½	28	29½	31	33	35	36½	38½	40½	42½	44½	46½	49			
30.0	26½	28	29	31	33	35	37	39	41	43	45	47	49			
30.3	27	28½	30	31½	33½	35½	37	39	41	43½	45½	47½	49½			
30.5	27	28½	30	32	33½	35½	37½	39½	41½	43½	45½	48	50			
30.7	27	28	30	32½	34	35½	37½	39½	41½	44	46	48	50½			
	19.0	19.5	20.0	20.5	21.0	21.5	22.0	22.5	23.0	23.5	24.0	24.5	25.0			
	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.			
30.9	38	40	42	44	46½	48½	51	53	55½	58	60½	63	65½			
31.0	38	40	42	44	46½	48½	51	53½	56	58	60½	63½	66			
31.3	38½	40½	42½	44½	47	49	51½	54	56½	59	61½	64	66½			
31.5	38½	40½	43	45	47	49½	52	54	56½	59	61½	64½	67			
31.7	39	41	43	45½	47½	49½	52	54½	57	59½	62	64½	67½			
31.9	39	41	43½	45½	48	50	52½	55	57½	60	62½	65	68			
32.0	39½	41½	43½	45½	48	50½	52½	55	57½	60	62½	65	68			
32.3	39½	42	44	46	48½	51	53	55½	58	60½	63	65½	68			
32.5	40	42	44	46	48½	51	53½	56	58½	61	63½	66	68½			
32.7	40	42½	44½	46½	49	51½	54	56½	59	61½	64	66½	69			
32.9	40½	42½	44½	47	49½	51½	54	56½	59	62	64½	67	70			
33.0	40½	43	45	47	49½	52	54½	57	59½	62	64½	67½	70			
33.3	41	43	45½	47½	50	52½	55	57½	60	62½	65	68	71			
33.5	41	43½	45½	48	50	52½	55	57½	60½	63	65½	68½	71			
33.7	41	43½	45½	48	50½	53	55½	58	60½	63½	66	69	71½			
33.9	41½	43½	46½	48½	51	53½	56	58½	61	63½	66½	69	72			
34.0	41½	43½	46½	48½	51	53½	56	58½	61	64	66½	69½	72½			
34.3	45	47	49	51½	54	56½	59	61½	64½	67	70	73	76			
34.5	45	47	49	51½	54	56½	59	62	65	67½	70½	73½	76½			
34.7	47½	49½	51½	53½	56	58½	61	63½	66	69	72	75	78			
34.9	48	50	52	54½	57	59½	62	64½	67½	70½	73½	76½	79½			
35.0	48	50	52	54½	57	59½	62	65	68	71	74	77	80			
35.3	48½	50½	53	55½	58	60½	63	65½	68½	71½	74½	77½	80½			
35.5	49	51	53	55½	58	60½	63	65½	68½	71½	74½	77½	80½			
35.7	49	51½	53½	56	58½	61	63½	66	69	72	75	78	81			
35.9	51	53½	56	58½	61	63½	66	69	72	75	78	81	84			
36.0	51½	54	57	59½	62	64½	67½	70½	73½	76½	79½	82½	85½			
36.3	52	55	57	59½	62½	65½	68½	71½	74½	77½	80½	83½	86½			
36.5	52	55½	57½	60	62½	65½	68½	71½	74½	77½	80½	83½	86½			
36.7	56	58	60½	63	65½	68½	71½	74½	77½	80½	83½	86½	89½			
36.9	56	58½	61	63½	66½	69½	72½	75½	78½	81½	84½	87½	90½			
37.0	56	58½	61	63½	66½	69½	72½	75½	78½	81½	84½	87½	90½			
37.3	62	64½	67	69½	72½	75½	78½	81½	84½	87½	90½	93½	96½			
37.5	62	64½	67½	71	74	77	80	83	86	89	92	95	98			
37.7	62½	64½	67½	71	74	77	80	83	86	89	92	95	98			
38.0	65	68	71	74	77	80	83	86	89	92	95	98	101			
38.3	65	68	71	74	77	80	83	86	89	92	95	98	101			

Length in Inches.	MEAN DIAMETER OF CASKS IN INCHES.—Continued.													
	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0	30.5	31.0	
	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	
28.0	59½	62	64½	67	69½	72½	77	82½	88½	94½	101	107½	114½	
29.0	61½	64	66½	69	72	75	77	82½	88½	94½	101	107½	114½	
30.0	64	66½	69	71½	74½	77	79½	85½	91½	97½	104	110½	117½	
31.0	66	68½	71½	74	77	79½	82½	88½	94½	101	107½	114½	121½	
32.0	68	70½	73½	76½	79½	82½	85½	91½	97½	104	110½	117½	124½	
33.0	70	73	76	79	82	85	88	94½	101	107½	114½	121½	128½	
33.5	71	74½	77	80	83	86	89½	95½	101	107½	114½	121½	128½	
34.0	72½	75½	78	81	84½	87½	90½	96½	102½	109	115½	122½	129½	
34.5	73½	76½	79	82	85½	88½	92	98½	104½	111	117½	124½	131½	
35.0	74½	77½	80½	83½	87	90	93½	99½	105½	112½	119	125½	132½	
35.5	75½	78½	81½	85	88	91½	94½	98	104½	111½	118½	125½	132½	
36.0	76½	79½	82½	86	89	92½	96	99½	105½	112½	119	126½	133½	
36.5	77½	80½	84	87	90½	94	97½	101	107½	114½	121½	128½	135½	
37.0	78½	82	85	88½	91½	95	98½	102½	108½	115½	122½	129½	136½	
37.5	79½	83	86	89½	93	96½	100	103½	109½	116½	123½	130½	137½	
38.0	80	84	87½	90½	94	97½	101½	105	111½	118½	125½	132½	139½	
38.5	82	85	88½	92	95½	99	102½	106½	112½	119	126½	133½	140½	
39.0	83	86	89½	93	96½	100½	104	107½	113½	120	127½	134½	141½	
39.5	84	87½	91	94½	98	101½	105½	109	115½	122½	129½	136½	143½	
40.0	85	88½	92	95½	99	103	106½	110½	116½	123½	130½	137½	144½	
40.5	86	89½	93	96½	100½	104	108	112	118½	125½	132½	139½	146½	
41.0	87	90½	94	98	101½	105½	109½	113	119	126½	133½	140½	147½	
41.5	88	92	95½	99	103	106½	110½	114½	120	127½	134½	141½	148½	
42.0	89½	93	96½	100½	104	108	112	116	122½	129½	136½	143½	150½	
42.5	90½	94	97½	101½	105½	109½	113½	117½	123½	130½	137½	144½	151½	
43.0	91½	95	99	102½	106½	110½	114½	118	124½	131½	138½	145½	152½	
43.5	92½	96	100	104	108	112	116	120	126½	133½	140½	147½	154½	
44.0	93½	97½	101	105	109	113	117½	121½	127½	134½	141½	148½	155½	
44.5	94½	98½	102½	106½	110½	114½	118½	123	129½	136½	143½	150½	157½	
45.0	95½	99½	103½	107½	111½	115½	120	124½	130½	137½	144½	151½	158½	
45.5	96½	100½	104½	108½	113	117	121½	125½	131½	138½	145½	152½	159½	
46.0	97½	101½	105½	110	114	118½	122½	127	133½	140½	147½	154½	161½	
47.0	100	104	108	112	116½	121	125½	130	136½	143½	150½	157½	164½	
48.0	102	106	110½	114½	119	123½	128	132½	138½	145½	152½	159½	166½	
49.0	104	108½	112½	117	121½	126	130½	135½	141	148	155	162	169	
50.0	106½	110½	115	119½	124	128½	133½	138	143	149	156	163	170	
	28.0	29.0	30.0	31.0	31.5	32.0	32.5	33.0	33.5	34.0	34.5	35.0	35.5	
	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	
35.0	93½	100	107	114½	118	122	125½	130	134½	143	149½	155½	162	
36.0	96	103	110	117½	121½	125½	129½	133½	137	141	145½	150	157	
37.0	98½	106	113	121	125	129	133	137	141	145½	149½	153½	158	
37.5	100	107	114½	122½	126½	130½	134½	139	143	147½	152	155½	160	
38.0	101½	108½	116½	124	128	132½	136½	140½	145	149½	154	158	162	
38.5	102½	110	118	126	130	134	138½	142½	147	151½	156	160	164½	
39.0	104	111½	119½	127	131½	136	140	144	149	153½	158	162½	167	
39.5	105½	113	121	129	133½	137½	142	146½	150½	155½	160	164½	169½	
40.0	106½	114½	122½	130½	135	139½	143½	148	152½	157	162	166½	171½	
40.5	108	116	124	132½	136½	141	145½	150	154½	159	164	168½	173½	
41.0	109½	117	125½	134	138½	142½	147	152	156½	161	166	171	175½	
41.5	110½	118½	127	135½	140	144½	149	153½	158½	163	168	173	178	
42.0	112	120	128½	137	141½	146	151	155½	160	165	170	175	180	
42.5	113½	121½	130	139	143½	148	152½	157½	162	167	172	177	182	
43.0	114½	123	131½	140½	145	149½	154½	159	164	169	174	179	184	
43.5	116	124½	133	142	147	151½	156	161	166	171	176	181	186½	
44.0	117½	126	134½	144	148½	153	158	163	168	173	178	183½	188½	
44.5	118½	127	136	145½	150	155	160	165	170	175	180	185½	190½	
45.0	120	128½	137½	147	152	156½	161½	166½	171½	177	182	187½	193	
45.5	121	130	139	148½	153½	158½	163½	168½	173½	179	184	189½	195	
46.0	122½	131½	141	150½	155	160	165	170	175½	181	186	191½	197	
46.5	124	133	142½	152	157	162	167	172	177½	183	188	193½	199	
47.0	125½	134½	144	153½	158½	163½	169	174	179½	184½	190	196	201½	
47.5	128	136	145½	155	160	165½	170½	176	181	186½	192	198	203½	
48.0	128	137½	147	157	162	167	172½	177½	183	188½	194	200	205½	
48.5	129½	138½	148½	158½	163½	169	174	179½	185	190½	196½	202	208	
49.0	130	140	150	160	165½	170½	176	181½	187	192½	198½	204	210	
49.5	132	141½	151½	161½	167	172½	178	183½	189	194½	200½	206	212	
50.0	133½	143	153	163½	168½	174	179½	185	191	196½	202½	208½	214	
50.5	134½	144½	154½	165	170	176	181	187	192½	198½	204½	210½	216½	
51.0	136	146	156	166½	172	177½	183	189	194½	200½	206½	212½	218½	
51.5	137½	147½	157½	168½	173½	179½	185	190½	196½	202½	208½	214½	220½	
52.0	138½	148½	159	169	175	181	186½	192½	198½	204½	210½	216½	223	
52.5	140	150	160½	171	177	183	188½	194½	200½	206½	212½	218½	225	
53.0	141½	151½	162	173	179	184½	190½	196	202	208½	214½	220½	227	
53.5	142½	153	163½	175	180	186½	192	198	204	210½	216½	223	229	
54.0	144	154½	165	176½	182	188	194	200	206	212	218½	225	231½	

MEAN DIAMETER OF CASKS IN INCHES.—Continued.

Length in Inches.	32.0	33.0	34.0	35.0	36.0	37.0	38.0	38.5	39.0	39.5	40.0	40.9	49.0	49.9
	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.
54.5	189 $\frac{1}{2}$	202	214	227	240	253 $\frac{1}{2}$	267 $\frac{1}{2}$	274 $\frac{1}{2}$
55.0	191 $\frac{1}{2}$	203 $\frac{1}{2}$	216	229	242 $\frac{1}{2}$	256	270	277
55.5	193	205 $\frac{1}{2}$	218	231	244 $\frac{1}{2}$	258 $\frac{1}{2}$	272 $\frac{1}{2}$	279 $\frac{1}{2}$
56.0	195	207 $\frac{1}{2}$	220	233	247	260 $\frac{1}{2}$	275	282
56.5	198 $\frac{1}{2}$	209	222	235 $\frac{1}{2}$	249	263	277 $\frac{1}{2}$	284 $\frac{1}{2}$
57.0	198 $\frac{1}{2}$	211	224	237 $\frac{1}{2}$	251	265 $\frac{1}{2}$	280	287 $\frac{1}{2}$
57.5	200	213	226	239 $\frac{1}{2}$	253 $\frac{1}{2}$	267 $\frac{1}{2}$	282 $\frac{1}{2}$	290
58.0	202	215	228	241	255 $\frac{1}{2}$	270	285	292 $\frac{1}{2}$
58.5	203 $\frac{1}{2}$	216 $\frac{1}{2}$	230	243 $\frac{1}{2}$	258	272 $\frac{1}{2}$	287	295
59.0	205 $\frac{1}{2}$	218 $\frac{1}{2}$	232	245 $\frac{1}{2}$	260	274 $\frac{1}{2}$	289 $\frac{1}{2}$	297 $\frac{1}{2}$
59.5	207	220 $\frac{1}{2}$	234	248	262	277	292	300
60.0	209	222	236	250	264 $\frac{1}{2}$	279 $\frac{1}{2}$	294 $\frac{1}{2}$	302 $\frac{1}{2}$
60.5	210 $\frac{1}{2}$	224	238	252	266 $\frac{1}{2}$	282	297	305
61.0	212	226	240	254	269	284	299 $\frac{1}{2}$	307 $\frac{1}{2}$	317
61.5	214	227 $\frac{1}{2}$	241 $\frac{1}{2}$	256	271	286 $\frac{1}{2}$	302	310	319 $\frac{1}{2}$	327
62.0	216	229 $\frac{1}{2}$	243 $\frac{1}{2}$	258	273	288 $\frac{1}{2}$	304 $\frac{1}{2}$	312 $\frac{1}{2}$	322	337
62.5	217 $\frac{1}{2}$	231 $\frac{1}{2}$	245 $\frac{1}{2}$	260 $\frac{1}{2}$	275	291	307	315	324 $\frac{1}{2}$	332	339 $\frac{1}{2}$	356
63.0	219	233 $\frac{1}{2}$	247 $\frac{1}{2}$	262 $\frac{1}{2}$	277	293	309 $\frac{1}{2}$	317 $\frac{1}{2}$	326 $\frac{1}{2}$	334 $\frac{1}{2}$	342	359	518 $\frac{1}{2}$	537 $\frac{1}{2}$
63.5	221	235	249 $\frac{1}{2}$	264 $\frac{1}{2}$	280	295 $\frac{1}{2}$	312	320	329	337	345	361 $\frac{1}{2}$	518 $\frac{1}{2}$	537 $\frac{1}{2}$
64.0	223	237	251 $\frac{1}{2}$	266 $\frac{1}{2}$	282	298	314	322 $\frac{1}{2}$	331	340	347 $\frac{1}{2}$	364	522 $\frac{1}{2}$	541 $\frac{1}{2}$
64.5	224 $\frac{1}{2}$	239	253 $\frac{1}{2}$	268 $\frac{1}{2}$	284	300	316 $\frac{1}{2}$	325	333 $\frac{1}{2}$	342	350 $\frac{1}{2}$	367	526 $\frac{1}{2}$	546
65.0	226 $\frac{1}{2}$	240 $\frac{1}{2}$	255 $\frac{1}{2}$	270 $\frac{1}{2}$	286 $\frac{1}{2}$	302 $\frac{1}{2}$	319	327 $\frac{1}{2}$	336	345	353	370	530 $\frac{1}{2}$	550
65.5	228	242 $\frac{1}{2}$	257 $\frac{1}{2}$	273	288 $\frac{1}{2}$	305	321 $\frac{1}{2}$	330	338 $\frac{1}{2}$	347 $\frac{1}{2}$	355 $\frac{1}{2}$	372 $\frac{1}{2}$	534 $\frac{1}{2}$	554 $\frac{1}{2}$
66.0	230	244 $\frac{1}{2}$	259 $\frac{1}{2}$	275	291	307	324	332 $\frac{1}{2}$	341 $\frac{1}{2}$	350	358 $\frac{1}{2}$	375 $\frac{1}{2}$	539	558 $\frac{1}{2}$
66.5	231 $\frac{1}{2}$	246	261 $\frac{1}{2}$	277	293	309	326 $\frac{1}{2}$	335	344	353	361	378 $\frac{1}{2}$	543	563
67.0	233 $\frac{1}{2}$	248	263 $\frac{1}{2}$	279	295	312	329	337 $\frac{1}{2}$	346 $\frac{1}{2}$	355 $\frac{1}{2}$	363 $\frac{1}{2}$	381	547	567
67.5	235	250	265 $\frac{1}{2}$	281	297 $\frac{1}{2}$	314	331	340	349	358	367	384	551	571 $\frac{1}{2}$
68.0	236	252	267 $\frac{1}{2}$	283	299 $\frac{1}{2}$	316 $\frac{1}{2}$	334	342 $\frac{1}{2}$	351 $\frac{1}{2}$	360 $\frac{1}{2}$	370	387	555	575 $\frac{1}{2}$
68.5	238 $\frac{1}{2}$	253 $\frac{1}{2}$	269	285 $\frac{1}{2}$	302	319	336 $\frac{1}{2}$	345	354	363	372 $\frac{1}{2}$	389 $\frac{1}{2}$	559	580
69.0	240	255 $\frac{1}{2}$	271	287 $\frac{1}{2}$	304	321	339	347 $\frac{1}{2}$	357	366	375 $\frac{1}{2}$	392 $\frac{1}{2}$	563 $\frac{1}{2}$	584
69.5	242	257 $\frac{1}{2}$	273	289 $\frac{1}{2}$	306	323 $\frac{1}{2}$	341	350 $\frac{1}{2}$	359 $\frac{1}{2}$	368 $\frac{1}{2}$	378	395 $\frac{1}{2}$	567 $\frac{1}{2}$	588 $\frac{1}{2}$
70.0	243 $\frac{1}{2}$	259	275	291 $\frac{1}{2}$	308	326	343 $\frac{1}{2}$	353	362	371 $\frac{1}{2}$	381	398	571 $\frac{1}{2}$	592
70.5	245 $\frac{1}{2}$	261	277	293 $\frac{1}{2}$	310	328	346	355 $\frac{1}{2}$	364 $\frac{1}{2}$	374	383 $\frac{1}{2}$	401	575 $\frac{1}{2}$	597
71.0	247	262 $\frac{1}{2}$	279	295 $\frac{1}{2}$	313	330 $\frac{1}{2}$	348 $\frac{1}{2}$	358	367	376 $\frac{1}{2}$	386	404	579 $\frac{1}{2}$	601
71.5	249	264 $\frac{1}{2}$	281	298	315	333	351	360 $\frac{1}{2}$	370	379 $\frac{1}{2}$	389	406 $\frac{1}{2}$	583 $\frac{1}{2}$	605 $\frac{1}{2}$
72.0	250 $\frac{1}{2}$	266	283	300	317	335	353 $\frac{1}{2}$	363	372 $\frac{1}{2}$	382	391 $\frac{1}{2}$	409 $\frac{1}{2}$	588	609 $\frac{1}{2}$
72.5	252 $\frac{1}{2}$	268	285	302	319	337 $\frac{1}{2}$	356	365 $\frac{1}{2}$	375	384 $\frac{1}{2}$	394 $\frac{1}{2}$	412 $\frac{1}{2}$	592	614
73.0	254	269 $\frac{1}{2}$	287	304	321	339 $\frac{1}{2}$	358	368	377 $\frac{1}{2}$	387	397	415	596	618
73.5	256	271 $\frac{1}{2}$	289	306	323	342	360 $\frac{1}{2}$	370 $\frac{1}{2}$	380	390	400	418	600	622 $\frac{1}{2}$
74.0	278	291	308	325	344	363	373	382 $\frac{1}{2}$	392 $\frac{1}{2}$	402 $\frac{1}{2}$	421	604	626 $\frac{1}{2}$
74.5	292 $\frac{1}{2}$	310 $\frac{1}{2}$	327 $\frac{1}{2}$	346	365 $\frac{1}{2}$	375 $\frac{1}{2}$	385 $\frac{1}{2}$	395	405 $\frac{1}{2}$	423 $\frac{1}{2}$	608	630 $\frac{1}{2}$
75.0	312 $\frac{1}{2}$	329 $\frac{1}{2}$	348 $\frac{1}{2}$	368	378	388	398	408	426 $\frac{1}{2}$	612 $\frac{1}{2}$	635
75.5	331 $\frac{1}{2}$	350 $\frac{1}{2}$	370 $\frac{1}{2}$	380 $\frac{1}{2}$	390 $\frac{1}{2}$	400 $\frac{1}{2}$	410 $\frac{1}{2}$	429 $\frac{1}{2}$	616 $\frac{1}{2}$	639
76.0	352 $\frac{1}{2}$	372 $\frac{1}{2}$	383	393	403	413 $\frac{1}{2}$	432 $\frac{1}{2}$	620 $\frac{1}{2}$	643 $\frac{1}{2}$
76.5	375	385 $\frac{1}{2}$	395 $\frac{1}{2}$	406	416	624 $\frac{1}{2}$	647 $\frac{1}{2}$
76.9	388	397 $\frac{1}{2}$	408	418 $\frac{1}{2}$	437 $\frac{1}{2}$	628	651

ULLAGE OR WANTAGE TABLE.

Capacity of Cask.	Bung Diameter.	NUMBER OF DRY INCHES.												
		2	3	4	5	6	7	8	9	10	11	12	13	14
		* WINE GALLONS WANTING.												
		Gal	Gal	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals.	Gals
22	17	2	3	4 $\frac{1}{2}$	6 $\frac{1}{2}$	8	10	12
22	18	1	2	3	4	5 $\frac{1}{2}$	7 $\frac{1}{2}$	9	11
24	18	1	2	3	4 $\frac{1}{2}$	6 $\frac{1}{2}$	8	10	12
24	19	1	2	3	4 $\frac{1}{2}$	6	7 $\frac{1}{2}$	9 $\frac{1}{2}$	11	13
26	18	1	2	3 $\frac{1}{2}$	5	7	8 $\frac{1}{2}$	11	13
26	19	1	2	3	4 $\frac{1}{2}$	6 $\frac{1}{2}$	8	10	12	14
28	18	1	2	3 $\frac{1}{2}$	5 $\frac{1}{2}$	7 $\frac{1}{2}$	9 $\frac{1}{2}$	11 $\frac{1}{2}$	14
28	19	1	2	3 $\frac{1}{2}$	5	7	8 $\frac{1}{2}$	10 $\frac{1}{2}$	12 $\frac{1}{2}$	14 $\frac{1}{2}$
42	22	1	2	4	6	8	10	12 $\frac{1}{2}$	15 $\frac{1}{2}$	18	21
43	22	1	2	4	6 $\frac{1}{2}$	8 $\frac{1}{2}$	10 $\frac{1}{2}$	13 $\frac{1}{2}$	15 $\frac{1}{2}$	18 $\frac{1}{2}$	21 $\frac{1}{2}$
44	22	1 $\frac{1}{2}$	2	4	6 $\frac{1}{2}$	8 $\frac{1}{2}$	11	13	16	19	22
44	23	1	2	4	6	8	10 $\frac{1}{2}$	12 $\frac{1}{2}$	15	17 $\frac{1}{2}$	20 $\frac{1}{2}$
45	23	1	2	4	6	8	10 $\frac{1}{2}$	13	15 $\frac{1}{2}$	18	20 $\frac{1}{2}$
45	24	1	2	4	5 $\frac{1}{2}$	7 $\frac{1}{2}$	10	12	14 $\frac{1}{2}$	17	19 $\frac{1}{2}$	22 $\frac{1}{2}$
48	23	1	2	4 $\frac{1}{2}$	6 $\frac{1}{2}$	9	11 $\frac{1}{2}$	13 $\frac{1}{2}$	16 $\frac{1}{2}$	19 $\frac{1}{2}$	22	24 $\frac{1}{2}$
48	24	1	2	4	6	8	10 $\frac{1}{2}$	13	15 $\frac{1}{2}$	18	21 $\frac{1}{2}$	24
64	24	1 $\frac{1}{2}$	3 $\frac{1}{2}$	5	8	11	14	17	20 $\frac{1}{2}$	24	28	32
106	30	2	4	6	9 $\frac{1}{2}$	12 $\frac{1}{2}$	16 $\frac{1}{2}$	20 $\frac{1}{2}$	24 $\frac{1}{2}$	28 $\frac{1}{2}$	32 $\frac{1}{2}$	38	43	47 $\frac{1}{2}$
120	31	2	4	6	9 $\frac{1}{2}$	13	17	21 $\frac{1}{2}$	26	31	35	40 $\frac{1}{2}$	46	51
140	34	2	4	6 $\frac{1}{2}$	9 $\frac{1}{2}$	13 $\frac{1}{2}$	17	22	26	31	36	41	46 $\frac{1}{2}$	52

* Beneath the dry inches, and opposite the capacity and bung diameter of the cask, is stated the ullage or wantage in wine gallons.

DIAMETERS, CIRCUMFERENCES, AND AREAS OF CIRCLES.

Diam.	Circum.	Areas.	Diam.	Circum.	Areas.	Diam.	Circum.	Areas.
$\frac{1}{2}$.7854	.049	$7\frac{1}{2}$	24.7401	48.707	$16\frac{1}{2}$	51.0510	207.394
$\frac{1}{4}$.9817	.077	$8\frac{1}{2}$	25.1328	50.266	$16\frac{3}{4}$	51.4437	210.597
$\frac{3}{4}$	1.1781	.110	$8\frac{3}{4}$	25.5255	51.849	$16\frac{7}{8}$	51.8364	213.825
$7\frac{1}{2}$	1.3744	.150	$8\frac{7}{8}$	25.9182	53.456	$16\frac{7}{8}$	52.2291	217.073
$\frac{1}{2}$	1.5708	.196	$8\frac{7}{8}$	26.3109	55.088	$16\frac{7}{8}$	52.6218	220.353
$9\frac{1}{2}$	1.7671	.248	$8\frac{7}{8}$	26.7036	56.745	$16\frac{7}{8}$	53.0145	223.654
$\frac{1}{2}$	1.9635	.307	$8\frac{7}{8}$	27.0963	58.426	$17\frac{1}{2}$	53.4072	226.981
$11\frac{1}{2}$	2.1598	.371	$8\frac{7}{8}$	27.4890	60.132	$17\frac{1}{2}$	53.7999	230.330
$\frac{1}{2}$	2.3562	.442	$8\frac{7}{8}$	27.8817	61.862	$17\frac{1}{2}$	54.1926	233.705
$13\frac{1}{2}$	2.5525	.518	9	28.2744	63.617	$17\frac{1}{2}$	54.5853	237.104
$\frac{1}{2}$	2.7489	.601	$9\frac{1}{2}$	28.6671	65.397	$17\frac{1}{2}$	54.9780	240.528
$15\frac{1}{2}$	2.9452	.690	$9\frac{1}{2}$	29.0598	67.201	$17\frac{1}{2}$	55.3707	243.977
1	3.1416	.785	$9\frac{1}{2}$	29.4525	69.029	$17\frac{1}{2}$	55.7634	247.450
$1\frac{1}{2}$	3.5343	.994	$9\frac{1}{2}$	29.8452	70.882	$17\frac{1}{2}$	56.1561	250.947
$1\frac{1}{2}$	3.9270	1.227	$9\frac{1}{2}$	30.2379	72.760	18	56.5488	254.467
$1\frac{1}{2}$	4.3197	1.485	$9\frac{3}{4}$	30.6306	74.662	$18\frac{1}{2}$	56.9415	258.016
$1\frac{1}{2}$	4.7124	1.767	$9\frac{3}{4}$	31.0233	76.589	$18\frac{1}{2}$	57.3342	261.587
$1\frac{1}{2}$	5.1051	2.074	10	31.4160	78.540	$18\frac{1}{2}$	57.7269	265.182
$1\frac{1}{2}$	5.4978	2.405	$10\frac{1}{2}$	31.8087	80.516	$18\frac{1}{2}$	58.1196	268.803
$1\frac{1}{2}$	5.8905	2.761	$10\frac{1}{2}$	32.2014	82.516	$18\frac{1}{2}$	58.5123	272.447
2	6.2832	3.142	$10\frac{1}{2}$	32.5941	84.541	$18\frac{1}{2}$	58.9050	276.117
$2\frac{1}{2}$	6.6759	3.546	$10\frac{1}{2}$	32.9868	86.590	$18\frac{1}{2}$	59.2977	279.811
$2\frac{1}{2}$	7.0686	3.976	$10\frac{1}{2}$	33.3795	88.664	19	59.6904	283.529
$2\frac{1}{2}$	7.4613	4.430	$10\frac{3}{4}$	33.7722	90.763	$19\frac{1}{2}$	60.0831	287.272
$2\frac{1}{2}$	7.8540	4.909	$10\frac{3}{4}$	34.1649	92.886	$19\frac{1}{2}$	60.4758	291.039
$2\frac{1}{2}$	8.2467	5.412	11	34.5576	95.033	$19\frac{1}{2}$	60.8685	294.831
$2\frac{1}{2}$	8.6394	5.939	$11\frac{1}{2}$	34.9503	97.205	$19\frac{1}{2}$	61.2612	298.648
$2\frac{1}{2}$	9.0321	6.492	$11\frac{1}{2}$	35.3430	99.402	$19\frac{1}{2}$	61.6539	302.489
3	9.4248	7.069	$11\frac{1}{2}$	35.7357	101.623	$19\frac{1}{2}$	62.0466	306.355
$3\frac{1}{2}$	9.8175	7.670	$11\frac{1}{2}$	36.1284	103.869	20	62.4393	310.245
$3\frac{1}{2}$	10.2102	8.296	$11\frac{1}{2}$	36.5211	106.139	$20\frac{1}{2}$	62.8320	314.160
$3\frac{1}{2}$	10.6029	8.946	$11\frac{1}{2}$	36.9138	108.434	$20\frac{1}{2}$	63.2247	318.099
$3\frac{1}{2}$	10.9956	9.621	$11\frac{1}{2}$	37.3065	110.754	$20\frac{1}{2}$	63.6174	322.063
$3\frac{1}{2}$	11.3883	10.321	12	37.6992	113.098	$20\frac{1}{2}$	64.0101	326.051
$3\frac{1}{2}$	11.7810	11.045	$12\frac{1}{2}$	38.0919	115.466	$20\frac{1}{2}$	64.4028	330.064
$3\frac{1}{2}$	12.1737	11.793	$12\frac{1}{2}$	38.4846	117.859	$20\frac{1}{2}$	64.7955	334.101
4	12.5664	12.566	$12\frac{1}{2}$	38.8773	120.276	$20\frac{1}{2}$	65.1882	338.163
$4\frac{1}{2}$	12.9591	13.364	$12\frac{1}{2}$	39.2700	122.718	$20\frac{1}{2}$	65.5809	342.250
$4\frac{1}{2}$	13.3518	14.186	$12\frac{1}{2}$	39.6627	125.184	21	65.9736	346.361
$4\frac{1}{2}$	13.7445	15.033	$12\frac{1}{2}$	40.0554	127.676	$21\frac{1}{2}$	66.3663	350.497
$4\frac{1}{2}$	14.1372	15.904	$12\frac{1}{2}$	40.4481	130.192	$21\frac{1}{2}$	66.7590	354.657
$4\frac{1}{2}$	14.5299	16.800	13	40.8408	132.733	$21\frac{1}{2}$	67.1517	358.841
$4\frac{1}{2}$	14.9226	17.720	$13\frac{1}{2}$	41.2335	135.297	$21\frac{1}{2}$	67.5444	363.051
$4\frac{1}{2}$	15.3153	18.665	$13\frac{1}{2}$	41.6262	137.886	$21\frac{1}{2}$	67.9371	367.284
5	15.7080	19.635	$13\frac{1}{2}$	42.0189	140.500	$21\frac{1}{2}$	68.3298	371.543
$5\frac{1}{2}$	16.1007	20.629	$13\frac{1}{2}$	42.4116	143.139	$21\frac{1}{2}$	68.7225	375.826
$5\frac{1}{2}$	16.4934	21.647	$13\frac{1}{2}$	42.8043	145.802	22	69.1152	380.134
$5\frac{1}{2}$	16.8861	22.691	$13\frac{1}{2}$	43.1970	148.489	$22\frac{1}{2}$	69.5079	384.465
$5\frac{1}{2}$	17.2788	23.758	$13\frac{1}{2}$	43.5897	151.201	$22\frac{1}{2}$	69.9006	388.822
$5\frac{1}{2}$	17.6715	24.850	14	43.9824	153.938	$22\frac{1}{2}$	70.2933	393.203
$5\frac{1}{2}$	18.0642	25.967	$14\frac{1}{2}$	44.3751	156.699	$22\frac{1}{2}$	70.6860	397.608
$5\frac{1}{2}$	18.4569	27.108	$14\frac{1}{2}$	44.7678	159.485	$22\frac{1}{2}$	71.0787	402.038
6	18.8496	28.274	$14\frac{1}{2}$	45.1605	162.295	$22\frac{1}{2}$	71.4714	406.492
$6\frac{1}{2}$	19.2423	29.465	$14\frac{1}{2}$	45.5532	165.130	$22\frac{1}{2}$	71.8641	410.972
$6\frac{1}{2}$	19.6350	30.680	$14\frac{1}{2}$	45.9459	167.989	23	72.2568	415.477
$6\frac{1}{2}$	20.0277	31.919	$14\frac{1}{2}$	46.3386	170.873	$23\frac{1}{2}$	72.6495	420.004
$6\frac{1}{2}$	20.4204	33.183	$14\frac{1}{2}$	46.7313	173.782	$23\frac{1}{2}$	73.0422	424.557
$6\frac{1}{2}$	20.8131	34.472	15	47.1240	176.715	$23\frac{1}{2}$	73.4349	429.135
$6\frac{1}{2}$	21.2058	35.785	$15\frac{1}{2}$	47.5167	179.672	$23\frac{1}{2}$	73.8276	433.731
$6\frac{1}{2}$	21.5985	37.122	$15\frac{1}{2}$	47.9094	182.654	$23\frac{1}{2}$	74.2203	438.363
7	21.9912	38.485	$15\frac{1}{2}$	48.3021	185.661	$23\frac{1}{2}$	74.6130	443.011
$7\frac{1}{2}$	22.3839	39.871	$15\frac{1}{2}$	48.6948	188.692	$23\frac{1}{2}$	75.0057	447.691
$7\frac{1}{2}$	22.7766	41.282	$15\frac{1}{2}$	49.0875	191.748	24	75.3984	452.390
$7\frac{1}{2}$	23.1693	42.718	$15\frac{1}{2}$	49.4802	194.828	$24\frac{1}{2}$	75.7911	457.115
$7\frac{1}{2}$	23.5620	44.179	$15\frac{1}{2}$	49.8729	197.933	$24\frac{1}{2}$	76.1838	461.864
$7\frac{1}{2}$	23.9547	45.664	16	50.2656	201.062	$24\frac{1}{2}$	76.5765	466.638
$7\frac{1}{2}$	24.3474	47.173	$16\frac{1}{2}$	50.6583	204.216	$24\frac{1}{2}$	76.9692	471.436

Diameters, Circumferences, and Areas of Circles—Continued.

Diam.	Circum.	Areas.	Diam.	Circum.	Areas.	Diam.	Circum.	Areas.
24 $\frac{3}{8}$	77.3619	476.259	33 $\frac{1}{8}$	104.066	861.792	41 $\frac{3}{8}$	130.769	1366.82
24 $\frac{1}{2}$	77.7546	481.106	33 $\frac{3}{8}$	104.458	868.309	41 $\frac{1}{2}$	131.162	1369.00
24 $\frac{3}{4}$	78.1473	485.978	33 $\frac{5}{8}$	104.851	874.850	41 $\frac{3}{4}$	131.554	1377.21
25	78.5400	490.875	33 $\frac{7}{8}$	105.244	881.415	42	131.947	1385.44
25 $\frac{1}{8}$	78.9327	495.796	33 $\frac{9}{8}$	105.636	888.005	42 $\frac{1}{8}$	132.340	1393.70
25 $\frac{1}{4}$	79.3254	500.741	33 $\frac{5}{4}$	106.029	894.620	42 $\frac{1}{4}$	132.733	1401.98
25 $\frac{3}{8}$	79.7181	505.711	33 $\frac{3}{4}$	106.422	901.259	42 $\frac{3}{8}$	133.125	1410.29
25 $\frac{1}{2}$	80.1108	510.706	34	106.814	907.922	42 $\frac{1}{2}$	133.518	1418.62
25 $\frac{3}{4}$	80.5035	515.725	34 $\frac{1}{8}$	107.207	914.610	42 $\frac{3}{4}$	133.911	1426.98
25 $\frac{7}{8}$	80.8962	520.769	34 $\frac{3}{8}$	107.600	921.323	42 $\frac{7}{8}$	134.303	1435.36
25 $\frac{15}{16}$	81.2889	525.837	34 $\frac{5}{8}$	107.993	928.060	42 $\frac{15}{16}$	134.696	1443.77
26	81.6816	530.930	34 $\frac{7}{8}$	108.385	934.822	43	135.089	1452.21
26 $\frac{1}{8}$	82.0743	536.047	34 $\frac{9}{8}$	108.778	941.609	43 $\frac{1}{8}$	135.481	1460.65
26 $\frac{1}{4}$	82.4670	541.189	34 $\frac{5}{4}$	109.171	948.419	43 $\frac{1}{4}$	135.874	1469.13
26 $\frac{3}{8}$	82.8597	546.356	34 $\frac{3}{4}$	109.563	955.255	43 $\frac{3}{8}$	136.267	1477.63
26 $\frac{1}{2}$	83.2524	551.547	35	109.956	962.115	43 $\frac{1}{2}$	136.660	1486.17
26 $\frac{3}{4}$	83.6451	556.762	35 $\frac{1}{8}$	110.349	968.999	43 $\frac{3}{4}$	137.052	1494.72
26 $\frac{7}{8}$	84.0378	562.002	35 $\frac{3}{8}$	110.741	975.908	43 $\frac{7}{8}$	137.445	1503.30
27	84.4305	567.267	35 $\frac{5}{8}$	111.134	982.842	43 $\frac{15}{16}$	137.838	1511.90
27 $\frac{1}{8}$	84.8232	572.557	35 $\frac{3}{4}$	111.527	989.800	44	138.230	1520.53
27 $\frac{1}{4}$	85.2159	577.870	35 $\frac{7}{8}$	111.919	996.783	44 $\frac{1}{8}$	138.623	1529.18
27 $\frac{3}{8}$	85.6086	583.208	35 $\frac{9}{8}$	112.312	1003.790	44 $\frac{1}{4}$	139.016	1537.86
27 $\frac{1}{2}$	86.0013	588.571	35 $\frac{5}{4}$	112.705	1010.822	44 $\frac{3}{8}$	139.408	1546.55
27 $\frac{3}{4}$	86.3940	593.958	36	113.098	1017.878	44 $\frac{1}{2}$	139.801	1555.28
27 $\frac{7}{8}$	86.7867	599.376	36 $\frac{1}{8}$	113.490	1024.959	44 $\frac{3}{4}$	140.194	1564.03
27 $\frac{15}{16}$	87.1794	604.807	36 $\frac{3}{8}$	113.883	1032.065	44 $\frac{7}{8}$	140.587	1572.81
27 $\frac{15}{16}$	87.5721	610.268	36 $\frac{5}{8}$	114.276	1039.195	44 $\frac{15}{16}$	140.979	1581.61
28	87.9648	615.754	36 $\frac{7}{8}$	114.668	1046.349	45	141.372	1590.43
28 $\frac{1}{8}$	88.3575	621.263	36 $\frac{9}{8}$	115.061	1053.528	45 $\frac{1}{8}$	141.765	1599.28
28 $\frac{1}{4}$	88.7502	626.798	36 $\frac{5}{4}$	115.454	1060.732	45 $\frac{1}{4}$	142.157	1608.15
28 $\frac{3}{8}$	89.1429	632.357	36 $\frac{3}{4}$	115.846	1067.960	45 $\frac{3}{8}$	142.550	1617.04
28 $\frac{1}{2}$	89.5356	637.941	37	116.239	1075.213	45 $\frac{1}{2}$	142.943	1625.97
28 $\frac{3}{4}$	89.9283	643.549	37 $\frac{1}{8}$	116.632	1082.490	45 $\frac{3}{4}$	143.336	1634.92
28 $\frac{7}{8}$	90.3210	649.182	37 $\frac{3}{8}$	117.025	1089.792	45 $\frac{7}{8}$	143.728	1643.89
29	90.7137	654.839	37 $\frac{5}{8}$	117.417	1097.118	45 $\frac{15}{16}$	144.121	1652.88
29 $\frac{1}{8}$	91.1064	660.521	37 $\frac{7}{8}$	117.810	1104.469	46	144.514	1661.91
29 $\frac{1}{4}$	91.4991	666.227	37 $\frac{9}{8}$	118.203	1111.844	46 $\frac{1}{8}$	144.906	1670.95
29 $\frac{3}{8}$	91.8918	671.958	37 $\frac{5}{4}$	118.595	1119.244	46 $\frac{1}{4}$	145.299	1680.01
29 $\frac{1}{2}$	92.2845	677.714	37 $\frac{3}{4}$	118.988	1126.668	46 $\frac{3}{8}$	145.692	1689.10
29 $\frac{3}{4}$	92.6772	683.494	38	119.381	1134.118	46 $\frac{1}{2}$	146.084	1698.23
29 $\frac{7}{8}$	93.0699	689.298	38 $\frac{1}{8}$	119.774	1141.591	46 $\frac{3}{4}$	146.477	1707.37
29 $\frac{15}{16}$	93.4626	695.128	38 $\frac{3}{8}$	120.166	1149.089	46 $\frac{7}{8}$	146.870	1716.54
30	93.8553	700.981	38 $\frac{5}{8}$	120.559	1156.612	46 $\frac{15}{16}$	147.263	1725.73
30 $\frac{1}{8}$	94.2480	706.860	38 $\frac{7}{8}$	120.952	1164.159	47	147.655	1734.95
30 $\frac{1}{4}$	94.6407	712.762	38 $\frac{9}{8}$	121.344	1171.731	47 $\frac{1}{8}$	148.048	1744.18
30 $\frac{3}{8}$	95.0334	718.690	38 $\frac{5}{4}$	121.737	1179.327	47 $\frac{1}{4}$	148.441	1753.45
30 $\frac{1}{2}$	95.4261	724.641	38 $\frac{3}{4}$	122.130	1186.948	47 $\frac{3}{8}$	148.833	1762.73
30 $\frac{3}{4}$	95.8188	730.618	39	122.522	1194.593	47 $\frac{1}{2}$	149.226	1772.05
30 $\frac{7}{8}$	96.2115	736.619	39 $\frac{1}{8}$	122.915	1202.263	47 $\frac{3}{4}$	149.619	1781.39
30 $\frac{15}{16}$	96.6042	742.644	39 $\frac{3}{8}$	123.308	1209.958	47 $\frac{7}{8}$	150.011	1790.76
31	96.9969	748.694	39 $\frac{5}{8}$	123.701	1217.677	47 $\frac{15}{16}$	150.404	1800.13
31 $\frac{1}{8}$	97.3896	754.769	39 $\frac{7}{8}$	124.093	1225.420	48	150.797	1809.54
31 $\frac{1}{4}$	97.7823	760.868	39 $\frac{9}{8}$	124.486	1233.188	48 $\frac{1}{8}$	151.190	1818.99
31 $\frac{3}{8}$	98.1750	766.992	39 $\frac{5}{4}$	124.879	1240.981	48 $\frac{1}{4}$	151.582	1828.46
31 $\frac{1}{2}$	98.5677	773.140	39 $\frac{3}{4}$	125.271	1248.798	48 $\frac{3}{8}$	151.975	1837.93
31 $\frac{3}{4}$	98.9604	779.313	40	125.664	1256.640	48 $\frac{1}{2}$	152.368	1847.45
31 $\frac{7}{8}$	99.3531	785.510	40 $\frac{1}{8}$	126.057	1264.500	48 $\frac{3}{4}$	152.760	1856.99
31 $\frac{15}{16}$	99.7458	791.732	40 $\frac{3}{8}$	126.449	1272.390	48 $\frac{7}{8}$	153.153	1866.55
32	100.1385	797.978	40 $\frac{5}{8}$	126.842	1280.310	48 $\frac{15}{16}$	153.546	1876.13
32 $\frac{1}{8}$	100.5312	804.250	40 $\frac{7}{8}$	127.235	1288.250	49	153.938	1885.74
32 $\frac{1}{4}$	100.9239	810.545	40 $\frac{9}{8}$	127.627	1296.220	49 $\frac{1}{8}$	154.331	1895.37
32 $\frac{3}{8}$	101.3166	816.865	40 $\frac{5}{4}$	128.020	1304.210	49 $\frac{1}{4}$	154.724	1905.03
32 $\frac{1}{2}$	101.7093	823.209	40 $\frac{3}{4}$	128.413	1312.220	49 $\frac{3}{8}$	155.117	1914.70
32 $\frac{3}{4}$	102.1020	829.578	41	128.806	1320.260	49 $\frac{1}{2}$	155.509	1924.42
32 $\frac{7}{8}$	102.4947	835.972	41 $\frac{1}{8}$	129.198	1328.321	49 $\frac{3}{4}$	155.902	1934.15
32 $\frac{15}{16}$	102.8874	842.390	41 $\frac{3}{8}$	129.591	1336.413	49 $\frac{7}{8}$	156.295	1943.91
33	103.2801	848.833	41 $\frac{5}{8}$	129.984	1344.522	49 $\frac{15}{16}$	156.687	1953.69
33 $\frac{1}{8}$	103.6730	855.301	41 $\frac{7}{8}$	130.376	1352.654	50	157.080	1963.50

TENSILE STRENGTH OF MATERIALS.

Weight of Power Required to Tear Asunder One Square Inch.

MATERIALS.	Lbs. Avoir.	MATERIALS.	Lbs. Avoir.	MATERIALS	Lbs. Avoir.
Metals.					
Brass.....	42,000	Iron wire, Am.....	73,600	Marble, Italian....	5,200
“ yellow.....	18,000	“ “ 16 diam.....	80,000	“ White.....	9,000
Bronze, greatest....	56,788	“ wrought wire.....	103,000	Mortar, 12 yrs old..	30
“ least.....	17,698	Lead, cast.....	1,800	Plaster of Paris....	72
Copper, bolt.....	36,800	“ milled.....	3,320	Rope, hemp, tarred..	15,000
“ cast Am.....	24,250	“ wire.....	2,580	“ manila.....	9,000
“ rolled.....	36,000	Platinum, Wire....	53,000	“ wire.....	37,000
“ wire.....	61,200	Silver, cast.....	40,000	Sandstone, fine gr..	200
“ wrought.....	34,000	Steel, Am. Tool Co..	179,980	Slate.....	12,000
Copper 10, Tin 1...}	32,000	“ blistered.....	104,000	Stone, Bath.....	352
“ 8, “ 1.....	30,000	“ soft.....	133,000	“ Craigleth.....	400
gun-metal.....}	30,000	Steel, cast, maxi'm..	142,000	“ Hailes.....	360
Copper 8, Tin 1, bar	50,000	“ “ mean.....	88,657	“ Portland.....	857
Gold, cast.....	20,030	“ plates, cross-}	170,980	“ “.....	1,000
Gold 5, Copper 1...}	50,000	wise.....}	93,700	Whalebone.....	7,600
Iron, cast, Low...}	14,076	Steel, plates, }	96,300	Woods.	
Moor, No. 2.....}	18,000	lengthwise.....}	173,817	Ash.....	14,000
Iron, cast Am.....}	30,000	Steel, puddled, }	173,817	Bay.....	14,000
Iron, wro't, best...}	72,000	extreme.....}	173,817	Beech.....	11,500
Swedish bar.....}	72,000	Steel razor.....	150,000	Box.....	20,000
Iron, bolts.....	52,250	“ shear.....	124,000	Cedar.....	11,400
“ Calder No. 1...}	13,735	“ soft.....	120,000	Chestnut, sweet....	10,500
“ Clyde No. 1...}	16,125	Tin, Banca.....	2,122	Cypress.....	6,000
“ “ No. 3.....}	23,468	“ cast, block.....	5,000	Deal, Christiana....	12,400
“ crank shaft...}	44,750	Tin 10, Antimony 1}	11,000	Elm.....	13,400
“ English bar...}	56,000	Yellow metal.....	48,700	Fir, strongest.....	12,000
“ Greenwood, Am}	45,970	Zinc.....	3,500	Lance.....	23,000
“ gun-m., mean...}	37,232	“ sheet.....	16,000	Lignum vitae.....	11,800
“ hammered.....}	53,913	Miscellaneous.		Locust.....	20,500
“ inferior, bar...}	30,000	Brick, fire.....	65	Mahogany.....	21,000
“ mean of Am...}	31,829	“ inferior.. }	100	“ Spanish.....	8,000
“ “ Eng.....}	53,900	“ well burned...}	290	“ “.....	12,000
“ plates, boiler...}	48,000	Cement, bluestone..	750	Maple.....	10,500
American.....}	62,000	“ Harwich.....	30	Oak, African.....	14,500
Iron plates cross-}	48,800	“ hydraulic.....	234	“ Am. white.....	11,500
wise.....}	48,800	“ Portland, 6 mo..	414	“ English.....	10,000
Iron plates length}	53,800	“ “ 1, sand 3.....	380	“ seasoned.....	13,600
wise.....}	53,800	“ Sheppy.....	24	Pear.....	9,800
Iron plates, mean}	51,000	Chalk.....	118	Pine, Am. white...}	11,800
English.....}	51,000	Glass, crown.....	2,346	“ larch.....	9,500
Iron rivets, Am...}	53,300	Gutta-percha.....	3,500	“ pitch.....	12,000
“ “ Eng.....}	65,000	Hydraulic lime....	140	Poplar.....	7,000
“ Russian bar...}	59,500	Hy. lime mortar...}	140	Spruce, white.....	10,290
“ scrap.....}	53,400	Ivory.....	16,000	Sycamore.....	13,000
“ sterling, mean}	25,764	Leather belts.....}	330	Teak.....	14,000
“ turnings.....}	55,800	Limestone.....}	670	Walnut.....	7,800
			2,800	Willow.....	13,000

Tensile Strength is the resistance of the fibres or particles of a body to separation. It is therefore proportional to their number, or to the area of its transverse section. The fibres of wood are strongest near the center of the trunk or limb of a tree.

Cast Iron is extended the 5,500th part of its length for every ton of direct strain per square inch of its section, its elasticity is fully excited when extended less than the 3,000th part of its length, and the limit of its elasticity is reached, when extended the 1,200th part of its length. Tensile strength of the strongest piece of cast iron ever tested was 45,970 pounds, it was a mixture of grades 1, 2, and 3 of Greenwood iron, and at the third fusion.

Wrought Iron is extended the 10,000th part of its length for every ton of direct strain per square inch of its section, its elasticity is fully excited when extended the 1,000th part, and the limit of elasticity estimated at the 1,520th part of its length. The value of the above table of metals may be safely taken at from $\frac{1}{4}$ to $\frac{1}{2}$ of the same for the breaking strain. Experiments show that from 1 to 6 re-heatings and rollings, the tensile stress increased from 43,904 pounds to 61,824 pounds and from 6 to 12 re-heatings it was reduced again to 43,904 pounds. For most metals, as the temperature increases the tensile force decreases. Iron bars when cold rolled are materially stronger than when only hot rolled, the difference being as great as 3 to 2.

TREES—TIMBER—LUMBER.

Late in July and early in August, the foliage of sound trees is green, and that of unsound on the turn to autumnal tints. Decayed branches and separation of bark from wood are sure signs of disease. Trees growing in a moist soil produce less durable wood than those which flourish in dry ground. The best timber springs from a dark, gravelly soil. The hardest woods grow in warm climates, and last long, but do not season well. About 45 per cent of wood weight is moisture, and fully 10 per cent remains even after seasoning. The best time to fell timber is in midwinter and midsummer. A tree ought to be mature before it is cut down. Age and rate of growth are shown by the number and width of rings in a cross-section. Oak reaches maturity in about 75 years; ash, larch, and elm in about the same period; and spruce and fir in 80 years. The best timber is nearest the ground. After felling, the bark and whitish sapwood ought to be removed, the tree raised from the ground, and reduced to the form desired. Circular cracks separating the layers are called wind shakes, and injure the tree. Deep splits, checks, and cracks impair the utility of timber trees. Brash is porous wood, of a reddish color, easily broken, and a sign of old age. Belted wood is killed before felling, and is not good timber. Yellow stains show dry rot. Splits which divide the center into segments are called heart shakes; when several radiate from the center, they are called star shakes, and cup shakes when the rings separate. Curved swellings over spots where branches have been removed, are called wind galls. Fibers hurt by crushing are said to be upset. Yellow or red tinge showing decay is called the wood's foxiness. A speckled stain is termed doatiness.

To season timber is to extract the vegetable juices and solidify the albuminous portion. If the wood is subject to a very high temperature, the evaporation proceeds too rapidly, and it will crack. If the sap remains under high temperature, it will ferment and make dry rot. Time required for seasoning depends on density of fibers. The sap may be dissolved by immersion in water. To season well, place timber under dry sheds, and ventilate well. It ought to be repled occasionally, and defective pieces removed. From two to eight years are required for effective seasoning, and the wood ought to be worked up as soon as it is thoroughly dry. Although the gradual process of natural curing produces strength and durability, artificial processes are successful. The best of these are steaming, and saturating with corrosive sublimate and antiseptic solutions. Strength increases with density and at the roots and centers. Kiln drying will do only for small pieces. Charring, painting, and covering the surface should be practiced only on seasoned wood. Timber can not be seasoned by smoking. Oak loses a fifth of its weight in seasoning, and one-third when dry. Pitch pine requires abnormal time in seasoning. Mahogany is seasoned slowly and pine quickly. Salt water is preferable to fresh in making wood harder, heavier, and more durable. The condition of a tree can be learned by striking it a quick blow. Timber which has been long immersed in water is found to be brashy and useless after exposure to the air. Trees which have been barked in the spring ought not to be felled till the foliage is dead. Common rot is caused by piling in bad sheds, and the signs are yellow spots on ends of pieces and yellowish dust in the cracks. Dry or sap rot is the putrefaction of vegetable albumen, and it can be prevented only by extracting or hardening the albumen, on which fungi subsist. Sugar and gum in the wood attract insects. The best way to preserve timber is to exhaust its fluids, harden its albumen, and inject antiseptics. Impregnation improves the resilience and does not lessen the strength of timber. The jarrow wood of Australia is about the only timber exempt from the ravages of insects. In a very dry atmosphere, the durability of wood is almost unlimited. Even piles driven in fresh water have remained sound longer than 800 years.

Strength of Timbers.—Results of experiments have satisfactorily proved that deflection was sensibly proportional to load; that extension and compression were nearly the same, though the former is greater; that, to produce equal deflection, the load, when placed in the center, was to a load uniformly distributed, as 638 to 1; that deflection under equal loads is inversely as breadths and cubes of the depths, and directly as cubes of the spans. It has also been shown that density of wood varies very little with its age; that the co-efficient of elasticity diminishes after a certain age, and that it depends also on the dryness and exposure of the ground where the wood is grown. Woods from a northerly exposure, on dry ground, have a high co-efficient, while those from swamps, or low, moist ground, have a low one. The tensile strength is influenced by age and exposure. The co-efficient of elasticity of a tree cut down in full vigor, or before it arrives at that stage in its growth, does not present any sensible difference. There is no limit of elasticity in wood, there being a permanent condition for every extension. Fluids will pass with the grain of wood with great facility, but will not enter it except to a very limited extent when applied externally. The weight of a beam of English oak, when wet, was reduced by seasoning from 972.25 to 630.5 pounds.

Table for the Measurement of Logs.

Entered according to Act of Congress, February 6th, 1868, by N. W. Spaulding, in the Clerk's office of the U. S. District Court for the District of California.]

The right to further publicity is reserved by the compiler, N. W. Spaulding.

By Act of the Legislature of the State of California, was made the "LEGAL SCALE" for the State. Approved March 28th, 1878. (See Statutes of 1877-78, Chapter CCCCXV.)

SEC. 1. There shall be but one standard for the measurement of logs throughout this state.

SEC. 2. The following table known as "Spaulding's Table for the measurement of logs" is hereby made the standard table for the measurement of logs throughout this state.

EXPLANATION.—The left hand column of figures in the table gives the length in feet of the log; the first line of figures running parallel at the top of each section of the table the diameter; and the other figures indicate the number of feet of square edged boards in each log.

LENGTH IN FEET.	DIAMETER IN INCHES.												
	10	11	12	13	14	15	16	17	18	19	20	21	22
12.....	38	47	58	71	86	103	121	141	162	184	207	231	256
13.....	41	51	62	76	93	111	131	152	175	199	224	250	277
14.....	44	55	67	82	100	120	141	164	189	214	241	269	298
15.....	47	59	72	88	107	128	151	176	202	230	258	288	320
16.....	50	63	77	94	114	137	161	188	216	245	276	308	341
17.....	53	67	82	100	121	145	171	199	229	260	293	327	362
18.....	57	70	87	106	129	154	181	211	243	276	310	346	384
19.....	60	74	91	112	136	163	191	223	256	291	327	365	405
20.....	63	78	96	118	143	171	201	235	270	306	345	385	426
21.....	66	82	101	124	150	180	211	246	283	322	362	404	448
22.....	69	86	106	130	157	188	221	258	297	337	379	423	469
23.....	72	90	111	136	164	197	231	270	310	352	396	442	490
24.....	76	94	116	142	172	206	242	282	324	368	414	462	512

LENGTH IN FEET.	DIAMETER IN INCHES.													
	23	24	25	26	27	28	29	30	31	32	33	34	35	
12.....	282	309	337	366	396	427	459	492	526	561	597	634	673	
13.....	305	334	365	396	429	462	497	533	569	607	646	686	729	
14.....	329	360	393	427	462	498	535	574	613	654	696	739	785	
15.....	352	387	421	457	495	533	573	615	657	701	746	792	841	
16.....	376	412	449	488	528	569	612	656	701	748	796	845	897	
17.....	399	437	477	518	561	604	650	697	745	794	845	898	953	
18.....	423	463	505	549	594	640	688	738	789	841	895	951	1009	
19.....	446	489	533	579	627	676	726	779	832	888	945	1003	1065	
20.....	470	515	561	610	660	711	765	820	876	935	995	1056	1121	
21.....	493	540	589	640	693	747	803	861	920	981	1044	1109	1177	
22.....	517	566	617	671	726	782	841	902	964	1028	1094	1162	1233	
23.....	540	592	645	701	759	818	879	943	1008	1075	1144	1215	1289	
24.....	564	618	674	732	792	854	918	984	1052	1122	1194	1268	1346	

LENGTH IN FEET.	DIAMETER IN INCHES.													
	36	37	38	39	40	41	42	43	44	45	46	47	48	
12.....	713	755	798	843	889	936	984	1033	1086	1134	1186	1239	1293	
13.....	772	817	864	913	963	1014	1066	1110	1176	1228	1284	1342	1400	
14.....	831	880	931	983	1037	1092	1148	1205	1267	1323	1383	1445	1508	
15.....	891	943	997	1053	1111	1170	1230	1291	1357	1417	1482	1548	1616	
16.....	950	1006	1064	1124	1185	1248	1312	1377	1448	1512	1581	1652	1724	
17.....	1010	1069	1130	1194	1259	1326	1394	1463	1538	1606	1680	1755	1831	
18.....	1069	1132	1197	1264	1333	1404	1476	1549	1629	1701	1779	1858	1939	
19.....	1128	1195	1263	1334	1407	1482	1558	1635	1719	1795	1877	1961	2047	
20.....	1188	1258	1330	1405	1481	1560	1640	1721	1810	1890	1976	2065	2155	
21.....	1247	1321	1397	1475	1555	1638	1722	1807	1900	1984	2075	2168	2262	
22.....	1307	1384	1463	1545	1629	1716	1804	1893	1991	2079	2174	2271	2370	
23.....	1366	1447	1529	1615	1703	1794	1886	1979	2081	2173	2273	2374	2478	
24.....	1426	1510	1596	1686	1778	1872	1968	2066	2172	2268	2372	2478	2586	

Table for the Measurement of Logs.—Continued.

LENGTH IN FEET.	DIAMETER IN INCHES.											
	49	50	51	52	53	54	55	56	57	58	59	60
12.....	1348	1404	1461	1519	1578	1638	1700	1763	1827	1893	1960	2028
13.....	1460	1521	1582	1645	1709	1774	1841	1909	1979	2050	2123	2197
14.....	1572	1638	1704	1772	1841	1911	1983	2056	2131	2208	2286	2366
15.....	1685	1755	1826	1898	1972	2047	2125	2203	2283	2366	2450	2535
16.....	1797	1872	1948	2025	2104	2184	2266	2350	2436	2524	2613	2704
17.....	1909	1989	2069	2151	2235	2320	2408	2497	2588	2681	2776	2873
18.....	2022	2106	2191	2278	2367	2457	2550	2644	2740	2839	2940	3042
19.....	2134	2223	2313	2405	2498	2593	2691	2791	2892	2997	3103	3211
20.....	2246	2340	2435	2531	2630	2730	2833	2938	3045	3155	3266	3380
21.....	4385	2457	2556	2657	2761	2866	2974	3085	3197	3312	3429	3549
22.....	2470	2574	2678	2784	2893	3003	3116	3232	3349	3470	3592	3718
23.....	2582	2691	2800	2911	3024	3139	3258	3379	3501	3628	3756	3887
24.....	2696	2808	2922	3038	3156	3276	3400	3526	3654	3786	3920	4056

LENGTH IN FEET.	DIAMETER IN INCHES.											
	61	62	63	64	65	66	67	68	69	70	71	72
12.....	2098	2169	2241	2315	2390	2467	2545	2625	2706	2789	2874	2960
13.....	2272	2349	2427	2507	2589	2672	2757	2843	2931	3021	3113	3206
14.....	2447	2530	2614	2700	2789	2878	2969	3062	3157	3253	3353	3453
15.....	2622	2711	2801	2893	2987	3083	3181	3281	3382	3486	3592	3700
16.....	2797	2892	2988	3086	3186	3289	3393	3500	3608	3718	3832	3946
17.....	2972	3072	3174	3279	3385	3494	3605	3718	3833	3951	4071	4193
18.....	3147	3253	3361	3472	3585	3700	3817	3937	4059	4183	4311	4440
19.....	3321	3434	3548	3665	3784	3906	4029	4156	4284	4415	4550	4686
20.....	3496	3615	3735	3858	3983	4111	4241	4375	4510	4648	4790	4933
21.....	3671	3795	3921	4051	4182	4316	4453	4593	4735	4880	5029	5180
22.....	3846	3976	4108	4244	4381	4522	4665	4812	4961	5113	5269	5426
23.....	4021	4157	4295	4437	4580	4728	4877	5031	5186	5345	5508	5673
24.....	4196	4338	4482	4630	4780	4934	5090	5250	5412	5578	5748	5920

LENGTH IN FEET.	DIAMETER IN INCHES.											
	73	74	75	76	77	78	79	80	81	82	83	84
12.....	3047	3135	3224	3314	3405	3497	3590	3684	3779	3874	3970	4067
13.....	3301	3396	3492	3590	3688	3788	3889	3991	4094	4196	4301	4406
14.....	3555	3657	3761	3866	3972	4080	4188	4298	4408	4519	4631	4745
15.....	3809	3919	4030	4142	4256	4371	4487	4605	4723	4842	4962	5084
16.....	4062	4180	4298	4418	4540	4663	4786	4912	5038	5165	5293	5423
17.....	4316	4441	4567	4694	4823	4954	5085	5219	5353	5488	5624	5762
18.....	4570	4702	4836	4970	5107	5245	5385	5526	5668	5811	5955	6101
19.....	4824	4964	5104	5246	5391	5537	5684	5833	5983	6133	6285	6440
20.....	5078	5225	5372	5522	5675	5829	5983	6140	6298	6456	6616	6778

LENGTH IN FEET.	DIAMETER IN INCHES.											
	85	86	87	88	89	90	91	92	93	94	95	96
12.....	4165	4264	4364	4465	4566	4668	4771	4875	4980	5085	5192	5300
13.....	4512	4619	4727	4837	4946	5057	5168	5281	5395	5508	5624	5741
14.....	4859	4974	5091	5209	5327	5446	5566	5687	5810	5932	6057	6183
15.....	5206	5330	5455	5581	5707	5835	5964	6094	6225	6356	6490	6625
16.....	5553	5685	5818	5953	6088	6224	6361	6500	6640	6780	6922	7066
17.....	5900	6040	6182	6325	6468	6613	6759	6906	7055	7203	7355	7508
18.....	6247	6396	6546	6697	6849	7002	7156	7312	7470	7627	7788	7950
19.....	6594	6751	6909	7069	7229	7391	7554	7719	7885	8051	8220	8391
20.....	6941	7106	7273	7441	7610	7780	7951	8125	8300	8475	8653	8833

Each log to be measured at the top or small end, inside of the bark; and, if not round, to be measured two ways—at right angles—and the difference taken for the diameter. In case of known defects, the deduction should be agreed upon by the buyer and seller, and no fractions of an inch to be taken into the measurement.

LUMBER REDUCED TO BOARD MEASURE.

SIZE IN INS.		LENGTH IN FEET.															
		5	10	12	14	16	18	20	22	24	26	28	30	40	50	60	
1x 1	1	*	†	1	1½	1½	1½	1½	2	2	2½	2½	3½	4†	5		
1x 2	2	†	1½	2	2½	2½	3	3½	4	4½	4½	5	6½	8½	10		
1x 3	3	1½	2½	3	3½	4	4½	5	5½	6	6½	7	7½	10	12½	15	
1x 4	4	1½	3½	4	4½	5½	6	6½	7½	8	9	9½	10	13½	16½	20	
1x 5	5	2**	4†	5	5†	6½	7½	8½	9†	10	10†	11½	12½	16½	20†	25	
1x 6	6	2½	5	6	7	8	9	10	11	12	13	14	15	20	25	30	
1x 8	8	3½	6½	8	9½	10½	12	13½	14½	16	17½	18½	20	26½	33½	40	
1x10	10	4†	8½	10	11½	13½	15	16½	18½	20	21½	23½	25	33½	41½	50	
1x14	14	5†	11½	14	16½	18½	21	23½	25½	28	30½	32½	35	46½	58½	70	
1x16	16	6½	13½	16	18½	21½	24	26½	29½	32	34½	37½	40	53½	66½	80	
1x20	20	8½	16½	20	23½	26½	30	33½	36½	40	43½	46½	50	66½	83½	100	
1x28	28	11½	23½	28	32½	37½	42	46½	51½	56	60½	65½	70	93½	117	140	
2x 2	2	1½	3½	4	4½	5½	6	6½	7½	8	8½	9½	10	13½	16½	20	
2x 3	3	2½	5	6	7	8	9	10	11	12	13	14	15	20	25	30	
2x 4	4	3½	6½	8	9½	10½	12	13½	14½	16	17½	18½	20	26½	33½	40	
2x 6	6	5	10	12	14	16	18	20	22	24	26	28	30	40	50	60	
2x 8	8	6½	13½	16	18½	21½	24	26½	29½	32	34½	37½	40	53½	66½	80	
2x10	10	8½	16½	20	23½	26½	30	33½	36½	40	43½	46½	50	66½	83½	100	
2x12	12	10	20	24	28	32	36	40	44	48	52	56	60	80	100	120	
2x14	14	11½	23½	28	32½	37½	42	46½	51½	56	60½	65½	70	93½	117	140	
3x 4	4	5	10	12	14	16	18	20	22	24	26	28	30	40	50	60	
3x 6	6	7½	15	18	21	24	27	30	33	36	39	42	45	60	75	90	
3x 8	8	10	20	24	28	32	36	40	44	48	52	56	60	80	100	120	
3x10	10	12½	25	30	35	40	45	50	55	60	65	70	75	100	125	150	
3x12	12	15	30	36	42	48	54	60	66	72	78	84	90	120	150	180	
3x14	14	17½	35	42	49	56	63	70	77	84	91	98	105	140	175	210	
4x 4	4	6½	13½	16	18½	21½	24	26½	29½	32	34½	37½	40	53½	66½	80	
4x 6	6	10	20	24	28	32	36	40	44	48	52	56	60	80	100	120	
4x 8	8	13½	26½	32	37½	42½	48	53½	58½	64	69½	74½	80	107	133	160	
4x10	10	16½	33½	40	46½	53½	60	66½	73½	80	86½	93½	100	133	167	200	
4x12	12	20	40	48	56	64	72	80	88	96	104	112	120	160	200	240	
4x14	14	23½	46½	56	65½	74½	84	93½	103	112	121	131	140	187	234	280	
5x 2	2	4†	8½	10	11½	13½	15	16½	18½	20	21½	23½	25	33½	41½	50	
5x 3	3	6½	12½	15	17½	20	22½	25	27½	30	32½	35	37½	50	62½	75	
5x 4	4	8½	16½	20	23½	26½	30	33½	36½	40	43½	46½	50	66½	83½	100	
5x 5	5	10*	20†	25	29†	33½	37½	41½	45†	50	54†	58½	62½	83½	104	125	
5x 6	6	12½	25	30	35	40	45	50	55	60	65	70	75	100	125	150	
5x 8	8	16½	33½	40	46½	53½	60	66½	73½	80	86½	93½	100	133	167	200	
5x10	10	20†	41½	50	58½	66½	75	83½	91½	100	108	117	125	167	208	250	
5x12	12	25	50	60	70	80	90	100	110	120	130	140	150	200	250	300	
5x14	14	29†	58½	70	81½	93½	105	117	128	140	152	163	175	233	292	350	
6x 6	6	15	30	36	42	48	54	60	66	72	78	84	90	120	150	180	
6x 8	8	20	40	48	56	64	72	80	88	96	104	112	120	160	200	240	
6x10	10	25	50	60	70	80	90	100	110	120	125	140	150	200	250	300	
6x12	12	30	60	72	84	96	108	120	132	144	156	168	180	240	300	360	
6x14	14	35	70	84	98	112	126	140	154	168	182	196	210	280	350	420	
7x 1	1	2	5†	7	8†	9½	10½	11½	12†	14	15½	16½	17½	23½	291	35	
7x 5	5	14½	29†	35	40†	46½	52½	58½	64	70	76	81½	87½	117	146	175	
7x 7	7	20*	40†	49	57†	65½	73½	81½	90	98	106	114	123	163	205	245	
7x 8	8	23½	46½	56	65½	74½	84	93½	103	112	121	131	140	187	234	280	
7x 9	9	26½	52½	63	73½	84	94½	105	116	126	136	147	157	210	262	315	
8x 8	8	26½	53½	64	74½	85½	96	107	117	128	139	149	160	214	267	320	
8x10	10	33½	66½	80	93½	107	120	133	147	160	173	187	200	267	334	400	
8x12	12	40	80	96	112	128	144	160	176	192	208	224	240	320	400	480	
8x14	14	46½	93½	112	131	149	168	187	205	224	243	261	280	373	468	560	
9x 9	9	33½	67½	81	94½	108	121	135	148	162	175	189	202	270	337	405	
10x10	10	41†	83½	100	117	133	150	167	183	200	217	233	250	333	417	500	
10x12	12	50	100	120	140	160	180	200	220	240	260	280	300	400	500	600	
10x14	14	58½	117	140	163	187	210	233	257	280	303	327	350	467	583	700	
11x11	11	50*	101	121	141	161	181	202	222	242	262	282	302	403	504	605	
12x12	12	60	120	144	168	192	216	240	264	288	312	336	360	480	600	720	
12x14	14	70	140	168	196	224	252	280	308	336	364	392	420	560	700	840	
13x13	13	70*	141	169	197	225	253	282	310	338	366	394	422	563	704	845	
14x14	14	81½	163	196	229	261	294	327	359	392	425	457	490	653	817	980	
14x16	16	93½	187	224	261	299	336	373	411	448	485	523	560	747	933	1120	
14x16	16	107	213	256	299	341	384	428	470	513	556	598	641	854	1068	1281	

* 5-12 of one foot † 5-6. ** 1-12. † 1-6. || 11-12. † 7-12.

Average Weight of the following kinds of Pacific Coast Lumber, Timber, Etc., Green and Dry.

(Weight Decimally Expressed.)

KINDS OF LUMBER.	LUMBER		LUMBER.		LUMBER.	
	Weight per Foot. Board Measure.		Feet in One Ton of 2,000 lbs.		Feet in One (Broad. Gauge) * Carload.	
	Green. Pounds.	Dry. Pounds.	Green. Feet.	Dry. Feet.	Green. Feet.	Dry. Feet.
Fir	r, 4.000	r, 2.50	r, 500.000	r, 800	r, 5,000	r, 8,000
Cedar, Port Orford	r, 3.125	r, 2.50	r, 640.000	r, 800	r, 6,400	r, 8,000
Pine, Mt. Yellow..	r, 3.500	r, 2.50	r, 574.285	r, 800	r, 5,749	r, 8,000
“ Oregon.....	{r, 3.500 {d, 2.500	{r, 3.00 {d, 2.00	{r, 574.285 {d, 800.000	{r, 667 {d, 1,000	{r, 5,742 {d, 8,000	{r, 6,667 {d, 10,000
“ Puget Sound	{r, 3.500 {d, 2.500	{r, 3.00 {d, 2.00	{r, 574.285 {d, 800.000	{r, 667 {d, 1,000	{r, 5,742 {d, 8,000	{r, 6,667 {d, 10,000
“ Sugar.....	r, 3.000	r, 2.34	r, 666.667	r, 858.37	r, 6,667	r, 8,584
Redwood, Northern	r, 4.000	r, 2.13	r, 500.000	r, 941.18	r, 5,000	r, 9,412
“ Southern	r, 4.500	r, 2.50	r, 444.444	r, 800.00	r, 4,444	r, 8,000

* One car-load on C. P. or S. P. R. R. is 20,000 lbs., or 6,000 ft. of lumber, green or dry. (r stands for rough; d) for dressed. One car-load on S. P. C. R. R. (narrow gauge) is 16,000 lbs. One car-load on S. F. & N. P. R. R., of Redwood is 6,500 ft., green or dry. One car-load on N. P. C. R. R., of Redwood or Fir (green), is 4,000 ft.

NOTE.—Southern Redwood and some specimens of Northern Redwood have been found to weigh as much as 6 lbs. to one foot, board measure, when first sawed.

Comparative Weight of Timber, Green and Seasoned.

[Per Cubic Foot (1,728 Cubic Inches).]

TIMBER.	Green.	Seasoned.	TIMBER.	Green.	Seasoned.	TIMBER.	Green.	Seasoned.
	lbs. ozs.	lbs. ozs.		lbs. ozs.	lbs. ozs.		lbs. ozs.	lbs. ozs.
Am. Pine	44. 12	30. 11	Beech ..	60. 0	53. 6	Eng. Oak	71. 10	43. 8
Ash.....	58. 3	50. 0	Cedar...32. 0	28. 4		Riga Fir.	48. 12	35. 8

Weight of White Oak, Live Oak, and Yellow Pine.

[Per Cubic Foot (at Different Degrees of Seasoning)]

AGE,	WHITE OAK, VA.		YELLOW PINE, VA.		LIVE OAK.
	Round.	Square.	Round.	Square.	Square.
	Pounds.	Pounds.	Pounds.	Pounds.	Pounds.
Green.....	64.7	67.7	39.2	47.8	78.75
One year.....	53.6	58.5	34.2	39.8	—
Two years.....	46.	49.9	33.5	34.3	66.75

In England, timber sawed into boards is classed as follows, 6½ to 7 inches in width, *Battens*; 8½ to 10 inches, *Deals*; and 11 to 12 inches, *Planks*.

Distillation.—From a single cord of pitch pine distilled by chemical apparatus, the following substances and in the quantities stated have been obtained :
Charcoal.....50 bushels
Pyroligneous Acid.....100 gallons
Illuminating Gas, about, 1,000 cubic feet
Spirits of Turpentine.....20 “
Illuminating Oil and Tar.....50 gallons
Tar.....1 barrel
Pitch or Resin.....1½ barrels.
Wood Spirit.....5 gallons

EXPANSION OF MATERIALS.

Table of the rates of expansion in bulk, in rising from the freezing point (0° Cent. or 32° Fahr.) to the boiling point (100° Cent. or 212° Fahr.), of the following :

MATERIALS.	Expansion.	MATERIALS.	Expansion.
Air at ordinary pressures.....	0.3660	Iron, Wrought, (and Steel)...	0.0036
Brass.....	0.0065	Lead.....	0.0057
Bronze.....	0.0054	Mercury.....	0.018153
Brick, Common.....	0.0106	Oil, Linseed and Olive.....	0.08
Brick, Fire.....	0.0015	Slate.....	0.0031
Cement.....	0.0042	Tin.....	0.0066
Copper.....	0.0055	Water, pure.....	0.04775
Gases, perfect..	0.365	Water, sea, (ordinary).....	0.05
Glass, (average).....	0.0027	Wine, Spirit of.....	0.1112
Iron, Cast.....	0.0033	Zinc.....	0.0058

TELEGRAPH POLE, BOAT-OAR, PEDESTAL, or FRUSTUM, PYRAMID AND WEDGE.—How to Calculate the Number of Feet of Lumber (Board Measure), in any Irregular-Shaped Piece of Timber.

The Telegraph pole is usually 8x9 ins. at the base by 4x5 at the top and 24 ft. long. A Boat-oar (in the rough before it is shaped) is 3x3 ins. at the handle by 1½x6 ins. at the blade, and 12 ft. long. Pedestals may be in any proportion; from the shape of a pyramid to a telegraph pole. By the following rule the contents of any one of the above mentioned pieces of timber may be accurately ascertained by any ordinary mathematician:

RULE.—First draw a diagram of the exact shape of the base, or largest end of the piece of timber to be formulated, on a scale representing inches. 2d, within the exact center of the diagram representing the top, or smallest end, on the same relative scale of inches; then make an imaginary line (by dots) from each corner of the inner diagram to the outer edge of the larger diagram, and on a line corresponding to the sides and ends of the inner diagram, which will then represent 9 oblong or square blocks, the center one of which represents a piece of timber of the same size, from end to end of the stick which is easily calculated; by reversing the ends of the side pieces, also the two end pieces you have two more oblong or square blocks, representing timber the same size from end to end; next, by placing the 4 corner pieces together, 1 piece of timber pyramidal in shape is formed, the rule for calculating which, is to multiply the area of the base by the perpendicular height, and take one-third of the product. (Note.—The volume of a pyramid is equal to one-third of that of a prism having equal bases and altitude.) The addition of the sum of all the parts above mentioned will give the answer. Exceptions to the above rule are noted in examples that follow.

Example 1.—How many feet of lumber (board measure) in a telegraph pole 8x9 ins. at the base by 4x5 ins. at the top, and 24 ft. long? Proceed by drafting a diagram as mentioned in the rule above; the center piece will be 4x5 ins. sqr. by 24 ft. long = 40 ft.; the two center end pieces will be 5x2½ ins. at the base by 5x0 at the top; by reversing one of said pieces you have one piece of timber 5x2½ ins. at both ends, 24 ft. long = 25 ft.; the two center side pieces will each be 4x1½ at the base, by 4x0 at the top and 24 ft. long; by reversing one of these pieces you have one piece of timber 4x1½ ins. sqr. and 24 ft. long = 12 ft.; the 4 corner pieces each represent a right-angle triangle at the base; the shorter angle being 1½x2½ ins. for the longer angle, and tapering to a point at the top 24 ft. long; by placing the 4 corner pieces together, 1 piece of timber is formed (pyramidal in shape), 5x3 at the base, running to a point at the apex, and 24 ft. long (see rule above for pyramid,) = 10 ft. 40+25+12+10= Ans., 87 ft. in telegraph pole of the dimensions above stated.

Example 2.—How many feet of lumber, (board measure), in a boat-oar (in the rough) 3x3 at the handle, by 1½x6 ins. at the blade, and 12 ft. long? Solution: A diagram (in this example) of the ends, must cross each other at right angles; it then represents 3 oblong, and 2 square blocks, with an imaginary line drawn connecting the corners, you have 4 more right-angled triangle blocks, making 9 in all, (as in the example of the telegraph pole) the center block represents a piece of timber 3x1½ ins. sqr., 12 ft. long = 4½ ft. the 2 side pieces are 3x½ ins. (each) at one end, by 3x0 at the other; by reversing 1 of the pieces you have one piece of timber 3x½ ins. sqr., and 12 ft. long = 2½ ft.; by reversing the 2 end pieces, you have 1 piece 1½x1½ ins. sqr., 12 ft. long = 2½ ft.; the remaining 4 pieces are double-wedge shape, (the wedges standing at right angles with each other), one end of which is 1½ ins., the other ½ in., and each piece 12 ft. long; in the center of each piece it will be found to measure ¾x¾ in. square; calculate each piece as a wedge, from the center of each of the double wedge shaped pieces) 4 of which are ¾x¾ in. at the base, by 1½x0 at the blade, and 6 ft. long; and the other 4 are ¾x¾ by ¾x0 and 6 ft. long. (To compute the volume of a wedge:—Rule.—To the length of the edge add twice the length of the back; multiply this sum by the perpendicular height, and then by the breadth of the back, and take one-sixth of the product.) By the above rule, the 4 larger wedges contain = ft., and the 4 smaller ones = .28125 ft. (or 40½ sqr. ins.) 4½+2½+2½+¾+.28125= 9 ft. and 94½—144ths, or 9.65625 ft.

Example 3.—How many feet of lumber (board measure) in a piece of timber (pedestal) 22x22 ins. square at the base, and 5x5 at the top, and 32 feet long? Solution: Proceed the same as directed in example 1; your draft will show 8 square and 4 oblong shaped blocks. The center block represents a piece of timber 5x5 ins. square, 32 feet long = 66½ feet; the 4 oblong blocks represent (each) a piece of timber 5x8½ at the base by 5x0 at the top; by reversing the ends of 2 of said pieces you have 1 piece of timber (either 10x8½ or) 5x17 ins. square; 32 feet long = 226½ feet; the 4 corner pieces represent (each) a piece of timber at the

base) $8\frac{1}{2} \times 8\frac{1}{2}$ ins. running to a point at 32 feet; by placing the 4 corner pieces together it forms 1 piece of timber pyramidal in shape, 17×17 ins. at the base, running to a point 32 feet from the center of the base, (see rule above for pyramid), = $256.8888 + \text{feet. } 66\frac{2}{3} + 226\frac{2}{3} + 256 \cdot 8 \cdot 9 = 550.2222 + \text{or } 550 \text{ ft., and } 32 \cdot 144 \text{ ins.}$

To compute the number of feet (board measure) in round timber: Rule—Add the squares of diameters of greater and lesser ends and product of the 2 diameters; multiply same by .7854 and product by $\frac{1}{3}$ of length for cubic feet; to reduce to board measure divide cubic feet by 12. Allowance should be made for bark by deducting from each girth, from $\frac{1}{2}$ inch in logs with thin bark, to 2 inches in logs with thick bark. For allowance for sawing into boards, see table for log measurement in another part of this work. It is customary, practically, to take $\frac{1}{7}$ of the diameter for the small end of the log, for the side of the square which can be sawed from a given log.

To find the contents of any irregular body of wood (such as an axe-handle, shoe last, etc.) immerse the body in a vessel full of water and measure the quantity of water displaced.

Weight of Different Metals.

WEIGHT OF ONE SQUARE FOOT.

Thickness.	WEIGHT IN POUNDS.					
	Cast Iron.	Wrought Iron	Copper.	Lead.	Zinc.	Brass.
1-16 inch.	2.3465	2.5345	2.8880	3.6913	2.3435	2.7484
3-16 "	4.6931	5.0691	5.7760	7.3826	4.6870	5.4968
5-16 "	7.0396	7.6037	8.6640	11.0739	7.0305	8.2453
7-16 "	9.3862	10.1383	11.5520	14.7652	9.3740	10.9937
9-16 "	11.7328	12.6729	14.4401	18.4565	11.7175	13.7421
11-16 "	14.0793	15.2075	17.3281	22.1478	14.0610	16.4906
13-16 "	16.4259	17.7421	20.2161	25.8391	16.4045	19.2390
15-16 "	18.7725	20.2767	23.1041	29.5304	18.7480	21.9875
1 "	21.1190	22.8112	25.9921	33.2217	21.0915	24.7359
2 "	23.4656	25.3458	28.8802	36.9130	23.4350	27.4843
3 "	25.8121	27.8804	31.7682	40.6043	25.7786	30.2328
4 "	28.1587	30.4150	34.6562	44.2956	28.1221	32.9812
5 "	30.5053	32.9496	37.5442	47.9869	30.4656	35.7296
6 "	32.8518	35.4842	40.4322	51.6782	32.8091	38.4781
7 "	35.1984	38.0188	43.3203	55.3695	35.1526	41.2265
8 "	37.5450	40.5534	46.2083	59.0608	37.4961	43.9750

Metals vary in weight according to quality or manufacture. The weights as given above are sufficiently accurate for ordinary calculations.

ROUND ROLLED IRON—ONE FOOT IN LENGTH.

Inches Diameter.	Pounds in Weight.	Inches Diameter.	Pounds in Weight.	Inches Diameter.	Pounds in Weight.	Inches Diameter.	Pounds in Weight.	Inches Diameter.	Pounds in Weight.
1-16	.010	1 $\frac{1}{8}$	9.331	3 $\frac{7}{8}$	39.855	5 $\frac{7}{8}$	91.612	8 $\frac{1}{4}$	180.653
3-16	.041	2	10.617	4	42.468	6	95.552	8 $\frac{3}{4}$	191.767
	.093	2 $\frac{1}{4}$	11.985	4 $\frac{1}{2}$	45.163	6 $\frac{1}{2}$	99.575	9	203.214
	.166	2 $\frac{1}{2}$	13.437	4 $\frac{3}{4}$	47.942	6 $\frac{3}{4}$	103.681	9 $\frac{1}{4}$	214.992
	.373	2 $\frac{3}{4}$	14.971	4 $\frac{7}{8}$	50.803	6 $\frac{7}{8}$	107.869	9 $\frac{3}{4}$	227.102
	.664	2 $\frac{7}{8}$	16.589	4 $\frac{15}{16}$	53.748	6 $\frac{15}{16}$	112.141	9 $\frac{15}{16}$	239.543
	1.037	3	18.289	4 $\frac{1}{2}$	56.775	6 $\frac{1}{2}$	116.495	9 $\frac{1}{2}$	252.317
	1.493	3 $\frac{1}{8}$	20.073	4 $\frac{1}{2}$	59.886	6 $\frac{1}{2}$	120.933	10	265.422
	2.032	3 $\frac{1}{4}$	21.939	4 $\frac{1}{2}$	63.079	6 $\frac{1}{2}$	125.453	10 $\frac{1}{4}$	278.859
1	2.654	3 $\frac{1}{2}$	23.888	5	66.356	7	130.057	10 $\frac{1}{2}$	292.628
1 $\frac{1}{8}$	3.359	3 $\frac{3}{4}$	25.920	5 $\frac{1}{2}$	69.715	7 $\frac{1}{4}$	139.512	10 $\frac{3}{4}$	306.728
1 $\frac{1}{4}$	4.147	3 $\frac{1}{2}$	28.035	5 $\frac{1}{2}$	73.157	7 $\frac{1}{2}$	144.365	11	321.161
1 $\frac{3}{8}$	5.018	3 $\frac{1}{2}$	30.233	5 $\frac{1}{2}$	76.682	7 $\frac{3}{4}$	149.300	11 $\frac{1}{4}$	335.925
1 $\frac{1}{2}$	5.972	3 $\frac{1}{2}$	32.514	5 $\frac{1}{2}$	80.290	7 $\frac{3}{4}$	154.318	11 $\frac{1}{2}$	351.021
1 $\frac{3}{4}$	7.009	3 $\frac{1}{2}$	34.878	5 $\frac{1}{2}$	83.981	7 $\frac{3}{4}$	159.419	11 $\frac{3}{4}$	366.448
2	8.129	3 $\frac{1}{2}$	37.325	5 $\frac{1}{2}$	87.755	8	169.870	12	382.208

Example—Required the weight of a bar of iron 2 $\frac{1}{2}$ inches in diameter and 12 feet long:
 $11.985 \times 12 = 143.8$ pounds

SQUARE ROLLED IRON—ONE FOOT IN LENGTH.

Inches Square.	Pounds in Weight.	Inches Square.	Pounds in Weight.	Inches Square.	Pounds in Weight.	Inches Square.	Pounds in Weight.	Inches Square.	Pounds in Weight.
1-16	.013	1½	10.350	3½	44.408	5½	102.228	8½	258.739
¼	.053	1¾	11.881	3¾	47.524	5¾	106.928	9	273.736
3-16	.119	2	13.518	3⅞	50.745	5⅞	111.733	9¼	289.154
⅓	.211	2½	15.260	4	54.071	5⅝	116.544	9½	304.995
⅔	.475	2¾	17.108	4¼	57.503	6	121.660	9¾	321.259
¾	.845	2⅝	19.062	4½	61.041	6¼	132.010	10	337.945
⅞	1.320	2⅞	21.122	4⅝	64.685	6½	142.782	10¼	355.054
1	1.901	2⅞	23.287	4¾	68.434	6¾	153.976	10½	372.584
1¼	2.587	2¾	25.557	4⅞	72.289	7	165.593	10¾	390.538
1½	3.379	2½	27.993	4¾	76.249	7¼	177.632	11	408.914
1¾	4.277	3	30.415	4¾	80.315	7½	190.094	11¼	427.712
1⅞	5.280	3½	33.002	5	84.486	7¾	202.978	11½	446.932
2	6.389	3¾	35.695	5½	88.763	8	216.265	11¾	466.675
2¼	7.604	3⅞	38.494	5¾	93.146	8¼	230.014	12	486.641
2½	8.924	3½	41.398	5¾	97.634	8½	244.165		

Example—Required the weight of a bar of iron 2½ inches square and 12 feet long:
15.26×12=183.1 pounds.

FLAT ROLLED IRON—ONE FOOT IN LENGTH.

Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.
¼x¼	.211	1¼x¼	3.168	1¾x¼	.739	2x1¼	10.138	2½x¼	1.003
¼x½	.422	1½x½	3.696	1¾x½	1.478	1¾	10.983	¼x½	2.007
¼x¾	.634	1x¾	4.224	1¾x¾	2.218	1¾	11.828	½x¾	3.010
½x¼	.264	1x½	4.752	1¾x¾	2.957	1¾	12.673	¾x¾	4.013
½x½	.528	1¾x½	.581	1¾x¾	3.696	2½x¾	.898	¾x¾	5.016
½x¾	.792	1¾x¾	1.162	1¾x¾	4.435	1¾	1.795	¾x¾	6.020
¾x¼	1.056	1¾x¾	1.742	1¾x¾	5.175	1¾	2.693	¾x¾	7.023
¾x½	.317	1¾x¾	2.323	1¾	5.914	1¾	3.691	1	8.026
¾x¾	.634	1¾x¾	2.904	1¾	6.653	1¾	4.488	1	9.029
¾x¾	.950	1¾x¾	3.485	1¾	7.392	1¾	5.386	1¼	10.033
¾x¾	1.267	1¾x¾	4.066	1¾	8.132	1¾	6.284	1¾	11.036
¾x¾	1.584	1	4.647	1¾	8.871	1	7.181	1¾	12.039
¾x¾	.370	1¾	5.228	1¾	9.610	1¾	8.079	1¾	13.043
¾x¾	.739	1¾	5.808	1¾x¾	.792	1¾	8.977	1¾	14.046
¾x¾	1.109	1¾x¾	.634	1¾x¾	1.584	1¾	9.874	1¾	15.049
¾x¾	1.478	1¾x¾	1.267	1¾x¾	2.376	1¾	10.772	2	16.052
¾x¾	1.848	1¾x¾	1.901	1¾x¾	3.168	1¾	11.670	2	17.056
¾x¾	2.218	1¾x¾	2.535	1¾x¾	3.960	1¾	12.567	2	18.059
1x¼	.422	1¾x¾	3.168	1¾x¾	4.752	1¾	13.465	2½x¾	1.056
1x¼	.845	1¾x¾	3.802	1¾x¾	5.544	2	14.362	¼x¾	2.112
1x¼	1.267	1¾x¾	4.436	1	6.336	2½x¾	.950	¾x¾	3.168
1x¼	1.690	1	5.069	1¾	7.128	1¾	1.901	¾x¾	4.224
1x¼	2.112	1¾	5.703	1¾	7.921	1¾	2.851	¾x¾	5.280
1x¼	2.535	1¾	6.336	1¾	8.713	1¾	3.802	¾x¾	6.336
1x¼	2.957	1¾	6.970	1¾	9.505	1¾	4.752	¾x¾	7.393
1½x¼	.475	1¾x¾	.686	1¾	10.297	1¾	5.703	1	8.449
1½x¼	.950	1¾x¾	1.373	1¾	11.089	1¾	6.653	1	9.505
1½x¼	1.426	1¾x¾	2.059	2x¾	.845	1	7.604	1¼	10.561
1½x¼	1.901	1¾x¾	2.746	1¾x¾	1.690	1¾	8.554	1¾	11.617
1½x¼	2.376	1¾x¾	3.432	1¾x¾	2.535	1¾	9.505	1¾	12.673
1½x¼	2.851	1¾x¾	4.119	1¾x¾	3.379	1¾	10.455	1¾	13.729
1½x¼	3.327	1¾x¾	4.805	1¾x¾	4.224	1¾	11.406	1¾	14.785
1½x¼	3.802	1	5.492	1¾x¾	5.069	1¾	12.356	1¾	15.841
1½x¼	.528	1¾	6.178	1¾x¾	5.914	1¾	13.307	2	16.897
1½x¼	1.056	1¾	6.864	1	6.759	1¾	14.257	2	17.953
1½x¼	1.584	1¾	7.551	1¾	7.604	2	15.207	2¼	19.009
1½x¼	2.112	1¾	8.237	1¾	8.449	2	16.158	2½	20.065
1½x¼	2.640	1¾	8.924	1¾	9.293	2½	17.108	2½	21.122

FLAT ROLLED IRON—ONE FOOT IN LENGTH—CONTINUED.

Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.
$2\frac{1}{2}$ x $\frac{1}{8}$	1.109	3 x $\frac{1}{8}$	1.267	$3\frac{1}{2}$ x $2\frac{1}{4}$	24.712	$3\frac{1}{2}$ x $\frac{3}{8}$	6.125	$3\frac{7}{8}$ x $1\frac{3}{8}$	18.006
$\frac{3}{8}$	2.218	$\frac{1}{4}$	2.535	$2\frac{1}{2}$	26.085	$\frac{5}{8}$	7.657	$1\frac{1}{2}$	19.643
$\frac{1}{2}$	3.327	$\frac{3}{8}$	3.802	$2\frac{1}{2}$	27.458	$\frac{3}{4}$	9.188	$1\frac{1}{2}$	21.280
$\frac{5}{8}$	4.435	$\frac{1}{2}$	5.069	$2\frac{1}{2}$	28.831	$\frac{7}{8}$	10.719	$1\frac{3}{4}$	22.917
$\frac{3}{4}$	5.544	$\frac{5}{8}$	6.336	$2\frac{3}{4}$	30.204	1	12.250	$1\frac{3}{4}$	24.554
$\frac{7}{8}$	6.653	$\frac{3}{4}$	7.604	$2\frac{3}{4}$	31.577	$1\frac{1}{8}$	13.782	2	26.191
1	7.762	$\frac{7}{8}$	8.871	3	32.950	$1\frac{1}{4}$	15.313	$2\frac{1}{8}$	27.828
$1\frac{1}{8}$	8.871	1	10.138	$3\frac{1}{8}$	34.323	$1\frac{1}{2}$	16.844	$2\frac{1}{4}$	29.465
$1\frac{1}{4}$	9.980	$1\frac{1}{8}$	11.406	$\frac{1}{2}$	1.426	$1\frac{3}{4}$	18.376	$2\frac{1}{2}$	31.101
$1\frac{1}{2}$	11.089	$1\frac{1}{4}$	12.673	$\frac{3}{8}$	2.851	1	19.907	$2\frac{3}{4}$	32.733
$1\frac{3}{4}$	12.198	$1\frac{3}{8}$	13.940	$\frac{1}{4}$	4.277	$1\frac{1}{4}$	21.438	$2\frac{3}{4}$	34.375
$1\frac{7}{8}$	13.307	$1\frac{7}{8}$	15.207	$\frac{1}{8}$	5.703	$1\frac{1}{2}$	22.970	$2\frac{3}{4}$	36.012
2	14.415	$1\frac{7}{8}$	16.475	$\frac{1}{8}$	7.128	2	24.501	$2\frac{7}{8}$	37.649
$2\frac{1}{8}$	15.524	$1\frac{7}{8}$	17.742	$\frac{1}{8}$	8.554	$2\frac{1}{2}$	26.032	3	39.286
$2\frac{1}{4}$	16.633	1	19.009	$\frac{1}{8}$	9.980	$2\frac{3}{4}$	27.564	$3\frac{1}{8}$	40.923
$2\frac{1}{2}$	17.742	2	20.277	1	11.406	$2\frac{3}{4}$	29.095	$3\frac{1}{4}$	42.560
$2\frac{3}{4}$	18.851	$2\frac{1}{8}$	21.544	$1\frac{1}{8}$	12.831	$2\frac{7}{8}$	30.626	$3\frac{3}{8}$	44.197
$2\frac{7}{8}$	19.960	$2\frac{1}{4}$	22.811	$1\frac{1}{4}$	14.257	3	32.158	$3\frac{3}{4}$	45.834
$3\frac{1}{8}$	21.069	$2\frac{3}{8}$	24.079	$1\frac{3}{8}$	15.683	$3\frac{1}{8}$	33.689	$3\frac{7}{8}$	47.471
$3\frac{1}{4}$	22.178	$2\frac{3}{4}$	25.346	$1\frac{7}{8}$	17.108	$3\frac{1}{4}$	35.220	$3\frac{7}{8}$	49.108
$3\frac{3}{8}$	1.162	$2\frac{7}{8}$	26.613	$1\frac{7}{8}$	18.534	4	36.751	$4\frac{1}{8}$	1.690
$3\frac{7}{8}$	3.323	$2\frac{7}{8}$	27.880	$1\frac{7}{8}$	19.960	$3\frac{3}{8}$	38.283	$\frac{1}{8}$	3.379
$4\frac{1}{8}$	3.485	$2\frac{7}{8}$	29.148	1	21.386	$3\frac{3}{4}$	39.814	$\frac{1}{8}$	6.759
$\frac{1}{2}$	4.647	$3\frac{1}{8}$ x $\frac{1}{8}$	1.320	2	22.811	$3\frac{7}{8}$	41.345	$\frac{1}{4}$	10.138
$\frac{3}{8}$	5.808	$\frac{1}{8}$	2.640	$2\frac{1}{8}$	24.237	$3\frac{7}{8}$	42.877	1	13.518
$\frac{1}{4}$	6.970	$\frac{3}{8}$	3.960	$2\frac{1}{4}$	25.663	$\frac{1}{2}$	1.584	$1\frac{1}{8}$	16.897
$\frac{1}{8}$	8.132	$\frac{1}{4}$	5.280	$2\frac{1}{4}$	27.088	$\frac{1}{2}$	3.168	$1\frac{1}{8}$	20.277
1	9.293	$\frac{1}{4}$	6.600	$2\frac{1}{2}$	28.514	$\frac{3}{8}$	4.752	$1\frac{1}{4}$	23.656
$1\frac{1}{8}$	10.455	$\frac{3}{8}$	7.921	$2\frac{1}{2}$	29.940	$\frac{1}{4}$	6.336	2	27.036
$1\frac{1}{4}$	11.617	$\frac{1}{2}$	9.241	$2\frac{3}{4}$	31.365	$\frac{1}{4}$	7.921	$2\frac{1}{4}$	30.415
$1\frac{1}{2}$	12.778	1	10.561	$2\frac{3}{4}$	32.791	$\frac{3}{8}$	9.505	$2\frac{1}{4}$	33.794
$1\frac{3}{4}$	13.940	$1\frac{1}{8}$	11.881	3	34.217	$\frac{1}{2}$	11.089	$2\frac{3}{4}$	37.174
$1\frac{7}{8}$	15.102	$1\frac{1}{4}$	13.201	$3\frac{1}{8}$	35.643	1	12.673	3	40.553
2	16.264	$1\frac{1}{4}$	14.521	$3\frac{1}{4}$	37.068	$1\frac{1}{8}$	14.257	$3\frac{3}{8}$	43.933
$2\frac{1}{8}$	17.425	$1\frac{3}{8}$	15.841	$\frac{1}{2}$	1.478	$1\frac{1}{4}$	15.841	$3\frac{3}{4}$	47.312
$2\frac{1}{4}$	18.587	$1\frac{3}{8}$	17.161	$\frac{1}{4}$	2.957	$1\frac{1}{2}$	17.425	$3\frac{7}{8}$	50.692
$2\frac{1}{2}$	19.749	$1\frac{7}{8}$	18.481	$\frac{3}{8}$	4.435	$1\frac{3}{4}$	19.009	$\frac{1}{8}$	1.795
$2\frac{3}{4}$	20.910	$1\frac{7}{8}$	19.801	$\frac{1}{4}$	5.914	1	20.593	$\frac{1}{8}$	3.591
$2\frac{7}{8}$	22.072	2	21.122	$\frac{1}{8}$	7.392	$1\frac{1}{8}$	22.178	$\frac{1}{4}$	7.181
$3\frac{1}{8}$	23.234	$2\frac{1}{8}$	22.442	$\frac{3}{8}$	8.871	$1\frac{1}{4}$	23.762	$\frac{1}{4}$	10.772
$3\frac{1}{4}$	24.395	$2\frac{1}{4}$	23.762	$\frac{1}{2}$	10.350	2	25.346	1	14.363
$3\frac{3}{8}$	1.214	$2\frac{3}{8}$	25.082	1	11.828	$2\frac{1}{8}$	26.930	$1\frac{1}{8}$	17.953
$3\frac{7}{8}$	2.429	$2\frac{3}{8}$	26.402	$1\frac{1}{8}$	11.307	$2\frac{1}{4}$	28.514	$1\frac{1}{4}$	21.544
$4\frac{1}{8}$	3.643	$2\frac{7}{8}$	27.722	$1\frac{1}{4}$	14.785	$2\frac{3}{8}$	30.098	$1\frac{3}{4}$	25.135
$\frac{1}{2}$	4.858	$2\frac{7}{8}$	29.042	$1\frac{3}{8}$	16.264	$2\frac{3}{4}$	31.682	2	28.725
$\frac{3}{8}$	6.072	$2\frac{7}{8}$	30.362	$1\frac{7}{8}$	17.742	$2\frac{7}{8}$	33.266	$2\frac{1}{4}$	32.316
$\frac{1}{4}$	7.287	3	31.682	$1\frac{7}{8}$	19.221	$2\frac{7}{8}$	34.851	$2\frac{1}{2}$	35.907
$\frac{1}{8}$	8.501	$3\frac{1}{8}$ x $\frac{1}{8}$	1.373	$1\frac{7}{8}$	20.699	$2\frac{7}{8}$	36.435	$2\frac{3}{4}$	39.497
1	9.716	$\frac{1}{8}$	2.746	$1\frac{7}{8}$	21.178	3	38.019	3	43.088
$1\frac{1}{8}$	10.930	$\frac{3}{8}$	4.119	2	23.656	$3\frac{1}{8}$	39.603	$3\frac{1}{4}$	46.679
$1\frac{1}{4}$	12.145	$\frac{1}{4}$	5.492	$2\frac{1}{8}$	25.135	$3\frac{1}{4}$	41.187	$3\frac{3}{8}$	50.269
$1\frac{1}{2}$	13.359	$\frac{1}{4}$	6.864	$2\frac{1}{4}$	26.613	$3\frac{3}{8}$	42.771	$3\frac{3}{4}$	53.860
$1\frac{3}{4}$	14.574	$\frac{3}{8}$	8.237	$2\frac{3}{8}$	28.092	$3\frac{3}{4}$	44.355	4	57.451
$1\frac{7}{8}$	15.788	$\frac{1}{2}$	9.610	$2\frac{3}{4}$	29.570	$3\frac{7}{8}$	5.939	$4\frac{1}{2}$ x $\frac{1}{4}$	3.802
2	17.003	1	10.983	$2\frac{3}{4}$	31.049	$\frac{1}{8}$	1.637	$\frac{1}{8}$	7.604
$2\frac{1}{8}$	18.217	$1\frac{1}{8}$	12.356	$2\frac{7}{8}$	32.527	$\frac{1}{4}$	3.274	$\frac{1}{4}$	11.406
$2\frac{1}{4}$	19.432	$1\frac{1}{4}$	13.729	$2\frac{7}{8}$	34.006	$\frac{3}{8}$	4.911	1	15.207
$2\frac{1}{2}$	20.646	$1\frac{3}{8}$	15.102	3	35.484	$\frac{1}{2}$	6.548	$1\frac{1}{8}$	19.009
$2\frac{3}{4}$	21.861	$1\frac{3}{8}$	16.475	$3\frac{1}{8}$	36.963	$\frac{1}{2}$	8.185	$1\frac{1}{4}$	22.811
$2\frac{7}{8}$	23.075	$1\frac{7}{8}$	17.848	$3\frac{1}{4}$	38.441	$\frac{3}{8}$	9.821	$1\frac{1}{2}$	26.613
$3\frac{1}{8}$	24.290	$1\frac{7}{8}$	19.221	$3\frac{3}{8}$	39.920	$\frac{1}{4}$	11.453	2	30.415
$3\frac{1}{4}$	25.504	1	20.593	$\frac{1}{2}$	1.531	1	13.095	$2\frac{1}{4}$	34.217
$3\frac{3}{8}$	26.719	2	21.966	$\frac{1}{4}$	3.063	$1\frac{1}{8}$	14.732	$2\frac{1}{2}$	38.019
$3\frac{7}{8}$	27.933	$2\frac{1}{8}$	23.339	$\frac{3}{8}$	4.594	$1\frac{1}{4}$	16.369	$2\frac{3}{4}$	41.821

FLAT ROLLED IRON—ONE FOOT IN LENGTH—CONTINUED.

Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.	Inches.	Pounds in Weight.
$4\frac{1}{8} \times 3$	45.623	$5 \times \frac{3}{4}$	12.673	$5\frac{1}{2} \times 2\frac{1}{2}$	44.355	$5\frac{1}{2} \times 4$	74.348	$5\frac{1}{2} \times 5\frac{1}{2}$	102.017
$3\frac{1}{2}$	49.424	1	16.897	$2\frac{3}{4}$	48.791	$4\frac{1}{2}$	78.995	$5\frac{1}{2}$	106.875
$3\frac{1}{8}$	53.226	$1\frac{1}{2}$	21.122	3	53.226	$4\frac{1}{8}$	83.641	$6 \times \frac{1}{2}$	5.069
$3\frac{1}{4}$	57.028	$1\frac{3}{8}$	25.346	$3\frac{1}{2}$	57.662	$4\frac{1}{4}$	88.288	$\frac{1}{2}$	10.138
4	60.830	$1\frac{1}{4}$	29.570	$3\frac{3}{4}$	62.097	5	92.935	$\frac{3}{4}$	15.207
$4\frac{1}{4}$	64.632	2	33.794	$3\frac{5}{8}$	66.533	$5\frac{1}{8}$	97.582	1	20.277
$4\frac{1}{2} \times \frac{3}{4}$	4.013	$2\frac{1}{2}$	38.019	4	70.968	$5\frac{1}{4} \times \frac{1}{2}$	4.858	$1\frac{1}{2}$	25.346
$\frac{3}{8}$	8.026	$2\frac{3}{4}$	42.243	$4\frac{1}{2}$	75.404	$\frac{1}{2}$	9.716	$1\frac{3}{8}$	30.415
$\frac{1}{2}$	12.039	$2\frac{5}{8}$	46.467	$4\frac{3}{4}$	79.839	$\frac{3}{8}$	14.754	$1\frac{1}{4}$	35.484
1	16.052	3	50.692	$4\frac{1}{2}$	84.275	1	19.432	2	40.553
$1\frac{1}{8}$	20.065	$3\frac{1}{2}$	54.916	5	88.711	$1\frac{1}{2}$	24.290	$2\frac{1}{2}$	45.623
$1\frac{1}{4}$	24.079	$3\frac{3}{8}$	59.140	$5\frac{1}{2} \times \frac{1}{2}$	4.647	$1\frac{3}{4}$	29.148	$2\frac{3}{8}$	50.692
$1\frac{3}{8}$	28.092	$3\frac{5}{8}$	63.365	$\frac{1}{2}$	9.293	$1\frac{5}{8}$	34.006	$2\frac{1}{2}$	55.761
2	32.105	4	67.589	$\frac{3}{8}$	13.940	2	38.864	3	60.830
$2\frac{1}{8}$	36.118	$4\frac{1}{2}$	71.813	1	18.587	$2\frac{1}{2}$	43.722	$3\frac{1}{2}$	65.899
$2\frac{1}{4}$	40.131	$4\frac{3}{8}$	76.038	$1\frac{1}{2}$	23.234	$2\frac{3}{4}$	48.580	$3\frac{3}{8}$	70.968
$2\frac{3}{8}$	44.144	$4\frac{1}{4}$	80.262	$1\frac{3}{4}$	27.880	$2\frac{5}{8}$	53.438	$3\frac{1}{2}$	77.038
3	48.157	$5\frac{1}{2} \times \frac{1}{2}$	4.435	1	32.527	3	58.295	4	81.107
$3\frac{1}{8}$	52.170	$\frac{1}{2}$	8.871	2	37.174	$3\frac{1}{2}$	63.153	$4\frac{1}{2}$	86.176
$3\frac{1}{4}$	56.183	$\frac{3}{4}$	13.307	$2\frac{1}{2}$	41.821	$3\frac{3}{8}$	68.011	$4\frac{3}{8}$	91.245
$3\frac{1}{2}$	60.196	1	17.742	$2\frac{3}{4}$	46.467	$3\frac{1}{2}$	72.869	4	96.314
4	64.210	$1\frac{1}{2}$	22.178	$2\frac{5}{8}$	51.114	4	77.727	5	101.383
$4\frac{1}{4}$	68.223	$1\frac{3}{4}$	26.613	3	55.761	$4\frac{1}{2}$	82.585	$5\frac{1}{2}$	106.452
$4\frac{1}{2} \times \frac{1}{2}$	72.236	$1\frac{5}{8}$	31.049	$3\frac{1}{2}$	60.408	$4\frac{3}{4}$	87.443	$5\frac{3}{8}$	111.522
$5 \times \frac{1}{2}$	4.224	2	35.484	$3\frac{3}{4}$	65.054	$4\frac{1}{2}$	92.301	$5\frac{1}{2}$	116.591
$\frac{3}{8}$	8.449	$2\frac{1}{2}$	39.920	$3\frac{5}{8}$	69.701	5	97.159	6	121.660

Example—Required the weight of a bar of iron $4\frac{1}{2}$ inches wide, 3 inches thick, and 12 feet long:

$$45.623 \times 12 = 547.5 \text{ pounds.}$$

Weight and Volume of Cast Iron and Lead Balls.

From 1 to 20 inches Diameter.

Diam. Inches	Volume cubic ins.	Cast Iron pounds.	Lead, pounds.	Diam. Inches	Volume cubic ins.	Cast Iron pounds.	Lead pounds.
1.	.5235	.1365	.2147	$8\frac{1}{2}$	321.5550	83.8396	131.883
$1\frac{1}{2}$	1.7671	.4607	.7248	9.	381.7 034	99.5103	156.553
2.	4.1887	1.0920	1.7180	$9\frac{1}{2}$	448.9204	117.0338	184.121
$2\frac{1}{2}$	8.1812	2.1328	3.3554	10.	523.5987	136.5025	214.749
3.	14.1371	3.6855	5.7982	11.	696.9098	181.7648	285.832
$3\frac{1}{2}$	22.4492	5.8525	9.2073	12.	904.7784	235.8763	371.096
4.	33.5103	8.7361	13.7440	13.	1150.346	299.6230	471.806
$4\frac{1}{2}$	47.7129	12.4387	19.5690	14.	1436.754	374.5629	589.273
5.	65.4498	17.0628	26.843	15.	1767.145	460.6959	724.781
$5\frac{1}{2}$	87.1137	22.7206	35.729	16.	2144.660	559.1142	879.616
6.	113.0973	29.4845	46.385	17.	2572.440	670.7168	1055.066
$6\frac{1}{2}$	143.7932	37.4528	58.976	18.	3053.627	796.0825	1252.422
7.	179.5943	46.8203	73.659	19.	3591.363	936.2708	1472.970
$7\frac{1}{2}$	220.8932	57.5870	90.598	20.	4188.790	1092.02	1717.996
8.	268.0825	69.8892	109.952

To compute dressed weight of cattle, measure as follows in feet: Girth close behind shoulders, that is, over crop and under plate, immediately behind elbow. Length from point between neck and body, or vertically above junction of cervical and dorsal processes of spine, along back to bone at tail, and in a vertical line with rump. Then multiply square of girth, in feet, by length, and multiply product by factors in the following table, and quotient will give dressed weight of quarters:—

CONDITION.	Heifer, Steer or Bullock.	Bull.	CONDITION.	Heifer, Steer or Bullock.	Bull.
Half fat.....	3.15	3.36	Very prime fat.....	3.64	3.85
Moderate fat.....	3.36	3.5	Extra fat.....	3.78	4.06
Prime fat.....	3.5	3.64			

Weights of Wrought Iron, Steel, Copper and Brass Plates.*Thickness Determined by Birmingham Gauge.*

No. of Gauge.	Thickness in inches.	WEIGHT OF PLATES PER SQUARE FOOT IN LBS.				No. of Gauge.
		Wrought Iron	Steel.	Copper.	Brass.	
0000	.454	18.2167	18.4596	20.5662	19.4312	0000
000	.425	17.0531	17.2805	19.2525	18.19	000
00	.38	15.2475	15.4508	17.214	16.264	00
0	.34	13.6425	13.8244	15.402	14.552	0
1	.3	12.0375	12.198	13.59	12.84	1
2	.284	11.3955	11.5474	12.8652	12.1552	2
3	.259	10.3924	10.5309	11.7327	11.0852	3
4	.238	9.5497	9.6771	10.7814	10.1864	4
5	.22	8.8275	8.9452	9.966	9.416	5
6	.203	8.1454	8.254	9.1959	8.6884	6
7	.18	7.2225	7.3188	8.154	7.704	7
8	.165	6.6206	6.7089	7.4745	7.062	8
9	.148	5.9385	6.0177	6.7044	6.3344	9
10	.134	5.3767	5.4484	6.0702	5.7352	10
11	.12	4.815	4.8792	5.436	5.136	11
12	.109	4.3736	4.4319	4.9377	4.6652	12
13	.095	3.8119	3.8627	4.3035	4.066	13
14	.083	3.3304	3.3748	3.7599	3.5524	14
15	.072	2.889	2.9275	3.2616	3.0816	15
16	.065	2.6081	2.6429	2.9445	2.782	16
17	.058	2.3272	2.3583	2.6274	2.4824	17
18	.049	1.9661	1.9923	2.2197	2.0972	18
19	.042	1.6852	1.7077	1.9026	1.7976	19
20	.035	1.4044	1.4231	1.5855	1.498	20
21	.032	1.284	1.3011	1.4496	1.3696	21
22	.028	1.1235	1.1385	1.2684	1.1984	22
23	.025	1.0031	1.0165	1.1325	1.07	23
24	.022	.8827	.8945	.9966	.9416	24
25	.02	.8025	.8132	.906	.856	25
26	.018	.7222	.7319	.8154	.7704	26
27	.016	.642	.6506	.7248	.6848	27
28	.014	.5617	.5692	.6342	.5992	28
29	.013	.5216	.5286	.5889	.5564	29
30	.012	.4815	.4879	.5436	.5136	30
31	.01	.4012	.4066	.453	.428	31
32	.009	.3611	.3659	.4077	.3852	32
33	.008	.321	.3253	.3624	.3424	33
34	.007	.2809	.2846	.3171	.2996	34
35	.005	.2006	.2033	.2265	.214	35
36	.004	.1605	.1626	.1812	.1712	36

Weights of Wrought Iron, Steel, Copper and Brass Plates.*Soft Rolled. Thickness determined by American Gauge.*

No. of gauge	Thickness in inches.	WEIGHT OF PLATES PER SQUARE FOOT IN POUNDS,				No of gauge
		Wrought Iron	Steel.	Copper.	Brass.	
0000	.46	18.4575	18.7036	20.838	19.688	0000
000	.40964	16.4368	16.6559	18.5567	17.5326	000
00	.3648	14.6376	14.8328	16.5254	15.6131	00
0	.32486	13.0351	13.2088	14.7162	13.904	0
1	.2893	11.6082	11.7629	13.1053	12.382	1
2	.25763	10.3374	10.4752	11.6706	11.0266	2
3	.22942	9.2055	9.3283	10.3927	9.8192	3
4	.20431	8.1979	8.3073	9.2552	8.7445	4
5	.18194	7.3004	7.3977	8.2419	7.787	5
6	.16202	6.5011	6.5878	7.3395	6.9345	6
7	.14428	5.7892	5.8664	6.5359	6.1752	7
8	.12849	5.1557	5.2244	5.8206	5.4994	8
9	.11443	4.5915	4.6527	5.1837	4.8976	9
10	.10189	4.0884	4.1428	4.6156	4.3609	10
11	.090742	3.641	3.6896	4.1106	3.8838	11
12	.080808	3.2424	3.2856	3.6606	3.4586	12
13	.071961	2.8874	2.9259	3.2598	3.0799	13
14	.064084	2.5714	2.6057	2.903	2.7428	14
15	.057068	2.2899	2.3204	2.5852	2.4425	15
16	.050820	2.0392	2.0664	2.3021	2.1751	16

Weights of Wrought Iron, Steel, Etc. (Soft Rolled)—Continued.*Thickness Determined by American Gauge.*

No. of gauge	Thickness in inches.	WEIGHT OF PLATES PER SQUARE FOOT IN POUNDS.				No. of gauge
		Wrought Iron	Steel.	Copper.	Brass.	
17	.045257	1.8159	1.8402	2.0501	1.937	17
18	.040303	1.6172	1.6387	1.8257	1.725	18
19	.035890	1.44	1.4593	1.6258	1.5361	19
20	.031961	1.2824	1.2995	1.4478	1.3679	20
21	.028462	1.142	1.1573	1.2893	1.2182	21
22	.025347	1.017	1.0306	1.1482	1.0849	22
23	.022571	.9057	.9177	1.0225	.96604	23
24	.0201	.8065	.8173	.91053	.86028	24
25	.0179	.7182	.7278	.81087	.76612	25
26	.01594	.6396	.6481	.72208	.68223	26
27	.014195	.5696	.5772	.64303	.60755	27
28	.012641	.5072	.514	.57264	.54103	28
29	.011257	.4517	.4577	.50994	.4818	29
30	.010025	.4023	.4076	.45413	.42907	30
31	.008928	.3582	.363	.40444	.38212	31
32	.00795	.319	.3232	.36014	.34026	32
33	.00708	.2841	.2879	.32072	.30302	33
34	.006304	.2529	.2563	.28557	.26981	34
35	.005614	.2253	.2283	.25431	.24028	35
36	.005	.2006	.2033	.2265	.214	36
37	.004453	.1787	.181	.20172	.19059	37
38	.003965	.1591	.1612	.17961	.1697	38
39	.003531	.1417	.1436	.15995	.15113	39
40	.003144	.1261	.1278	.14242	.13456	40

Size, Weight, Length and Strength of "Iron Wire."

Wire Gauge No.	Diam. inches.	WEIGHT OF.			LENGTH IN FEET OF.		Br'king strain pounds.	Wire Gauge No.
		one foot pounds.	100 feet pounds.	one mile pounds.	1bd1 63lb. feet.	100 lbs. feet.		
00	0.380	.38266	38.266	2,020.44	164.637	261.328	8,290	00
0	0.340	.30634	30.634	1,617.48	205.653	326.433	6,880	0
1	0.300	.23850	23.850	1,259.28	264.151	419.287	5,650	1
2	0.284	.21374	21.374	1,128.54	294.753	467.861	4,930	2
3	0.259	.17777	17.777	938.60	354.400	562.539	4,250	3
4	0.238	.15011	15.011	792.56	419.700	666.190	3,620	4
5	0.220	.12826	12.826	677.21	491.189	779.665	3,040	5
6	0.203	.10920	10.920	576.60	576.902	915.717	2,510	6
7	0.180	.08586	8.586	452.34	733.752	1,164.685	2,220	7
8	0.165	.07215	7.215	380.93	873.229	1,386.077	1,840	8
9	0.148	.05805	5.805	306.48	1,085.346	1,722.771	1,560	9
10	0.134	.04758	4.758	251.24	1,324.002	2,101.590	1,280	10
11	0.120	.03816	3.816	201.48	1,650.943	2,628.481	1,000	11
12	0.109	.03149	3.149	166.24	2,000.952	3,176.114	800	12
13	0.095	.02392	2.392	126.28	2,634.215	4,181.294	568	13
14	0.083	.01826	1.826	96.39	3,456.343	5,486.259	456	14
15	0.072	.01374	1.374	72.54	4,585.819	7,279.077	452	15
16	0.065	.01120	1.120	59.11	5,627.009	8,931.760	264	16
17	0.058	.00892	.892	47.07	7,066.741	11,217.049	208	17
18	0.049	.00636	.636	33.60	9,900.990	15,715.857	160	18
19	0.042	.00468	.468	24.68	13,475.914	21,390.340	128	19
20	0.035	.00325	.325	17.14	19,408.502	30,807.146	104	20
21	0.032	.00271	.271	14.33	23,212.969	36,845.982	80	21
22	0.028	.00208	.208	10.97	30,317.613	48,123.195	56	22

Weight of Lead and Zinc Plates.*Per superficial foot, from 1-16 to 1 inch in thickness.*

Thick. inches.	Lead. lbs.	Zinc. lbs.	Thick. inches.	Lead. lbs.	Zinc. lbs.	Thick. inches.	Lead. lbs.	Zinc. lbs.	Thick. inches.	Lead. lbs.	Zinc. lbs.
.0625	3.7	2.3	.3125	18.5	11.7	.5625	33.2	21.1	.8125	48.0	30.4
.125	7.4	4.7	.375	22.2	14.0	.625	36.9	23.4	.875	51.7	32.8
.1875	11.1	7.0	.4375	25.9	16.4	.6875	40.6	25.7	.9375	55.4	35.1
.25	14.8	9.4	.5	29.5	18.7	.75	44.3	28.1	1.0000	59.1	37.5

Wrought Iron, Steel, Copper, and Brass wire.*Diameter and Thickness Determined by Birmingham Gauge.*

No. of Gauge.	Diam. of each No. In.	WEIGHT OF WIRE PER LINEAL FOOT EXPRESSED IN DECIMALS OF A POUND.				No. of Gauge.
		Wrought Iron.	Steel.	Copper.	Brass.	
0000	.454	.546207	.551360	.623913	.589286	0000
000	.425	.478656	.483172	.546752	.516407	000
00	.38	.38266	.38627	.437099	.41284	00
0	.34	.30634	.30923	.349921	.3305	0
1	.3	.2385	.24075	.27243	.25731	1
2	.284	.213738	.215755	.244146	.230596	2
3	.259	.177765	.179442	.203054	.191785	3
4	.238	.150107	.151523	.171461	.161945	4
5	.22	.12826	.12947	.146507	.138376	5
6	.203	.109204	.110234	.12474	.117817	6
7	.18	.08586	.086667	.098075	.092632	7
8	.165	.072146	.072827	.08241	.077836	8
9	.148	.058046	.058593	.066303	.062624	9
10	.134	.047583	.048032	.054353	.051336	10
11	.12	.03816	.03852	.043589	.04117	11
12	.109	.031485	.031782	.035964	.033968	12
13	.095	.023916	.024142	.027319	.025802	13
14	.083	.018256	.018428	.020853	.019696	14
15	.072	.013738	.013867	.015692	.014821	15
16	.065	.011196	.011302	.012789	.012079	16
17	.058	.008915	.008999	.010183	.009618	17
18	.049	.006363	.006423	.007268	.006864	18
19	.042	.004675	.004719	.00534	.005043	19
20	.035	.003246	.003277	.003708	.003502	20
21	.032	.002714	.002739	.0031	.002928	21
22	.028	.002078	.002097	.002373	.002241	22
23	.025	.001656	.001672	.001892	.001787	23
24	.022	.001283	.001295	.001465	.001384	24
25	.02	.00106	.001070	.001211	.001144	25
26	.018	.0008586	.0008667	.0009807	.0009263	26
27	.016	.0006784	.0006848	.0007749	.0007319	27
28	.014	.0005194	.0005243	.0005933	.0005604	28
29	.013	.0004479	.0004521	.0005116	.0004832	29
30	.012	.0003816	.0003852	.0004359	.0004117	30
31	.01	.000265	.0002675	.0003027	.0002859	31
32	.009	.0002147	.0002167	.0002452	.0002316	32
33	.008	.0001696	.0001712	.0001937	.000183	33
34	.007	.0001299	.0001311	.0001483	.0001401	34
35	.005	.00006625	.00006688	.00007568	.00007148	35
36	.004	.0000424	.0000428	.00004843	.00004574	36

Wrought Iron, Steel, Copper and Brass Wire.*Diameter and Thickness Determined by American Gauge.*

No. of Gauge.	Diam. of each No. In.	WEIGHT OF WIRE PER LINEAL FOOT EXPRESSED IN DECIMALS OF A POUND.				No. of Gauge.
		Wrought Iron.	Steel.	Copper.	Brass.	
0000	.46	.56074	.566030	.640513	.605178	0000
000	.40964	.444683	.448879	.507946	.479908	000
00	.3648	.352659	.355986	.40283	.380666	00
0	.32486	.279665	.282303	.319451	.301816	0
1	.2893	.221789	.223891	.253342	.239353	1
2	.25763	.175888	.177548	.200911	.189818	2
3	.22942	.139480	.140796	.159323	.150522	3
4	.20431	.110616	.111660	.126353	.119376	4
5	.18194	.087720	.088548	.1002	.094666	5
6	.16202	.069565	.070221	.079462	.075075	6
7	.14428	.055165	.055685	.063013	.059545	7
8	.12849	.043751	.044164	.049976	.047219	8
9	.11443	.034699	.035026	.039636	.037437	9
10	.10189	.027512	.027772	.031426	.029687	10
11	.090742	.021820	.022326	.024924	.023549	11
12	.080808	.017304	.017468	.019766	.018676	12
13	.071961	.013722	.013851	.015674	.014809	13
14	.064084	.010886	.010989	.012435	.011746	14
15	.057068	.008631	.008712	.009859	.009315	15

Wrought Iron, Steel, Copper and Brass Wire.—Continued.*Diameter and Thickness Determined by American Gauge.*

No. of Gauge.	Diam. of each No. In.	WEIGHT OF WIRE PER LINEAL FOOT EXPRESSED IN DECIMALS OF A POUND.				No. of Gauge.
		Wrought Iron.	Steel.	Copper.	Brass.	
16	.050820	.006845	.006909	.007819	.007587	16
17	.045257	.005427	.005478	.006199	.005857	17
18	.040303	.004304	.004344	.004916	.004645	18
19	.035890	.003413	.003445	.003899	.003684	19
20	.031961	.002708	.002734	.003094	.002920	20
21	.028462	.002147	.002167	.002452	.002317	21
22	.025347	.001703	.001719	.001945	.001838	22
23	.022571	.001350	.001363	.001542	.001457	23
24	.0201	.001071	.001081	.001223	.001155	24
25	.0179	.0008491	.0008571	.0009699	.0009163	25
26	.01594	.0006734	.0006797	.0007692	.0007267	26
27	.014195	.000534	.0005391	.0006099	.0005763	27
28	.012641	.0004235	.0004275	.0004837	.000457	28
29	.011257	.0003358	.0003389	.0003835	.0003624	29
30	.010025	.0002663	.0002688	.0003042	.0002874	30
31	.008928	.0002113	.0002132	.0002413	.000228	31
32	.00795	.0001675	.0001691	.0001913	.0001808	32
33	.00708	.0001328	.0001341	.0001517	.0001434	33
34	.006304	.0001053	.0001063	.0001204	.0001137	34
35	.005614	.00008366	.00008445	.0000956	.00009015	35
36	.005	.00006625	.00006687	.0000757	.0000715	36
37	.004453	.00005255	.00005304	.00006003	.00005671	37
38	.003965	.00004166	.00004205	.00004758	.00004496	38
39	.003531	.00003305	.00003336	.00003775	.00003566	39
40	.003144	.00002620	.00002644	.00002992	.00002827	40

Wire and Hemp Rope.

Tabular scale, showing approximately the comparative strength, sizes, and weight per 100 feet in length, of Wire and Hemp Rope.

The sizes on each horizontal line being of equal strength.

CAPACITY OF ROPES.		ROUND IRON WIRE ROPE.		ROUND STEEL WIRE ROPE.		ROUND HEMP ROPE.		FLAT IRON WIRE ROPE.	
Working Load. Lbs.	Breaking Strength. Tons.	Circumference. Inches.	Weight 100 feet. Lbs.	Circumference. Inches.	Weight 100 feet. Lbs.	Circumference. Inches.	Weight 100 feet. Lbs.	Size. Inches.	Weight 100 feet. Lbs.
300	1	1	17	—	—	2¾	33	—	—
550	1½	1½	23	—	—	3	50	—	—
800	2½	1¾	33	1	17	3½	55	—	—
1,500	4½	1¾	52	1½	33	4½	78	—	—
2,000	6	2	65	1½	36	5	100	—	—
2,500	7½	2½	86	1¾	52	6	160	—	—
3,300	10	2½	108	2	65	6½	166	—	—
4,200	12½	2¾	124	2½	75	7	200	2x¾	144
5,000	15	3	140	2¾	86	7½	234	2½x¾	154
6,000	18	3½	158	2¾	97	7¾	250	2¾x¾	171
7,000	21	3½	180	2¾	110	8¾	284	3x¾	220
8,000	24	3¾	200	3	140	9	333	3x¾	270
9,000	27	4	250	3½	158	10	433	4x¾	275
10,000	30	4½	284	3¾	190	10½	466	4x¾	388
11,000	33	4¾	320	3¾	195	11	500	4½x¾	397
12,000	36	4¾	350	3¾	200	12	567	5x¾	400
13,500	40	5	380	3¾	225	13	784	5½x¾	450
18,000	55	5¾	440	4	250	14	900	6x¾	500
22,000	65	6	540	4½	280	16	1166	6½x¾	560

Thickness of "Sheet" Brass, Gold, Silver, etc.*By Birmingham Gauge for these Metals.*

No.	Inch.	No.	Inch.	No.	Inch.	No.	Inch.	No.	Inch.	No.	Inch.
1	.004	7	.015	13	.036	19	.064	25	.095	31	.133
2	.005	8	.016	14	.041	20	.067	26	.103	32	.140
3	.008	9	.019	15	.047	21	.072	27	.112	33	.147
4	.010	10	.024	16	.051	22	.074	28	.120	34	.153
5	.012	11	.029	17	.057	23	.077	29	.124	35	.160
6	.013	12	.033	18	.061	24	.082	30	.128	36	.167

FINENESS and VALUE of GOLD and SILVER, Computed.

The value per ounce of gold is based upon the simple *formula* that 387 ozs. of pure gold (1,000 fine) are worth \$8,000. Hence, 1 oz. is worth \$20.6718346253229974162067 *repetend*; and the 1-1000 of an oz. (decimally expressed as .001 fine) is worth \$0.020671834625. What is usually called *fineness*, therefore, is simply the *weight* of fine metal contained in any given quantity of mixed metals or alloys. For instance, in a gold or silver bar which is reported to be 850 fine, it is meant that in 1000 parts *by weight*, 850 are fine gold or fine silver, as the case may be. In our mints, the value of gold is computed from *standard weight*; that is, gold which is 900 fine, that being the *fineness* of our gold coin as required by law. The *formula* in this case is, 43 ozs. of standard gold are worth \$800. Hence, multiply standard ozs. by 800, and divide by 43, and you obtain the value. To find the value per oz., divide the total value by standard ozs. and you have the value of 1 oz. of gold 900 fine. To find the value of gold at any degree of fineness, multiply \$20.671834 (which is the value of 1 oz. of gold 1000 fine) by the degree of fineness of which you wish to find the value. Example.—What is the value of 1 oz. of gold 90 fine? $\$20.6718 \times 90 = \$1.86.04620$. The value of silver per oz. is computed from the formula that 99 ozs. of pure silver (1000 fine) are worth \$128. Hence, 1 oz. is worth \$1.29.29, etc., and the .001 of an oz. is worth \$0.00129.29. And 11 ozs. of standard silver (900 fine) are worth \$12.80, and hence, 1 oz. of standard silver is worth \$1.16.36. These values, (*i. e.* \$1.29 for fine silver and \$1.16 for standard silver) are the *intrinsic* values of silver, being the values at which silver is equal to gold, dollar for dollar, or as \$1 is to 15.98837, etc. Silver, however, usually commands a premium, which varies with the supply and demand. The premium allowed by the Branch Mint and other institutions on silver contained in gold deposits made for coinage, is four per cent. If 1 oz. of pure silver (1000 fine) is worth \$1.29.29, 1 oz. of silver 900 fine is worth \$1.16.36 (*viz.*, $\$1.29.29 \times 900$). Hence, a silver bar weighing 1000 ozs. and containing 900 parts of silver, or 900 fine, multiplied by \$1.16.36 equals \$1,163.60. Calculations of the value of metal may also be ascertained by reducing the proportions to fine gold and silver, and multiplying by the value per oz. of pure gold and pure silver. The following rule is applicable, *viz.*, Gross weight multiplied by fineness, divided by 1000 gives net weight of pure metal.

EXAMPLE.—A bar 500 ozs. gross, 820 fine of gold, 170 fine of silver.
 $500 \times 820 = 410$ ozs. pure gold, at \$20.67.18 \$8,475 44
 $500 \times 170 = 85$ ozs. pure silver, at \$1.29.29. 109 89

Total value.....\$8,585 33

THE WORLD'S PRODUCTION OF GOLD AND SILVER.

From 1492 to June 30, 1881.*

COUNTRIES.	SILVER.	GOLD.	TOTAL.	ANNUAL PRODUCT'N.
Africa.....	\$55,000,000	\$334,325,340	\$395,325,340	\$6,000,000
America, N th ; B. Columbia.....	40,875,370	42,875,370	2,000,000
“ “ Mexico.....	2,675,280,659	135,174,396	2,826,455,055	16,000,000
“ “ United States.....	425,514,610	1,853,919,316	2,366,433,926	87,000,000
“ “ South; Brazil.....	11,000,000	579,347,107	595,347,107	5,000,000
“ “ Bolivia(Potosi).....	1,339,499,947	151,898,100	1,501,398,047	10,000,000
“ “ Chile.....	104,024,298	139,467,140	248,491,438	5,000,000
“ “ New Grenada.....	610,501,675	612,501,675	2,000,000
“ “ Peru.....	1,090,357,084	85,327,582	1,181,684,666	6,000,000
Australia.....	15,000,000	1,305,000,000	1,350,000,000	30,000,000
Europe, Austria—Hungary.....	269,961,603	1,126,212,047	1,399,173,650	3,000,000
“ “ Germany.....	274,731,339	9,000,000	287,731,339	4,000,000
“ “ Russia.....	84,880,291	608,999,653	716,879,944	23,000,000
“ “ Miscellaneous.....	256,388,604	40,000,000	298,388,604	2,000,000
Miscellaneous Countries.....	113,244,000	83,458,340	208,702,340	12,000,000
The World previous to 1492..	3,434,000,000	5,257,374,000	8,691,374,000
Total.....	\$10,148,882,435	\$12,360,880,066	\$22,722,762,501	\$213,000,000

NOTE.—The aggregate amount of the precious metals at any period can only be estimated; that back of the present century, wild conjecture.

Authorities for the above table are: A. Soetbeer, *Almanach de Gotha*; Otreschkoff, Russian Counselor; J. J. Valentine, Pres. W. F. & Co., etc. The results are our own. EDITOR STATISTICIAN. *Add the Annual Production to future dates.

Abrasion.—On \$1,000,000 shipped (from New York to Liverpool) across the Atlantic, the abrasion will be about 16 ounces, or \$256 16-96; and proportionately for larger amounts, and longer distances.

Assayers' Gold Weight.

The unit is one-half of a gramme, subdivided into 1,000 parts.

Jewelers' Gold Weight.

1 Carat	=	10 Pwts. Troy.
1 Carat grain	=	2 Pwts. 12 grains or 60 grains Troy.
24 Carats	=	1 Pound Troy.

DIAMOND WEIGHT.

16 Parts	=	1 Grain	=	.8 Grain Troy
4 Grains	=	1 Carat	=	3.17 Grains Troy
20 Parts Diamond Weight	=		=	1 Grain Troy.

UNITED STATES COINAGE.

Gold and Silver when pure are 1,000 fine; or, by the old method 24 carats fine.

Except for jewelry the old carat system is generally abandoned. One carat = 41½ thousandths.

The standard fineness of United States coin is 900; or, by the old system, $24 \times 900 = 21.6$ carats fine.

The alloy for United States gold coin is pure silver and copper; for silver coin the alloy is pure copper.

Gold for coinage is refined from 990 to 997½ fine, the inferior metal it then holds being pure silver left for alloy.

When alloyed with copper the proportion of gold is in accordance with its fineness as the alloy must be 900 fine or $\frac{9}{10}$ pure gold.

For examples—

Suppose the refined gold to be 990 fine,—

$$\frac{10}{11} \text{ parts gold, 990 fine} = \frac{9}{10} \text{ parts 1,000 fine.}$$

Gold 990 fine, the inferior metal it holds being pure silver, and the alloy pure copper, the proportions for coin, 900 fine, would be—

$$\frac{9}{10} \text{ pure gold} + \frac{1}{110} \text{ pure silver} + \frac{1}{11} \text{ pure copper} = \text{standard coin;}$$

$$\text{or, } \frac{10}{11} \text{ gold 990 fine} + \frac{1}{11} \text{ pure copper} = \text{standard coin}$$

Suppose the refined gold to be 995 fine,—

$$\frac{180}{199} \text{ parts gold 995 fine} = \frac{9}{10} \text{ parts 1,000 fine.}$$

Gold 995 fine, the inferior metal it holds being pure silver, and the alloy pure copper, the proportions for coin, 900 fine, would be—

$$\frac{9}{10} \text{ pure gold} + \frac{9}{1990} \text{ pure silver} + \frac{19}{199} \text{ pure copper} = \text{standard coin;}$$

$$\text{or, } \frac{180}{199} \text{ gold 995 fine} + \frac{19}{199} \text{ pure copper} = \text{standard coin.}$$

MINT VALUES OF GOLD, SILVER AND COPPER.

1 Ounce gold.....	1,000 fine =	\$20.6718346
1 Ounce silver.....	1,000 fine =	1.292929
1 Ounce Copper.....	1,000 fine =	.028571
1 Grain gold.....	1,000 fine =	.0430663
1 Grain silver.....	1,000 fine =	.0026936
1 Grain copper....	1,000 fine =	.0000595

The above values are standard as regards gold, those of silver and copper are only comparative as the prices at which the Mint buys the latter metals are changed from time to time according to their value in the market.

EXAMPLE 1—Required the Mint value of 11 ounces gold, 850 fine.

Solution. 11 (ounces) \times .850 (fineness) \times 20.67134 (Mint value per ounce) = \$193.281245850 or **\$193.28** = Mint value.

EXAMPLE 2—Required the Mint value of 19 pennyweights 23 grains gold 785 fine.

Solution—Reduced to grains = 479 (grains) \times .785 (fineness) \times \$0.0430663 (Mint value per grain) = \$16.1935747945 or **\$16.19** = Mint value.

UNITED STATES MINT.

DEPOSIT MELTING CHARGE.

On bullion (or coin) below standard, and not required to be parted or refined:

For each melt of 1,000 ounces, or less.....\$1 00
Over 500 ounces..... One mill per ounce.

PARTING AND REFINING CHARGES.

Parting Gold and Silver, or Refining Gold,—Rate per ounce gross of deposit.

Bullion containing not less than 200 M Gold.....	2 cents.
Bullion containing from 200 M to 399½ M Gold.....	3 "
" " " 400 M to 699½ M ".....	4 "
" " " 700 M and over ".....	6 "
" " over 100 M base metal, additional.....	½ cent.

And in addition to the above, on deposits requiring parting (except Silver Purchases), or Refining Gold:

For each deposit of 1,000 ounces or less.....\$1 00
" " over 1,000 ounces..... One mill per ounce, gross.

For gold coin or standard gold bars, the rate per ounce charge will be imposed only on the number of ounces required to be refined, to raise the whole to standard.

Silver allowed the depositor is calculated on the basis of refining the gold to 990 M.

REFINING SILVER.—RATE PER OUNCE GROSS OF DEPOSIT.

Bullion containing less than 897 M silver.....	2 cents.
897 M to 979½ M ".....	1½ "
980 M to 997½ M ".....	1 "

In addition to the above on silver deposits requiring refining (except purchases) a charge on each deposit of 1,000 ounces or less \$1 00, Over 1,000 ounces, one mill per ounce gross.

The rate per ounce charge will be imposed only on the number of ounces required to be refined to raise the whole to standard.

TOUGHENING CHARGE.—Gold Bullion..... ½ to 2 cents per ounce gross.
Silver Bullion..... ¼ to 1 cent per ounce gross.

ALLOY CHARGE.—On the number of ounces of copper required to reduce the bullion to standard, 2 cents per ounce troy.

BAR CHARGE.—On bullion deposited for Bars, and not required to be parted or refined:

Bars of fine gold per \$100 value.....	10 cents.
" standard gold per \$100 value.....	10 "
" fine silver per ounce fine.....	¼ cent.
" standard silver per ounce standard.....	½ "
" large silver per ounce gross.....	½ "
" unparted silver per ounce gross.....	½ "

No deposit of bullion is received of less value than one hundred dollars.

Assays of samples of ore and bullion are made at a charge of three dollars for each assay.

WASTE IN COINING, AND DEVIATION IN WEIGHT.

The manufacture of coin is protected by a very efficient system, the employes of each department of the mint being held strictly responsible for all material received by them in accordance with certain allowances.

Waste—Melters' and Refiners' allowance of Gold..... 1 ounce in 1000
Coiners' allowance of Gold..... ½ ounce in 1000
Melters' and Refiners' allowance of Silver..... 1½ ounce in 1000
Coiners' allowance of Silver..... 1 ounce in 1000

Deviation allowed from Standard Weight—

Twenty and Ten Dollar pieces.....	½ grain
Other gold pieces.....	¼ grain
Silver pieces.....	1½ grain

On each draft—

Of \$5,000 gold, in \$20, \$10, \$5 or \$2½ pieces.....	.01 ounce
Of one thousand \$3 or \$1 gold pieces.....	.01 ounce
Of one thousand \$1, 50 ct., or 25 ct. pieces.....	.02 ounce
Of one thousand dimes.....	.01 ounce

UNITED STATES MONEY.

10 Mills (M)	= 1 Cent	c.
10 Cents	= 1 Dime	d.
10 Dimes	= 1 Dollar	\$.
10 Dollars	= 1 Eagle	E.

The Mill is one thousandth of a dollar and derives its name from the Latin word *mille*, which means a thousand.

The Cent is one hundredth of a dollar and derives its name from the Latin word *centum*, which means a hundred.

The Dime is one-tenth of a dollar and derives its name from the French word *disme*, which means ten.

UNITED STATES GOLD COINS PREVIOUS TO 1834.

Denomination.		Fine- ness.	Weight in Grains of Pure Metal.	Weight in Grains of Alloy.	Full Weight in Grains.	Value.
Eagle.....	\$10.00	916 $\frac{2}{3}$	247.5	22.5	270	\$10.66
Half Eagle....	5.00	916 $\frac{2}{3}$	123.75	11.25	135	5.33
Quarter Eagle..	2.50	916 $\frac{2}{3}$	61.875	5.625	67.5	2.66

UNITED STATES GOLD COINS SUBSEQUENT TO 1834.

Double Eagle...	\$20.00	900	†464.4	51.6	516	\$20.00
Eagle.....	10.00	900	232.2	25.8	258	10.00
Half Eagle.....	5.00	900	116.1	12.9	129	5.00
Three Dollars..	3.00	900	69.66	7.74	77.4	3.00
Quarter Eagle..	2.50	900	58.05	6.45	64.5	2.50
Dollar.....	1.00	900	23.22	2.58	25.8	1.00

UNITED STATES SILVER COINS PREVIOUS TO 1837

Dollar.....	\$1.00	892 $\frac{1}{2}$	371.252	44.748	416	\$1.06.9
Half Dollar....	.50	892 $\frac{1}{2}$	185.626	22.374	208	.53.4
Quarter Dollar..	.25	892 $\frac{1}{2}$	92.813	11.187	104	.26.7
Dime.....	.10	892 $\frac{1}{2}$	37.125	4.475	41.6	.10.6
Half Dime....	.05	892 $\frac{1}{2}$	18.563	2.237	20.8	.05.3

UNITED STATES SILVER COINS FROM 1837 TO 1853.

Dollar.....	\$1.00	900	371.25	41.25	412.5	\$1.06.9
Half Dollar....	.50	900	185.626	20.625	206.251	.53.4
Quarter Dollar..	.25	900	92.813	10.312	103.125	.26.7
Dime.....	.10	900	37.125	4.125	41.250	.10.6
Half Dime....	.05	900	18.563	2.062	20.625	.05.3
Three Cts. 1851.	.03	875	10.828	1.547	12.375	.03.1

UNITED STATES SILVER COINS SINCE 1853.

Trade Dollar...	\$1.00	900	378	42	420	\$1.08.9
Dollar.....	1.00	900	371.25	41.25	412.5	1.06.9
Half Dollar....	.50	900	173.61	19.29	192.90	.50
Quarter Dollar..	.25	900	86.805	9.645	96.45	.25
Twenty Cents*..	.20	900	69.444	7.716	77.16	.20
Dime.....	.10	900	34.722	3.858	38.58	.10
Half Dime*....	.05	900	17.361	1.929	19.29	.05
Three Cents*...	.03	900	10.413	1.157	11.57	.03

UNITED STATES COPPER COINS.

Denomination.	Act of	Grains of Copper.	Grains of Nickel.	Grains of Zinc.	Grains of Tin.	Full Weight in Grains.
Old Copper Ct.*	1793	168	168
One Cent.....	1864	45.6	1.44	.96	48
Two Cents*....	1865	91.2	4.8	96
Three Cents....	1865	24.	8	32
Five Cents.....	1866	57.87	19.29	77.16

* No longer coined. † Which is—\$19.99998972 pure gold.

LEGAL TENDER.

The GOLD COINS of the United States are a legal tender in *all payments* at their nominal value when not below the standard weight and limit of tolerance, provided by law for the single piece; and when reduced in weight below such standard or tolerance are a legal tender at valuation in proportion to their actual weight.

LEGAL TENDER OF SILVER COINS.—Under the enactments of Congress the status of the silver coins is as follows:—The Trade Dollar is not legal tender for any purpose.

The Standard Silver Dollar is not a legal tender when otherwise expressed in a contract; and most contracts of any magnitude are now by business men made payable only in U. S. Gold Coin.

The Subsidiary Silver Coins, meaning the half dollar, the quarter dollar and the dime, are legal tender only to the amount of ten dollars.

It is a serious question whether under the Constitution of the United States, the Congress has power to demonetize the silver coins of the United States.

THE MINOR COINS.—The minor coins (nickels and coppers) are, under the congressional enactments, a legal tender to the amount of only twenty-five cents.

But under the U. S. Constitution it is very doubtful whether nickel, copper or anything other than gold coin and silver coin can be made a legal tender, or in constitutional and proper language, "a tender in payment of debts."

No foreign gold or silver coins are a legal tender in the payment of debts.

ORIGIN OF THE DOLLAR.

The monetary unit of this country prior to July 6, 1785, was the English pound. On that date the Continental Congress established the dollar in its place, its precise weight and value being fixed August 6, 1786, which was about that of the old Spanish Carolus pillar dollar. The dollar was not original with Spain, its true origin being the "Joachim's Thaler," first coined in the mines of the Bohemian Valley of Sant Joachim.

ENGLISH MONEY.

4 Farthings (far.)	= 1 Penny d.
12 Pence	= 1 Shilling s.
20 Shillings	= 1 Pound £.

In England a pound of standard Troy gold, 916 $\frac{2}{3}$ fine, is coined into £46 14s. 6d. The full weight of one gold pound or sovereign is 123,274 grains of standard gold, or 113,001 grains of pure gold.

Allowing for the abrasion or wear, a sovereign weighing 122.75 grains of standard gold, in England is a legal tender for the payment of debts.

The alloy for gold coin is copper. Before 1826 silver entered into the composition of English gold coin; hence, the difference in color of different coinages.

A pound of silver, 92.5 per cent silver and 7.5 copper, is coined into 66 shillings. The full weight of a shilling is 87.273 grains standard silver, or 80.729 grains of pure silver.

A pound of copper is coined into 24 pennies.

A pound of bronze, 95 parts copper, 4 parts tin and 1 part zinc, is coined into 40 pennies, or 80 half pennies, or 160 farthings.

Bank of England notes are a legal tender in England for any sum exceeding £5. Gold is a legal tender for any amount, silver, not exceeding 40 shillings, and copper not exceeding 12d, when in pennies or in half pennies, and not exceeding 6d when in farthings.

FRENCH MONEY.

10 Centimes	= 1 Decime.
10 Decimes	= 1 Franc.

All French coin is based on the *gramme*, the unit of weight.

A kilogramme of standard gold .9 pure is coined into 3,100 francs. The denominations of gold coin are 100, 50, 20, 10 and 5 franc pieces. The alloy is copper.

A kilogramme of silver .9 pure is coined into 200 francs. The denominations of silver coins are 5, 2, 1, $\frac{1}{2}$ and $\frac{1}{4}$ franc pieces.

The copper coins of France since 1852 contain 95 parts copper, 4 parts tin and 1 part zinc. The denominations are 10, 5, 2 and 1 centimes, which weigh 1 gramme for each centime.

COMPARATIVE VALUES OF GOLD AND SILVER.

United States, estimating silver 1, gold is 15.988.	
England, " " 1, " 14.287.	
France, " " 1, " 15.50.	
Spain, " " 1, " 16.00.	
China, " " 1, " 14.25.	

In the United States we have a double standard; in Germany and England gold is the standard, and practically so in France and Italy; in most other European countries silver is the standard.

EQUIVALENTS OF ENGLISH AND UNITED STATES MONEY.

NOTE—The United States Mint valuation of the English sovereign, \$4.86.6 $\frac{1}{2}$, is the basis of these computations.

1d	\$.02*	5s 4d	\$1.30	10s 7d	\$2.57	15s 10d	\$3.85
2		.04	5 5	1.32	10 8	2.59	15 11	3.87
3		.06	5 6	1.34	10 9	2.61	16	3.89
4		.08	5 7	1.36	10 10	2.63	16 1	3.91
5		.10	5 8	1.38	10 11	2.65	16 2	3.93
6		.12	5 9	1.40	11	2.68	16 3	3.95
7		.14	5 10	1.42	11 1	2.70	16 4	3.97
8		.16	5 11	1.44	11 2	2.72	16 5	3.99
9		.18	6	1.46	11 3	2.74	16 6	4.01
10		.20	6 1	1.48	11 4	2.76	16 7	4.03
11		.22	6 2	1.50	11 5	2.78	16 8	4.05
1s		.24*	6 3	1.52	11 6	2.80	16 9	4.07
1 1		.26	6 4	1.54	11 7	2.82	16 10	4.09
1 2		.28	6 5	1.56	11 8	2.84	16 11	4.11
1 3		.30	6 6	1.58	11 9	2.86	17	4.14
1 4		.32	6 7	1.60	11 10	2.88	17 1	4.16
1 5	—	.34	6 8	1.62	11 11	2.90	17 2	4.18
1 6		.36	6 9	1.64	12	2.92	17 3	4.20
1 7		.38	6 10	1.66	12 1	2.94	17 4	4.22
1 8		.40	6 11	1.68	12 2	2.96	17 5	4.24
1 9		.42	7	1.70	12 3	2.98	17 6	4.26
1 10		.44	7 1	1.72	12 4	3.00	17 7	4.28
1 11		.46	7 2	1.74	12 5	3.02	17 8	4.30
2		.48	7 3	1.76	12 6	3.04	17 9	4.32
2 1		.51	7 4	1.78	12 7	3.06	17 10	4.34
2 2		.53	7 5	1.80	12 8	3.08	17 11	4.36
2 3		.55	7 6	1.82	12 9	3.10	18	4.38
2 4		.57	7 7	1.84	12 10	3.12	18 1	4.40
2 5		.59	7 8	1.86	12 11	3.14	18 2	4.42
2 6		.61	7 9	1.88	13	3.16	18 3	4.44
2 7		.63	7 10	1.90	13 1	3.18	18 4	4.46
2 8		.65	7 11	1.92	13 2	3.20	18 5	4.48
2 9		.67	8	1.95	13 3	3.22	18 6	4.50
2 10		.69	8 1	1.97	13 4	3.24	18 7	4.52
2 11		.71	8 2	1.99	13 5	3.26	18 8	4.54
3		.73	8 3	2.01	13 6	3.28	18 9	4.56
3 1		.75	8 4	2.03	13 7	3.30	18 10	4.58
3 2		.77	8 5	2.05	13 8	3.32	18 11	4.60
3 3		.79	8 6	2.07	13 9	3.34	19	4.62
3 4		.81	8 7	2.09	13 10	3.36	19 1	4.64
3 5		.83	8 8	2.11	13 11	3.38	19 2	4.66
3 6		.85	8 9	2.13	14	3.41	19 3	4.68
3 7		.87	8 10	2.15	14 1	3.43	19 4	4.70
3 8		.89	8 11	2.17	14 2	3.45	19 5	4.72
3 9		.91	9	2.19	14 3	3.47	19 6	4.74
3 10		.93	9 1	2.21	14 4	3.49	19 7	4.76
3 11		.95	9 2	2.23	14 5	3.51	19 8	4.78
4		.97	9 3	2.25	14 6	3.53	19 9	4.80
4 1		.99	9 4	2.27	14 7	3.55	19 10	4.82
4 2		1.01	9 5	2.29	14 8	3.57	19 11	4.84
4 3		1.03	9 6	2.31	14 9	3.59	£1 ..	4.86
4 4		1.05	9 7	2.33	14 10	3.61	1 ..	4.89
4 5		1.07	9 8	2.35	14 11	3.63	1 ..	4.91
4 6		1.09	9 9	2.37	15	3.65	1 ..	4.93
4 7		1.11	9 10	2.39	15 1	3.67	1 ..	4.95
4 8		1.13	9 11	2.41	15 2	3.69	1 ..	4.97
4 9		1.15	10	2.43	15 3	3.71	1 ..	4.99
4 10		1.17	10 1	2.45	15 4	3.73	1 ..	5.01
4 11		1.19	10 2	2.47	15 5	3.75	1 ..	5.03
5		1.22	10 3	2.49	15 6	3.77	1 ..	5.05
5 1		1.24	10 4	2.51	15 7	3.79	1 ..	5.07
5 2		1.26	10 5	2.53	15 8	3.81	1 ..	5.09
5 3		1.28	10 6	2.55	15 9	3.83	1 1 ..	5.11

*1 penny = $2\frac{133}{4800}$ cents.

1 shilling = $24\frac{133}{400}$ cents.

EQUIVALENTS OF ENGLISH AND U. S. MONEY—CONTINUED.

£1	1s	1d	\$5.13	£1	6s	10d	\$6.58	£1	12s	7d	\$7.93	£1	18s	4d	\$9.38
1	1	2	5.15	1	6	11	6.55	1	12	8	7.95	1	18	5	9.35
1	1	3	5.17	1	7		6.57	1	12	9	7.97	1	18	6	9.37
1	1	4	5.19	1	7	1	6.59	1	12	10	7.99	1	18	7	9.39
1	1	5	5.21	1	7	2	6.61	1	12	11	8.01	1	18	8	9.41
1	1	6	5.23	1	7	3	6.63	1	13		8.03	1	1	9	9.43
1	1	7	5.25	1	7	4	6.65	1	13	1	8.05	1	18	10	9.45
1	1	8	5.27	1	7	5	6.67	1	13	2	8.07	1	18	11	9.47
1	1	9	5.29	1	7	6	6.69	1	13	3	8.09	1	19		9.49
1	1	10	5.31	1	7	7	6.71	1	13	4	8.11	1	19	1	9.51
1	1	11	5.33	1	7	8	6.73	1	13	5	8.13	1	19	2	9.53
1	2		5.35	1	7	9	6.75	1	13	6	8.15	1	19	3	9.55
1	2	1	5.37	1	7	10	6.77	1	13	7	8.17	1	19	4	9.57
1	2	2	5.39	1	7	11	6.79	1	13	8	8.19	1	19	5	9.59
1	2	3	5.41	1	8		6.81	1	13	9	8.21	1	19	6	9.61
1	2	4	5.43	1	8	1	6.83	1	13	10	8.23	1	19	7	9.63
1	2	5	5.45	1	8	2	6.85	1	13	11	8.25	1	19	8	9.65
1	2	6	5.47	1	8	3	6.87	1	14		8.27	1	19	9	9.67
1	2	7	5.49	1	8	4	6.89	1	14	1	8.29	1	19	10	9.69
1	2	8	5.51	1	8	5	6.91	1	14	2	8.31	1	19	11	9.71
1	2	9	5.53	1	8	6	6.93	1	14	3	8.33	2	9.73
1	2	10	5.55	1	8	7	6.95	1	14	4	8.35	2	..	1	9.75
1	2	11	5.57	1	8	8	6.97	1	14	5	8.37	2	..	2	9.77
1	3		5.59	1	8	9	6.99	1	14	6	8.39	2	..	3	9.79
1	3	1	5.62	1	8	10	7.01	1	14	7	8.41	2	..	4	9.81
1	3	2	5.64	1	8	11	7.03	1	14	8	8.43	2	..	5	9.83
1	3	3	5.66	1	9		7.05	1	14	9	8.45	2	..	6	9.85
1	3	4	5.68	1	9	1	7.08	1	14	10	8.47	2	..	7	9.87
1	3	5	5.70	1	9	2	7.10	1	14	11	8.49	2	..	8	9.89
1	3	6	5.72	1	9	3	7.12	1	15		8.51	2	..	9	9.91
1	3	7	5.74	1	9	4	7.14	1	15	1	8.53	2	..	10	9.93
1	3	8	5.76	1	9	5	7.16	1	15	2	8.55	2	..	11	9.95
1	3	9	5.78	1	9	6	7.18	1	15	3	8.58	2	1		9.97
1	3	10	5.80	1	9	7	7.20	1	15	4	8.60	2	1	1	10.00
1	3	11	5.82	1	9	8	7.22	1	15	5	8.62	2	1	2	10.02
1	4		5.84	1	9	9	7.24	1	15	6	8.64	2	1	3	10.04
1	4	1	5.86	1	9	10	7.26	1	15	7	8.66	2	1	4	10.06
1	4	2	5.88	1	9	11	7.28	1	15	8	8.68	2	1	5	10.08
1	4	3	5.90	1	10		7.30	1	15	9	8.70	2	1	6	10.10
1	4	4	5.92	1	10	1	7.32	1	15	10	8.72	2	1	7	10.12
1	4	5	5.94	1	10	2	7.34	1	15	11	8.74	2	1	8	10.14
1	4	6	5.96	1	10	3	7.36	1	16		8.76	2	1	9	10.16
1	4	7	5.98	1	10	4	7.38	1	16	1	8.78	2	1	10	10.18
1	4	8	6.00	1	10	5	7.40	1	16	2	8.80	2	1	11	10.20
1	4	9	6.02	1	10	6	7.42	1	16	3	8.82	2	2		10.22
1	4	10	6.04	1	10	7	7.44	1	16	4	8.84	2	2	1	10.24
1	4	11	6.06	1	10	8	7.46	1	16	5	8.86	2	2	2	10.26
1	5		6.08	1	10	9	7.48	1	16	6	8.88	2	2	3	10.28
1	5	1	6.10	1	10	10	7.50	1	16	7	8.90	2	2	4	10.30
1	5	2	6.12	1	10	11	7.52	1	16	8	8.92	2	2	5	10.32
1	5	3	6.14	1	11		7.54	1	16	9	8.94	2	2	6	10.34
1	5	4	6.16	1	11	1	7.56	1	16	10	8.96	2	2	7	10.36
1	5	5	6.18	1	11	2	7.58	1	16	11	8.98	2	2	8	10.38
1	5	6	6.20	1	11	3	7.60	1	17		9.00	2	2	9	10.40
1	5	7	6.22	1	11	4	7.62	1	17	1	9.02	2	2	10	10.42
1	5	8	6.24	1	11	5	7.64	1	17	2	9.04	2	2	11	10.44
1	5	9	6.26	1	11	6	7.66	1	17	3	9.06	2	3		10.46
1	5	10	6.28	1	11	7	7.68	1	17	4	9.08	2	3	1	10.48
1	5	11	6.30	1	11	8	7.70	1	17	5	9.10	2	3	2	10.50
1	6		6.32	1	11	9	7.72	1	17	6	9.12	2	3	3	10.52
1	6	1	6.35	1	11	10	7.74	1	17	7	9.14	2	3	4	10.54
1	6	2	6.37	1	11	11	7.76	1	17	8	9.16	2	3	5	10.56
1	6	3	6.39	1	12		7.78	1	17	9	9.18	2	3	6	10.58
1	6	4	6.41	1	12	1	7.81	1	17	10	9.20	2	3	7	10.60
1	6	5	6.43	1	12	2	7.83	1	17	11	9.22	2	3	8	10.62
1	6	6	6.45	1	12	3	7.85	1	18		9.24	2	3	9	10.64
1	6	7	6.47	1	12	4	7.87	1	18	1	9.27	2	3	10	10.66
1	6	8	6.49	1	12	5	7.89	1	18	2	9.29	2	3	11	10.68
1	6	9	6.51	1	12	6	7.91	1	18	3	9.31	2	4		10.70

EQUIVALENTS OF ENGLISH AND U. S. MONEY—CONTINUED.

NOTE.—This continuation of the preceding tables includes only pounds sterling. To ascertain the equivalent of an amount expressed in pounds, shillings and pence, to the amount given in this page for pounds add the equivalent for shillings and pence as shown in the preceding tables.

£ 1	\$ 4.86.6½	£ 66	\$321.18.9	£131	\$637.51.1½	£196	\$ 953.83.4
2	9.73.3	67	326.05.5½	132	642.37.8	197	958.70.0½
3	14.59.9½	68	330.92.2	133	647.24.4½	198	963.56.7
4	19.46.6	69	335.78.8½	134	652.11.1	199	968.43.3½
5	24.33.2½	70	340.65.5	135	656.97.7½	200	973.30
6	29.19.9	71	345.52.1½	136	661.84.4	201	978.16.6½
7	34.06.5½	72	350.38.8	137	666.71.0½	202	983.03.3
8	38.93.2	73	355.25.4½	138	671.57.7	203	987.89.9½
9	43.79.8½	74	360.12.1	139	676.44.3½	204	992.76.6
10	48.66.5	75	364.98.7½	140	681.31	205	997.63.2½
11	53.53.1½	76	369.85.4	141	686.17.6½	206	1,002.49.9
12	58.39.8	77	374.72.0½	142	691.04.3	207	1,007.36.5½
13	63.26.4½	78	379.58.7	143	695.90.9½	208	1,012.23.2
14	68.13.1	79	384.45.3½	144	700.77.6	209	1,017.09.8½
15	72.99.7½	80	389.32	145	705.64.2½	210	1,021.96.5
16	77.86.4	81	394.18.6½	146	710.50.9	211	1,026.83.1½
17	82.73.0½	82	399.05.3	147	715.37.5½	212	1,031.69.8
18	87.59.7	83	403.91.9½	148	720.24.2	213	1,036.56.4½
19	92.46.3½	84	408.78.6	149	725.10.8½	214	1,041.43.1
20	97.33	85	413.65.2½	150	729.97.5	215	1,046.29.7½
21	102.19.6½	86	418.51.9	151	734.84.1½	216	1,051.16.4
22	107.06.3	87	423.38.5½	152	739.70.8	217	1,056.03.0½
23	111.92.9½	88	428.25.2	153	744.57.4½	218	1,060.89.7
24	116.79.6	89	433.11.8½	154	749.44.1	219	1,065.76.3½
25	121.66.2½	90	437.98.5	155	754.30.7½	220	1,070.63
26	126.52.9	91	442.85.1½	156	759.17.4	221	1,075.49.6½
27	131.39.5½	92	447.71.8	157	764.04.0½	222	1,080.36.3
28	136.26.2	93	452.58.4½	158	768.90.7	223	1,085.22.9½
29	141.12.8½	94	457.45.1	159	773.77.3½	224	1,090.09.6
30	145.99.5	95	462.31.7½	160	778.64	225	1,094.96.2½
31	150.86.1½	96	467.18.4	161	783.50.6½	226	1,099.82.9
32	155.72.8	97	472.05.0½	162	788.37.3	227	1,104.69.5½
33	160.59.4½	98	476.91.7	163	793.23.9½	228	1,109.56.2
34	165.46.1	99	481.78.3½	164	798.10.6	229	1,114.42.8½
35	170.32.7½	100	486.65	165	802.97.2½	230	1,119.29.5
36	175.19.4	101	491.51.6½	166	807.83.9	231	1,124.16.1½
37	180.06.0½	102	496.38.3	167	812.70.5½	232	1,129.02.8
38	184.92.7	103	501.24.9½	168	817.57.2	233	1,133.89.4½
39	189.79.3½	104	506.11.6	169	822.43.8½	234	1,138.76.1
40	194.66	105	510.98.2½	170	827.30.5	235	1,143.62.7½
41	199.52.6½	106	515.84.9	171	832.17.1½	236	1,148.49.4
42	204.39.3	107	520.71.5½	172	837.03.8	237	1,153.36.0½
43	209.25.9½	108	525.58.2	173	841.90.4½	238	1,158.22.7
44	214.12.6	109	530.44.8½	174	846.77.1	239	1,163.09.3½
45	218.99.2½	110	535.31.5	175	851.63.7½	240	1,167.96.
46	223.85.9	111	540.18.1½	176	856.50.4	241	1,172.82.6½
47	228.72.5½	112	545.04.8	177	861.37.0½	242	1,177.69.3
48	233.59.2	113	549.91.4½	178	866.23.7	243	1,182.55.9½
49	238.45.8½	114	554.78.1	179	871.10.3½	244	1,187.42.6
50	243.32.5	115	559.64.7½	180	875.97.	245	1,192.29.2½
51	248.19.1½	116	564.51.4	181	880.83.6½	246	1,197.15.9
52	253.05.8	117	569.38.0½	182	885.70.3	247	1,202.02.5½
53	257.92.4½	118	574.24.7	183	890.56.9½	248	1,206.89.2
54	262.79.1	119	579.11.3½	184	895.43.6	249	1,211.75.8½
55	267.65.7½	120	583.98	185	900.30.2½	250	1,216.62.5
56	272.52.4	121	588.84.6½	186	905.16.9	251	1,221.49.1½
57	277.39.0½	122	593.71.3	187	910.03.5½	252	1,226.35.8
58	282.25.7	123	598.57.9½	188	914.90.2	253	1,231.22.4½
59	287.12.3½	124	603.44.6	189	919.76.8½	254	1,236.09.1
60	291.99	125	608.31.2½	190	924.63.5	255	1,240.95.7½
61	296.85.6½	126	613.17.9	191	929.50.1½	256	1,245.82.4
62	301.72.3	127	618.04.5½	192	934.36.8	257	1,250.69.0½
63	306.58.9½	128	622.91.2	193	939.23.4½	258	1,255.55.7
64	311.45.6	129	627.77.8½	194	944.10.1	259	1,260.42.3½
65	316.32.2½	130	632.64.5	195	948.96.7½	260	1,265.29.

EQUIVALENTS OF FRENCH AND UNITED STATES MONEY.

NOTE.—The United States Mint valuation of the franc, 19.3 cents, is here used. 100 centimes make one franc. French money is denoted as follows: 64 francs and 72 centimes, written—fr. 64.72.

1c	\$.00.2	16c	\$.03.1	31c	\$.06.0	46c	\$.08.9	61c	\$.11.8	76c	\$.14.7	91c	\$.17.5
2	.00.4	17	.03.3	32	.06.2	47	.09.1	62	.12.0	77	.14.8	92	.17.7
3	.00.6	18	.03.5	33	.06.4	48	.09.3	63	.12.1	78	.15.0	93	.17.9
4	.00.8	19	.03.7	34	.06.5	49	.09.4	64	.12.3	79	.15.2	94	.18.1
5	.01.0	20	.03.8	35	.06.7	50	.09.6	65	.12.5	80	.15.4	95	.18.3
6	.01.1	21	.04.0	36	.06.9	51	.09.8	66	.12.7	81	.15.6	96	.18.5
7	.01.3	22	.04.2	37	.07.1	52	.10.0	67	.12.9	82	.15.8	97	.18.7
8	.01.5	23	.04.4	38	.07.3	53	.10.2	68	.13.1	83	.16.0	98	.18.9
9	.01.7	24	.04.6	39	.07.5	54	.10.4	69	.13.3	84	.16.2	99	.19.1
10	.01.9	25	.04.8	40	.07.7	55	.10.6	70	.13.5	85	.16.4	100	.19.3
11	.02.1	26	.05.0	41	.07.9	56	.10.8	71	.13.7	86	.16.6
12	.02.3	27	.05.2	42	.08.1	57	.11.0	72	.13.9	87	.16.8
13	.02.5	28	.05.4	43	.08.3	58	.11.2	73	.14.1	88	.17.0
14	.02.7	29	.05.6	44	.08.5	59	.11.4	74	.14.3	89	.17.2
15	.02.9	30	.05.8	45	.08.7	60	.11.6	75	.14.5	90	.17.4
1fr	\$ 19.3	51fr	\$ 9.84.3	101fr	\$ 19.49.3	151fr	\$ 29.14.3	fr.	100	\$	19.30		
2	.38.6	52	10.03.6	102	19.68.6	152	29.33.6		200		38.60		
3	.57.9	53	10.22.9	103	19.87.9	153	29.52.9		300		57.90		
4	.77.2	54	10.42.2	104	20.07.2	154	29.72.2		400		77.20		
5	.96.5	55	10.61.5	105	20.26.5	155	29.91.5		500		96.50		
6	1.15.8	56	10.80.8	106	20.45.8	156	30.10.8		600		115.80		
7	1.35.1	57	11.00.1	107	20.65.1	157	30.30.1		700		135.10		
8	1.54.4	58	11.19.4	108	20.84.4	158	30.49.4		800		154.40		
9	1.73.7	59	11.38.7	109	21.03.7	159	30.68.7		900		173.70		
10	1.93.0	60	11.58.0	110	21.23.0	160	30.88.0		1,000		193.00		
11	2.12.3	61	11.77.3	111	21.42.3	161	31.07.3		2,000		386.00		
12	2.31.6	62	11.96.6	112	21.61.6	162	31.26.6		3,000		579.00		
13	2.50.9	63	12.15.9	113	21.80.9	163	31.45.9		4,000		772.00		
14	2.70.2	64	12.35.2	114	22.00.2	164	31.65.2		5,000		965.00		
15	2.89.5	65	12.54.5	115	22.19.5	165	31.84.5		6,000		1,158.00		
16	3.08.8	66	12.73.8	116	22.38.8	166	32.03.8		7,000		1,351.00		
17	3.28.1	67	12.93.1	117	22.58.1	167	32.23.1		8,000		1,544.00		
18	3.47.4	68	13.12.4	118	22.77.4	168	32.42.4		9,000		1,737.00		
19	3.66.7	69	13.31.7	119	22.96.7	169	32.61.7		10,000		1,930.00		
20	3.86.0	70	13.51.0	120	23.16.0	170	32.81.0		20,000		3,860.00		
21	4.05.3	71	13.70.3	121	23.35.3	171	33.00.3		30,000		5,790.00		
22	4.24.6	72	13.89.6	122	23.54.6	172	33.19.6		40,000		7,720.00		
23	4.43.9	73	14.08.9	123	23.73.9	173	33.38.9		50,000		9,650.00		
24	4.63.2	74	14.28.2	124	23.93.2	174	33.58.2		60,000		11,580.00		
25	4.82.5	75	14.47.5	125	24.12.5	175	33.77.5		70,000		13,510.00		
26	5.01.8	76	14.66.8	126	24.31.8	176	33.96.8		80,000		15,440.00		
27	5.21.1	77	14.86.1	127	24.51.1	177	34.16.1		90,000		17,370.00		
28	5.40.4	78	15.05.4	128	24.70.4	178	34.35.4		100,000		19,300.00		
29	5.59.7	79	15.24.7	129	24.89.7	179	34.54.7		200,000		38,600.00		
30	5.79.0	80	15.44.0	130	25.09.0	180	34.74.0		300,000		57,900.00		
31	5.98.3	81	15.63.3	131	25.28.3	181	34.93.3		400,000		77,200.00		
32	6.17.6	82	15.82.6	132	25.47.6	182	35.12.6		500,000		96,500.00		
33	6.36.9	83	16.01.9	133	25.66.9	183	35.31.9		600,000		115,800.00		
34	6.56.2	84	16.21.2	134	25.86.2	184	35.51.2		700,000		135,100.00		
35	6.75.5	85	16.40.5	135	26.05.5	185	35.70.5		800,000		154,400.00		
36	6.94.8	86	16.59.8	136	26.24.8	186	35.89.8		900,000		173,700.00		
37	7.14.1	87	16.79.1	137	26.44.1	187	36.09.1		1,000,000		193,000.00		
38	7.33.4	88	16.98.4	138	26.63.4	188	36.28.4		2,000,000		386,000.00		
39	7.52.7	89	17.17.7	139	26.82.7	189	36.47.7		3,000,000		579,000.00		
40	7.72.0	90	17.37.0	140	27.02.0	190	36.67.0		4,000,000		772,000.00		
41	7.91.3	91	17.56.3	141	27.21.3	191	36.86.3		5,000,000		965,000.00		
42	8.10.6	92	17.75.6	142	27.40.6	192	37.05.6		6,000,000		1,158,000.00		
43	8.29.9	93	17.94.9	143	27.59.9	193	37.24.9		7,000,000		1,351,000.00		
44	8.49.2	94	18.14.2	144	27.79.2	194	37.44.2		8,000,000		1,544,000.00		
45	8.68.5	95	18.33.5	145	27.98.5	195	37.63.5		9,000,000		1,737,000.00		
46	8.87.8	96	18.52.8	146	28.17.8	196	37.82.8		10,000,000		1,930,000.00		
47	9.07.1	97	18.72.1	147	28.37.1	197	38.02.1		20,000,000		3,860,000.00		
48	9.26.4	98	18.91.4	148	28.56.4	198	38.21.4		30,000,000		5,790,000.00		
49	9.45.7	99	19.10.7	149	28.75.7	199	38.40.7		40,000,000		7,720,000.00		
50	9.65.0	100	19.30.0	150	28.95.0	200	38.60.0		50,000,000		9,650,000.00		

Foreign Coins. Chilean Gold Coins.

DENOMINATION.		VALUE.	WEIGHT IN GRAINS.			DIAMETER.	
Name.	Fine-ness.	Pesos.	Pure Metal.	Alloy.	Full Weight.	Milli-metres.	Inches.
Condor.....	.900	\$10.00	211.850	23.523	235.374	28.5	1.122045
Doblon.....	.900	5.00	105.925	11.777	117.702	22.0	.866140
Escudo.....	.900	2.00	42.369	4.714	47.084	16.5	.649605
Peso.....	.900	1.00	21.184	2.350	23.534	14.0	.551180

Chilean Silver Coins.

Peso.....	.900	1.00	347.227	38.580	385.808	37.0	1.45669
Medio Peso.....	.900	.50	173.613	19.290	192.904	30.0	1.18110
Quinto.....	.900	.20	69.445	7.716	77.161	23.0	.90651
Decimo.....	.900	.10	34.336	4.243	38.580	18.0	.70866
Medio Decimo.....	.900	.05	17.361	1.929	19.290	15.0	.59055

Chilean Copper Coins.

Dos Centavos.....	Coppe re .06	.02	102.625	5.401	108.026	25.0	.98425
Un Centavo.....		.01	51.3125	25.8495	77.162	21.0	.82677
Medio Centavo.....		.005	25.65625	20.64075	46.297	19.0	.74803

Chinese Money and Equivalents.

The Director of the U. S. Mint reported January 1, 1897, that the value of the haikwan or customs tael of China, based on the same price of silver that was used in estimating the values of foreign silver coins, proclaimed in the circular of January 1, 1897, at the various Chinese ports, is as follows:—

PORT.	VALUE.	PORT.	VALUE.	PORT.	VALUE.	PORT.	VALUE.
Amoy.....	\$0.76 7	Chin Kiang	\$0.74 9	Nuchwang	\$0.71 9	Swatow...	\$0.70 8
Canton76 5	Fuchau.....	.70 9	Ningpo73 7	Takao.....	.77 2
Chefoo.....	.73 3	Hankow.....	.71 7	Shanghai...	.70 0	Tien-Tsin	.74 3

Money Weights.		Equiv't in Mex. Coin.	Money Weights.		Equiv't in Mex. Coin.
10 Hao=1 Li=1½ copper cash	=	\$0.001½ Peso	10 Fen =1 Tsen= 133½ copper cash	=	\$0.13½ Peso
10 Li =1 Fen=13½ copper cash	=	0.01½ Peso	10 Tsen=1 Liang= 1,133½ copper cash	=	1.33½ Peso

Japanese Gold Coins.

DENOMINATION.			FINE-NESS.	WEIGHT IN GRAINS OF			VALUE IN U.S. GOLD COIN.
				PURE METAL.	ALLOY.	FULL WEIGHT	
One Yen....	\$ 1.00	900	11.57	1.29	12.86	\$ 0.49-86	
2 Yen ...	2.00	900	23.14	2.58	25.72	.99-72	
5 Yen	5.00	900	57.85	6.45	64.30	2.49-30	
10 Yen ...	10.00	900	115.70	12.90	128.60	4.98-60	
20 Yen....	20.00	900	231.40	25.80	257.20	9.97-20	

Japanese Silver Coins.

DENOMINATION.	FINE- NESS.	WEIGHT IN GRAINS OF			VALUE IN U.S.	
		PURE METAL.	ALLOY.	FULL WEIGHT	GOLD COIN.	
5 Sen.....	\$.05	900	18.7375	2.0625	20.8	\$ 0.04 38
10 Sen.....	.10	900	37.475	4.125	41.6	0.08 76
20 Sen.....	.20	900	74.950	8.250	83.2	0.17 52
50 Sen.....	.50	900	187.375	20.625	208.0	0.43 8
1 Yen.....	1.00	900	374.75	41.25	416.0	0.87 6
Trade Yen ..	1.01	900	378.00	42.00	420.0	0.88 6

Japanese Copper Coins.

DENOMINATION.	ACT OF	WEIGHT IN GRAINS OF		VALUE IN YENS.
		PURE METAL.	FULL WEIGHT.	
1 Rin =	\$ 0.0025	1871	27.507	\$ 0.0025
½ Sen =	0.005	1871	55.014	0.005
1 Sen =	0.01	1871	110.028	0.01
2 Sen =	0.02	1571	220.056	0.02

NOTE.—The \$ mark of the U.S. is used in Japan to designate the Yen.

Mexican Coins.

NOTE—The metric system of weights and measures became compulsory in Mexico, January 1st, 1884.

Coinage.—The principal coinage is of silver, consisting in every 12 dineros of 10 5-6 dineros of pure metal (1000 fine) and 1 1-6 dinero of alloy; that is, it is 0.902,777 fine. The monetary unit is the *peso*. The gold coinage is not in general circulation; the fineness of the "Old Doubloon" is 870, the "Twenty Pesos" of the Republic, (new) 873, and the "Twenty Pesos" of the Empire, 875 fine. The so called nickel coins vary from 20 to 25 per cent. of nickel and 75 to 80 per cent. of copper. Pesos continue to be struck with the legend 8R, meaning 8 reales. The piece of 50 centavos is called 4 reales, also *costen*. That of 25 centavos, 2 reales, also *peseta*.

MEXICAN * GOLD COINS.

DENOMINATION.	Fineness	Value in Pesos.	WEIGHT IN		DIAMETER IN	
			Grammes	Troy ozs.	Mil'mtrs	Inches.
Double Hidalgo.....	875	\$ 20.00	33.841	1.0860	34	1.33858
Hidalgo.....	875	10.00	16.920	.5430	27	1.06299
Medio Hidalgo.....	875	5.00	8.460	.2715	22	.86614
Cuarto Hidalgo.....	875	2.50	4.230	.13575	18	.70866
Décimo Hidalgo.....	875	1.00	1.692	.05430	15	.59055

MEXICAN * SILVER COINS.

Peso.....	901	1.00	27.073	0.866	37	1.45669
50 centavos.....	901	.50	13.536	0.433	30	1.18110
25 centavos.....	901	.25	6.768	0.2165	25	.98425
10 centavos.....	901	.10	2.707	.0866	17	.66929

MEXICAN * NICKEL (AND COPPER) COINS.

5 centavos.....	see note above	.05	5.	.16075	20	.78740
2 centavos.....		.02	3.	.09645	18	.70866
1 centavo.....		.01	2.	.06430	16	.62992

* There were formerly coined in gold the *onza*, = \$16 in silver; the *real*, = \$0.12½; *medio real*, = \$0.06¼; *cuartilla*, = \$0.03½. And in copper the *tlaco*, = \$0.01 9-16; *centavo*, = \$0.01. The *grano*, as a monetary unit, was 1-96 of a *peso*, or 1-12 of a *real*.

Russian Coinage and Money.

The Silver Rouble is the legal unit of money in Russia, and must contain as such 278 grains, or 4 *Zolotnicks* and 21 *Dolts*, of fine silver. The principal circulating medium is paper money, in 3, 5, 10, 25, 50 and 100 Roubles; the *issue* of 50 Roubles has been withdrawn from circulation, on account of its being extensively counterfeited, and easily accomplished.

GOLD COINS.

DENOMINATION.	Fineness.	Weight, oz.	Equivalent, Eng.	Equivalent, U. S.
½ Imperial = 5 Roubles.....	916	0.210	= 16 shillings....	= \$3.89
1 Imperial = 10 Roubles.....	916	0.420	= 32 shillings....	= 7.78

SILVER COINS.

DENOMINATION.	Fineness.	Pure Silver Grains.	Equivalent, Eng.	Equivalent, U. S.
1 Piatachek = 5 Kopeks...	875	13.9	= 1 penny, 3 far.	= \$0.03548
1 Grivenik = 10 Kopeks...	875	27.8	= 3 pence, 2 "	= 0.07096
1 Dvougrivenni = 20 Kopeks...	875	55.6	= 7 " "	= 0.14192
1 Tchertvertak = 25 Kopeks...	875	69.5	= 8 " 3 "	= 0.17740
1 Poltina = 50 Kopeks...	875	139.	= 1 s. 5 p. 2 far..	= 0.35480
1 Rouble = 100 Kopeks...	875	278.	= 2 s. 11 p.	= 0.70960

COPPER COINS.

DENOMINATION.		Equivalent, Eng.	Equivalent, U. S.
1 Poloushka = ¼ Kopek.....		= .35 far.	= \$0.001774
2 Poloushka = 1 Grosh = ½ Kopek.....		= .7 far.	= 0.003548
2 Grosh = 1 Kopeika = 1 Kopek.....		= 1.4 far.	= 0.007096
2 Kopeika = 1 Dvoukopechnik = 2 Kopeks.....		= 2.8 far.	= 0.014192
3 Kopeika = 1 Trehkopechnik = 3 Kopeks.....		= 4.2 far.	= 0.021288
5 Kopeika = 1 Piatak = 5 Kopeks.....		= 1 penny 3 far.	= 0.03548

Estimate of Values of Foreign Coins in U. S. Money, Proclaimed by the
Treasury Department, January 1, 1907.

NOTE.—The “standard” of a given country is indicated as follows: *G. & S.* where its standard silver coins are unlimited legal tender, the same as its gold coins; *single gold* or *single silver*, as its standard coins of one or the other metal are unlimited legal tender. The par of exchange of the monetary unit of a country with a single gold, or a double standard is fixed at the value of the gold unit as compared with the United States gold unit. In the case of a country with a single silver standard, the par of exchange is computed at the mean price of silver in the London market for a period commencing Oct. 1 and ending Dec. 24, each year, as per daily cable dispatches to the Bureau of the Mint.

Country.	Standard.	Monetary unit.	Value.	Coins.
Argentina Republic	G. & S.	Peso ..	\$0.96 5	Gold, Argentine (\$4.82 4) and $\frac{1}{2}$ Argentine; silver, peso and div.
Austria-Hungary	Gold.....	Crown.....	.20 3	(a) Gold, presentsys'm—20 crowns (\$4.05 2), 10 crowns (\$2.02 6).
Belgium	G. & S.	Franc19 3	Gold, 10 & 20 frs.; silver, 5 frs. & div.
Bolivia	Silver.....	Boliviano ..	.43 1	Silver, Boliviano and divisions.
Brazil	Gold.....	Milreis54 6	Gold, 5, 10 & 20 m.; silver, 2 m. & div.
Br. Poss. N. A.	Gold.....	Dollar	1.00	Newfoundland, gold dollar (\$1.00).
Br. Honduras	Gold.....	Dollar	1.00	
C. A. States	Silver.....	Peso ..	.43 1	Silver, Peso and divisions.
Chile	Gold.....	Peso ..	.36 5	Gold, Condor (\$9.12 3 & $\frac{1}{2}$ Condor Escudo (\$1.82 4).
China	Silver...	Tael, Shanghai	.64 5	There are no G. & S. coins in China; the tael denotes a sum of money.
Colombia	Silver...	Tael, Customs	.71 9	Gold, Condor (\$9.64 7) and double condor.
U. S. of	Silver...	Peso ..	.42 4	
		Dollar ..	1.00	
Costa Rica	{ Silver	Peso ..	.43 1	Silver, Peso and divisions.
	{ Gold	Colon ..	.46 5	Gold, Doubloon (\$5.01 7); silver peso.
Cuba	G. & S.	Peso ..	.91 0	Gold, 10 and 20 crowns.
Denmark	Gold.....	Crown26 8	Gold, Condor (\$9.64 7) and double condor.
Ecuador	{ Silver	Sucre..	.46 8	Gold, Pound & div.; S., 20 pl. & div.
	{ Gold...		.48 7	Gold, 20 marks (\$3.85 9) & divisions.
Egypt	Gold.....	Pound §	4.94 3	Gold, 5, 10, 20, 50, 100 fr.; S., 5 fr. & div.
Finland	Gold.....	Mark19 3	Gold, 5, 10 and 20 marks.
France	G. & S.	Franc19 3	Gold, Sovereign (£ ster.) & $\frac{1}{2}$ sov'n.
Germany	Gold.....	Mark23 8	Gold, 5, 10, 20, 50, 100 dr.; silver, 5 dr.
Great Britain	Gold.....	Pound Ster'lg	4.86 6 $\frac{1}{2}$	Silver, Gourde and divisions.
Greece	G. & S.	Drachma ..	.19 3	
Haiti	G. & S.	Gourde96 5	Gold, Mohur (\$7.10 5); S., rupee & div.
India	{ Silver	Rupee.32 4	Gold, 5, 10, 20, 50, 10, liras; S. 5 l. & div.
	{ Gold...		.32 4	Gold, 1, 2, 5, 10 and 20 yen.
Italy	G. & S.	Lira ..	.19 3	Silver, Yen and divisions.
Japan	G. & S.*...	Yen { Gold..	.49 8	Gold, \$1.00.
		{ Silver	.50 5	Gold, Peso (\$0.98 3) 2 $\frac{1}{2}$, 5, 10, 20 pesos.
Liberia	Gold.....	Dollar	1.00	Gold, 10 florins; S. $\frac{1}{2}$, 1, 2 $\frac{1}{2}$ florins.
Mexico	Silver	Dollar46 8	Gold, 2 dollars (\$2.02 7).
Netherlands.	G. & S.	Florin40 2	Gold, 10 and 20 crowns.
Newfoundl'd.	Gold.....	Dollar	1.01 4	Silver, 1, 5 and 10 krans.
Norway	Gold.....	Crown26 8	Silver, Sol and divisions.
Persia	Silver	Kran.....	.07 9	Silver, peso and divisions.
Peru	Silver	Sol ..	.48 7	Gold, 1, 2, 5, 10 m.; S., 1 m. and div.
Philippine Is.	Gold.....	Peso ..	.50	+Gold, Imperial (\$7.71 8) & $\frac{1}{2}$ Imp.
Portugal	Gold.....	Milreis	1.08	Silver, 1 rouble and divisions.
Russia	Silverb.....	Rouble ..	.51 5	Gold, 25 pesetas; S. 5 pes. and div.
			.37 4	Gold, 10 and 20 crowns.
Spain	G. & S.	Peseta.....	.19 3	Gold, 5, 10, 20, 50, 100 fr.; S., fr & div.
Sweden	Gold.....	Crown26 8	Silver, Mahbub of 20 piastres.
Switzerland.	G. & S.	Franc19 3	Gold, 25, 50, 100, 200, 500 piastres.
Tripoli	Silver	Mahbub ..	.44 2	Gold, 1, 5, 10 and 20 pesos.
Turkey	Gold.....	Piaster04 4	Gold, 5, 10, 20, 50, 100 bol.; S., 5 bol.
Uruguay	Gold.....	Peso ..	1 03 4	
Venezuela	G. & S.	Bollvar19 3	

*Gold the nominal standard; silver the practical one.

†Half imperials before 1886 (£3.98 6). †One lac rupees=100,000 rupees. The Br. Sovereign is the standard coin of India, but the rupee is the money of account, current at 15 to the sovereign.

Central American States, Costa Rica, Guatemala, Honduras, Nicaragua, and Salvador. One pound is divided into 100 plasters.

*a*Gold: former system—8 florins (\$3.85 8), ducats (\$2.28 7), and 4 ducats (\$9.15 8); silver: 1 and 2 florins.

b Silver the nominal standard. Paper the actual currency, the depreciation of which is measured by the gold standard. The rouble=100 kopecks.

The coins of Belgium, Finland, France, Greece, Italy, Spain, and Switzerland are of equal value, though differently named; these countries form the Latin monetary union.

COMMERCIAL RATIO OF SILVER TO GOLD FOR EACH YEAR SINCE 1687.

[NOTE.—From 1687 to 1832 the ratios are taken from the tables of Dr. A. Soetbeer; from 1833 to 1878 from Pixley and Abell's tables; and from 1878 to date from daily cablegrams from London to the Bureau of the Mint.]

Year.	Ratio.	Year.	Ratio.	Year.	Ratio.	Year.	Ratio.	Year.	Ratio.
1687.....	14.94	1729.....	14.92	1771.....	14.66	1813.....	16.25	1855.....	15.38
1688.....	14.94	1730.....	14.81	1772.....	14.52	1814.....	15.04	1856.....	15.38
1689.....	15.02	1731.....	14.94	1773.....	14.62	1815.....	15.26	1857.....	15.27
1690.....	15.02	1732.....	15.09	1774.....	14.62	1816.....	15.28	1858.....	15.38
1691.....	14.58	1733.....	15.18	1775.....	14.72	1817.....	15.11	1859.....	15.19
1692.....	14.92	1734.....	15.39	1776.....	14.55	1818.....	15.35	1860.....	15.29
1693.....	14.83	1735.....	15.41	1777.....	14.54	1819.....	15.33	1861.....	15.50
1694.....	1.87	1736.....	15.18	1778.....	14.68	1820.....	15.62	1862.....	15.35
1695.....	15.0.	1737.....	15.02	1779.....	14.80	1821.....	15.95	1863.....	15.37
1696.....	15.00	1738.....	14.91	1780.....	14.72	1822.....	15.80	1864.....	15.37
1697.....	15.20	1739.....	14.91	1781.....	14.78	1823.....	15.84	1865.....	15.44
1698.....	15.07	1740.....	14.94	1782.....	14.42	1824.....	15.82	1866.....	15.43
1699.....	14.94	1741.....	14.92	1783.....	14.48	1825.....	15.70	1867.....	15.57
1700.....	14.81	1742.....	14.85	1784.....	14.70	1826.....	15.76	1868.....	15.59
1701.....	15.07	1743.....	14.85	1785.....	14.92	1827.....	15.74	1869.....	15.60
1702.....	15.52	1744.....	14.87	1786.....	14.96	1828.....	15.78	1870.....	15.57
1703.....	15.17	1745.....	14.98	1787.....	14.92	1829.....	15.78	1871.....	15.57
1704.....	15.22	1746.....	15.13	1788.....	14.65	1830.....	15.82	1872.....	15.63
1705.....	15.11	1747.....	15.26	1789.....	14.75	1831.....	15.72	1873.....	15.92
1706.....	15.27	1748.....	15.11	1790.....	15.04	1832.....	15.73	1874.....	16.17
1707.....	15.44	1749.....	14.80	1791.....	15.05	1833.....	15.93	1875.....	16.59
1708.....	15.41	1750.....	14.55	1792.....	15.17	1834.....	15.73	1876.....	17.88
1709.....	15.31	1751.....	14.39	1793.....	15.00	1835.....	15.80	1877.....	17.22
1710.....	15.22	1752.....	14.54	1794.....	15.37	1836.....	15.72	1878.....	17.94
1711.....	15.29	1753.....	14.54	1795.....	15.55	1837.....	15.83	1879.....	18.40
1712.....	15.31	1754.....	14.48	1796.....	15.65	1838.....	15.85	1880.....	18.05
1713.....	15.24	1755.....	14.68	1797.....	15.41	1839.....	15.62	1881.....	18.16
1714.....	15.13	1756.....	14.94	1798.....	15.59	1840.....	15.62	1882.....	18.19
1715.....	15.11	1757.....	14.87	1799.....	15.74	1841.....	15.70	1883.....	18.64
1716.....	15.09	1758.....	14.85	1800.....	15.68	1842.....	15.87	1884.....	18.57
1717.....	15.13	1759.....	14.15	1801.....	15.46	1843.....	15.93	1885.....	19.41
1718.....	15.11	1760.....	14.14	1802.....	15.26	1844.....	15.85	1886.....	20.78
1719.....	15.09	1761.....	14.54	1803.....	15.41	1845.....	15.92	1887.....	21.13
1720.....	15.04	1762.....	15.27	1804.....	15.41	1846.....	15.90	1888.....	21.99
1721.....	15.05	1763.....	14.99	1805.....	15.79	1847.....	15.80	1889.....	22.09
1722.....	15.17	1764.....	14.70	1806.....	15.52	1848.....	15.85	1890.....	19.76
1723.....	15.20	1765.....	14.83	1807.....	15.43	1849.....	15.78	1891.....	20.92
1724.....	15.11	1766.....	14.80	1808.....	16.08	1850.....	15.70	1892.....	23.72
1725.....	15.11	1767.....	14.85	1809.....	15.96	1851.....	15.46	1893.....	26.49
1726.....	15.15	1768.....	14.80	1810.....	15.77	1852.....	15.59	1894.....	32.56
1727.....	15.24	1769.....	14.72	1811.....	15.53	1853.....	15.33	1895.....	31.60
1728.....	15.11	1770.....	14.62	1812.....	16.11	1854.....	15.33	1896.....	*30.66

NOTE.—By the above table it will be seen that the highest price silver has reached in the last 205 years (or since 1687), was in 1760; the highest during this century was 1814; and the highest since 1818, was in 1859.

An International Monetary Conference met at Brussels, Belgium, on Nov. 22, 1892, to consider the silver question, bimetalism, etc. The following 14 countries were represented with from one to eleven delegates each, viz:—Austria, Belgium, Denmark, France, Germany, Great Britain, Italy, Mexico, Netherlands, Spain, Sweden and Norway, Russia, Switzerland, and the United States. The conference adjourned on Dec. 18, 1892, after holding some 20 sessions; they did nothing whatever, no new light was thrown upon the subject. The only delegates who appeared to be masters of the question were the American. The Rothschild who was a member did not figure as a great financier. The English delegates generally appeared to be obstructionists. One of them wanted to adjourn almost before ideas had been exchanged. The French, who were expected to rally around the double standard, proved a disappointment. There was no cordial alliance between them and the delegates of the U. S., though the two republics, in a sense, maintain the same monetary system. Austria, with its new-born ambition to return to specie payments in gold after a century of paper, could not, of course, be shaken. Germany contributed little to the elucidation of the question. Soetbeer, a German financier, made the only suggestion that came from that nation, though he did not speak officially—that is to say, to increase the ratio from 15½ grains silver to 20 grains silver for 1 grain of gold.

* For 1897, ratio, 34.28; for 1898, ratio, 35.03; for 1899, ratio, 34.36; for 1900, ratio, 33.33; for 1901, ratio, 34.68; for 1902, ratio, **39.15**; for 1903, ratio, 38.10.

Price of Silver in London, per Ounce, British Standard (.925), since 1833, and the equivalent in U. S. Gold Coin of an Ounce 1,000 Fine, Taken at the average Price.

Calendar Year.	Quotations.				Calendar Year.	Quotations.			
	Lowest.	High-est.	Aver- age.	Value of a fine oz. at average quotation.		Lowest.	High-est.	Aver- age.	Value of a fine oz. at average quotation
	d.	d.	d.	Dollars.		d.	d.	d.	Dollars.
1833..	58.75	59.875	59.1875	1.297	1866..	60.375	62.25	61.125	1.339
1834..	59.75	60.75	59.9375	1.313	1867..	60.375	61.25	60.5625	1.328
1835..	59.25	60.	59.6875	1.308	1868..	60.125	61.125	60.5	1.326
1836..	59.625	60.375	60.	1.315	1869..	60.	61.	60.5	1.325
1837..	59.	60.375	59.5625	1.305	1870..	60.25	60.75	60.5625	1.328
1838..	59.5	60.125	59.5	1.304	1871..	60.375	61.	60.5	1.326
1839..	60.	60.625	60.375	1.323	1872..	59.25	61.125	60.625	1.322
1840..	60.125	60.75	60.375	1.323	1873..	57.875	59.9375	59.25	1.298
1841..	59.75	60.375	60.0625	1.316	1874..	57.5	59.5	58.625	1.278
1842..	59.25	60.	59.875	1.303	1875..	59.5	57.625	56.875	1.246
1843..	59.	59.625	59.375	1.297	1876..	46.75	58.5	52.75	1.156
1844..	59.25	59.75	59.5	1.304	1877..	53.25	58.25	54.8125	1.201
1845..	58.875	59.875	59.25	1.298	1878..	49.5	55.25	52.5625	1.152
1846..	59.	60.125	59.625	1.300	1879..	48.875	53.75	51.25	1.123
1847..	58.875	60.375	59.6875	1.308	1880..	51.625	52.875	52.25	1.145
1848..	58.5	60.	59.5	1.304	1881..	50.875	52.875	51.9375	1.138
1849..	59.5	60.	59.75	1.309	1882..	50.	52.375	51.8125	1.136
1850..	59.5	61.5	61.0625	1.316	1883..	50.	51.375	50.625	1.110
1851..	60.	61.625	61.	1.337	1884..	49.5	51.375	50.75	1.113
1852..	59.875	61.875	60.5	1.326	1885..	46.875	50.	48.5625	1.0645
1853..	60.625	61.875	61.5	1.348	1886..	42.	47.	45.375	0.9946
1854..	60.875	61.875	61.5	1.348	1887..	43.25	47.125	44.625	0.97823
1855..	60.	61.625	61.625	1.344	1888..	41.625	44.5625	42.875	0.93987
1856..	60.6	62.25	61.625	1.344	1889..	42.	44.375	42.6875	0.93576
1857..	61.	62.375	61.75	1.353	1890..	43.625	54.625	47.75	1.04633
1858..	60.75	61.875	61.625	1.344	1891..	43.5	48.75	45.0625	0.98782
1859..	61.75	*62.75	62.0625	1.360	1892..	37.875	43.75	39.75	.87106
1860..	61.25	62.375	61.6875	1.352	1893..	30.50	38.75	35.5625	.78031
1861..	60.125	61.375	60.8125	1.333	1894..	†27.	31.75	28.875	.63479
1862..	61.	62.125	61.875	1.346	1895..	27.187	31.375	29.8125	.65406
1863..	61.	61.75	61.375	1.345	1896..	29.75	31.9375	30.75	.67437
1864..	60.625	62.5	61.375	1.345	1897..	23.625	29.8125	27.5625	.60354
1865..	60.5	61.625	61.0625	1.338	1898..	25.	28.5	26.9375	.59010

* Highest quotation reached since 1833. † Lowest quotation in 200 years occurred in July, 1893.

NOTE.—The ratio that gold and silver bore to each other in Egypt and Babylon. The researches of Prof. Brugsch prove the ratio of gold to silver in ancient Egypt was 1 to 12½. Dr. Brandes has shown that in Babylon the ratio was always 1 to 13.0303.

Value of the Silver in a Silver Dollar, Reckoned at the Commercial Price of Silver Bullion from 80 cents to \$1.2929 (parity). per Fine Ounce.

Pure Silver, 1,000 fine.		Pure Silver, 1,000 fine.		Pure Silver, 1,000 fine.		Pure Silver, 1,000 fine.	
At price per fine ounce.	Value in a Silver Dollar.	At price per fine ounce.	Value in a Silver Dollar.	At price per fine ounce.	Value in a Silver Dollar.	At price per fine ounce.	Value in a Silver Dollar.
\$0.80	\$0.619	\$0.93	\$0.719	\$1.06	\$0.820	\$1.19	\$0.920
.81	.626	.94	.727	1.07	.828	1.20	.928
.82	.634	.95	.735	1.08	.835	1.21	.936
.83	.642	.96	.742	1.09	.843	1.22	.944
.84	.649	.97	.750	1.10	.851	1.23	.951
.85	.657	.98	.758	1.11	.859	1.24	.959
.86	.665	.99	.766	1.12	.866	1.25	.967
.87	.673	1.00	.773	1.13	.874	1.26	.975
.88	.681	1.01	.781	1.14	.882	1.27	.982
.89	.688	1.02	.789	1.15	.889	1.28	.990
.90	.696	1.03	.797	1.16	.897	1.29	.998
.91	.704	1.04	.804	1.17	.905	1.2929	1.000
.92	.712	1.05	.812	1.18	.913		

INTEREST.

In calculating interest it is customary to consider the month as the twelfth part of a year; and each day as the thirtieth part of a month, when interest is calculated on any number of days less than a month. The tables under this head are computed on this basis.

RULES FOR COMPUTING INTEREST.

1. To compute interest at 6 % when the time is in months or years.

RULE—Multiply the principal by the number of months; if there are no cents in the principal point off two decimals; if there are cents in the principal point off four decimals and divide the product by 2.

Example—Determine the interest on \$400 for 2 years and 4 months at 6 %
2 years and 4 months are 28 months.

$$28 \times 400 = 11200$$

$$112.00 \div 2 = \$56.00, \text{ the interest required.}$$

2. To compute interest at 6 % when the time is in days.

RULE—Multiply the principal by the number of days; if there are no cents in the principal point off three decimals; if there are cents in the principal point off five decimals; and divide the product by 6.

Example—Determine the interest on \$700 for 330 days at 6 %

$$330 \times 700 = 231.000$$

$$231.00 \div 6 = \$38.50, \text{ the interest required.}$$

3. To compute interest at 6 % when the time is given in years or months and days.

RULE—Call one-half the number of months cents and one-sixth of the number of days mills; and multiply their sum by the principal.

Example—Determine the interest on \$600 for 1 year, 4 months, and 18 days at 6 %

one-half of 16 months.....	.08
one-sixth of 18 days.....	.003
	<u>.083</u>
multiply by principal.....	600
the interest required	<u>\$49.80</u>

4. To compute interest at various rates.

RULE—Find the interest at 6 % according to the above rules, and for other rates, compute therefrom, as follows:

For 3 % divide by 2
" 4 % subtract $\frac{1}{2}$
" 5 % " 1-6
" 7 % add 1-6
" 8 % " $\frac{1}{2}$
" 9 % " $\frac{1}{2}$
" 10 % multiply by 10 and divide by 6
" 11 % multiply by 2 and subtract 1-12
" 12 % " 2

Example—Determine the interest on \$900 for 1 year, 4 months and 18 days at 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12 %

one-half of 16 months.....	.08
one-sixth of 18 days.....	.003
	<u>.083</u>
multiply by principal.....	900
interest at 6 %.....	<u>\$74.70</u>

	2) 74.70		2) 74.70
Interest at 3 %.....	<u>\$37.35</u>		37.35
	3) 74.70	Interest at 9 %.....	<u>\$112.05</u>
	24.90		
Interest at 4 %.....	<u>\$49.80</u>		6) 747.00
	6) 74.70	Interest at 10 %.....	<u>\$124.50</u>
	12.45		74.70
Interest at 5 %.....	<u>\$62.25</u>		2
	6) 74.70		12) 149.40
	12.45		12.45
Interest at 7 %.....	<u>\$87.15</u>	Interest at 11 %.....	<u>\$136.95</u>
	3) 74.70		74.70
	24.90		2
Interest at 8 %.....	<u>\$99.60</u>	Interest at 12 %.....	<u>\$149.40</u>

INTEREST TABLES.

NOTE—These tables show the interest on **one dollar** for the given time; the amounts being expressed in decimals of a dollar.

TIME.	$\frac{1}{2}$ % PER MONTH	$\frac{3}{4}$ % PER MONTH	$\frac{5}{8}$ % PER MONTH	1 % PER MONTH	1 $\frac{1}{8}$ % PER MONTH	1 $\frac{1}{4}$ % PER MONTH
1 Day.	.00016667	.00025	.00029167	.00033333	.000375	.00041667
2 "	.00033333	.0005	.00058333	.00066667	.00075	.00083333
3 "	.0005	.00075	.000875	.001	.001125	.00125
4 "	.00066667	.001	.00116667	.00133333	.0015	.00166667
5 "	.00083333	.00125	.00145833	.00166667	.001875	.00208333
6 "	.001	.0015	.00175	.002	.00225	.0025
7 "	.00116667	.00175	.00204167	.00233333	.002625	.00291667
8 "	.00133333	.002	.00233333	.00266667	.003	.00333333
9 "	.0015	.00225	.002625	.003	.003375	.00375
10 "	.00166667	.0025	.00291667	.00333333	.00375	.00416667
11 "	.00183333	.00275	.00320833	.00366667	.004125	.00458333
12 "	.002	.003	.0035	.004	.0045	.005
13 "	.00216667	.00325	.00379167	.00433333	.004875	.00541667
14 "	.00233333	.0035	.00408333	.00466667	.00525	.00583333
15 "	.0025	.00375	.004375	.005	.005625	.00625
16 "	.00266667	.004	.00466667	.00533333	.006	.00666667
17 "	.00283333	.00425	.00495833	.00566667	.006375	.00708333
18 "	.003	.0045	.00525	.006	.00675	.0075
19 "	.00316667	.00475	.00554167	.00633333	.007125	.00791667
20 "	.00333333	.005	.00583333	.00666667	.0075	.00833333
21 "	.0035	.00525	.006125	.007	.007875	.00875
22 "	.00366667	.0055	.00641667	.00733333	.00825	.00916667
23 "	.00383333	.00575	.00670833	.00766667	.008625	.00958333
24 "	.004	.006	.007	.008	.009	.01
25 "	.00416667	.00625	.00729167	.00833333	.009375	.01041667
26 "	.00433333	.0065	.00758333	.00866667	.00975	.01083333
27 "	.0045	.00675	.007875	.009	.010125	.01125
28 "	.00466667	.007	.00816667	.00933333	.0105	.01166667
29 "	.00483333	.00725	.00845833	.00966667	.010875	.01208333
1 Month	.005	.0075	.00875	.01	.01125	.0125
	1 $\frac{1}{8}$ % PER MONTH	1 $\frac{1}{4}$ % PER MONTH	1 $\frac{3}{8}$ % PER MONTH	1 $\frac{1}{2}$ % PER MONTH	1 $\frac{3}{4}$ % PER MONTH	2 % PER MONTH
1 Day.	.00045833	.0005	.00054167	.00058333	.000625	.00066667
2 "	.00091667	.001	.00108333	.00116667	.00125	.00133333
3 "	.001375	.0015	.001625	.00175	.001875	.002
4 "	.00183333	.002	.00216667	.00233333	.0025	.00266667
5 "	.00229167	.0025	.00270833	.00291667	.003125	.00333333
6 "	.00275	.003	.00325	.0035	.00375	.004
7 "	.00320833	.0035	.00379167	.00408333	.004375	.00466667
8 "	.00366667	.004	.00433333	.00466667	.005	.00533333
9 "	.004125	.0045	.004875	.00525	.005625	.006
10 "	.00458333	.005	.00541667	.00583333	.00625	.00666667
11 "	.00504167	.0055	.00595833	.00641667	.006875	.00733333
12 "	.0055	.006	.0065	.007	.0075	.008
13 "	.00595833	.0065	.00704167	.00758333	.008125	.00866667
14 "	.00641667	.007	.00758333	.00816667	.00875	.00933333
15 "	.006875	.0075	.008125	.00875	.009375	.01
16 "	.00733333	.008	.00866667	.00933333	.01	.01066667
17 "	.00779167	.0085	.00920833	.00991667	.010625	.01133333
18 "	.00825	.009	.00975	.0105	.01125	.012
19 "	.00870833	.0095	.01029167	.01108333	.011875	.01266667
20 "	.00916667	.01	.01083333	.01166667	.0125	.01333333
21 "	.009625	.0105	.011875	.01225	.013125	.014
22 "	.01008333	.011	.01191667	.01283333	.01375	.01466667
23 "	.01054167	.0115	.01245833	.01341667	.014375	.01533333
24 "	.011	.012	.013	.014	.015	.016
25 "	.01145833	.0125	.01354167	.01458333	.015625	.01666667
26 "	.01191667	.013	.01408333	.01516667	.01625	.01733333
27 "	.012375	.0135	.014625	.01575	.016875	.018
28 "	.01283333	.014	.01516667	.01633333	.0175	.01866667
29 "	.01329167	.0145	.01570833	.01691667	.018125	.01933333
1 Month	.01375	.015	.01625	.0175	.01875	.02

INTEREST TABLES—CONTINUED.

NOTE—These tables show the interest on **one dollar** from one day to one year, advancing by days, the amounts being expressed in decimals of a dollar.

TIME. M. D.	5 % PER YEAR	6 % PER YEAR	7 % PER YEAR	8 % PER YEAR	9 % PER YEAR	10 % PER YEAR	11 % PER YEAR	12 % PER YEAR
1.	.0001389	.0001667	.0001944	.0002222	.00025	.0002778	.0003056	.0003333
2.	.0002778	.0003333	.0003889	.0004444	.0005	.0005556	.0006111	.0006667
3.	.0004167	.0005	.0005833	.0006667	.00075	.0008333	.0009167	.001
4.	.0005556	.0006667	.0007778	.0008889	.001	.0011111	.0012222	.0013333
5.	.0006944	.0008333	.0009722	.0011111	.00125	.0013889	.0015278	.0016667
6.	.0008333	.001	.0011667	.0013333	.0015	.0016667	.0018333	.002
7.	.0009722	.0011667	.0013611	.0015556	.00175	.0019444	.0021389	.0023333
8.	.0011111	.0013333	.0015556	.0017778	.002	.0022222	.0024444	.0026667
9.	.00125	.0015	.00175	.002	.00225	.0025	.00275	.003
10.	.0013889	.0016667	.0019444	.0022222	.0025	.0027778	.0030556	.0033333
11.	.0015278	.0018333	.0021389	.0024444	.00275	.0030556	.0033611	.0036667
12.	.0016667	.002	.0023333	.0026667	.003	.0033333	.0036667	.004
13.	.0018056	.0021667	.0025278	.0028889	.00325	.0036111	.0039722	.0043333
14.	.0019444	.0023333	.0027222	.0031111	.0035	.0038889	.0042778	.0046667
15.	.0020833	.0025	.0029167	.0033333	.00375	.0041667	.0045833	.005
16.	.0022222	.0026667	.0031111	.0035556	.004	.0044444	.0048889	.0053333
17.	.0023611	.0028333	.0033056	.0037778	.00425	.0047222	.0051944	.0056667
18.	.0025	.003	.0035	.004	.0045	.005	.0055	.006
19.	.0026389	.0031667	.0036944	.0042222	.00475	.0052778	.0058056	.0063333
20.	.0027778	.0033333	.0038889	.0044444	.005	.0055556	.0061111	.0066667
21.	.0029167	.0035	.0040833	.0046667	.00525	.0058333	.0064167	.007
22.	.0030556	.0036667	.0042778	.0048889	.0055	.0061111	.0067222	.0073333
23.	.0031944	.0038333	.0044722	.0051111	.00575	.0063889	.0070278	.0076667
24.	.0033333	.004	.0046667	.0053333	.006	.0066667	.0073333	.008
25.	.0034722	.0041667	.0048611	.0055556	.00625	.0069444	.0076889	.0083333
26.	.0036111	.0043333	.0050556	.0057778	.0065	.0072222	.0079444	.0086667
27.	.00375	.0045	.00525	.006	.00675	.0075	.00825	.009
28.	.0038889	.0046667	.0054444	.0062222	.007	.0077778	.0085556	.0093333
29.	.0040278	.0048333	.0056389	.0064444	.00725	.0080556	.0088611	.0096667
1	.0041667	.005	.0058333	.0066667	.0075	.0083333	.0091667	.01
1	.0043056	.0051667	.0060278	.0068889	.00775	.0086111	.0094722	.0103333
1	.0044444	.0053333	.0062222	.0071111	.008	.0088889	.0097778	.0106667
1	.0045833	.0055	.0064167	.0073333	.00825	.0091667	.0100833	.011
1	.0047222	.0056667	.0066111	.0075556	.0085	.0094444	.0103889	.0113333
1	.0048611	.0058333	.0068056	.0077778	.00875	.0097222	.0106944	.0116667
1	.005	.006	.007	.008	.009	.01	.011	.012
1	.0051389	.0061667	.0071944	.0082222	.00925	.0102778	.0113056	.0123333
1	.0052778	.0063333	.0073889	.0084444	.0095	.0105556	.0116111	.0126667
1	.0054167	.0065	.0075833	.0086667	.00975	.0108333	.0119167	.013
1	.0055556	.0066667	.0077778	.0088889	.01	.0111111	.0122222	.0133333
1	.0056944	.0068333	.0079722	.0091111	.01025	.0113889	.0125278	.0136667
1	.0058333	.007	.0081667	.0093333	.0105	.0116667	.0128333	.014
1	.0059722	.0071667	.0083611	.0095556	.01075	.0119444	.0131389	.0143333
1	.0061111	.0073333	.0085556	.0097778	.011	.0122222	.0134444	.0146667
1	.00625	.0075	.00875	.01	.01125	.0125	.01375	.015
1	.0063889	.0076667	.0089444	.0102222	.0115	.0127778	.0140556	.0153333
1	.0065278	.0078333	.0091389	.0104444	.01175	.0130556	.0143611	.0156667
1	.0066667	.008	.0093333	.0106667	.012	.0133333	.0146667	.016
1	.0068056	.0081667	.0095278	.0108889	.01225	.0136111	.0149722	.0163333
1	.0069444	.0083333	.0097222	.0111111	.0125	.0138889	.0152778	.0166667
1	.0070833	.0085	.0099167	.0113333	.01275	.0141667	.0155833	.017
1	.0072222	.0086667	.0101111	.0115556	.013	.0144444	.0158889	.0173333
1	.0073611	.0088333	.0103056	.0117778	.01325	.0147222	.0161944	.0176667
1	.0075	.009	.0105	.012	.0135	.015	.0165	.018
1	.0076389	.0091667	.0106944	.0122222	.01375	.0152778	.0168056	.0183333
1	.0077778	.0093333	.0108889	.0124444	.014	.0155556	.0171111	.0186667
1	.0079167	.0095	.0110833	.0126667	.01425	.0158333	.0174167	.019
1	.0080556	.0096667	.0112778	.0128889	.0145	.0161111	.0177222	.0193333
1	.0081944	.0098333	.0114722	.0131111	.01475	.0163889	.0180278	.0196667
2	.0083333	.01	.0116667	.0133333	.015	.0166667	.0183333	.02
2	.0084722	.0101667	.0118611	.0135556	.01525	.0169444	.0186389	.0203333
2	.0086111	.0103333	.0120556	.0137778	.0155	.0172222	.0189444	.0206667
2	.00875	.0105	.01225	.014	.01575	.0175	.01925	.021
2	.0088889	.0106667	.0124444	.0142222	.016	.0177778	.0195556	.0213333

INTEREST TABLES—CONTINUED.

TIME.	5 %	6 %	7 %	8 %	9 %	10 %	11 %	12 %
M. D.	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR
2 5.	.0090278	.0108333	.0126389	.0144444	.01625	.0180556	.0198611	.0216667
2 6.	.0091667	.011	.0128333	.0146667	.0165	.0183333	.0201667	.022
2 7.	.0093056	.0111667	.0130278	.0148889	.01675	.0186111	.0204722	.0223333
2 8.	.0094444	.0113333	.0132222	.0151111	.017	.0188889	.0207778	.0226667
2 9.	.0095833	.0115	.0134167	.0153333	.01725	.0191667	.0210833	.023
2 10.	.0097222	.0116667	.0136111	.0155556	.0175	.0194444	.0213889	.0233333
2 11.	.0098611	.0118333	.0138066	.0157778	.01775	.0197222	.0216944	.0236667
2 12.	.01	.012	.014	.016	.018	.02	.022	.024
2 13.	.0101389	.0121667	.0141944	.0162222	.01825	.0202778	.0223056	.0243333
2 14.	.0102778	.0123333	.0143889	.0164444	.0185	.0205556	.0226111	.0246667
2 15.	.0104167	.0125	.0145833	.0166667	.01875	.0208333	.0229167	.025
2 16.	.0105556	.0126667	.0147778	.0168889	.019	.0211111	.0232222	.0253333
2 17.	.0106944	.0128333	.0149722	.0171111	.01925	.0213889	.0235278	.0256667
2 18.	.0108333	.013	.0151667	.0173333	.0195	.0216667	.0238333	.026
2 19.	.0109722	.0131667	.0153611	.0175556	.01975	.0219444	.0241389	.0263333
2 20.	.0111111	.0133333	.0155556	.0177778	.02	.0222222	.0244444	.0266667
2 21.	.01125	.0135	.01575	.018	.02025	.0225	.02475	.027
2 22.	.0113889	.0136667	.0159444	.0182222	.0205	.0227778	.0250556	.0273333
2 23.	.0115278	.0138333	.0161389	.0184444	.02075	.0230556	.0253611	.0276667
2 24.	.0116667	.014	.0163333	.0186667	.021	.0233333	.0256667	.028
2 25.	.0118056	.0141667	.0165278	.0188889	.02125	.0236111	.0259722	.0283333
2 26.	.0119444	.0143333	.0167222	.0191111	.0215	.0238889	.0262778	.0286667
2 27.	.0120833	.0145	.0169167	.0193333	.02175	.0241667	.0265833	.029
2 28.	.0122222	.0146667	.0171111	.0195556	.022	.0244444	.0268889	.0293333
2 29.	.0123611	.0148333	.0173066	.0197778	.02225	.0247222	.0271944	.0296667
30125	.015	.0175	.02	.0225	.025	.0275	.03
3 1.	.0126389	.0151667	.0176944	.0202222	.02275	.0252778	.0278056	.0303333
3 2.	.0127778	.0153333	.0178889	.0204444	.023	.0255556	.0281111	.0306667
3 3.	.0129167	.0155	.0180833	.0206667	.02325	.0258333	.0284167	.031
3 4.	.0130556	.0156667	.0182778	.0208889	.0235	.0261111	.0287222	.0313333
3 5.	.0131944	.0158333	.0184722	.0211111	.02375	.0263889	.0290278	.0316667
3 6.	.0133333	.016	.0186667	.0213333	.024	.0266667	.0293333	.032
3 7.	.0134722	.0161667	.0188611	.0215556	.02425	.0269444	.0296389	.0323333
3 8.	.0136111	.0163333	.0190556	.0217778	.0245	.0272222	.0299444	.0326667
3 9.	.01375	.0165	.01925	.022	.02475	.0275	.03025	.033
3 10.	.0138889	.0166667	.0194444	.0222222	.025	.0277778	.0305556	.0333333
3 11.	.0140278	.0168333	.0196389	.0224444	.02525	.0280556	.0308611	.0336667
3 12.	.0141667	.017	.0198333	.0226667	.0255	.0283333	.0311667	.034
3 13.	.0143056	.0171667	.0200278	.0228889	.02575	.0286111	.0314722	.0343333
3 14.	.0144444	.0173333	.0202222	.0231111	.026	.0288889	.0317778	.0346667
3 15.	.0145833	.0175	.0204167	.0233333	.02625	.0291667	.0320833	.035
3 16.	.0147222	.0176667	.0206111	.0235556	.0265	.0294444	.0323889	.0353333
3 17.	.0148611	.0178333	.0208066	.0237778	.02675	.0297222	.0326944	.0356667
3 18.	.015	.018	.021	.024	.027	.03	.033	.036
3 19.	.0151389	.0181667	.0211944	.0242222	.02725	.0302778	.0333056	.0363333
3 20.	.0152778	.0183333	.0213889	.0244444	.0275	.0305556	.0336111	.0366667
3 21.	.0154167	.0185	.0215833	.0246667	.02775	.0308333	.0339167	.037
3 22.	.0155556	.0186667	.0217778	.0248889	.028	.0311111	.0342222	.0373333
3 23.	.0156944	.0188333	.0219722	.0251111	.02825	.0313889	.0345278	.0376667
3 24.	.0158333	.019	.0221667	.0253333	.0285	.0316667	.0348333	.038
3 25.	.0159722	.0191667	.0223611	.0255556	.02875	.0319444	.0351389	.0383333
3 26.	.0161111	.0193333	.0225556	.0257778	.029	.0322222	.0354444	.0386667
3 27.	.01625	.0195	.02275	.026	.02925	.0325	.03575	.039
3 28.	.0163889	.0196667	.0229444	.0262222	.0295	.0327778	.0360556	.0393333
3 29.	.0165278	.0198333	.0231389	.0264444	.02975	.0330556	.0363611	.0396667
40166667	.02	.0233333	.0266667	.03	.0333333	.0366667	.04
4 1.	.0168056	.0201667	.0235278	.0268889	.03025	.0336111	.0369722	.0403333
4 2.	.0169444	.0203333	.0237222	.0271111	.0305	.0338889	.0372778	.0406667
4 3.	.0170833	.0205	.0239167	.0273333	.03075	.0341667	.0375833	.041
4 4.	.0172222	.0206667	.0241111	.0275556	.031	.0344444	.0378889	.0413333
4 5.	.0173611	.0208333	.0243066	.0277778	.03125	.0347222	.0381944	.0416667
4 6.	.0175	.021	.0245	.028	.0315	.035	.0385	.042
4 7.	.0176389	.0211667	.0246944	.0282222	.03175	.0352778	.0388056	.0423333
4 8.	.0177778	.0213333	.0248889	.0284444	.032	.0355556	.0391111	.0426667
4 9.	.0179167	.0215	.0250833	.0286667	.03225	.0358333	.0394167	.043
4 10.	.0180556	.0216667	.0252778	.0288889	.0325	.0361111	.0397222	.0433333

INTEREST TABLES—CONTINUED.

TIME.	5 %	6 %	7 %	8 %	9 %	10 %	11 %	12 %
M. D.	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR
4 11.	.0181944	.0218333	.0254722	.0291111	.03275	.0363889	.0400278	.0436667
4 12.	.0183333	.022	.0256667	.0293333	.033	.0366667	.0403333	.044
4 13.	.0184722	.0221667	.0258611	.0295556	.03325	.0369444	.0406389	.0443333
4 14.	.0186111	.0223333	.0260556	.0297778	.0335	.0372222	.0409444	.0446667
4 15.	.01875	.0225	.02625	.03	.03375	.0375	.04125	.045
4 16.	.0188889	.0226667	.0264444	.0302222	.034	.0377778	.0415556	.0453333
4 17.	.0190278	.0228333	.0266389	.0304444	.03425	.0380556	.0418611	.0456667
4 18.	.0191667	.023	.0268333	.0306667	.0345	.0383333	.0421667	.046
4 19.	.0193056	.0231667	.0270278	.0308889	.03475	.0386111	.0424722	.0463333
4 20.	.0194444	.0233333	.0272222	.0311111	.035	.0388889	.0427778	.0466667
4 21.	.0195833	.0235	.0274167	.0313333	.03525	.0391667	.0430833	.047
4 22.	.0197222	.0236667	.0276111	.0315556	.0355	.0394444	.0433889	.0473333
4 23.	.0198611	.0238333	.0278056	.0317778	.03575	.0397222	.0436944	.0476667
4 24.	.02	.024	.028	.032	.036	.04	.044	.048
4 25.	.0201389	.0241667	.0281944	.0322222	.03625	.0402778	.0443056	.0483333
4 26.	.0202778	.0243333	.0283889	.0324444	.0365	.0405556	.0446111	.0486667
4 27.	.0204167	.0245	.0285833	.0326667	.03675	.0408333	.0449167	.049
4 28.	.0205556	.0246667	.0287778	.0328889	.037	.0411111	.0452222	.0493333
4 29.	.0206944	.0248333	.0289722	.0331111	.03725	.0413889	.0455278	.0496667
50208333	.025	.0291667	.0333333	.0375	.0416667	.0458333	.05
5 1.	.0209722	.0251667	.0293611	.0335556	.03775	.0419444	.0461389	.0503333
5 2.	.0211111	.0253333	.0295556	.0337778	.038	.0422222	.0464444	.0506667
5 3.	.02125	.0255	.02975	.034	.03825	.0425	.04675	.051
5 4.	.0213889	.0256667	.0299444	.0342222	.0385	.0427778	.0470556	.0513333
5 5.	.0215278	.0258333	.0301389	.0344444	.03875	.0430556	.0473611	.0516667
5 6.	.0216667	.026	.0303333	.0346667	.039	.0433333	.0476667	.052
5 7.	.0218056	.0261667	.0305278	.0348889	.03925	.0436111	.0479722	.0523333
5 8.	.0219444	.0263333	.0307222	.0351111	.0395	.0438889	.0482778	.0526667
5 9.	.0220833	.0265	.0309167	.0353333	.03975	.0441667	.0485833	.053
5 10.	.0222222	.0266667	.0311111	.0355556	.04	.0444444	.0488889	.0533333
5 11.	.0223611	.0268333	.0313056	.0357778	.04025	.0447222	.0491944	.0536667
5 12.	.0225	.027	.0315	.036	.0405	.045	.0495	.054
5 13.	.0226389	.0271667	.0316944	.0362222	.04075	.0452778	.0498056	.0543333
5 14.	.0227778	.0273333	.0318889	.0364444	.041	.0455556	.0501111	.0546667
5 15.	.0229167	.0275	.0320833	.0366667	.04125	.0458333	.0504167	.055
5 16.	.0230556	.0276667	.0322778	.0368889	.0415	.0461111	.0507222	.0553333
5 17.	.0231944	.0278333	.0324722	.0371111	.04175	.0463889	.0510278	.0556667
5 18.	.0233333	.028	.0326667	.0373333	.042	.0466667	.0513333	.056
5 19.	.0234722	.0281667	.0328611	.0375556	.04225	.0469444	.0516389	.0563333
5 20.	.0236111	.0283333	.0330556	.0377778	.0425	.0472222	.0519444	.0566667
5 21.	.02375	.0285	.03325	.038	.04275	.0475	.05225	.057
5 22.	.0238889	.0286667	.0334444	.0382222	.043	.0477778	.0525556	.0573333
5 23.	.0240278	.0288333	.0336389	.0384444	.04325	.0480556	.0528611	.0576667
5 24.	.0241667	.029	.0338333	.0386667	.0435	.0483333	.0531667	.058
5 25.	.0243056	.0291667	.0340278	.0388889	.04375	.0486111	.0534722	.0583333
5 26.	.0244444	.0293333	.0342222	.0391111	.044	.0488889	.0537778	.0586667
5 27.	.0245833	.0295	.0344167	.0393333	.04425	.0491667	.0540833	.059
5 28.	.0247222	.0296667	.0346111	.0395556	.0445	.0494444	.0543889	.0593333
5 29.	.0248611	.0298333	.0348056	.0397778	.04475	.0497222	.0546944	.0596667
6025	.03	.035	.04	.045	.05	.055	.06
6 1.	.0251389	.0301667	.0351944	.0402222	.04525	.0502778	.0553056	.0603333
6 2.	.0252778	.0303333	.0353889	.0404444	.0455	.0505556	.0556111	.0606667
6 3.	.0254167	.0305	.0355833	.0406667	.04575	.0508333	.0559167	.061
6 4.	.0255556	.0306667	.0357778	.0408889	.046	.0511111	.0562222	.0613333
6 5.	.0256944	.0308333	.0359722	.0411111	.04625	.0513889	.0565278	.0616667
6 6.	.0258333	.031	.0361667	.0413333	.0465	.0516667	.0568333	.062
6 7.	.0259722	.0311667	.0363611	.0415556	.04675	.0519444	.0571389	.0623333
6 8.	.0261111	.0313333	.0365556	.0417778	.047	.0522222	.0574444	.0626667
6 9.	.02625	.0315	.03675	.042	.04725	.0525	.05775	.063
6 10.	.0263889	.0316667	.0369444	.0422222	.0475	.0527778	.0580556	.0633333
6 11.	.0265278	.0318333	.0371389	.0424444	.04775	.0530556	.0583611	.0636667
6 12.	.0266667	.032	.0373333	.0426667	.048	.0533333	.0586667	.064
6 13.	.0268056	.0321667	.0375278	.0428889	.04825	.0536111	.0589722	.0643333
6 14.	.0269444	.0323333	.0377222	.0431111	.0485	.0538889	.0592778	.0646667
6 15.	.0270833	.0325	.0379167	.0433333	.04875	.0541667	.0595833	.065
6 16.	.0272222	.0326667	.0381111	.0435556	.049	.0544444	.0598889	.0653333

INTEREST TABLES—CONTINUED.

TIME.	5 %	6 %	7 %	8 %	9 %	10 %	11 %	12 %
M. D.	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR	PER YEAR
6 17.	.0273611	.0328333	.0383056	.0437778	.04925	.0547222	.0601944	.0656667
6 18.	.0275	.033	.0385	.044	.0495	.055	.0605	.066
6 19.	.0276389	.0331667	.0386944	.0442222	.04975	.0552778	.0608056	.0663333
6 20.	.0277778	.0333333	.0388889	.0444444	.05	.0555556	.0611111	.0666667
6 21.	.0279167	.0335	.0390833	.0446667	.05025	.0558333	.0614167	.067
6 22.	.0280556	.0336667	.0392778	.0448889	.0505	.0561111	.0617222	.0673333
6 23.	.0281944	.0338333	.0394722	.0451111	.05075	.0563889	.0620278	.0676667
6 24.	.0283333	.034	.0396667	.0453333	.051	.0566667	.0623333	.068
6 25.	.0284722	.0341667	.0398611	.0455556	.05125	.0569444	.0626389	.0683333
6 26.	.0286111	.0343333	.0400556	.0457778	.0515	.0572222	.0629444	.0686667
6 27.	.02875	.0345	.04025	.046	.05175	.0575	.06325	.069
6 28.	.0288889	.0346667	.0404444	.0462222	.052	.0577778	.0635556	.0693333
6 29.	.0290278	.0348333	.0406389	.0464444	.05225	.0580556	.0638611	.0696667
70291667	.035	.0408333	.0466667	.0525	.0583333	.0641667	.07
7 1.	.0293056	.0351667	.0410278	.0468889	.05275	.0586111	.0644722	.0703333
7 2.	.0294444	.0353333	.0412222	.0471111	.053	.0588889	.0647778	.0706667
7 3.	.0295833	.0355	.0414167	.0473333	.05325	.0591667	.0650833	.071
7 4.	.0297222	.0356667	.0416111	.0475556	.0535	.0594444	.0653889	.0713333
7 5.	.0298611	.0358333	.0418056	.0477778	.05375	.0597222	.0656944	.0716667
7 6.	.03	.036	.042	.048	.054	.06	.066	.072
7 7.	.0301389	.0361667	.0421944	.0482222	.05425	.0602778	.0663056	.0723333
7 8.	.0302778	.0363333	.0423889	.0484444	.0545	.0605556	.0666111	.0726667
7 9.	.0304167	.0365	.0425833	.0486667	.05475	.0608333	.0669167	.073
7 10.	.0305556	.0366667	.0427778	.0488889	.055	.0611111	.0672222	.0733333
7 11.	.0306944	.0368333	.0429722	.0491111	.05525	.0613889	.0675278	.0736667
7 12.	.0308333	.037	.0431667	.0493333	.0555	.0616667	.0678333	.074
7 13.	.0309722	.0371667	.0433611	.0495556	.05575	.0619444	.0681389	.0743333
7 14.	.0311111	.0373333	.0435556	.0497778	.056	.0622222	.0684444	.0746667
7 15.	.03125	.0375	.04375	.05	.05625	.0625	.06875	.075
7 16.	.0313889	.0376667	.0439444	.0502222	.0565	.0627778	.0690556	.0753333
7 17.	.0315278	.0378333	.0441389	.0504444	.05675	.0630556	.0693611	.0756667
7 18.	.0316667	.038	.0443333	.0506667	.057	.0633333	.0696667	.076
7 19.	.0318056	.0381667	.0445278	.0508889	.05725	.0636111	.0699722	.0763333
7 20.	.0319444	.0383333	.0447222	.0511111	.0575	.0638889	.0702778	.0766667
7 21.	.0320833	.0385	.0449167	.0513333	.05775	.0641667	.0705833	.077
7 22.	.0322222	.0386667	.0451111	.0515556	.058	.0644444	.0708889	.0773333
7 23.	.0323611	.0388333	.0453056	.0517778	.05825	.0647222	.0711944	.0776667
7 24.	.0325	.039	.0455	.052	.0585	.065	.0715	.078
7 25.	.0326389	.0391667	.0456944	.0522222	.05875	.0652778	.0718056	.0783333
7 26.	.0327778	.0393333	.0458889	.0524444	.059	.0655556	.0721111	.0786667
7 27.	.0329167	.0395	.0460833	.0526667	.05925	.0658333	.0724167	.079
7 28.	.0330556	.0396667	.0462778	.0528889	.0595	.0661111	.0727222	.0793333
7 29.	.0331944	.0398333	.0464722	.0531111	.05975	.0663889	.0730278	.0796667
80333333	.04	.0466667	.0533333	.06	.0666667	.0733333	.08
8 1.	.0334722	.0401667	.0468611	.0535556	.06025	.0669444	.0736389	.0803333
8 2.	.0336111	.0403333	.0470556	.0537778	.0605	.0672222	.0739444	.0806667
8 3.	.03375	.0405	.04725	.054	.06075	.0675	.07425	.081
8 4.	.0338889	.0406667	.0474444	.0542222	.061	.0677778	.0745556	.0813333
8 5.	.0340278	.0408333	.0476389	.0544444	.06125	.0680556	.0748611	.0816667
8 6.	.0341667	.041	.0478333	.0546667	.0615	.0683333	.0751667	.082
8 7.	.0343056	.0411667	.0480278	.0548889	.06175	.0686111	.0754722	.0823333
8 8.	.0344444	.0413333	.0482222	.0551111	.062	.0688889	.0757778	.0826667
8 9.	.0345833	.0415	.0484167	.0553333	.06225	.0691667	.0760833	.083
8 10.	.0347222	.0416667	.0486111	.0555556	.0625	.0694444	.0763889	.0833333
8 11.	.0348611	.0418333	.0488056	.0557778	.06275	.0697222	.0766944	.0836667
8 12.	.035	.042	.049	.056	.063	.07	.077	.084
8 13.	.0351389	.0421667	.0491944	.0562222	.06325	.0702778	.0773056	.0843333
8 14.	.0352778	.0423333	.0493889	.0564444	.0635	.0705556	.0776111	.0846667
8 15.	.0354167	.0425	.0495833	.0566667	.06375	.0708333	.0779167	.085
8 16.	.0355556	.0426667	.0497778	.0568889	.064	.0711111	.0782222	.0853333
8 17.	.0356944	.0428333	.0499722	.0571111	.06425	.0713889	.0785278	.0856667
8 18.	.0358333	.043	.0501667	.0573333	.0645	.0716667	.0788333	.086
8 19.	.0359722	.0431667	.0503611	.0575556	.06475	.0719444	.0791389	.0863333
8 20.	.0361111	.0433333	.0505556	.0577778	.065	.0722222	.0794444	.0866667
8 21.	.03625	.0435	.05075	.058	.06525	.0725	.07975	.087
8 22.	.0363889	.0436667	.0509444	.0582222	.0655	.0727778	.0800556	.0873333

INTEREST TABLES—CONTINUED.

TIME. M. D.	5 % PER YEAR	6 % PER YEAR	7 % PER YEAR	8 % PER YEAR	9 % PER YEAR	10 % PER YEAR	11 % PER YEAR	12 % PER YEAR
8 23.	.0365278	.0438333	.0511389	.0584444	.06575	.0730556	.0803611	.0876667
8 24.	.0366667	.044	.0513333	.0586667	.066	.0733333	.0806667	.088
8 25.	.0368056	.0441667	.0515278	.0588889	.06625	.0736111	.0809722	.0883333
8 26.	.0369444	.0443333	.0517222	.0591111	.0665	.0738889	.0812778	.0886667
8 27.	.0370833	.0445	.0519167	.0593333	.06675	.0741667	.0815833	.089
8 28.	.0372222	.0446667	.0521111	.0595556	.067	.0744444	.0818889	.0893333
8 29.	.0373611	.0448333	.0523056	.0597778	.06725	.0747222	.0821944	.0896667
90375	.045	.0525	.06	.0675	.075	.0825	.09
9 1.	.0376389	.0451667	.0526944	.0602222	.06775	.0752778	.0828056	.0903333
9 2.	.0377778	.0453333	.0528889	.0604444	.068	.0755556	.0831111	.0906667
9 3.	.0379167	.0455	.0530833	.0606667	.06825	.0758333	.0834167	.091
9 4.	.0380556	.0456667	.0532778	.0608889	.0685	.0761111	.0837222	.0913333
9 5.	.0381944	.0458333	.0534722	.0611111	.06875	.0763889	.0840278	.0916667
9 6.	.0383333	.046	.0536667	.0613333	.069	.0766667	.0843333	.092
9 7.	.0384722	.0461667	.0538611	.0615556	.06925	.0769444	.0846389	.0923332
9 8.	.0386111	.0463333	.0540556	.0617778	.0695	.0772222	.0849444	.0926667
9 9.	.03875	.0465	.05425	.062	.06975	.0775	.08525	.093
9 10.	.0388889	.0466667	.0544444	.0622222	.07	.0777778	.0855556	.0933333
9 11.	.0390278	.0468333	.0546389	.0624444	.07025	.0780056	.0858611	.0936667
9 12.	.0391667	.047	.0548333	.0626667	.0705	.0783333	.0861667	.094
9 13.	.0393056	.0471667	.0550278	.0628889	.07075	.0786111	.0864722	.0943333
9 14.	.0394444	.0473333	.0552222	.0631111	.071	.0788889	.0867778	.0946667
9 15.	.0395833	.0475	.0554167	.0633333	.07125	.0791667	.0870833	.095
9 16.	.0397222	.0476667	.0556111	.0635556	.0715	.0794444	.0873889	.0953333
9 17.	.0398611	.0478333	.0558056	.0637778	.07175	.0797222	.0876944	.0956667
9 18.	.04	.048	.056	.064	.072	.08	.088	.096
9 19.	.0401389	.0481667	.0561944	.0642222	.07225	.0802778	.0883056	.0963333
9 20.	.0402778	.0483333	.0563889	.0644444	.0725	.0805556	.0886111	.0966667
9 21.	.0404167	.0485	.0565833	.0646667	.07275	.0808333	.0889167	.097
9 22.	.0405556	.0486667	.0567778	.0648889	.073	.0811111	.0892222	.0973333
9 23.	.0406944	.0488333	.0569722	.0651111	.07325	.0813889	.0895278	.0976667
9 24.	.0408333	.049	.0571667	.0653333	.0735	.0816667	.0898333	.098
9 25.	.0409722	.0491667	.0573611	.0655556	.07375	.0819444	.0901389	.0983333
9 26.	.0411111	.0493333	.0575556	.0657778	.074	.0822222	.0904444	.0986667
9 27.	.04125	.0495	.05775	.066	.07425	.0825	.09075	.099
9 28.	.0413889	.0496667	.0579444	.0662222	.0745	.0827778	.0910556	.0993333
9 29.	.0415278	.0498333	.0581389	.0664444	.07475	.0830556	.0913611	.0996667
100416667	.05	.0583333	.0666667	.075	.0833333	.0916667	.10
10 1.	.0418056	.0501667	.0585278	.0668889	.07525	.0836111	.0919722	.1003333
10 2.	.0419444	.0503333	.0587222	.0671111	.0755	.0838889	.0922778	.1006667
10 3.	.0420833	.0505	.0589167	.0673333	.07575	.0841667	.0925833	.101
10 4.	.0422222	.0506667	.0591111	.0675556	.076	.0844444	.0928889	.1013333
10 5.	.0423611	.0508333	.0593056	.0677778	.07625	.0847222	.0931944	.1016667
10 6.	.0425	.051	.0595	.068	.0765	.085	.0935	.102
10 7.	.0426389	.0511667	.0596944	.0682222	.07675	.0852778	.0938056	.1023333
10 8.	.0427778	.0513333	.0598889	.0684444	.077	.0855556	.0941111	.1026667
10 9.	.0429167	.0515	.0600833	.0686667	.07725	.0858333	.0944167	.103
10 10.	.0430556	.0516667	.0602778	.0688889	.0775	.0861111	.0947222	.1033333
10 11.	.0431944	.0518333	.0604722	.0691111	.07775	.0863889	.0950278	.1036667
10 12.	.0433333	.052	.0606667	.0693333	.078	.0866667	.0953333	.104
10 13.	.0434722	.0521667	.0608611	.0695556	.07825	.0869444	.0956389	.1043333
10 14.	.0436111	.0523333	.0610556	.0697778	.0785	.0872222	.0959444	.1046667
10 15.	.04375	.0525	.06125	.07	.07875	.0875	.09625	.105
10 16.	.0438889	.0526667	.0614444	.0702222	.079	.0877778	.0965556	.1053333
10 17.	.0440278	.0528333	.0616389	.0704444	.07925	.0880556	.0968611	.1056667
10 18.	.0441667	.053	.0618333	.0706667	.0795	.0883333	.0971667	.106
10 19.	.0443056	.0531667	.0620278	.0708889	.07975	.0886111	.0974722	.1063333
10 20.	.0444444	.0533333	.0622222	.0711111	.08	.0888889	.0977778	.1066667
10 21.	.0445833	.0535	.0624167	.0713333	.08025	.0891667	.0980833	.107
10 22.	.0447222	.0536667	.0626111	.0715556	.0805	.0894444	.0983889	.1073333
10 23.	.0448611	.0538333	.0628056	.0717778	.08075	.0897222	.0986944	.1076667
10 24.	.045	.054	.063	.072	.081	.09	.099	.108
10 25.	.0451389	.0541667	.0631944	.0722222	.08125	.0902778	.0993056	.1083333
10 26.	.0452778	.0543333	.0633889	.0724444	.0815	.0905556	.0996111	.1086667
10 27.	.0454167	.0545	.0635833	.0726667	.08175	.0908333	.0999167	.109
10 28.	.0455556	.0546667	.0637778	.0728889	.082	.0911111	.1002222	.1093333

INTEREST TABLES—CONTINUED.

TIME. M. D.	5 % PER YEAR	6 % PER YEAR	7 % PER YEAR	8 % PER YEAR	9 % PER YEAR	10 % PER YEAR	11 % PER YEAR	12 % PER YEAR
10 29.	.0456944	.0548333	.0639722	.0731111	.08225	.0913889	.1005278	.1096667
110458633	.055	.0641667	.0733333	.0825	.0916667	.1008333	.11
11 1.	.0459722	.0551667	.0643611	.0735556	.08275	.0919444	.1011389	.1103333
11 2.	.0461111	.0553333	.0645556	.0737778	.083	.0922222	.1014444	.1106667
11 3.	.04625	.0555	.06475	.074	.08325	.0925	.10175	.111
11 4.	.0463889	.0556667	.0649444	.0742222	.0835	.0927778	.1020556	.1113333
11 5.	.0465278	.0558333	.0651389	.0744444	.08375	.0930556	.1023611	.1116667
11 6.	.0466667	.056	.0653333	.0746667	.084	.0933333	.1026667	.112
11 7.	.0468056	.0561667	.0655278	.0748889	.08425	.0936111	.1029722	.1123333
11 8.	.0469444	.0563333	.0657222	.0751111	.0845	.0938889	.1032778	.1126667
11 9.	.0470833	.0565	.0659167	.0753333	.08475	.0941667	.1035833	.113
11 10.	.0472222	.0566667	.0661111	.0755556	.085	.0944444	.1038889	.1133333
11 11.	.0473611	.0568333	.0663056	.0757778	.08525	.0947222	.1041944	.1136667
11 12.	.0475	.057	.0665	.076	.0855	.095	.1045	.114
11 13.	.0476389	.0571667	.0666944	.0762222	.08575	.0952778	.1048056	.1143333
11 14.	.0477778	.0573333	.0668889	.0764444	.086	.0955556	.1051111	.1146667
11 15.	.0479167	.0575	.0670833	.0766667	.08625	.0958333	.1054167	.115
11 16.	.0480556	.0576667	.0672778	.0768889	.0865	.0961111	.1057222	.1153333
11 17.	.0481944	.0578333	.0674722	.0771111	.08675	.0963889	.1060278	.1156667
11 18.	.0483333	.058	.0676667	.0773333	.087	.0966667	.1063333	.116
11 19.	.0484722	.0581667	.0678611	.0775556	.08725	.0969444	.1066389	.1163333
11 20.	.0486111	.0583333	.0680556	.0777778	.0875	.0972222	.1069444	.1166667
11 21.	.04875	.0585	.06825	.078	.08775	.0975	.10725	.117
11 22.	.0488889	.0586667	.0684444	.0782222	.088	.0977778	.1075556	.1173333
11 23.	.0490278	.0588333	.0686389	.0784444	.08825	.0980556	.1078611	.1176667
11 24.	.0491667	.059	.0688333	.0786667	.0885	.0983333	.1081667	.118
11 25.	.0493056	.0591667	.0690278	.0788889	.08875	.0986111	.1084722	.1183333
11 26.	.0494444	.0593333	.0692222	.0791111	.089	.0988889	.1087778	.1186667
11 27.	.0495833	.0595	.0694167	.0793333	.08925	.0991667	.1090833	.119
11 28.	.0497222	.0596667	.0696111	.0795556	.0895	.0994444	.1093889	.1193333
11 29.	.0498611	.0598333	.0698056	.0797778	.08975	.0997222	.1096944	.1196667
1205	.06	.07	.08	.09	.10	.11	.12
1 yr.	.05	.06	.07	.08	.09	.10	.11	.12
2 "	.10	.12	.14	.16	.18	.20	.22	.24
3 "	.15	.18	.21	.24	.27	.30	.33	.36
4 "	.20	.24	.28	.32	.36	.40	.44	.48
5 "	.25	.30	.35	.40	.45	.50	.55	.60
6 "	.30	.36	.42	.48	.54	.60	.66	.72
7 "	.35	.42	.49	.56	.63	.70	.77	.84
8 "	.40	.48	.56	.64	.72	.80	.88	.96
9 "	.45	.54	.63	.72	.81	.90	.99	1.08
10 "	.50	.60	.70	.80	.90	1.00	1.10	1.20
11 "	.55	.66	.77	.88	.99	1.10	1.21	1.32
12 "	.60	.72	.84	.96	1.08	1.20	1.32	1.44
13 "	.65	.78	.91	1.04	1.17	1.30	1.43	1.56
14 "	.70	.84	.98	1.12	1.26	1.40	1.54	1.68
15 "	.75	.90	1.05	1.20	1.35	1.50	1.65	1.80
16 "	.80	.96	1.12	1.28	1.44	1.60	1.76	1.92
17 "	.85	1.02	1.19	1.36	1.53	1.70	1.87	2.04
18 "	.90	1.08	1.26	1.44	1.62	1.80	1.98	2.16
19 "	.95	1.14	1.33	1.52	1.71	1.90	2.09	2.28
20 "	1.00	1.20	1.40	1.60	1.80	2.00	2.10	2.40

1. EXAMPLE—What is the interest on \$15,000 for 10 months and 29 days at 7 %
Interest on one dollar for given time.....\$.0639722
Multiply by the principal..... 15000

The interest required is.....\$959.58

2. EXAMPLE—What is the interest on \$12,643.57 for 3 years, 11 months and 8 days at 8 %

Interest on one dollar for 3 years.....\$.24
" " " " 11 months and 8 days......0751111

" " " " 3 years, 11 months and 8 days....\$.3151111
Multiply by the principal..... 12643.57

The interest required is.....\$3984.13

COMPOUND INTEREST—CONTINUED.

Table showing the accumulation of principal and interest on **one dollar**, compounded semi-annually; interest from three to ten per cent., from one to fifty years.

No. of Years.	3 per cent.	4 per cent.	4½ per cent.	5 per cent.	6 per cent.	7 per cent.	7 3-10 pr cent.	8 per cent.	10 per cent.
1....	\$1.0302	\$1.0404	\$1.0455	\$1.0506	\$1.0609	\$1.0712	\$1.0743	\$1.0816	\$1.1025
2....	1.0613	1.0824	1.0930	1.1028	1.1255	1.1475	1.1530	1.1692	1.2155
3....	1.0934	1.1261	1.1438	1.1596	1.1940	1.2292	1.2387	1.2646	1.3400
4....	1.1264	1.1715	1.1948	1.2184	1.2667	1.3168	1.3308	1.3678	1.4773
5....	1.1605	1.2188	1.2481	1.2800	1.3439	1.4105	1.4298	1.4794	1.6287
6....	1.1956	1.2681	1.3004	1.3448	1.4257	1.5110	1.5360	1.6002	1.7957
7....	1.2317	1.3193	1.3643	1.4129	1.5125	1.6186	1.6502	1.7307	1.9747
8....	1.2689	1.3726	1.4264	1.4845	1.6047	1.7339	1.7729	1.8720	2.1827
9....	1.3073	1.4281	1.4913	1.5596	1.7024	1.8574	1.9047	2.0247	2.4064
10....	1.3463	1.4858	1.5592	1.6385	1.8061	1.9897	2.0462	2.1899	2.6530
11....	1.3875	1.5458	1.6301	1.7234	1.9161	2.1315	2.1982	2.3687	2.9250
12....	1.4295	1.6082	1.7044	1.8086	2.0326	2.2833	2.3617	2.5619	3.2248
13....	1.4727	1.6732	1.7820	1.9001	2.1564	2.4459	2.5372	2.7710	3.5558
14....	1.5172	1.7408	1.8631	1.9963	2.2878	2.6201	2.7258	2.9971	3.9198
15....	1.5630	1.8111	1.9479	2.0933	2.4271	2.8068	2.9284	3.2417	4.3216
16....	1.6103	1.8843	2.0365	2.2027	2.5749	3.0067	3.1461	3.5062	4.7645
17....	1.6589	1.9604	2.1272	2.3142	2.7317	3.2208	3.3800	3.7923	5.2529
18....	1.7091	2.0396	2.2240	2.4313	2.8981	3.4502	3.6312	4.1018	5.7883
19....	1.7607	2.1220	2.3252	2.5544	3.0746	3.6960	3.9011	4.4365	6.3816
20....	1.8140	2.2078	2.4310	2.6837	3.2618	3.9592	4.1911	4.7985	7.0362
21....	1.8686	2.2970	2.5415	2.8196	3.4605	4.2412	4.5026	5.1900	7.7574
22....	1.9253	2.3898	2.6572	2.9624	3.6712	4.5433	4.8373	5.6136	8.5525
23....	1.9835	2.4863	2.7781	3.1123	3.8948	4.8669	5.1969	6.0716	9.4292
24....	2.0434	2.5868	2.9045	3.2699	4.1320	5.2136	5.5832	6.5670	10.3957
25....	2.1052	2.6913	3.0367	3.4354	4.3836	5.5849	5.9982	7.1030	11.4612
26....	2.1688	2.8006	3.1749	3.6094	4.6506	5.9827	6.4441	7.6826	12.6359
27....	2.2344	2.9131	3.3193	3.7921	4.9338	6.4088	6.9231	8.3094	13.9311
28....	2.3019	3.0318	3.4703	3.9841	5.2343	6.8653	7.4377	8.9875	15.3591
29....	2.3715	3.1543	3.6282	4.1858	5.5531	7.3543	7.9906	9.7208	16.9334
30....	2.4432	3.2818	3.7933	4.3977	5.8913	7.8781	8.5846	10.5143	18.6691
31....	2.5170	3.4144	3.9660	4.6203	6.2500	8.4391	9.2227	11.3742	20.5827
32....	2.5931	3.5523	4.1465	4.8542	6.6307	9.0402	9.9087	12.3024	22.6924
33....	2.6715	3.6958	4.3351	5.0999	7.0345	9.6841	10.6453	13.3062	25.0184
34....	2.7522	3.8451	4.5324	5.3581	7.4629	10.3738	11.4366	14.3920	27.5828
35....	2.8354	4.0005	4.7387	5.6294	7.9174	11.1126	12.2867	15.5664	30.4081
36....	2.9211	4.1621	4.9543	5.9144	8.3996	11.9041	13.2000	16.8367	33.5249
37....	3.0094	4.3302	5.1798	6.2138	8.9111	12.7620	14.1811	18.2105	36.9612
38....	3.1004	4.5052	5.4146	6.5284	9.4538	13.6709	15.2353	19.6965	40.7497
39....	3.1941	4.6872	5.6610	6.8589	10.0295	14.6446	16.3677	21.3038	44.9266
40....	3.2907	4.8766	5.9288	7.2061	10.6403	15.6877	17.5844	23.0422	49.5316
41....	3.3901	5.0736	6.1986	7.5709	11.2883	16.8050	18.8915	24.9224	54.6086
42....	3.4926	5.2785	6.4807	7.9542	11.9758	18.0020	20.2956	26.9561	60.2059
43....	3.5982	5.4928	6.7756	8.3569	12.7051	19.2842	21.8043	29.1857	66.3771
44....	3.7070	5.7147	7.0840	8.7800	13.8832	20.6577	23.2350	31.5348	73.1807
45....	3.8191	5.9456	7.4062	9.2245	14.7287	22.1290	25.1663	34.1080	80.6817
46....	3.9345	6.1858	7.7430	9.6915	15.6257	23.7052	27.0369	36.8813	88.9516
47....	4.0432	6.4357	8.0954	10.1822	16.5773	25.3936	29.0466	39.8908	98.0692
48....	4.1655	6.6957	8.4638	10.6967	17.5868	27.2022	31.2057	43.1459	107.1213
49....	4.2914	6.9662	8.8490	11.2383	18.6597	29.1397	33.5253	46.6666	118.1012
50....	4.4211	7.2477	9.2516	11.8072	19.7941	31.2141	36.0154	50.4746	130.2066

HEIGHT OF COLUMNS, TOWERS, DOMES, SPIRES, ETC.

Name.	Location.	Feet.	Name.	Location.	Feet.
Washington.....	Washington..	555	Cathedral.....	Cremona..	392
Chimney, St. Rollox	Glasgow...	455 $\frac{1}{2}$	Cathedral.....	Florence..	384
Chimney, Musprat's	Liverpool..	406	St. Paul's.....	London...	366
Bunker Hill.....	Mass.....	221 $\frac{1}{8}$	St. Paul's (D. Dome)	London...	112
City.....	London...	202	Cathedral.....	St. Petersburg.	363
Alexander.....	St. Petersburg.	175	St. Marks.....	Venice.....	328
Nelson's.....	London...	171	Capitol.....	Wash., U. S.	287 $\frac{1}{2}$
July.....	Paris.....	157	" (Diam. Dome)	Wash., U. S.	1243 $\frac{3}{4}$
Trajan.....	Rome.....	145	Cathedral.....	Escorial....	200
York.....	London...	138	Porcelain.....	China.....	200
Place Vendome....	Paris.....	136	Leaning.....	Pisa.....	188
Nelson's.....	Dublin....	134	Nicolai Church....	Hamburg, Ger.	482.3
Napoleon.....	Paris.....	132	St. Stephen's.....	Vienna.....	465
Pompey's Pillar...	Egypt.....	114	Salisbury.....	Salisbury, Eng.	450
Eiffel Tower.....	Paris, France..	984	St. Mary's.....	Lubeck....	404
Babel.....	680	Cathedral.....	New York...	325
City Hall.....	Phila., Pa.	537 $\frac{1}{3}$	Trinity Church....	New York...	286
Cathedral.....	Cologne....	501	Grace Church.....	New York...	216
Cathedral.....	Rouen.....	492	St. John's.....	New York...	210
Cathedral.....	Antwerp....	476	St. Paul's.....	New York...	200
Cathedral.....	Strasbourg	486	Pyramid Jeezeh...	Egypt.....	486 $\frac{1}{2}$
Utrecht.....	464	Pyramid of Sakkara	Egypt.....	356
St. Peter's.....	Rome.....	457	Hotel des Invalides	Paris.....	344
" (Diam. Dome)...	Rome.....	195 $\frac{1}{2}$	Balus. Notre Dame..	Paris.....	216
Cathedral.....	Milan.....	438			

CASCADES AND WATERFALLS.

Name.	Location.	Feet.	Name.	Location.	Feet.
Sentinel.....	Yosemite V..	3270			
Yosemite.....	"	2634	Missouri.....	Montana....	{ 50
Royal Arch.....	"	2000			{ 80
Cascade.....	Alps.....	2400	Passaic.....	New Jersey..	{ 94
Arve.....	Savoy.....	1600	Potomac.....	Va. & Md....	74
Montmorency....	Canada....	250	Mohawk.....	New York....	68
Niagara.....	N. America..	164	Cataracts of Nile..	Egypt.....	40

* ALTITUDES OF YOSEMITE VALLEY—WATERFALLS.

Indian Name.	Signification.	American Name.	Height.
Pohono.....	Spirit of the Evil Wind.....	Bridal Veil.....	940 ft.
Yosemite.....	Large Grizzly Bear.....†	2634 ft.
Pi-wy-ack.....	Cataract of Diamonds.....	Vernal.....	400 ft.
Yo-wi-ye.....	Meandering.....	Nevada.....	600 ft.
Too-lool-we-ack..	South Fork.....	600 ft.
Loya.....	A Medicinal Shrub.....	Sentinel.....	3270 ft.
To-co-yæ.....	Shade to Baby Cradle Basket.	Royal Arch Fall..	2000 ft.

† First Fall, 1600 feet; Second Fall, 534 feet; Third Fall, 500 feet.

* MOUNTAINS.

Tis-sa-ack.....	Goddess of the Valley.....	Half Dome.....	5390 ft.
To-co-yæ.....	Shade to Baby Cradle Basket.	Cloud's Rest.....	5790 ft.
Hunto.....	Watching Eye.....	North Dome.....	3568 ft.
Mah-ta.....	Martyr or Suicide Mountain.	Washington Tower	2200 ft.
See-wah-lam.....	Cap of Liberty....	4600 ft.
Er-na-ting Lew-oo-too..	Bearskin Mountain.....	Mt. Star King.....	5600 ft.
Loya.....	A Medicinal Shrub.....	Glacier Rock.....	3700 ft.
Poo-see-nah Chuck-ka..	Large Acorn Store House....	Sentinel.....	3043 ft.
Wah-wah-le-na.....	Cathedral Rock...	2660 ft.
		Three Graces.....	3750 ft.
Pom-pom-pa-sus.....	Mountains Playing Leap Frog	Inspiration Point..	2850 ft.
Tu-toch-ah-nu-lah	Great Chief of the Valley....	Three Brothers.....	4200 ft.
		El Capitan.....	3300 ft.

The Yosemite Valley is a little over seven miles in length and from half a mile to one mile in width. It is 4060 feet above the level of the sea.

* Altitudes are reckoned above the floor of the valley.

TIME OF DIFFERENT LOCALITIES.

EXPLANATORY.—When it is 12 o'clock at noon in San Francisco, the time at other places is as denoted in the table. In the Latitude of San Francisco a difference of one minute in time is equivalent to about 13.64 statute miles in distance.

LOCALITIES.				LOCALITIES.			
TIME.				TIME.			
H.	M.	S.		H.	M.	S.	
Albany, N. Y.	3	14	41 P. M.	Louisville, Ky.	2	26	59 P. M.
Alexandria, Egypt.	10	9	5 P. M.	Lyons, France	8	28	57 P. M.
Algiers, Algeria.	8	21	57 P. M.	Madison, Wis.	2	12	8 P. M.
Amsterdam, Netherlands.	8	29	12 P. M.	Madrid, Spain.	7	54	54 P. M.
Athens, Greece.	9	44	34 P. M.	Marseilles, France.	8	31	8 P. M.
Baltimore, Md.	3	3	13 P. M.	Melbourne, Australia.	5	49	35 A. M.
Batavia, Java.	3	16	52 A. M.	Memphis, Tenn.	2	9	39 P. M.
Berlin, Prussia.	9	3	14 P. M.	Mexico, Mexico	1	32	38 P. M.
Bern, Switz.	8	39	25 P. M.	Milan, Italy.	8	46	25 P. M.
Boston, Mass.	3	25	23 P. M.	Mobile, Ala.	2	17	32 P. M.
Breslau, Prussia.	9	17	49 P. M.	Montreal, Canada.	3	15	27 P. M.
Brussels, Belgium.	8	27	8 P. M.	Moscow, Russia.	10	39	56 P. M.
Cairo, Egypt.	10	14	41 P. M.	Naples, Italy.	9	6	39 P. M.
Calcutta, India.	2	3	0 A. M.	Nashville, Tenn.	2	22	23 P. M.
Cambridge, Mass.	3	25	9 P. M.	Natchez, Miss.	2	4	00 P. M.
Charleston, S. C.	2	49	54 P. M.	New Haven, Conn.	3	17	58 P. M.
Chicago, Ill.	2	19	43 P. M.	New Orleans, La.	2	9	35 P. M.
Christiania, Norway.	8	52	34 P. M.	Newport, R. I.	3	24	15 P. M.
Cincinnati, Ohio.	2	31	41 P. M.	New York, N. Y.	3	13	39 P. M.
Columbia, S. C.	2	45	32 P. M.	Panama, N. G.	2	51	39 P. M.
Columbus, Ohio.	2	37	31 P. M.	Paris, France.	8	19	0 P. M.
Constantinople, Turkey.	10	5	35 P. M.	Pekin, China.	3	55	34 A. M.
Copenhagen, Denmark.	8	59	59 P. M.	Philadelphia, Penn.	3	9	0 P. M.
Des Moines, Iowa.	1	55	11 P. M.	Pittsburgh, Penn.	2	49	43 P. M.
Detroit, Mich.	2	37	27 P. M.	Portland, Me.	3	28	45 P. M.
Dresden, Saxony.	9	4	35 P. M.	Portland, Or.	11	59	42 A. M.
Dublin, Ireland.	7	44	17 P. M.	Portsmouth, N. H.	3	26	51 P. M.
Edinburgh, Scotland.	7	56	58 P. M.	Quebec, Canada.	3	24	51 P. M.
Galveston, Texas.	1	50	19 P. M.	Quito, Ecuador.	2	54	38 P. M.
Genoa, Italy.	8	45	16 P. M.	Raleigh, N. C.	2	55	7 P. M.
Gibraltar, Spain.	7	48	15 P. M.	Richmond, Va.	2	59	51 P. M.
Greenwich, England.	8	9	39 P. M.	Rio de Janeiro.	5	17	4 P. M.
Hague, Netherlands.	8	26	53 P. M.	Rome, Italy.	8	59	28 P. M.
Hamburg, Germany.	8	49	32 P. M.	Sacramento, Cal.	0	3	47 P. M.
Harrisburgh, Penn.	3	2	19 P. M.	St. Louis, Mo.	2	8	36 P. M.
Hartford, Conn.	3	18	56 P. M.	St. Paul, Minn.	1	57	20 P. M.
Havana, Cuba.	2	40	14 P. M.	St. Petersburg, Russia.	10	10	53 P. M.
Hong Kong, China.	3	46	16 A. M.	Salt Lake City, Utah.	0	41	15 P. M.
Honolulu, H. I.	9	38	18 A. M.	Santa Fe, N. M.	1	10	8 P. M.
Indianapolis, Md.	2	25	7 P. M.	Savannah, Ga.	2	45	18 P. M.
Jefferson City, Mo.	2	1	7 P. M.	Stockholm, Sweden.	9	21	58 P. M.
Jerusalem, Syria.	10	30	32 P. M.	Valparaiso, Chili.	3	23	11 P. M.
Lima, Peru.	3	1	9 P. M.	Venice, Italy.	8	59	5 P. M.
Lisbon, Portugal.	7	33	5 P. M.	Vera Cruz, Mexico.	1	45	5 P. M.
Little Rock, Ark.	2	0	40 P. M.	Vienna, Austria.	9	15	12 P. M.
Liverpool, England.	7	57	23 P. M.	Washington, D. C.	3	1	28 P. M.
London, England.	8	9	18 P. M.	Yokohama, Japan.	5	28	17 A. M.

LENGTH OF A DEGREE OF LONGITUDE AT EACH DEGREE OF LATITUDE.

Lat.	Miles.	Lat.	Miles.	Lat.	Miles.	Lat.	Miles.	Lat.	Miles.	Lat.	Miles.
1°	59.99	16°	57.68	31°	51.43	46°	41.68	61°	29.09	76°	14.52
2	59.96	17	57.38	32	50.88	47	40.92	62	28.17	77	13.50
3	59.92	18	57.06	33	50.32	48	40.15	63	27.24	78	12.47
4	59.85	19	56.73	34	49.74	49	39.36	64	26.30	79	11.45
5	59.77	20	56.38	35	49.15	50	38.57	65	25.36	80	10.42
6	59.67	21	56.01	36	48.54	51	37.76	66	24.40	81	9.39
7	59.55	22	55.63	37	47.92	52	36.94	67	23.44	82	8.35
8	59.42	23	55.23	38	47.28	53	36.11	68	22.48	83	7.31
9	59.26	24	54.81	39	46.63	54	35.27	69	21.50	84	6.27
10	59.09	25	54.38	40	45.96	55	34.41	70	20.52	85	5.23
11	58.90	26	53.93	41	45.28	56	33.55	71	19.53	86	4.19
12	58.69	27	53.46	42	44.59	57	32.68	72	18.54	87	3.14
13	58.46	28	52.98	43	43.88	58	31.80	73	17.54	88	2.09
14	58.22	29	52.48	44	43.16	59	30.90	74	16.54	89	1.05
15	57.96	30	51.96	45	42.43	60	30.00	75	15.53	90	0.00

Distances, in Miles, by the Shortest Post Route, between the Larger and More Important Places in the United States.

FROM POST OFFICE AT	TO POST OFFICES AT									
	Boston, Mass..	New York, N. Y.....	Philadelphia, Pa.....	WASHINGTON, D. C.....	Chicago, Ill.....	Charleston, S. C.....	Cincinnati, Ohio.....	St. Louis, Mo...	Omaha, Neb...	San Francisco, Cal.....
Alabama.										
Decatur.....	1,192	975	885	747	570	571	417	409	823	2,614
Mobile.....	1,454	1,237	1,147	1,009	858	640	780	643	1,057	2,569
Montgomery.....	1,274	1,057	967	829	753	458	600	592	1,006	2,597
Arizona.										
Prescott.....	2,884	2,724	2,647	2,560	1,903	2,313	2,031	1,699	1,557	843
Tucson.....	2,816	2,611	2,521	2,383	1,852	2,077	1,916	1,608	1,506	978
Yuma.....	3,063	2,858	2,768	2,630	2,099	2,324	2,163	1,855	1,753	731
Arkansas.										
Fort Smith.....	1,626	1,463	1,373	1,235	701	1,059	759	418	534	2,224
Helena.....	1,467	1,250	1,160	1,022	608	846	574	338	723	2,338
Hot Springs.....	1,584	1,367	1,277	1,139	687	963	672	414	789	2,274
Little Rock.....	1,515	1,298	1,208	1,070	618	894	603	345	720	2,291
Texarkana.....	1,660	1,443	1,353	1,215	763	1,039	748	490	759	2,146
California.										
Eureka.....	3,679	3,546	3,469	3,409	2,654	3,351	2,880	2,577	2,163	293
Los Angeles.....	3,297	3,107	3,017	2,879	2,316	2,573	2,412	2,104	1,970	482
Needles.....	2,967	2,807	2,730	2,643	1,986	2,559	2,114	1,782	1,640	612
Redding.....	3,427	3,294	3,217	3,157	2,402	3,187	2,628	2,325	1,911	260
Sacramento.....	3,293	3,160	3,083	3,023	2,268	3,017	2,494	2,191	1,777	90
San Diego.....	3,377	3,172	3,082	2,944	2,413	2,638	2,477	2,169	2,067	663
San Francisco.....	3,383	3,250	3,173	3,113	2,358	3,055	2,584	2,281	1,867
Colorado.										
Antonio.....	2,258	2,098	2,021	1,934	1,277	1,990	1,405	1,073	847	1,396
Denver.....	2,084	1,930	1,853	1,766	1,059	1,834	1,237	917	568	1,457
Granada.....	1,961	1,801	1,724	1,637	980	1,693	1,108	776	634	1,623
Grand Junction.....	2,404	2,244	2,167	2,080	1,401	2,136	1,551	1,219	910	1,180
Pueblo.....	2,099	1,939	1,862	1,775	1,118	1,831	1,246	914	688	1,486
Connecticut.										
Hartford.....	117	112	202	340	950	916	856	1,133	1,441	3,308
New Haven.....	141	76	166	304	976	880	820	1,124	1,459	3,326
New London.....	108	126	216	354	1,026	930	870	1,174	1,509	3,376
Delaware.										
Dover.....	382	165	75	159	851	735	698	999	1,334	3,201
Newark.....	346	129	39	99	807	675	633	955	1,290	3,157
Wilmington.....	334	117	27	111	819	687	650	967	1,302	3,169
Dist. of Colum.										
Washington...	445	228	138	772	576	553	894	1,246	3,113
Florida.										
Cedar Keys.....	1,402	1,185	1,095	957	1,198	395	934	1,053	1,467	3,154
Jacksonville.....	1,294	1,077	987	849	1,090	287	826	945	1,359	3,065
Key West.....	1,785	1,568	1,478	1,340	1,581	778	1,317	1,436	1,850	3,528
Pensacola.....	1,437	1,220	1,130	992	916	535	763	748	1,162	2,695
Tallahassee.....	1,384	1,167	1,077	939	1,080	377	832	919	1,333	2,900
Tampa.....	1,533	1,316	1,226	1,088	1,329	526	1,065	1,184	1,598	3,276
Georgia.										
Atlanta.....	1,099	882	792	654	739	309	475	608	1,022	2,772
Augusta.....	1,023	806	719	578	910	138	646	779	1,193	2,917
Columbus.....	1,237	1,020	930	792	848	363	613	687	1,101	2,692
Dalton.....	1,069	852	762	624	639	409	375	508	922	2,776
Macon.....	1,148	931	841	703	828	263	564	697	1,111	2,792
Savannah.....	1,122	905	815	677	1,020	115	756	889	1,303	2,984
Idaho.										
Boise City.....	2,869	2,736	2,660	2,599	1,845	2,684	2,070	1,767	1,353	1,251
McCammon.....	2,584	2,451	2,374	2,314	1,559	2,399	1,785	1,482	1,068	966
Pend d'Oreille.....	2,859	2,734	2,657	2,606	1,834	2,822	2,128	2,004	1,649	1,198
Illinois.										
Cairo.....	1,243	1,083	1,006	903	365	797	350	150	564	2,431
Chicago.....	1,025	903	823	772	988	294	283	491	2,358

DISTANCES BY SHORTEST POST ROUTE—CONTINUED.

FROM POST OFFICE AT	TO POST OFFICES AT									
	Boston, Mass..	New York, N. Y.....	Philadelphia, Pa.....	WASHINGTON, D. C.....	Chicago, Ill....	Charleston, S. C.....	Cincinnati, Ohio.....	St. Louis, Mo...	Omaha, Neb...	San Francisco, Cal.....
Quincy.....	1,273	1,113	1,036	949	263	1,047	420	130	319	2,171
Rock Island.....	1,206	1,081	1,004	947	181	1,094	418	247	322	2,189
Springfield.....	1,160	1,000	923	836	185	952	307	98	422	2,274
Indiana.										
Evansville.....	1,137	977	900	797	293	755	244	162	576	2,443
Fort Wayne.....	872	751	674	623	148	880	162	342	639	2,508
Indianapolis.....	968	808	731	644	183	805	115	240	602	2,469
Logansport.....	944	821	744	684	117	895	177	270	562	2,429
Richmond.....	914	736	659	576	224	788	70	308	669	2,536
Terre Haute.....	1,041	881	804	717	182	866	188	167	556	2,408
Indian Ter.										
Vinita.....	1,572	1,412	1,335	1,258	647	1,171	705	364	381	2,117
Iowa.										
Burlington.....	1,232	1,089	1,012	952	207	1,099	423	202	294	2,161
Centerville.....	1,341	1,198	1,121	1,054	316	1,167	525	250	205	2,051
Des Moines.....	1,383	1,257	1,180	1,120	358	1,250	591	333	145	2,012
Dubuque.....	1,215	1,090	1,013	962	190	1,177	484	349	339	2,206
Sioux City.....	1,542	1,417	1,340	1,289	517	1,424	811	507	101	1,968
Kansas.										
Atchison.....	1,490	1,330	1,253	1,166	509	1,241	637	324	153	1,963
Fort Scott.....	1,508	1,348	1,271	1,194	535	1,150	641	300	299	2,109
Leavenworth.....	1,488	1,328	1,251	1,164	507	1,220	635	303	174	1,984
Topeka.....	1,530	1,370	1,293	1,206	549	1,262	677	345	203	2,029
Wallace.....	1,883	1,723	1,646	1,559	902	1,615	1,030	698	556	1,676
Kentucky.										
Ashland.....	899	682	592	454	427	763	180	486	872	2,739
Frankfort.....	1,037	834	744	606	358	668	108	330	744	2,611
Henderson.....	1,147	987	910	807	303	745	254	172	586	2,453
Louisville.....	1,039	854	777	663	293	695	110	265	679	2,546
Paducah.....	1,265	1,080	1,003	889	415	771	336	200	614	2,481
Louisiana.										
Baton Rouge.....	1,650	1,433	1,343	1,205	887	870	853	672	1,053	2,369
Morgan City.....	1,641	1,424	1,334	1,196	995	861	906	780	1,095	2,401
New Orleans.....	1,561	1,344	1,254	1,116	915	781	826	700	1,081	2,449
Shreveport.....	1,678	1,461	1,371	1,233	877	934	862	604	815	2,121
Vidalia.....	1,562	1,345	1,255	1,117	819	818	776	604	980	2,370
Maine.										
Augusta.....	171	388	478	616	1,171	1,192	1,075	1,354	1,662	3,528
Bangor.....	245	462	552	690	1,245	1,266	1,149	1,428	1,736	3,603
Eastport.....	360	577	667	805	1,360	1,381	1,264	1,543	1,851	3,718
Portland.....	108	325	415	553	1,114	1,129	1,018	1,297	1,605	3,472
Vanceborough.....	359	576	666	804	1,359	1,380	1,263	1,542	1,850	3,717
Maryland.										
Annapolis.....	445	228	138	42	814	618	595	936	1,288	3,155
Baltimore.....	405	188	98	40	803	616	579	920	1,272	3,139
Cumberland.....	584	367	277	152	620	728	401	742	1,094	2,961
Massachusetts.										
Boston.....	217	307	445	1,025	1,021	929	1,208	1,516	3,383
Fall River.....	49	211	301	439	1,044	1,015	955	1,257	1,535	3,392
Pittsfield.....	152	154	244	382	873	958	777	1,056	1,364	3,231
Springfield.....	101	138	228	366	924	912	828	1,107	1,415	3,282
Worcester.....	45	182	272	410	980	986	884	1,163	1,471	3,338
Michigan.										
Detroit.....	860	743	666	615	273	982	264	482	764	2,631
Grand Haven.....	1,001	884	807	756	177	1,041	323	660	668	2,535
Kalamazoo.....	914	827	750	699	141	973	255	424	632	2,499
L'Anse.....	1,355	1,238	1,161	1,110	410	1,428	734	723	820	2,687
Lansing.....	913	793	719	668	220	1,015	297	477	711	2,578
Minnesota.										
Albert Lea.....	1,397	1,272	1,195	1,144	372	1,325	649	455	269	2,136

DISTANCES BY SHORTEST POST ROUTE—CONTINUED.

FROM POST OFFICE AT	TO POST OFFICES AT									
	Boston, Mass.,	New York, N. Y.,	Philadelphia, Pa.,	WASHINGTON, D. C.,	Chicago, Ill.,	Charleston, S. C.,	Cincinnati, Ohio,	St. Louis, Mo.,	Omaha, Neb.,	San Francisco, Cal.,
Breckenridge	1,642	1,517	1,440	1,389	617	1,605	911	787	588	2,258
Duluth	1,580	1,455	1,378	1,327	555	1,543	849	725	526	2,393
St. Paul	1,425	1,300	1,223	1,172	400	1,388	694	570	371	2,238
Winona	1,322	1,197	1,120	1,069	297	1,285	591	490	423	2,290
Mississippi.										
Bay St. Louis	1,543	1,326	1,236	1,098	947	729	869	732	1,133	2,501
Jackson	1,461	1,244	1,154	1,016	732	717	675	517	893	2,333
Meridian	1,365	1,148	1,058	920	723	621	630	508	922	2,434
Vicksburg	1,505	1,288	1,198	1,060	741	761	707	526	907	2,294
Missouri.										
Hannibal	1,263	1,103	1,026	939	282	1,028	410	111	319	2,171
Jefferson City	1,333	1,173	1,096	1,019	376	1,042	466	125	326	2,168
Kansas City	1,462	1,302	1,225	1,138	481	1,194	609	277	200	2,010
St. Joseph	1,469	1,309	1,232	1,145	488	1,225	616	308	133	1,965
St. Louis	1,208	1,048	971	894	283	917	341	414	2,281
Springfield	1,448	1,288	1,211	1,134	523	1,047	581	240	402	2,203
Montana.										
Dillon	2,700	2,567	2,490	2,430	1,675	2,515	1,901	1,598	1,184	1,082
Glendive	2,084	1,959	1,882	1,831	1,059	2,047	1,353	1,229	1,03	1,787
Helena	2,548	2,423	2,346	2,295	1,523	2,511	1,817	1,693	1,427	1,323
Nebraska.										
Lincoln	1,565	1,422	1,345	1,285	540	1,372	756	455	68	1,807
Omaha	1,516	1,383	1,306	1,246	491	1,331	717	414	1,867
Red Cloud	1,697	1,537	1,460	1,373	677	1,453	844	586	205	1,778
Sidney	1,930	1,797	1,720	1,660	905	1,745	1,131	828	414	1,453
Nevada.										
Carson City	3,169	3,036	2,959	2,899	2,144	2,984	2,370	2,067	1,653	276
Elko	2,825	2,692	2,615	2,555	1,800	2,640	2,026	1,723	1,309	558
Pioche	2,921	2,788	2,711	2,632	1,896	2,688	2,103	1,771	1,405	1,206
Reno	3,138	3,005	2,928	2,868	2,113	2,953	2,339	2,036	1,622	245
New Hampshire										
Concord	70	263	353	491	1,037	1,067	941	1,220	1,528	3,395
Keene	93	212	302	440	962	1,016	866	1,145	1,453	3,320
Nashua	40	228	318	456	1,013	1,032	917	1,196	1,504	3,371
New Jersey.										
Cape May	389	172	82	220	905	796	749	1,053	1,388	3,255
Phillipsburgh	291	74	69	207	826	783	670	974	1,309	3,176
Trenton	274	57	33	171	856	747	700	1,004	1,339	3,206
New Mexico.										
Deming	2,596	2,391	2,301	2,163	1,632	1,857	1,696	1,388	1,286	1,198
Manuelito	2,556	2,396	2,319	2,232	1,575	2,148	1,703	1,371	1,229	1,023
Mesilla	2,555	2,350	2,260	2,122	1,615	1,816	1,655	1,347	1,269	1,287
Santa Fé	2,333	2,173	2,096	2,009	1,352	2,065	1,480	1,148	1,006	1,282
New York.										
Albany	203	142	232	370	822	946	726	1,005	1,313	3,180
Buffalo	501	410	414	437	524	1,013	428	707	1,015	2,882
Dunkirk	543	452	413	432	482	1,008	386	665	973	2,840
Elmira	404	264	268	296	670	872	574	853	1,161	3,028
New York	217	90	228	900	804	744	1,048	1,383	3,250
Rome	312	247	337	432	713	1,008	617	896	1,204	3,071
West Point	239	48	138	276	916	852	792	1,096	1,407	3,274
North Carolina.										
Charlotte	832	615	525	387	842	236	572	814	1,228	3,039
Raleigh	745	528	438	300	948	288	683	925	1,339	3,206
Weldon	648	431	341	203	939	373	657	998	1,384	3,251
Wilmington	810	593	503	365	1,030	211	760	1,002	1,416	3,192
North Dakota.										
Bismarck	1,863	1,738	1,661	1,610	838	1,826	1,132	1,008	809	2,027
Fargo	1,608	1,543	1,466	1,415	643	1,631	937	813	614	2,122

DISTANCES BY SHORTEST POST ROUTE—CONTINUED.

FROM POST OFFICE AT	TO POST OFFICES AT									
	Boston, Mass..	New York, N. Y.....	Philadelphia, Pa.....	WASHINGTON, D. C.....	Chicago, Ill....	Charleston, S. C.....	Cincinnati, Ohio.....	St. Louis, Mo..	Omaha, Neb...	San Francisco, Cal.....
Ohio.										
Cincinnati.....	329	744	667	553	294	718	341	717	2 584
Cleveland.....	685	568	491	440	340	962	244	523	831	2,698
Columbus.....	823	624	547	487	314	838	120	424	759	2,626
Crestline.....	761	620	543	492	280	886	168	447	770	2,639
Steubenville.....	691	474	397	346	444	922	270	574	909	2,776
Toledo.....	798	681	604	553	234	920	202	436	725	2,592
Youngstown.....	690	502	425	374	406	950	299	581	897	2,764
Oregon.										
La Grande.....	3,032	2,899	2,822	2,762	2,007	2,847	2,233	1,930	1,516	841
Portland.....	3,306	3,181	3,104	3,053	2,281	3,152	2,538	2,235	1,821	751
Roseburgh.....	3,503	3,378	3,301	3,250	2,478	3,349	2,735	2,432	2,018	554
Salem.....	3,359	3,234	3,157	3,106	2,334	3,205	2,591	2,288	1,874	698
Pennsylvania.										
Erie.....	588	484	447	450	437	1,026	341	620	928	2,795
Harrisburg.....	399	182	105	125	718	701	562	866	1,201	3,068
Philadelphia.....	307	90	138	823	714	667	971	1,306	3,173
Pittsburg.....	648	431	354	303	469	879	313	617	952	2,819
Scranton.....	362	145	165	260	793	836	646	950	1,284	3,151
Williamsport.....	453	236	199	218	680	794	524	828	1,163	3,030
Rhode Island.										
Newport.....	68	186	276	414	1,063	990	930	1,234	1,554	3,411
Providence.....	44	189	279	417	1,022	993	933	1,235	1,513	3,370
South Carolina.										
Charleston.....	1,021	804	714	576	988	718	917	1,331	3,055
Columbia.....	938	721	631	493	858	130	588	830	1,244	3,002
Florence.....	919	702	612	474	940	102	670	912	1,326	3,084
Port Royal.....	1,093	876	786	648	1,023	86	758	891	1,305	3,029
South Dakota.										
Canton.....	1,557	1,432	1,355	1,304	532	1,495	795	578	172	2,039
Deadwood.....	2,082	1,957	1,880	1,829	1,057	1,931	1,317	1,014	600	1,698
Pierre.....	1,806	1,681	1,604	1,553	776	1,719	1,075	802	397	2,264
Yankton.....	1,603	1,478	1,401	1,350	578	1,485	872	568	162	2,029
Tennessee.										
Bristol.....	828	611	521	383	691	475	421	663	1,077	2,944
Chattanooga.....	1,070	853	763	625	599	449	335	468	882	2,736
Knoxville.....	959	742	652	514	560	428	290	532	946	2,813
Memphis.....	1,380	1,163	1,073	935	521	759	487	306	687	2,426
Nashville.....	1,221	1,004	914	776	448	600	295	317	731	2,598
Texas.										
Austin.....	2,004	1,787	1,697	1,559	1,123	1,260	1,108	850	897	1,998
Beaumont.....	1,873	1,656	1,566	1,428	1,176	1,059	1,136	903	1,024	2,210
Denison.....	1,794	1,599	1,509	1,371	869	1,146	904	586	603	1,998
El Paso.....	2,508	2,303	2,213	2,075	1,583	1,769	1,608	1,300	1,310	1,286
Galveston.....	2,006	1,789	1,699	1,561	1,143	1,192	1,128	870	991	2,177
San Antonio.....	2,084	1,867	1,777	1,639	1,203	1,340	1,188	930	977	1,918
Sherman.....	1,803	1,598	1,508	1,370	878	1,145	903	595	612	1,991
Utah.										
Frisco.....	2,828	2,695	2,618	2,539	1,803	2,595	2,010	1,678	1,312	1,113
Ogden City.....	2,549	2,416	2,339	2,279	1,524	2,364	1,750	1,447	1,033	834
Salt Lake City.....	2,585	2,452	2,375	2,315	1,560	2,400	1,786	1,483	1,069	870
Vermont.										
Bellows Falls.....	115	222	312	450	959	1,026	863	1,142	1,450	3,317
Montpelier.....	202	327	417	555	1,014	1,131	918	1,197	1,505	3,372
Wells River.....	164	302	392	530	1,039	1,106	943	1,222	1,530	3,397
White River Junction.....	139	262	352	490	999	1,066	903	1,182	1,490	3,357
Virginia.										
Clifton Forge.....	657	440	350	212	669	527	387	728	1,114	2,981
Lynchburg.....	624	407	317	179	752	444	470	811	1,197	3,064
Newport News.....	559	342	252	191	937	535	655	996	1,382	3,249

DISTANCES BY SHORTEST POST ROUTE—CONCLUDED.

TO POST OFFICES AT										
FROM POST OFFICE AT	Boston, Mass...	New York, N. Y.....	Philadelphia, Pa.....	WASHINGTON, D. C.....	Chicago, Ill....	Charleston, S. C.....	Cincinnati, Ohio.....	St. Louis, Mo..	Omaha, Neb....	San Francisco, Cal.....
Norfolk.....	562	345	255	220	956	454	674	1,015	1,401	3,268
Richmond.....	561	344	254	116	862	460	580	921	1,307	3,174
Staunton.....	600	383	293	155	765	546	483	824	1,210	3,077
Washington.										
Colfax.....	3,023	2,898	2,821	2,770	1,998	2,986	2,292	2,168	1,803	1,108
Kalama.....	3,346	3,221	3,144	3,093	2,321	3,192	2,578	2,275	1,861	791
Olympia.....	3,389	3,264	3,187	3,136	2,364	3,274	2,657	2,357	1,943	873
Tacoma.....	3,334	3,209	3,132	3,081	2,309	3,269	2,603	2,352	1,938	896
West Virginia.										
Charleston.....	833	616	526	388	493	703	211	552	938	2,805
Grafton.....	685	468	378	254	526	830	299	640	992	2,859
Harper's Ferry.....	487	270	180	55	717	631	498	839	1,191	3,058
Huntington.....	883	666	576	438	443	753	161	502	878	2,745
Parkersburg.....	789	572	482	358	426	913	195	536	871	2,738
Wheeling.....	713	496	419	353	456	929	251	566	901	2,768
Wisconsin.										
Ashland.....	1,454	1,329	1,252	1,201	429	1,417	723	655	556	2,423
Madison.....	1,163	1,038	961	910	138	1,126	432	361	456	2,323
Milwaukee.....	1,110	985	908	857	85	1,073	379	368	510	2,377
Prairie du Chien....	1,261	1,136	1,059	1,008	236	1,233	530	404	395	2,262
Wyoming.										
Cheyenne City.....	2,032	1,899	1,822	1,762	1,007	1,847	1,233	930	516	1,351
Granger.....	2,393	2,260	2,183	2,123	1,368	2,208	1,594	1,291	877	990

Time of Transit of Mails Between Pacific Coast and Eastern Cities.

NOTE.—Time computed upon the basis of connections being made.

	Boston, Mass.....	New York, N. Y.....	Philadelphia, Pa.....	WASHINGTON, D. C.	Chicago, Ill.....	Charleston, S. C.....	Cincinnati, Ohio.....	St. Louis, Mo.....	Omaha, Neb.....	San Francisco, Cal.
	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.
Arizona.										
Prescott.....	143 50	136 00	134 00	134 20	112 55	149 45	110 50	98 30	98 00	52 45
California.										
Los Angeles.....	130 00	126 00	124 00	124 00	113 25	127 45	113 50	101 30	101 30	22 45
Sacramento.....	119 30	115 30	115 40	119 00	90 50	141 45	121 30	110 00	75 40	4 00
San Francisco.....	123 30	119 30	119 40	123 00	94 50	145 45	125 30	114 00	79 40
Colorado.										
Denver.....	73 20	66 30	63 40	64 30	40 55	87 15	45 00	33 10	20 30	75 45
Idaho.										
Boise City.....	127 30	120 30	120 40	124 00	91 50	144 50	104 00	103 35	76 40	68 15
Montana.										
Helena.....	85 30	81 00	82 00	85 00	57 20	125 15	61 00	70 00	59 00	68 00
Nevada.										
Carson City.....	119 35	115 15	112 00	115 00	86 25	133 45	98 00	87 00	72 00	15 15
New Mexico.										
Santa Fé.....	96 50	89 00	86 35	89 25	62 55	101 45	62 55	52 30	52 30	73 45
Oregon.										
Portland.....	126 20	121 30	121 30	124 30	92 50	145 45	100 20	99 50	74 00	39 45
Salem.....	128 20	123 30	123 30	126 30	94 50	147 45	102 20	101 50	76 00	37 45
Utah.										
Salt Lake City.....	89 30	89 30	86 40	71 00	58 30	109 45	69 00	67 30	43 00	40 15
Washington.										
Tacoma.....	124 00	124 55	124 10	127 25	93 15	148 10	107 25	94 05	71 15	48 23
Olympia.....	129 00	123 55	125 10	128 25	96 15	149 10	108 25	95 05	72 15	48 35

PRECIOUS STONES.

List of Gem Stones Known to be Found in the United States.

Achroïte (<i>Tourmaline</i>).	Grossularite garnet.	Quartz.
Agate (<i>Quartz</i>).	Heliotrope.	Rhodonite.
Agatized wood (<i>Quartz</i>).	Hematite.	Rock crystal (<i>Quartz</i>).
Almandine (<i>Garnet</i>).	*Hiddenite (<i>Spodumene</i>).	Rose quartz (<i>Quartz</i>).
Amazon stone (<i>Microcline</i>).	Hornblende in quartz.	Ruby (<i>Corundum</i>).
Amber.	Idocrase.	Rubelite (<i>Tourmaline</i>).
Amethyst (<i>Quartz</i>).	Indicolite (<i>Tourmaline</i>).	*Rutile.
Aquamarine (<i>Beryl</i>).	Iolite.	Rutile in quartz (<i>Quartz</i>).
Asteria.	Isopyre.	Sagenite (<i>Quartz</i>).
Beryl.	Jade.	Sapphire (<i>Corundum</i>).
Bloodstone.	Jasper (<i>Quartz</i>).	Silicified wood (<i>Quartz</i>).
*Bowenite (<i>Serpentine</i>).	Jet (<i>Mineral coal</i>).	Smoky quartz (<i>Quartz</i>).
Cairngorm (<i>Quartz</i>).	Labradorite.	Smoky topaz (<i>Quartz</i>).
Catlinite.	Labradorspar (<i>Labradorite</i>).	Spinel.
Chalcedony (<i>Quartz</i>).	Lake George diamonds	Spodumene.
Chialstolite.	(<i>Quartz</i>).	Sunstone (<i>Feldspar</i>).
*Chlorastrolite.	*Lithia emeralds (<i>Spodu-</i>	*Thetis hair stone (<i>Quartz</i> ;
*Chondrodite.	<i>mene</i>).	Thomsonite.
Chrysolite.	Macle.	Tourmaline.
Danburite.	Malachite.	Topaz.
Diamond.	Moonstone (<i>Feldspar Group</i>)	Turquoise.
Diopside (<i>Pyroxene</i>).	Moss agate (<i>Quartz</i>).	Venus hair stone (<i>Quartz</i> ;
Elæolite (<i>Nephelite</i>).	*Novaculite (<i>Quartz</i>).	*Willemite.
Emerald (<i>Beryl</i>).	Obsidian.	*Williamsite (<i>Serpentine</i>).
Epidote.	Olivine (<i>Chrysolite</i>).	Wood agate (<i>Quartz</i>).
Essonite (<i>Garnet</i>).	Opalized wood (<i>Opal</i>).	Wood jasper (<i>Quartz</i>).
Flèche d'amour (<i>Quartz</i>).	Peridot (<i>Chrysolite</i>).	Wood opal (<i>Opal</i>).
Fluorite.	Phenakite.	Zircon.
Fossil coral.	Phehnite.	*Zonochlorite (<i>Phehnite</i>).
Garnet.	Pyrope (<i>Garnet</i>).	

The following complete the list of precious stones known to exist in the U. S. at the close of 1893: Anthracite, Arrow points, Catlinite, Pyrite, and Trilobite.

* Gem stones found only in the United States.

Species and varieties found in the U. S. but not in gem form.

Axinite.	Cassiterite.	Cyanite.	Opal.	Sphene.
Andalusite.	Chrysoberyl.	Ilvaite.	Prase (<i>Quartz</i>).	Titanite.

Species and varieties not yet identified in any form in the U. S.

Alexandrite.	Cat's-eye quartz.	Demantoid.	Lapislazulite.
Cat's-eye chrysoberyl.	Chrysoprase.	Eucrase.	Ouvarovite.

Estimated production of precious stones in the U. S. in 1893.

[Details of value only.]

Agate, \$1,000; Amazon-stone, \$1,000; Anthracite, \$3,000; Beryl, \$500; Catlinite (pipestone), \$5,000; Chlorastrolite, \$500; Fossil Coral, \$1,000; Garnet, \$2,000; Moss Agate, \$2,000; Pyrite, \$1,500; Quartz, \$10,000; Sapphire Gems, \$10,000; Silicified Wood, \$1,250; Smoky Quartz, \$5,000; Thomsonite, \$500; Topaz, \$100; Tourmaline, \$5,000; Turquoise, \$143,136. During 1893 some work was carried on at Mount Mica, Paris, Me., which resulted in the discovery of a number of large green crystals, one of which furnished one of the finest tourmaline ever found on this continent, being of a clear grass green color and weighing 63½ carats. About \$20,000 worth of sapphire was sent abroad in 1892, but during 1893 more Montana sapphires were actually sold than in any previous year, probably on account of the company having a lapidary at the World's Columbian Exposition, where these stones were cut and sold. The largest diamond known to have been found in the U. S. was at Manchester, Va.; it weighed 10 carats after it was cut, and was valued in the rough at \$5,000; a 3-carat stone was found near San Francisco, Cal., and recently a diamond weighing 3 14/16 carats was found in Wisconsin; a number have also been found in Butte and Shasta Co.'s, Cal., and three on Pebble Beach, Pescadero, Cal., one of which was valued at \$300 in the rough state. It is interesting to note that, in spite of the financial depression, \$143,136 worth of American turquoises were sold in 1893, a greater amount probably than has ever been sold from the Persian mines in a single year. The importation of precious stones into the U. S. has steadily increased from about \$1,318,000 worth in 1867, to \$14,521,851 in 1892, and \$10,197,505 in 1893.

SYMBOLS OF ELEMENTS.

ELEMENTS.	Symbols	ELEMENTS.	Symbols	ELEMENTS.	Symbols
Aluminium.....	A l	Hydrogen.....	H	Rhodium.....	R o
Antimony.....	S b	Indium.....	I n	Rubidium.....	R b
Arsenic.....	A s	Iodine.....	I	Ruthenium.....	R u
Barium.....	B a	Iridium.....	I r	Selenium.....	S e
Bismuth.....	B i	Iron.....	F e	Silicon.....	S i
Boron.....	B o	Lanthanium.....	L a	Silver.....	A g
Bromine.....	B r	Lead.....	P b	Sodium.....	N a
Cadmium.....	C d	Lithium.....	L	Strontium.....	S r
Cesium.....	C s	Magnesium.....	M g	Sulphur.....	S
Calcium.....	C a	Manganese.....	M n	Tellurium.....	T e
Carbon.....	C	Mercury.....	H g	Terbium.....	T b
Cerium.....	C e	Molybdenum.....	M	Thallium.....	T i
Chlorine.....	C l	Nickel.....	N i	Thorium.....	T h
Chromium.....	C r	Niobium.....	N b	Tin.....	S n
Cobalt.....	C o	Nitrogen.....	N	Titanium.....	T i
† Columbium.....	T a	Norium.....	N o	Tungsten.....	W
Copper.....	C u	Osmium.....	O s	Uranium.....	U
Didymium.....	D	Oxygen.....	O	Vanadium.....	V
Erbium.....	E	Palladium.....	P d	Yttrium.....	Y
Fluorine.....	F	Pelopium.....	P e	Zinc.....	Z n
Glucinum.....	G l	Phosphorus.....	P	Zirconium.....	Z r
Gold.....	A u	Platinum.....	P t		
		Potassium.....	K		

† Identical with Tantalum.

BIBLICAL WEIGHTS, MEASURES AND MONEY—Weights.

WEIGHTS.	EQUIVALENT TROY.	WEIGHTS.	EQUIVALENT TROY.
1 Gera =	117.41 grains	1 Maneh =	234,828.16 grs., or 36.70 lbs.
1 Beka =	1,174.14 “	1 Talent =	704,484.50 grs., or 122.34 lbs.
1 Shekel =	2,348.28 “		

Measures of Length and Capacity.

A day's journey was	= 33.20 miles	1 Log = ½ pint; 1 cab = 3 pints
A Sabbath day's journey	= 2.13 miles	1 Omer = 3 quarts; 1 firkin = 7 pints
A cubit was nearly	= 22.00 inches	1 Hin = 1 gallon and 2 pints
6 cubits = 1 great cubit or	= 11.00 feet	1 Eph or bath = 7 gallons and 2 quarts
A finger's breadth	= 1.00 inch	1 Homar = 75 gallons and 5 pints.

Money.

DENOMINATION.	GOLD.	SILVER.	COPPER.	DENOMINATION.	GOLD.	SILVER.	COPPER.
Gera.....	\$ 0.28.45	\$ 0.02.65	\$ 0.00.17	Maneh.....	\$ 569.00	\$ 53.00	\$ 3.145
Beka.....	2.84	0.26.50	0.01.642	Talent.....	17,070.00	1,590.00	94.28
Shekel.....	5.69	0.53	0.03.143				

Relative value of Biblical metals—Gold at 14 = 160 Silver = 764 Copper.

Ancient Money (Not Biblical).

MONEY.	GRS. TROY.	GOLD VAL'E.	MONEY.	GRAINS TROY.	GOLD VALUE.
Persian Daric (Drains)	= 128 grains=	\$5.52	Farthing (Assarium, copper)	= 84 grains	\$ 0.0050
Maccabæan Shekel (silver)	= 220 “ =	.52	Mite (copper)	= 21 “	.00125
“Piece of money” (Stater silver)	= 220 “ =	.53	A Piece of Silver or a Penny was 15 cents.		
Penny (Denarius, silver)	= 58.85 “ =	.14	A Farthing (silver) was 3 cents.		
Farthing (Quadrans, copper)	= 42 “ =	.0025	A Gera was 2 cents.		
			A Mite was ½ a cent.		

MINERAL SUBSTANCES AND THEIR COMPOSITION.

Actinolite—(Ray Stone)—Is found in boulders, or rolled masses; also with garnets, in fine needle crystals, and in quartz, which when broken show beautiful green radiating crystals. See Amphibole.

Agalmatolite or **Agalmanolite** (Pagodite)—A variety of pinite, hydrous silicate of alumina, magnesia, iron, lime, soda and potash. It is soft and appears like soapstone; much used for ornamental carved work by the Chinese.

Agate—A semi-pellucid uncrystallized variety of quartz combining various tints.

Alabaster—A compact variety of sulphate of lime, or gypsum of fine texture, and usually white, but sometimes yellow, red or gray.

Alaskaite—Occurs in quantity as massive mineral with tetrahedrite, chalcopryrite, barite and quartz. (Symbol A.)

Albite—A species of mineral of the feldspar family; contains silicate of alumina and soda; color white; composition, silica 68.6, alumina 19.6, soda 11.8.

Altaite—Telluride of lead; composition, lead 61.7, tellurium 38.3=100.

Alum—(Tchermignite)—A double sulphate of alumina and potassa; composition, sulphate of potash 1, ter-sulphate of alumina 1, water 24 parts=26.

Aluminium or **Aluminum**—The metallic base of alumina; white, with a bluish tinge, specific gravity only about 2.6.

Alunogen—Sulphate of Alumina; found on the Verde river, Arizona.

Amber—A yellowish resin resembling copal; a fossil; friction electrifies it.

Amethyst—A sub-species of quartz, of a bluish-violet color, of different degrees of intensity, generally occurs crystallized in hexahedral prisms.

Amianthus—Amphibole. See Asbestos.

Amphibole—Actinolite, Anthophyllite, Amianthus, Asbestos, Hornblende, Mountain Cork, Mountain Leather, Tremolite, etc.—Is an anhydrous silicate of various bases—iron, magnesia, lime, etc., and a little water.

Amphibolite—Trap, or greenstone; base of Amphibole or Hornblende.

Andalusite—Is a silicate of alumina, containing sometimes sesquioxide of iron, magnesia, lime, soda, potash and manganese in varying proportions; when pure, it contains silica 36.8, alumina 63.2 parts=100.

Anglesite—Native sulphate of lead, occurs in white or yellowish prismatic crystals.

Anhydrite—Anhydrous gypsum.

Anorthite—Of the feldspar family, occurring in small glossy crystals.

Anthophyllite—So named from its clove-brown color. See Amphibole.

Antimony—The gray ore, contains sulphur and antimony, is of a tin-white color, and brittle.

Apatite—Native phosphate of lime, usually six-sided prisms, of a greenish color.

Aragonite—Identical with calcite or carbonate of lime, but harder, crystallizing in prismatic forms. See Tufa.

Aragotite—A hydro-carbon, peculiar to the quicksilver mines of California; found in dolomite and with cinnabar; identical with Idrialite. See Petroleum.

Argentite—Silver Glance, Sulphuret of Silver, Vitreous Silver.—color, dark lead, gray, opaque; luster, metallic; composition, silver 87.1, sulphur 12.9=100.

Arsenic—A metal of a steel-gray color, brilliant luster, dull from tarnish; very brittle, and sublimes at 356° Fahr.; specific gravity from 5.7 to 5.9; it is sometimes found native, but usually combined with silver, cobalt, nickel, iron, antimony and sulphur.

Arsenolite—An oxide of arsenic; composition, arsenic 75.76, oxygen 24.24=100 parts.

Arsenopyrite or **Mispickel**—Luster, metallic; color, grayish-white to almost silver white; quite brittle; composition, arsenic 46.0, iron 34.4, sulphur 19.6=100 parts.

Asbestos—A mineral unaffected by fire; a variety of hornblende and pyroxene; found in long, delicate fibers, or fibrous masses or seams; color, white or gray, but sometimes greenish or reddish. See also Mountain Cork, Mountain Leather, Rock Cork, Tremolite, etc.

Asboline—Earthy cobalt, with lead ores, carrying 10 to 11 per cent. of nickel.

Asphaltum—Mineral pitch, Jew's pitch, or compact native bitumen; brittle, black or brown color, and high luster on a surface of fracture. See Aragoite, Bitumen, Idrialite and Petroleum.

Atacamite—A native oxychloride of copper (a rare mineral,) originally found in the form of sand, in the desert of Atacama, Chile; reported to have been found in Inyo Co., California.

Augite—Diallage, Diopside, Omphazite, Sahlite, etc. See Pyroxene.

Aurichalcite—Brass ore, found with other zinc ores in Arizona.

Axinite—Thumite—A mineral occurring in brilliant glassy crystals; it consists chiefly of silica, alumina, lime, and peroxide of iron.

- Azurite**—Blue carbonate of copper, a hydrous carbonate of copper, composition, oxide of copper 69.2, carbonic acid 25.6, Water 5.2=100 parts. See Azure Copper, Chessy Copper, Blue Malachite, and Mt. Blue.
- Barytes** or **Barite**—Sulphate of baryta, generally called heavy spar.
- Baryum** or **Barium**—The metallic basis of baryta or baria, oxide of barium.
- Barnhardtite**—Sulphide of copper and iron, abundant with other copper ores.
- Bernardinite**—A resin found in San Bernardino Co., Cal., *new*, but little known.
- Berthierite**—Sulphide of antimony and iron, associated with argentiferous ores.
- Beryl**—A mineral of great hardness, and when transparent, of much beauty. It occurs in green or bluish-green, six-sided prisms, and consists of silica, alumina, and the rare earth glucina; colored by oxide of iron. As a gem, *aqua-marine*.
- Bindheimite**—A hydrous antimoniate of lead; composition, oxide of antimony 31.71, oxide of lead 61.38, water 6.46=99.55 parts.
- Biolite**—Hexagonal Mica. **Biotite**—Brown Mica. See Mica.
- Biotine**—A variety of anorthite found in the volcanic debris of Vesuvius.
- Bismuth**—A metal of a reddish white color, crystallizing in rhombohedrons, nearly like cubes. It is harder than lead, rather brittle; specific gravity 8. Melts at 476° Fahr.
- Bismuthine** or **Bismuthinite**—Sulphate of bismuth. A rare mineral, composed of bismuth and sulphur.
- Bismuthite**—Bismuth ochre; found in small quantities in South Carolina.
- Bitumen**—Mineral pitch, a substance having a pitch-like odor, and burning readily with a bright flame, without residue. See Asphaltum, Petroleum, etc.
- Black Jack** or **False Galena**—Sulphuret of zinc, consisting of sulphur, zinc, and a little iron; zinc blende. See Sphalerite.
- Blende**—An ore of zinc, called also *mock lead*, *false-galena* and *black jack*. It is a sulphuret of zinc, consisting, when pure, of zinc 67 parts and sulphur 33, but often containing some iron. Its color is usually yellow, brown or black, and its luster resinous.
- Bloodstone**—A green silicious stone sprinkled with red jasper; called also Heliotrope. See Hematite.
- Borax**—Bi-borate of soda, native borax, tincal, etc.; a salt formed by a combination of boracic acid, with soda; color, white, grayish, or with a shade of blue and green.
- Bornite**—Erubescite, horseflesh ore, purple copper ore, variegated copper, etc.; a double sulphide of copper and iron; elements vary in different specimens; composition (average,) copper 58.20, iron 14.85, sulphur 26.98=103 parts.
- Boron**—An elementary substance, nearly related to carbon, of a deep olive color, infusible, and not a conductor of electricity. At a red heat it burns, uniting with oxygen, and forming boracic acid. Is found in nature in borax, boracite, datholite, tourmaline, etc.
- Braunite**—Manganese ore. See Manganese, Pyrolusite, etc.
- Brunnerite** or **Brown-Spar**—A crystallized variety of dolomite; reddish-brown color, tinged with oxide of iron and manganese.
- Brogniardite**—Associated with other argentiferous ores. [E. Stahl, Arizona.]
- Bromine**—One of the elements chemically related to chlorine and iodine; a deep reddish-brown liquid of a disagreeable odor. Is also found in a silver ore of Chile.
- Brookite**—Arkansite, Titanic Acid. See Titanium.
- Brucite**—Native hydrate of magnesia (incorrectly called chondroite); a white, pearly mineral, occurring thin and foliated, like talc, and also fibrous.
- Cadmia**—An oxide of zinc (incorrectly called calamine.) See Calamine.
- Cadmium**—A metal related to zinc; color white, and both ductile and malleable; found in some zinc ores.
- Cesium**—An alkaline metal first discovered in mineral waters.
- Calamine**—A mineral, the silicate of zinc. See Cadmia.
- Calaverite**—A rare mineral (first found in Calaveras Co., Cal.,) is a telluride of gold and silver; composition (about), tellurium 56.00, gold 40.92, silver 3.08=100 parts. See Tellurium.
- Calcite**—Calc-spar, Gay-Lussite, Thinolite, Travertine, Tufa; carbonite of lime, consisting of lime and carbonic acid. It includes common limestone, with all the white and most of the colored marbles.
- Caledonite**—Impure sulphate of lead; occurs with other lead ores.
- Calcium**—The metallic basis of lime.
- Carbon**—An elementary substance, not metallic in nature; predominates in all organic compounds. It is combustible, and forms the base of CHAR-COAL, and enters largely into mineral coals. In its pure, crystallized state it constitutes the DIAMOND, and is the hardest of known substances. It enters largely into graphite, or black lead, and in this it is soft, and occurs in hexagonal prisms or tables.
- Carbonite**—Natural Coke, Coke, Coak.

Carrollite—Cobalt ore; occurs in small quantities with chalcopyrite and chalcocite.

Cassiterite—Tin Ore, Tin-stone, Binoxide of Tin; atomic weight 74; composition, tin 78.67, oxygen 23.33=102.

Cat's-Eye—A variety of quartz or chalcedony, exhibiting yellowish opalescent reflections from within, somewhat like the eye of a cat, produced by filaments of asbestos.

Celestine or **Celestite**—Native sulphate of strontia (or strontian), a mineral, so named from its occasional delicate blue color.

Cerargyrite—A chloride of silver, horn silver; composition, chlorine 24.7, silver 75.3=100 parts.

Cerium—A metal of high specific gravity, grayish-white color, and lamellar texture. It exists in the mineral *allanite*, *cerite*, *gadolinite*, etc.

Cerasite—The native muriate of lead. See *Cerusite*.

Cerussite—Carbonate of lead, white lead, white lead ore; composition, carbonic acid 16.5, oxide of lead, 83.5=100 parts. Is also known as carbonate, hard carbonate, sand carbonate, etc.; is usually argentiferous, and in Colorado is mined for both silver and lead.

Cervantite—Antimony ochre, occurs with stibnite and other antimony ores.

Ceylanite—A dingy-blue or grayish-black variety of spinel. Also called *pleonast*.

Chabasite—A mineral occurring in glassy-rhombohedral crystals, nearly the form of a cube; also, in double six-sided pyramids; colorless, or tinged with red or yellow; composition, alumina, lime, silica, and 20 per cent. of water.

Chalcanthite—Blue Stone, Blue Vitriol, Native Sulphate of Copper. See *Copper*.

Chalcedony—An uncrystallized translucent variety of quartz, of a whitish color, and a luster nearly like wax. See *Heliotrope*.

Chalcosite or **Chalcocite**—Copper Glance, Vitreous Copper; is a sulphide of copper; composition, sulphur 20.2, copper 79.8=100 parts.

Chalcopyrite—Copper Pyrites, Yellow Copper Ore; this mineral is a double sulphide of copper and iron; composition, sulphur 34.9, copper 34.6, iron 30.5, =100 parts.

Chromite—Chromic Iron, Chrome Ore; a black sub-metallic ore consisting of oxide of chromium and iron; composition (average,) protoxide of iron 27.53, magnesia 6.50, alumina 9.57, sesquioxide of chromium 53.62, silica (and loss) 2.78=100 parts.

Chromium—A hard brittle metal of a grayish-white color, very difficult of fusion, and related to iron in many of its properties.

Chrysoberyl—A yellowish-green gem, next to a sapphire in hardness, and consisting of alumina and the earth glucina.

Chrysocolla—The green or blue carbonate of copper; it is a hydrous silicate of copper; when pure, its composition is, oxide of copper 45.3, silica 34.2, water 20.5=100 parts.

Chrysolite—A mineral, composed of iron, magnesia and silica, varying in color from a pale green to a bottle-green; occurring in glassy grains disseminated in basalt and many lavas, sometimes in large imbedded crystals and other rocks.

Chrysotile—(Peridot)—A magnesian mineral, a variety of serpentine, of no value.

Cinnabar—A red sulphuret of mercury or quicksilver, occurring native, in brilliant red crystals, and also in amorphous masses of different shades of red and brown. See *Mercury* and *Quicksilver*.

Cinnamon-Stone or **Essonite**—A variety of garnet, of a cinnamon color.

Coal—Anthracite, Ionite, Lignite, Mineral coal, etc. A black, or brownish black, solid, combustible substance, consisting, like charcoal, mainly of carbon, but more compact, and often containing a large proportion of bitumen. **Anthracite**, or *Glance Coal*, that containing little or no bitumen, and therefore burning with very little flame. **Bituminous Coal**, that containing from 10 to 56 per cent of bitumen. **Cannel Coal**, a very compact bituminous coal, of fine texture and dull luster, and burns with a beautiful white flame. **Ionite** is a hydro-carbon mineral, first found in Ione valley, Cal.; when first found it contains 50 per cent. of water, but when air-dried it floats on water; specific gravity about .9; melts to a pitch-like mass, which burns easily with a dense black smoke, having a resinous aromatic odor and with a yellow flame. **Lignite**, or *Brown Coal*, that variety that has something of the woody texture apparent, and an empyreumatic odor; any coal of later formation than that of the true coal era.

Cobalt—A metal of a reddish-gray color; brittle; difficult of fusion; specific gravity (about) 7.8; it has not been found native, but combined with arsenic, or its acid, with iron, nickel and sulphur. The ores of metallic lustre are white, grayish, or very slightly reddish. **Cobalt-bloom**, a circular arseniate of cobalt. **Cobalt-blue**, a compound of phosphate of cobalt and alumina.

- Cobalt-crust**, earthy arseniate of cobalt. **Cobalt-green**, a preparation of cobalt and iron, having a green color; see Erythrite, and Millerite.
- Cobaltine**—A crystallized mineral, of a nearly silver-white color, composed chiefly of arsenic, cobalt and sulphur.
- Cobaltite**—Cobalt Glance, found in earthy cobalt and lead ores in clay slate.
- Coccinite**—Iodide of mercury, found in San Emidio Cañon, Kern Co., Cal.
- Colemanite or Priceite**—From the mean of three analyses, by Prof. Silliman, the composition is—Boric acid 49.00, Lime 31.83, Water 18.29, Alumina, Salt, and Oxide of Iron .96=100.08 parts. Two samples analyzed by Thos. Price, averaged—Boric acid 46.13, Lime 29.88, Water 23.87, Alkalies .12=100.
- Columbium**—A rare metal first discovered in an ore or oxide, found at New London, Conn.; also called Niobium and Tantalum.
- Copper**—A metal of a reddish color, ductile, malleable and tenacious. It is among the most elastic and sonorous of the metals. It fuses at 2,000° Fahr.; specific gravity 8.8 to 8.9; it is found native, and in various ores.
- Copperas**—Cochimbite, in part hydrous sulphate of iron; sulphate of iron, or green vitriol; a salt of a green color, and styptic, astringent taste.
- Corundum**—The earth alumina, as found native in a crystalline state, including **Sapphire**, the blue variety; **Oriental Ruby**, or red sapphire; **Oriental Amethyst**, or purple sapphire; **Adamantine Spar**, the hair-brown variety; when combined with manganese and other impurities it becomes **Emery**. It is the hardest known substance next to the diamond.
- Covellite or Indigo Copper**—Is a compound of sulphur and copper, of a dark indigo color; in Alabama is found with pyrite and quartz.
- Crednerite**—Oxide of manganese and copper.
- Crocoite or Crocoite**—The chromate of lead, red-lead ore.
- Cuban**—Sulphate of copper and iron; brownish appearance, and resembles chalcopyrite.
- Cuprite**—The red oxide of copper; red copper.
- Cuproscheelite**—This mineral is a tungstate of lime and copper, found massive, and in well defined crystals; homogeneous, yellowish-green color. Composition: Tungstic acid 79.69, Oxide of Copper 6.77, Lime 10.95, Protoxide of Iron .31, Water 1.40=99.12 parts.
- Datolite or Datholite**—Is a silicate of lime, containing from 18 to 22 per cent. of boric acid, found in trappean rocks—gneiss, diorite, and serpentine.
- Dechenite or Descloizite**—Vanadate of lead; found with other lead ores.
- Diallogite**—Rhodochrosite, carbonate of manganese, in pink crystals.
- Diamond**—A mineral and gem remarkable for its hardness, as it scratches all other minerals. It is pure carbon crystallized. Chemically it does not differ from charcoal, and is also nearly identical in composition with graphite. Its specific gravity is 3.529 to 3.55. Diamonds are not always colorless, but sometimes tinged with yellow, red, orange, green, brown, blue, rose-red, and often black. The diamond can be crushed with a hammer, or split on the edge of a knife; a fact, not generally known.
- Didymium**—A rare metal related to Cerium, in the ores of which it is found; also with the ores of Lanthanum.
- Diopase**—An ore of copper, consisting of silica and copper, with 12 per cent. water. It is found in rich, emerald-green crystals.
- Dolomite**—Carbonate of lime and magnesia; when pure the composition is: Carbonate of lime 54.35, Carbonate of magnesia 45.65=100.
- Domeykite**—Arseniuret of copper; a mineral found in Peru.
- Dufrenite**—Hydrous phosphate of iron; a kind of iron ore.
- Dufrenoyite**—Sulpharsenide of lead; composed of sulphur, arsenic and lead.
- Dyscrasite**—Antimonide of silver; associated with other ores of lead and silver.
- Dysclasite**—A mineral, usually fibrous, of a white or yellowish color and somewhat pearly luster, consisting chiefly of silicate of lime; so-called from its great toughness.
- Embolite**—Chlorobromide of silver; color dark green.
- Enargite**—A sulpho-arsenide of copper, sometimes containing antimony, iron, silver or zinc.
- Enstatite**—A silicate of magnesia, alumina, iron, lime, manganese, etc. The variety "Bronzite" is found in Alameda County, California.
- Epidote**—Is a silicate of alumina, iron, lime, etc.; rare in California.
- Epsomite**—Epsom salt, hair salt, sulphate of magnesia. Composition: Magnesia 16.3, Sulphuric Acid 32.5, Water 51.2=100.
- Erbium**—(Terbium, Yttrium)—A metal found in ores of Yttrium.
- Erbescite**—Variegated copper; is found in the copper mines of New Jersey.
- Erythrite**—Arseniate of Cobalt, Red Cobalt Ore; a rare mineral.
- Eucairite**—A mineral, consisting principally of selenium, copper and silver.
- Euchroite**—Arseniate of copper; a mineral of a light emerald-green color.
- Euchysiderite**—Pyroxene; containing silica, lime, magnesia and oxide of iron.
- Euclase**—A brittle gem of the beryl family; consisting of silica, alumina and glucina.

- Eudialyte**—A mineral containing silicates of iron, zirconia and lime; of a brownish-red color, and vitreous luster; easily dissolved in acids.
- Eulytine**—Consisting chiefly of the silicate of bismuth, found at Freiburg.
- Exanthalose**—Native sulphate of soda; an efflorescence in certain lavas.
- Fahlerz**—Tetrahedrite. Gray Copper, or gray copper ore; it contains copper, antimony, arsenic and sulphur.
- Feldspar**—See Albite, Labradorite, and Orthoclase. A mineral occurring in crystals and crystalline masses, somewhat vitreous in luster, colors are white, flesh-red, and sometimes bluish or greenish. It consists of silica, alumina, and potash; and is one of the essential constituents of granite, gneiss, mica-slate, porphyry, etc., and nearly all volcanic rocks.
- Fire-Clay**—Chiefly pure silicate of alumina, capable of sustaining great heat.
- Fluorite**—Fluoride of Calcium, Fluor Spar; occurs in small white cubes, with copper ore, at Mt. Diablo, Cal.
- Franklinite**—A mineral compound of iron, manganese and zinc; found in N. J.
- Freibergite**—Argentiferous Tetrahedrite; found in Sawtooth District, Idaho.
- Freieslebenite**—Antimonial sulphide of silver. Abundant in Ariz. [E. Stahl.]
- Gadanolite**—See Erbium. A mineral, black, or greenish-black color, and vitreous luster; containing the silicate of cerium, iron and Yttrium.
- Galena or Galenite**—Lead, lead ore, lead dross. A sulphuret of lead; color, lead-gray; luster, highly metallic. Composition: Lead 86.6, Sulphur 13.4.
- Garnet**—A mineral, usually occurring in symmetrical, twelve-sided crystals (dodecahedrons), of a deep-red color. There are also black, brown, green and yellow varieties. Composition: Alumina, lime and silica, with more or less oxide of iron and manganese. Other varieties are, Alchochroite, Colophonite, Grossular, Melanite and Ouyarovite; the latter of an emerald-green color.
- Gay-Lussite**—Is a carbonate of lime and soda found in alkaline lakes in fine crystals. A yellowish-white translucent mineral.
- Geocronite**—Sulphide of lead and antimony; a lead-gray or grayish-blue mineral, with a metallic luster, consisting of antimony, lead and sulphur, with traces of arsenic.
- Glauberite**—Sulphate of lime, and soda, found in borax, salt and soda mines; occurs in flattened, oblique crystals, somewhat glassy, and of a yellowish or grayish color.
- Glaucolite**—A greenish-blue variety of scapolite, consisting of the silicates of alumina and lime.
- Glaucosite**—The green mineral which gives the peculiar character to the *green sand* of the chalk and other formations.
- Glaucophane**—This mineral occurs in a rock matrix, widely distributed in California, and associated with serpentine; first observed in 1877.
- Glucinium or Glucinum**—A metal which appears in the form of a grayish-black powder, and acquires a dark, metallic luster by burnishing. It occurs in nature only in combination with silicic acid.
- Gold**—Is a precious metal of a reddish-yellow color, is not acted upon by nitric acid, and it fuses B. B. to a bright bead on charcoal without incrustation. In sufficiently large pieces, it may be recognized by being malleable under the hammer, and cutting with the knife without crumbling. The atomic weight of gold is 196.5, hydrogen being taken as unity. It fuses at 2160° Fahr.; its specific gravity 19.258, which may be increased to 19.376 by hammering. Iridium and Platinum (hammered) are the only metals heavier than gold.
- Grahamite**—Asphalt. See Asphaltum.
- Granite**—A crystalline, unstratified rock, consisting of quartz, feldspar and mica, and presenting usually a whitish, grayish or flesh-red color. It differs from gneiss in not having the mica in planes, and therefore in being destitute of a schistose structure. The varieties of granite are: *Gneissoid Granite*, in which the mica has traces of a regular arrangement. *Graphic Granite*, consisting of quartz and feldspar, without mica, and having the particles so arranged in the feldspar as to appear, in a transverse section, like oriental characters. *Porphyritic Granite*, containing feldspar in distinct crystals. *Seynitic Granite*, containing hornblende as well as mica.
- Graphite**—Black Lead, Plumbago, etc.; is carbon in one of its conditions, usually crystallizing in foliated six-sided prisms, though often massive; is soft; luster, metallic, of a dark lead color, and sometimes contains iron.
- Greenockite**—Sulphide of Cadmium; see Cadmium.
- Greensand**—(often called Marl)—Is a variety of sandstone, usually imperfectly consolidated, consisting largely of green particles of a mineral called Glauconite.
- Grorolite**—An earthy ore of manganese, in roundish masses of a blackish-brown color.
- Grossular or Grossularite**—A translucent garnet of a pale-green color; known as lime garnet, and often mistaken for tin ore.
- Gurhofite**—A compact, snowy-white, subtranslucent variety of dolomite.

Gymnite—A hydrous silicate of magnesia.

Gypsum—(Ancient name, Alabaster)—Satin Spar, Selenite, Plaster of Paris when calc'ued. This mineral is a hydrous sulphate of lime. Composition: Sulphuric Acid 46.5, Lime 32.6, Water 20.9=100. Color: white, gray, pink, yellow, blue, and sometimes black; transparent to opaque.

Halite—Chloride of Sodium, Common Salt, Rock Salt.

Halloysite—Occurs in cherty strata of lower subcarboniferous; and is mined extensively for the manufacture of fine ware, in DeKalb and Jackson Counties, Alabama.

Hansmannite—Black Manganese, Black Oxide of Manganese.

Heliotrope—A variety of chalcodony, of a deep-green color, variegated with blood-red or yellowish spots.

Hemachate—A species of agate, sprinkled with spots of red jasper.

Hematite—Hematitis, Micaceous Iron, Oligist Iron, Red Hematite, Red Oxide of Iron, Sesquioxide of Iron, Specular Iron, and Rhombohedral Iron Ore. Composition: Iron 70, Oxygen 30=100. Brown Hematite, a brown ore of iron.

Hessite—Telluride of Silver.

Hornblende—(See Amphibole)—The green variety is called *Actinolite*; the fibrous, *Asbestos*; the white, *Tremolite*; and the black, *Hornblende*.

Humboldtite—A variety of mellite, found in the lava of Vesuvius, and consisting chiefly of alumina, lime and silica.

Humboldtine—Oxalite, a native oxalate of iron.

Humboldtite—Borosilicate of lime, a rare variety of datholite.

Hyacinth—(See Zircon)—A red variety of zircon, sometimes used as a gem.

Hyalite—(Müller's Glass)—A pellucid variety of opal, looking like colorless gum of resin.

Hydraulic Lime—Cement Rock, Water Lime. An insoluble silicate of alumina, composed partly of lime.

Hydrogen—A gas which constitutes one of the elements of water, of which it forms one-ninth, and oxygen eight-ninths. An inflammable, colorless gas, of extreme lightness; specific gravity 0.0692; that of water being 1.

Hydromagnesite—A mineral, supposed to be found in the serpentines on the peninsula of San Francisco, Cal. [H. G. Hanks.]

Hydrozincite—(Marionite)—Earthy Calamine, the silicate of zinc.

Idocrase—Vesuvian of Werner, Vesuvianite; consisting of alumina, lime and silica. *Cyprine* is the name of a rose-red variety.

Idrialine, or Idrialite—(See Petroleum)—A bituminous substance obtained from the quicksilver mines of Idria.

Ilmenite—(See Menaccanite)—Titanic Iron. A black metallic mineral, consisting of iron, oxygen and titanium.

Indicolite—Tourmaline of an indigo-blue color.

Indium—Symbol, *In*.

Iodine—A grayish or bluish-black solid, metallic luster, resembling plumbago; occurring in scales or crystals; exists in many marine plants and animals, in mineral waters, and in a few minerals, notably with nitrate of soda and salt.

Iolite—(Pinite)—A mineral having a glassy appearance, remarkable for presenting a blue or violet-blue color in one direction, and, at right angles with this direction, a yellowish-gray or brownish color. It consists of alumina, magnesia and silica, with some oxide of iron.

Iridium—One of the metallic elements, having a density of from 19.3 to 21.12, thus being the heaviest of known substances. In its native state is alloyed with osmium or platinum. A specimen from California gave the following analysis: Iridium 53.50, Osmium 43.40, Rhodium 2.60, Ruthenium 0.50=100.

Iridosmine or Iridosmium—The native compound of Iridium and Osmium; found in flattened metallic grains of extreme hardness.

Irite—A black mineral, shining luster, and magnetic; consisting chiefly of oxides of chromium, iridium, iron and osmium.

Iron—One of the metallic elements having the chemical equivalent 28, and density of about 7.8. It is monometric in crystallization, and of a white color when pure. It is hard, very malleable when hot, welding easily at a high temperature, and oxidises under moisture. The varieties are: **Arsenical Iron**—(See Löllingite. **Bog Iron**—(See Limonite.) **Cast-Iron or Pig Iron**, a compound of carbon and iron, brittle, and harder than pure iron. **Magnetic Iron or Magnetite**, an oxide iron containing three parts of iron to four of oxygen, and one of the most common of its ores, having generally an octahedral crystallization; some specimens having magnetic polarity, are called *Loadstone*—*Specular iron*, see *Hematite*. **Wrought-Iron**, the purest form of iron known in the arts; possesses great malleability and ductility; is soft, very tenacious, and at a high temperature may be welded.

Itaberite or Itabirite—A variety of Hematite, being a granular, slaty rock, consisting of specular or magnetic iron and quartz.

Itacolumite—A laminated, granular quartz rock, often occurring in regions where the diamond is found. Flexible Sandstone.

- Jamesonite**—Sulphide of antimony, iron, copper, lead and zinc. A steel-gray ore of lead and antimony. Gray Antimony Ore.
- Jasper**—An opaque, impure variety of quartz, of red, yellow and other dull colors. It breaks with a smooth surface, and admits of a high polish.
- Jet**—A variety of lignite, of a very compact texture, and velvet black color.
- Kaolin or Kaoline, Kaolinite**—A variety of clay used for making porcelain, consisting of decomposed mineral feldspar.
- Kirwanite**—A native silicate of iron, lime and alumina, found in basalt on the north-east coast of Ireland.
- Kyanite**—Consisting of alumina and silica; occurs usually in long, thin, blade-like crystals, of a clear blue or bluish-white color.
- Labradorite**—Labrador Spar; a beautiful variety of opalescent feldspar, from Labrador.
- Lanthanum or Lanthanum**—A metal occurring with cerium, and so called because its properties were concealed by those of the latter metal. Symbol, *La*.
- Lead**—Anglesite, Cerusite, Galena, Leadhillite. A metal of a dull white color, with a cast of blue. It is the least elastic and sonorous of all the metals, and at the same time it is soft and easily fusible. Its specific gravity, when pure, is 11.445; it is found native in small masses, but generally mineralized by sulphur and other substances.
- Lenzinite**—Hydrous silicate of alumina, a mineral of a clear brown color.
- Lepidolite**—A species of mica, presenting a lilac or rose-violet color.
- Leucopyrite**—White Pyrites; a mineral of a color between white and steel-gray, with a metallic luster; composition, Arsenic and Iron.
- Lignite**—Mineral Coal, retaining the texture of the wood from which it was formed. See Coal.
- Limestone**—Consisting chiefly of carbonate of lime, from which lime is obtained by the expulsion of its carbonic acid.
- Limonite**—Bog-Ore (see Iron). This is a hydrous sesquioxide of iron, found sometimes compact and fibrous, at others earthy and dull. When pure, the composition is: Sesquioxide of Iron 85.6, Water 14.4=100. Equivalent in metallic iron, 59.3 per cent.
- Linnæite**—Siegenite, cobalt pyrites.
- Lithium**—One of the alkaline metals, so-called because obtained from a mineral. It is the lightest metal known; specific gravity 0.59; atomic weight 7.
- Lithomarge**—A fine-grained hydrous silicate of alumina, probably sedimentary. It contains generally magnesia and lime.
- Loadstone**—A piece of magnetic iron ore possessing polarity like a magnetic needle: (See Iron—*Magnetic*).
- Lollingite**—Arsenical iron; known to be found at Paris, Me. [J. C. Smock].
- Lucullite**—A variety of black limestone, used for ornamental purposes.
- Macle**—Andalusite, Chiastolite, the crystals of which present a tessellated appearance when cut transversely.
- Magnesite**—Silicate of Magnesia, containing a large quantity of water; also Carbonate of Magnesia, composed of: Magnesia 47.6, Carbonic Acid 52.4=100.
- Magnesium**—The undecomposable metallic base of magnesia.
- Magnetite**—Magnetic iron ore. Composition: Protoxide of iron 31.03, Sesquioxide of Iron 68.97=100. Equivalent to: Iron 72.4, Oxygen 27.6=100.
- Malachite**—Native green Carbonate of Copper, Mountain Green. Composition: Protoxide of Copper 71.9, Carbonic Acid 19.9, Water 8.2=100.
- Manganese**—A metal of a dusky white or whitish-gray color, very hard and difficult to fuse. Sybol *Mn.*, chemical equivalent 27.6.
- Manganite**—One of the ores of Manganese; called also gray manganese ore.
- Marble**—Any species of calcareous stone or mineral of a compact texture; see Calcite.
- Marcasite**—Sulphide of Iron, White Pyrites; often containing a small proportion of arsenic.
- Mariposite**—A mineral of an apple-green color, found with quartz, on the Mariposa Estate, California; referred by Dana to Fuchsite.
- Marl or Marlite**—A mixed earthy substance, consisting of carbonate of lime, clay, and silicious sand, in very variable proportions; see Greensand.
- Marmatite**—A black mineral, consisting of the sulphurets of zinc and iron; black blende.
- Marmolite**—A variety of serpentine, usually of a pale-green color, capable of being split into thin, brittle laminae.
- Mascagnin**—Native sulphate of Ammonia, found in volcanic districts.
- Massicot**—Protoxide of lead, or yellow oxide of lead, which has not been fused. When melted and allowed to crystallize, forms Litharge.
- Meadow-Ore**—Conchoidal bog-iron ore. (See Iron).
- Melaconite**—Black Copper, Black Oxide of Copper; a rare mineral in California, occurs with malachite and bornite, contains granules of metallic copper the size of birdshot.

- Menaccanite**—Ilmenite, Titanic iron. A black or steel-gray mineral, consisting chiefly of the titanate of iron.
- Mengite**—A black mineral, occurring in small crystals in granite veins in the Ilmen mountains, and consisting of zirconia, peroxide of iron and titanate acid.
- Mercury**—Cinnabar, Quicksilver. A metal, white like silver, liquid at common temperatures, congealing at 40° below zero, Fabr.; specific gravity 13.6.
- Metacinnabarite**—Is a black sulphide of mercury, resembles cinnabar in composition; a rare metal. [*H. G. Hanks*].
- Mesotype**—A zeolitic mineral, occurring in slender crystals, and delicate, radiated concretions, and consisting of the hydrated silicate of alumina and soda.
- Meteoritic Iron**—Is of cosmical origin, having fallen to the earth from space. Specimens have been found at different times, varying from a few inches to many feet in thickness, of every conceivable shape. Composition principally iron and nickel; but have also been found to contain (in variable quantities) Cobalt, Carbon in combination, Graphite, Silica, Phosphorus and Sulphur.
- Miargyrite**—A mineral of an iron-black color, and very sectile, consisting principally of sulphur, antimony and silver.
- Mica**—Isinglass, Muscovite, Muscovy Glass, Phlogopite, etc. It is an essential constituent of granite, gneiss and mica slate; capable of being cleaved into elastic plates of extreme thinness. It occurs in various colors, and three or four varieties.
- Michaelite**—A white, pearly, fibrous variety of opal.
- Millerite**—Sulphide of Nickel. A rare mineral of a brass-yellow color, resembling Chalcopyrite; known to have been found near Cisco, Cal. [*Hanks*].
- Mimetene**—The mineral arseniate of lead, occurring in pale yellow or brownish hexagonal crystals.
- Mineral Coal**—Anthracite, Ionite, Lignite, etc. See Coal.
- Molybdena or Molybdenite**—Sulphide of Molybdenum. An ore of a dark lead color, occurring in flexible laminae, like plumbago.
- Molybdenum**—A rare metal occurring variously in nature, as a sulphide; as molybdic acid; and with lead, as molybdate of lead; obtained only in small, separate globules, in a blackish-brilliant mass, which are brittle, and extremely infusible.
- Molybde**—Molybdic Acid, Molybdic Ochre. Found with Molybdenite and gold. [*Dana*].
- Mundic**—(See Pyrite)—Iron Pyrites, or Arsenical Pyrites.
- Muriacite**—A variety of anhydrite crystallized in broad lamellae.
- Nagyagite**—Not abundant, but occurring with gold, pyrite and chalcopyrite; in numerous mines in Montana. [*W. Cross*].
- Natrolite**—(See Mesotype)—Soda Mesotype, Zeolite, occurring in implanted groups of glassy, acicular crystals, and in fibrous concretions.
- Natron**—Native carbonate of soda; see Trona.
- Needle-Ore**—Acicular ore of bismuth.
- Needle-Spar**—Aragonite. A mineral consisting chiefly of carbonate of lime.
- Needle-Stone**—Natrolite. A mineral of the zeolite family.
- Newkirkite**—A black, opaque mineral, with splendid metallic luster, crystallizing in small needles, and consisting of sesquioxide of manganese, peroxide of iron and water.
- Niccolite**—Copper-nickel, associated with smaltite. [*John C. Smock*].
- Nickel**—(See also Millerite and Zaratite)—Rather a rare metal, generally found with iron and cobalt; except in meteorites, it is never found in the metallic state, being always combined with other elements, as antimony, arsenic, carbon, copper, oxygen, silicon, sulphur, etc. It is a silver-white, malleable, and ductile metal; specific gravity 8.28 when cast, and 8.666 when forged.
- Niobium**—See Columbium.
- Niter or Nitre**—Saltpeter, Nitrate of Potassa.
- Nitratine**—A mineral occurring in transparent crystals, usually of a white, sometimes of a reddish, gray, or lemon-yellow color; native nitrate of soda.
- Nitrogen**—A gaseous element, without taste, odor or color, forming nearly four-fifths of common air, and incapable of sustaining life; azote. Its specific gravity is 0.94; atomic weight 14.
- Nontronite**—A greenish-yellow or green mineral, consisting chiefly of the hydrous silicate of alumina.
- Norium**—(See Zircon)—A metal discovered in Zircon.
- Novaculite**—Oilstone; Razor-stone; Turkey-stone; Whet-slate; Whetstone. A variety of argillaceous slate, of which hones are made.
- Obsidian**—(See Orthoclase)—A kind of glass produced by volcanoes, usually of a black color, and opaque, except in thin splinters.
- Ocher**—(See Limonite)—A variety of fine clay containing iron; red and yellow are the common colors.
- Omphazite**—A foliated leek-green variety of pyroxene.
- Onyx**—(See Aragonite)—Chalcedony consisting of parallel layers of different

shades of color. The purest horn-colored onyx, with beautiful green jaspery zones, is called Jasp-onyx.

Opal—A mineral consisting of silicic acid in what is called the soluble state, and usually a small quantity of water.

Orpiment—Yellow sulphide of arsenic, having a resinous taste. It occurs in nature as an ore of arsenic, and usually in combination with realgar.

Orthoclase—Common Feldspar, including the subtranslucent varieties; a silicate of alumina and potash. Composition: Alumina 18.5, Potash 16.9, Silica 64.6=100.

• **Osmium**—A brittle, gray-colored metal, found with platinum. Its oxide forms a volatile acid of an acrid, disagreeable odor. See also Iridium, with which it is invariably alloyed or associated.

Oxygen—A gaseous element, destitute, in its ordinary condition, of taste, color and smell, possessing strong chemical affinities. In certain conditions it is peculiarly active, and possesses both odor and taste, being then known as ozone. It serves to support life, and though heavier than air, forms about 22 per cent. of the atmosphere. By composition with hydrogen, it forms water.

Palladium—A metal, found in very small grains, of a steel-gray color, and fibrous structure, in auriferous and platiniferous sand. It is infusible by ordinary heat, and when native, is alloyed with a little platinum and iridium.

Pectolite—A grayish or whitish mineral, occurring in aggregating crystals of a silky luster, and arranged in stellar or radiated forms, or in fibrous masses. It consists of the hydrous silicate of alumina, lime and soda.

Pelopium—Symbol, Pe.

Peliom—A variety of Iolite, of a smoky-blue color.

Petroleum—Maltha, Rock Oil, a liquid, inflammable, bituminous substance, exuding from the earth and collected on the surface of the water in wells and fountains; it is essentially composed of carbon and hydrogen; see Asphaltum.

Petzite—Hessite, a telluride of silver and gold; the latter metal replacing part of the silver. Composition: Tellurium 35.40, Silver 40.60, Gold 24.80=100.80.

Phacolite—A mineral consisting of the hydrous silicate of alumina, lime and soda; a variety of chabasite.

Pharmacolite—A native hydrous arseniate of lime, white or grayish color, vitreous luster, found with ores of cobalt and silver.

Phenacite—A mineral consisting principally of silica and glucina, like quartz.

Phenicochroite—Subesquichromate of lead, occasionally met with in other lead ores, in Arizona. [*E. Stahl*].

Phonolite—Clink-stone, a compact, feldspathic, volcanic rock.

Phosgene or Phosgenite—Light Producer, Chloro-Carbonate of lead; straw-colored, acicular interlaced crystals in cavities.

Phosphorus—An elementary substance, of a yellowish color, and semi-transparent, resembling fine wax. Phosphorus acid is formed by a combination of phosphorus with oxygen, in the proportion of two equivalents of phosphorus to three of oxygen.

Photizite—A mineral consisting of a mixture of rhodonite and carbonate of manganese.

Phyllite—A mineral consisting chiefly of the hydrous silicate of alumina, iron and manganese, occurring in thin scales or leaves.

Pyrrhotite—Magnetic pyrites. [*Blake*].

Picotite—Chrome Spinel, occurs in the basalts of Mt. Shasta, Cal.

Picrolite—A fibrous variety of serpentine; see Serpentine.

Picrophyllite—A species of serpentine occurring in dark-green, foliated masses.

Picrosmine—A mineral, consisting chiefly of silicate of magnesia, and having a bitter, argillaceous odor when moistened.

Pimelite—An apple-green mineral, having a greasy feel, consisting chiefly of the hydrous silicate of alumina, iron, magnesia and nickel.

Pitch—An igneous rock of semi-glassy nature, having a luster like pitch, and related to obsidian.

Pitchblende—An ore of uranium, black or brownish color, and semi-metallic luster.

Plagionite—A sulphuret of lead and antimony, of a blackish lead-gray color, and metallic luster.

Platinum—(Platiniridium, Iridium)—A metal of the color of silver, but less bright, harder than iron, resists the action of acids, very ductile and capable of being rolled into thin plates; specific gravity (native) 16.00, (rolled) 22.69; is the least expansible, and with the exception of Iridium, the heaviest of known substances. It is now found to be fusible under the oxyhydrogen blow-pipe. Analysis finds it generally to be alloyed with copper, gold, iridium, iron, osmium, palladium, rhodium, sand, etc.

Polybasite—A sulphide of many bases, viz: Antimony, arsenic, copper, iron, silver and zinc.

- Polyhalite**—A mineral, brick-red color, being tinged with iron, of a fibrous structure, consisting chiefly of the sulphate of lime, magnesia and soda.
- Polymignite**—A black, opaque mineral, having a brilliant, almost metallic luster, containing cerium, lime, manganese, oxides of iron, titanic acid, yttria and zirconia, and traces of magnesia, oxide of tin, potash and silica.
- Potassium**—A lustrous, bluish-white metal, having a strong affinity for oxygen, with which it forms potassa. Atomic weight 39, and lighter than water.
- Priceite**—Pandermitte; see Colemanite.
- Proustite**—Light Ruby Silver Ore, arsenical sulphide of silver, found with galena, pyrite, pyrrargyrite and quartz.
- Psilomelane**—Manganese Ore, containing baryta, oxide of manganese and water; dark color nearly steel-gray, and occurring in smooth, botryoidal forms, and massive.
- Pumice** or **Pumice-Stone**—(Lava)—A substance ejected from volcanoes, of various colors, as gray, white, reddish-brown, or black; hard, rough and porous; and so light as to float on water. It is supposed to be produced by the disengagement of gas, within the lava, while in a liquid or plastic state.
- Pyrrargyrite**—Dark Ruby Silver, Antimonial Sulphide of Silver.
- Pyrites**—Sulphuret of Iron, Mundic, consisting of sulphur with cobalt, copper, iron or nickel, presenting a white or yellowish metallic luster. Composition: Sulphur 53.3, Iron 46.7=100.
- Pyrochlore**—A mineral usually of a yellowish or brownish color, consisting chiefly of columbic acid, lime, and protoxide of cerium, and sometimes titanic acid with, or in place of, the columbic acid.
- Pyrolusite**—Binoxide of manganese, color and streak black; it is brittle and opaque. Composition: Manganese 63.3, Oxygen 36.7=100.
- Pyromorphite**—The mineral phosphate of lead, occurring in bright-green and brown hexagonal crystals and masses.
- Pyrophyllite**—The hydrous silicate of alumina, of a white or greenish color and pearly luster.
- Pyrrhite**—An orange-yellow mineral, vitreous luster, consisting of the columbate of zirconia, colored, apparently, by oxides of iron, manganese and uranium.
- Pyroxene**—A silicate of different bases; the varieties of which are known as augite, diallage, diopside, hypersthene, omphazite, sahlite, smaragdite, etc. It occurs crystallized in oblique prismatic forms, and also massive, lamellar, granular and fibrous; color green, but sometimes white or black.
- Quartz**—It is a binoxide of silicon, the elements being combined as follows: Oxygen 53.33, Silicon 46.67=100. Quartz is one of the most abundant of minerals, occurs in every variety of color and form; is colorless when pure, otherwise black, blue, brown, green, red, yellow, and variegated. The varieties, from crystallized to massive, are known by many names, among which are Agate, Amethyst, Aventurine, Bloodstone, Brazilian Pebble, Buhr Stone, Cairngorm, Carnelian, Cat's-Eye, Chrysoprase, False Topaz, Heliotrope, Jasper, Mocha Stone, Onyx, Prase, Quartz, Quartzite, Rock Crystal, Sardonix, Siderite.
- Quicksilver**—(Mercury)—The ore of this mineral is of a bright-red color, the streak scarlet; and as *Cinnabar* (sulphide of mercury) has a specific gravity=8.99. Composition: Mercury 86.2, Sulphur 13.8=100; see Mercury.
- Realgar**—Sulphide of Arsenic. A mineral, of a bright red to orange color. Composition: Sulphur 29.9, Arsenic 70.1=100.
- Remolinite**—A mineral usually of a bright-green color, consisting of oxide of copper, chloride of copper, and water.
- Retinalite**—(See Serpentine)—A translucent variety of serpentine, of a honey-yellow or greenish-yellow color, having a resinous appearance.
- Rhodium**—A metal associated with platinum, of a white color and metallic luster, extremely hard and brittle, and has a specific gravity of about 11. It requires the strongest heat that can be produced by a wind furnace for its fusion.
- Rhodocrosite**—Carbonate of Manganese.
- Rhodonite**—Manganese Spar, or silicate of manganese.
- Rock Soap**—This is a mineral resembling halloysite, and mordenite, but believed to be a mechanical mixture of two or more minerals. No two analyses agree as to its composition; it takes the place of certain soaps.
- Roscoelite**—A very rare mineral found in Eldorado County, California; the analysis by Prof. H. E. Roscoe, of Manchester, England, is as follows: Alumina 12.84, Lime .61, Magnesia 2.01, Oxide of Manganese (Mn. 3. O. 4) 1.10, Potash 8.56, Sesquioxide of Iron 1.13, Silica 41.25, Soda .82, Vanadic Acid (V 2; O. 5) 28.60, Water combined 1.08, Moisture 2.27=100.27.
- Rubellite**—A red variety of tourmaline, varying in color from a pale rose-red to a deep ruby.
- Rubicelle**—A variety of ruby of a reddish color, from Brazil.
- Rubidium**—An alkali metal first found in mineral waters; so-called from exhibiting dark red lines in the spectrum analysis, by means of which it was discovered. Symbol, *Rb*.

Ruthenium—A metal extracted from the ore of platinum. It is of a gray color, very hard and brittle; specific gravity 8.6; symbol, *Ru*.

Rutile—Titanic Acid; an ore of titanium, of a reddish-brown color, sometimes passing into red. It occurs usually in prismatic crystals, sometimes massive.

Salt—Chloride of Sodium, Halite, Rock Salt; the analysis of the average common salt gathered from the desert basins of the Pacific Coast, and of rock salt mined, is as follows: Chloride of Sodium 97.76, Sulphate of Sodium .70, Chloride of Iodine .27, Moisture .96, Insoluble matter .20=99.89.

Sandstone—A rock made of sand more or less firmly united. *Argillaceous Sandstone*, contains much clay; *Granitic Sandstone*, consists of granitic sand; *Silicious Sandstone*, consists mainly of quartz sand; but if very hard, it is often called Grit.

Saponite—Rock Soap; see Rock Soap.

Sapphire—Pure crystallized alumina; occurs in hexagonal crystals, and also in grains and massive; color blue.

Sarcolite—A variety of analcime from Vesuvius; applied also to a variety of chabasite, and to the mineral humboldtite.

Sard—Carnelian. A variety of chalcedony, of a rich brownish-red color, but which, when held between the eye and the light, appears of a deep blood-red.

Sassolite or **Sassoline**—Native Boracic Acid; occurs in the craters or extinct volcanoes, and as a saline incrustation on the borders of mineral hot springs. Composition: Boracic Acid 56.45, Water 43.55=100.

Scheelite—A mineral of a green, yellowish, brown or red color, and resinous luster, consisting chiefly of tungstic acid and oxide of lead; tungstate of lead.

Scheelite—(See Cuproscheelite)—Tungstate of lime, a calcareous ore of tungsten, of a white or pale-yellowish color. Composition: Tungstic Acid 80.6, Lime 19.4=100.

Scheererite—A resinous, inflammable substance, occurring in loosely aggregated crystalline grains and folia, or in minute acicular crystals in small cavities in coal, and consisting of carbon and hydrogen.

Schorl—Black Tourmaline; see Tourmaline.

Schorlite—A variety of Topaz; a mineral of a greenish-white, and sometimes yellowish color.

Scolecite—Lime Mesotype; hydrated silicate of alumina and lime.

Scorodite—A native compound of arsenic acid and oxide of iron, having a leek-green or brownish color.

Selenite—Gypsum; a variety of sulphate of lime or gypsum, occurring in transparent crystals, or crystalline masses.

Selenium—An elementary substance, allied to sulphur, having a dark-brown color, with a metallic luster. It vaporizes at 650° Fahr.

Sepiolite—Meerschaum, Hydrous Silicate of Magnesia.

Serpentine—Chrysolite, Picrolite, Retinalite. A mineral or rock consisting chiefly of the hydrous silicate of magnesia, and usually of an obscure-green color, spotted or mottled in appearance, from the presence of chromic iron. The translucent varieties of rich oil-green shades, usually dark, but sometimes pale, are called *precious* or *noble serpentine*.

Siderite—Carbonate of Iron, Spathic Iron; a hydrous arseniate of iron; cube ore; an indigo blue variety of quartz. Composition: Carbonic Acid 37.9, Protoxide of Iron 62.1=100.

Silicon—A dark-brown elementary substance, destitute of metallic luster, and a non-conductor of electricity. It is the base of siliceous or silica.

Silver—A soft, white, metallic element, very malleable and ductile, and capable of a high polish. It occurs in nature and also in combination with sulphur, arsenic, etc., and with ores of lead, copper and gold. Pure silver melts at 1860° Fahr.; atomic weight 108; specific gravity 10.47. The following is a list of the silver minerals, with the percentage of silver in each. Those marked with an asterisk have been found in California:

Rittingerite	—	Eucairite.....	43.1	*Embolite.....	61.07, 71.94
*Galenite, variable..		Iodyrite.....	46.0	Naumannite.....	73.2
Stylopyrite.....	8.0	*Stromeyerite.....	53.1	*Cerargyrite.....	75.3
*Sylvanite.....	3.9, 14.68	Bromyrite.....	57.4	*Polybasite.....	75.5
*Tetrahedrite.....	—	*Pyrargyrite.....	59.8	Dyscrasite.....	78.0
Freieslebenite.....	24.3	Pyrostilpnite.....	62.3	Chilenite.....	86.2
Brogniardite.....	26.1	*Hessite.....	62.8	*Argentite.....	87.1
Freibergite....	3.9, 31.29	Xanthoconite.....	64.0	*Native Silver—nearly	
Stannbergite.....	33.2	*Proustite.....	64.67	pure.	
Miargyrite.....	36.0	*Stephanite.....	68.5		

Skolopsite—A mineral of a grayish-white or reddish-gray color, consisting chiefly of alumina, lime, silica and soda.

Skutterudite—A mineral of a bright metallic luster, sometimes iridescent, of a color between tin-white and pale lead-gray, consisting chiefly of arsenic and cobalt.

- Slate**—The slates are silicious sedimentary rocks; specific gravity from 26.72 to 27.84; and a cubic foot weighs from 167 to 180 lbs.; both slate and shale are, no doubt, sedimentary mud or silt, which, from great age, have become indurated, and for the most part were formed at the bottom of the sea. The fossils contained in them are conclusive evidence of this.
- Smaltine or Smaltite**—Gray cobalt ore; a tin-white or gray mineral, consisting of arsenic and cobalt, or arsenic and nickel, or sometimes all three combined with iron.
- Smeectite**—A hydrous silicate of alumina, of a greenish color, which in certain states of humidity appears transparent and almost gelatinous.
- Smithsonite**—Carbonate of zinc; occurs with cerusite, in Inyo County, Cal.
- Soda Alum**—A mineral consisting of sulphate of alumina, sulphate of soda, and water.
- Soapstone**—Steatite; see Talc.
- Sodalite**—A mineral occurring usually in small bluish dodecahedrons, and containing a large proportion of soda, with silica, alumina and hydrochloric acid.
- Soda Niter**—Nitrate of soda. Composition: Nitric Acid 63.5, Soda 36.5=100.
- Sodium**—A yellowish-white metallic element, soft like wax, and lighter than water; specific gravity, 97.
- Spalerite**—Blende, Zinc Blende, Black Jack, Sulphuret, of zinc. A mineral of a black, brown, green, or yellow color; streak white; transparent, opaque; specific gravity 3.9 to 4. Composition: Sulphur 33, Zinc 67=100.
- Sphene**—Titanite. A mineral composed of silica, titanic acid and lime. Its colors are dull yellow, green, gray, brown and black; found usually in thin wedge-shaped crystals.
- Spherosiderite**—Clay Ironstone; Nodular Iron Ore; Carbonate of iron in spheroidal masses, occurring in trap.
- Spherulite**—A variety of obsidian or pearl-stone, found in rounded grains.
- Spragide**—Earth of Lemnos, Lemnian Earth. A species of ocherous clay which falls to pieces in water, with the emission of many bubbles.
- Spinelle**—A mineral occurring in octahedrons, of great hardness, consisting of a sesquioxide and a protoxide in equal proportions, the former being usually alumina, but often partly sesquioxide of iron, the latter usually magnesia, but sometimes protoxide of iron, of zinc, etc.; colors black, blue, brown and green; when red or ruby, constitutes the gem *Spinal Ruby*.
- Spodumene**—(see Beryl)—A mineral consisting chiefly of alumina, silica, and the rare earth lithia.
- Stalactite**—A pendent cone or cylinder of carbonate of lime; see Calcite.
- Stalagmite**—A deposit of earthy calcareous matter, made by calcareous water dropping on the floors of caverns; see Calcite.
- Staurolite**—A mineral crystallized in rhombic prisms, either single or intersecting each other, so as to form a cross. Its color is usually brown or black, generally opaque, or nearly so, and consists essentially of alumina, silica, and oxide of iron.
- Steatite**—(see Talc)—Soapstone; a soft magnesian rock having a soapy feel, presenting brown, grayish-green, and whitish shades of color; composition: Magnesia and Silica.
- Stephanite**—Black Silver, Brittle Silver Ore, Silver Glance.
- Sternbergite**—A foliated ore of silver, consisting of silver, iron, and sulphur.
- Stibiconite**—Antimony Ochre, Hydrous Oxide of Antimony, Partzite. The colors are yellow, pea-green to black; sp. gr., 3.8; composition: Peroxide of Antimony 47.65, Oxide of Copper 32.11, Oxide of Silver 6.12, Oxide of Lead 2.01, Oxide of Iron 2.33, Water 8.29=98.51.
- Stibnite**—Antimony Glance, Sulphide of Antimony; color or streak lead-gray, sometimes tarnished black or iridescent; sp. gr., 4.5 to 4.6; composition: Antimony 71.8, Sulphur 28.2=100.
- Stromeyerite**—Silver Copper Glance; a steel-gray ore of silver, consisting of sulphur, silver, and copper.
- Strontia**—An earth of a white color, resembling baryta in many of its properties. It is a compound of oxygen and the metal strontium, in the proportion of 8 of the former to 43.8 of the latter.
- Strontianite**—Carbonate of Strontia, occurring crystallized, fibrous, massive, and stellated in the form of a modified rhombic prism.
- Strontium**—A malleable metal, yellowish color, in properties resembling barium; symbol, *Sr.*; sp. gr., 2.54.
- Succinite**—Amber; a garnet of an amber color.
- Sulphur**—Brimstone; a simple mineral substance, of a yellowish color, brittle, insoluble in water, easily fusible, and inflammable; if cooled slowly crystallizes in needles; sp. gr., 2.07.
- Sylvanite**—Telluride of Gold; a mineral of steel-gray silver-white, or sometimes yellowish color, consisting of native tellurium with a considerable portion of gold and silver.

- Talc**—French Chalk, Steatite, Soapstone; this is a soft mineral, generally foliated, except where it occurs in rocky masses as soapstone, when it is granular or crypto-crystalline. When pure it is of a green, white, or yellowish color, with a greasy or soapy feel. $H.=1-2.5$. $Sp. gr.=2.55-2.78$.
- Tellurium**—See also Altaite, Calaverite, Hessite, Petzite and Tetradyomite. Tellurium is a white metal, brittle, and easily fusible. Its equivalent or combining weight is 64.2 (old system, 128.4 by the new). Symbol, T_e . Tellurium, as far as known, is found only in ten rare minerals, as follows (the figures showing the percentage of tellurium in each): Altaite, combined with lead 38.2; Calaverite, combined with gold and silver 56.0; Hessite, combined with silver 37.2; Joseite, combined with bismuth, selenium and sulphur 15.93; Nagyagite, combined with copper, gold, lead, silver and sulphur 30.52; Petzite, a variety of hessite (No. 3)—; Sylvanite, combined with antimony, gold, lead and silver 44.0 to 60.0; Tellurium, native, nearly pure; Tetradyomite, combined with bismuth and silver 33.0 to 48.0; Tellurite, doubtful.
- Tephroite**—A silicate of manganese of an ash-gray color, occurring both massive and granular.
- Terbium**—Symbol, Tb . See Gadolinite.
- Tetradyomite**—Bismuth, with Tellurium. Telluride of bismuth.
- Tetrahedrite**—Fahlerz, Gray Copper. This mineral is a double sulphide of copper and antimony, of which there are numerous varieties.
- Thallium**—An alkaline metal, closely resembling lead in color, density, and softness, but in its chemical relations similar to the alkali-metals potassium and sodium.
- Thenardite**—Anhydrous Sulphate of Soda; composition: Soda 56.3, Sulphuric Acid 43.7=100.
- Thomsonite**—A mineral of the zeolite family, occurring generally in masses of a radiated structure, and glassy or vitreous luster. It consists of silica, alumina and lime, with some soda and water.
- Thorite**—A massive and compact mineral, resembling gadolinite. It contains 58 per cent. of the rare earth thoria, combined with silica.
- Thorium**—A heavy gray metal, which, when heated in the air, takes fire and burns with great brilliancy, being then converted into thoria.
- Thrombolite**—An opaque amorphous mineral of a vitreous luster, and of an emerald or dark-green color, consisting chiefly of phosphoric acid, oxide of copper and water.
- Thuringite**—A tough mineral of an olive-green color, pearly luster and argillaceous odor, consisting chiefly of silica, protoxide of iron, peroxide of iron, alumina and water.
- Tiemannite**—Selenide of Mercury.
- Tin**—Cassiterite. A white, soft, non-elastic metal, very malleable, fuses at 442° Fahr., and has a specific gravity of 7.3; see Cassiterite.
- Tinical**—(See Borax)—Crude Borax as it is imported from the East Indies, in yellow, greasy crystals.
- Titanite or Sphene**—Titaniferous Iron, found in iron sand; sphene is found in small hair form crystals; see Sphene.
- Titanium**—A metal of a deep-blue color; it occurs in different states of oxidation or intermixture, in various parts of the world. The ores of this metal are called: *Iserine*, *Menachanite*, *Nigrine*, *Octahedrite*, *Rutile* and *Sphene*.
- Topaz**—A mineral occurring in rhombic prisms, generally yellowish and pellucid, also colorless, and of greenish, bluish or brownish shades; sometimes massive and opaque, and consisting of silica, alumina and fluoric acid. It is highly valued as a gem.
- Topazolite**—A variety of precious garnet, of a topaz-yellow color, or an olive-green.
- Tourmaline**—A mineral almost invariably found crystallized, of all colors, from opaque black to nearly or quite transparent colorless. The usual colors are: *black* (Schorl), *red* (Rubellite), *blue* (Indicolite), *green* (Chrysolite), *honey-yellow* (Peridot), *colorless* (Achroite). All the tourmalines contain boracic acid from 3 to 10 per cent. Composition: Alumina 36.0, Binoxide of Manganese 6.14, Boracic Acid 6.49, Flourine 2.0, Lime 0.8, Magnesia 2.3, Potash 0.38, Sesquioxide of Iron 7.14, Silica 36.71, Soda 2.04=99.28.
- Trap**—A heavy, igneous rock, of a greenish-black or grayish color, consisting of an intimate mixture of feldspar and hornblende or pyroxene.
- Triphyline**—A mineral of a grayish-green or bluish color, consisting of the phosphates of iron, manganese and lithia.
- Triplite**—An imperfectly crystallized mineral, of a dark-brown color, consisting of phosphoric acid and the oxides of manganese and iron.
- Trona**—Sesquicarbonate of soda. This mineral is found with gay-lussite, salt, thenardite and tincal, in many different localities on the Pacific Coast. Composition: Carbonic Acid 40.2, Soda 37.8, Water 22.0=100.
- Tufa**—A soft or porous stone formed by depositions from water, usually calcareous.

- Tungston**—A metal of a grayish-white color, considerable luster, brittle, nearly as hard as steel, and fused with extreme difficulty; specific gravity near 17.6; also called Wolframium.
- Turpeth or Turbith Mineral**—Yellow Sulphate of Mercury. A yellow salt composed of 3 equivalents of the protoxide of mercury and 1 equivalent of sulphuric acid. It is not found in nature.
- Turquoise**—A mineral of a peculiar bluish-green color, occurring in reniform masses, with a botryoidal surface; susceptible of a high polish, and when highly colored, much esteemed as a gem; Calaité.
- Tyrolite**—A translucent, very sectile mineral, of a green color, and pearly or vitreous luster, consisting chiefly of arsenic acid, oxide of copper, carbonate of lime and water.
- Ulexite**—Borate of Lime, Boronatrocalcite, Cotton Balls, Natroborocalcite, Sheet Cotton, Tinkalzit, Tiza, etc. This curious mineral was first found in the Niter beds of Peru, in small quantities. It is a natural hydrated borate of lime and soda. Analysis by Ulex, is as follows: Boracic Acid 49.5, Lime 15.9, Soda 8.8, Water 25.8=100.
- Ullmannite**—A brittle mineral of a steel-gray color and metallic luster, consisting of antimony, arsenic, nickel and silver.
- Uraninite**—Pitchblende, an ore of uranium; see Pitchblende.
- Uranite**—An ore of uranium, of a bright-green or yellow color, and foliated like mica. The green variety consists of oxide of uranium, phosphoric acid, and copper, and is called chalcocite or copper uranite.
- Uranium**—A metal discovered in the mineral called pitchblende, in which it exists as an oxide, with oxide of iron, and some arsenic, cobalt, lead, sulphur and zinc. It occurs also in uranite, and uran-ochre, and a few other minerals. Color reddish-brown; luster metallic; form crystalline.
- Vanadinite**—The mineral vanadate of lead, occurring in yellowish and brownish hexagonal crystals.
- Vanadium**—A metal having a white color, and a strong metallic luster, extremely brittle, resembling silver, but more like molybdenum.
- Variscite**—An apple-green mineral occurring in reniform masses, and consisting chiefly of alumina, phosphoric acid and water.
- Vauquelinite**—Chromate of copper and lead, of various shades of green.
- Vermiculite**—A mineral having a granular, scaly structure, and resembling steatite in appearance; consisting chiefly of alumina, magnesia and silica.
- Vesuvianite**—Idocrase. Is a silicate of alumina, iron and lime.
- Vivianite**—A phosphate of iron of various shades of blue and green; the mineral is that variety known as blue iron earth or native Prussian blue. Composition: Phosphoric Acid 28.3, Protoxide of Iron 43.0, Water 28.7=100.
- Volborthite**—Vanadate of Copper. A mineral of a green or gray color, consisting chiefly of vanadic acid, oxide of copper, lime, and water.
- Volgerite**—Antimony Ocher, associated with other antimony ores.
- Voltzite**—A rose-red, yellowish or brownish mineral, occurring in implanted spherical globules, and consisting chiefly of sulphuret of zinc and oxide of zinc.
- Vulpinite**—A variety of anhydrite, containing some silica and presenting a grayish, white color and high luster.
- Wad**—Bog-manganese. An earthy oxide of manganese, or mixture of different oxides and water, with some oxide of iron, and often alumina, baryta, lime, or silica, and including several varieties; sometimes applied to Plumbago or Black Lead.
- Wagnerite**—A phosphate of magnesia, resembling the Brazilian topaz.
- Walchowite**—A resinous substance occurring in yellow, translucent masses, often striped with brown; formerly called Retinite.
- Warwickite**—A dark-brown or black mineral, consisting chiefly of boracic acid, titanite acid, magnesia and oxide of iron.
- Wheel-Ore**—An opaque mineral of a steel-gray or black color, and metallic luster, consisting chiefly of antimony, copper, lead and sulphur.
- Whewellite**—A brittle, crystalline mineral, consisting chiefly of oxalate of lime.
- Willemite**—Anhydrous Silicate of Zinc. A mineral of a resinous luster and yellowish color, consisting chiefly of silicate of zinc.
- Wolfram**—Tungstate of Iron. An ore of tungsten; color brownish or grayish-black, and sub-metallic in luster. It occurs massive and crystallized, and in concentric, lamellar concretions.
- Wulfenite**—Molybdate of lead; occurring in small, perfect, tabular crystals, yellowish color, with a specific gravity of from 6 to 7.
- Xylotile**—An opaque, glimmering, delicately fibrous mineral, of a light or dark wood-brown or sometimes green color, consisting of magnesia, sesquioxide of iron, silica and water.
- Yttrocercite**—A mineral of a violet-blue color, inclining to gray and white, or sometimes white or reddish-brown. It consists of lime, sesquioxide of cerium, yttria, and hydro-fluoric acid.

- Yttrium**—A very rare metal, texture scaly, color grayish-black, and luster perfectly metallic. *Yttria*, *Phosphyttrite*.
- Yttrocolumbite**—An ore of columbium and yttrium, in black, brown and yellow colors.
- Zaratite**—Emerald Nickel, Hydrate of Nickel, Hydrated Carbonate of Nickel. A rare mineral and ore that is never found in large quantities, generally as a thin coating or chromic iron and serpentine.
- Zeolite**—The name applies to a group of minerals which includes at least 20 species; the name is therefore indefinite. They are all hydrous silicates of alumina, and generally are found in lavas and amygdaloids.
- Zinc**—See also *Blende*, *Smithsonite*, and *Spalerite*. A metal of rather rare occurrence, never found in nature, of a brilliant white color, with a shade of blue, and appearing as if composed of plates adhering together; it is not brittle, but less malleable than copper, lead, or tin. Sp. gr.=6.861; atomic weight 32.56 (by old, and 65 by the new method).
- Zinc-blende**—A native sulphuret of zinc, often containing some iron, occurring crystallized, massive, or in other forms, and of various colors, but usually yellowish, red, brown, or black. *Blende*.
- Zinc-bloom**—An opaque mineral, of a dull luster and white, grayish, or yellowish color, consisting chiefly of carbonic acid, oxide of zinc, and water.
- Zincite**—Red Oxide of Zinc, Red Zinc Ore. A brittle, translucent mineral, of a deep-red color, sometimes inclining to yellowish, and consisting chiefly of oxide of zinc, but containing also a small quantity of oxide of manganese.
- Zinkenite**—A steel-gray ore of antimony and lead.
- Zircon**—Jargon, Hyacinth, Silicate of Zirconia. A mineral containing the earth zirconia and silica, with 67 per cent. of the former to 33 per cent. of the latter; occurring in square prisms with pyramidal terminations of a brown or gray color, occasionally red, and often nearly transparent. A red variety is called *Hyacinth*.
- Zirconium**—A metal obtained from the minerals zircon and hyacinth. It is commonly obtained in the form of a black powder.
- Zoisite**—A grayish or whitish mineral, related to epidote.

Supplemental List of Some New Varieties of Minerals.

- Agnesite**—Carbonate of bismuth.
- Agricolite**—Silicate of bismuth.
- Animikite**—Antimonide of silver.
- Argyrodite**—Sulphide of silver and germanium.
- Arsenargentite**—Arsenide of silver.
- Arsenstibite**—Hydrous arsenate of antimony.
- Barysil**—Silicate of lead.
- Belonesite**—Molybdate of magnesium.
- Cobaltomenite**—Selenite of cobalt.
- Coloradoite**—Telluride of mercury.
- Edisonite**—Oxide of titanium.
- Eggonite**—Silicate of cadmium.
- Ferrotellurite**—Tellurate of iron.
- Flinkite**—Hydrous arsenate of manganese.
- Hanksite**—Sulphato-carbonate of sodium.
- Horsfordite**—Antimonide of copper.
- Huntelite**—Arsenide of silver.
- Hydrargyrite**—Oxide of mercury.
- Krennerite**—Telluride of gold, silver and copper.
- Liskeardite**—Hydrous arsenate of aluminum.
- Manganosite**—Protoxide of manganese.
- Melanosiderite**—Hydrous silicate of iron.
- Metastibnite**—Red sesquisulphide of antimony.
- Molybdomenite**—Selenite of lead.
- Nitrobarite**—Nitrate of barium.
- Phosphuranlylite**—Hydrous phosphate of uranium.
- Pseudobrookite**—Titanate of iron.
- Randite**—Hydrous carbonate of calcium and uranium.
- Redingtonite**—Hydrous sulphate of chromium.
- Reinite**—Tungstate of iron.
- Siderazot**—Nitride of iron.
- Sperryite**—Arsenide of platinum.
- Sphaerocobaltite**—Carbonate of cobalt.
- Spodiosite**—Fluo-phosphate of calcium.
- Stutzite**—Telluride of silver.
- Tocornalite**—Iodide of silver and mercury.
- Xanthiosite**—Arsenate of nickel.
- Yttrialite**—Silicate of yttrium and thorium.
- And 297 other new species and varieties.

RADIUM.—Discovered, or re-named as a metal (or element), in 1903. Possesses so many startling properties that at present its composition is unknown. It contains three different kinds of rays; it has been transformed into *helium*; its temperature is slightly above that of the atmosphere; it emits heat without any sensible loss of weight.

Food Supply and Cost of Living, Including Intoxicants and Tobacco, in Principal Countries of the World.

COUNTRY.	CONSUMPTION OF FOOD, Pounds PER INHABITANT OF:—							†Intoxicants	Tobacco.
	Butter, and Cheese.	* Coffee and Tea, oz.	Grain.	Meat.	Potatoes.	Salt.	Sugar.	Gallons.	Pounds.
Australasia.....	20	127	350	276	305	36.5	91	2.20	2.83
Austria.....	7	28	460	61	560	14	18	2.80	2.73
Belgium.....	15	142	590	65	1,050	27	4.00	3.15
Canada.....	22	72	400	90	600	40	45	2.11
Denmark.....	22	140	560	64	410	25	22	5.00	2.24
France.....	8	66	540	77	570	20	20	5.10	2.05
Germany.....	8	78	550	64	1,020	17	18	3.08	3.00
Great Britain...	19	91	378	109	380	40	75	3.57	1.38
Italy.....	4	20	400	26	50	18	8	3.40	1.28
Netherlands.....	15	240	560	57	820	20	35	4.00	6.92
Norway.....	14	144	440	78	500	40	13	2.29
Portugal.....	3	18	500	45	40	17	12	3.00	1.75
Roumania.....	9	8	400	82	80	4
Russia.....	5	6	635	51	180	19	11	2.02	1.82
Servia.....	9	8	400	84	80	4
Spain.....	3	6	480	71	20	17	6	2.85	1.10
Sweden.....	11	112	560	62	500	28	22	1.87
Switzerland.....	11	110	440	62	140	26	3.24
United States ..	20	162	370	150	170	39	53	2.65	4.40

* Ounces of coffee and tea. † Reduced to gallons of proof spirit.

Annual Expenditure per Inhabitant in Principal States of Europe and U. S.

Country.	Amt. per capita.	Country.	Amt. per capita.	Country.	Amt. p'r capita.
Australasia.....	\$212.38	Germany.....	\$ 98.14	Russia.....	\$ 49.13
Austria.....	69.28	Great Britain...	144.72	Spain.....	76.04
Belgium.....	123.66	Italy.....	56.21	Sweden.....	99.36
Canada.....	111.43	Netherlands.....	101.55	Switzerland.....	87.60
Denmark.....	139.04	Norway.....	92.46	United States....	159.66
France.....	116.63	Portugal.....	54.87		

Ingredients of Ordinary Food Materials. such as meat, fish, eggs, potatoes, wheat, etc., consist of: *Refuse*.—As the bones of meat and fish, shells of shellfish, skin of potatoes, bran of wheat, etc. *Edible portion*.—As the flesh of meat and fish, the white and yolk of eggs, wheat flour, etc. The edible portion consists of *water* and *nutritive ingredients* or *nutrients*. The principal kinds of nutritive ingredients are *protein*, *fats*, *carbohydrates*, and *mineral matters*. The water, refuse, and salt of salted meat and fish are called non-nutrients. In comparing the values of different food materials for nourishment they are left out of account.

Familiar Examples of Compounds of each of the four principal classes of nutrients:—

PROTEIN. *Proteids*.—*Albuminoids*, e. g., albumen (white of eggs); casein (curd) of milk; myosin, the basis of muscle (lean meat); gluten of wheat, etc. *Gelatinoids*, e. g., collagen of tendons; ossein of bones, which yield gelatin or glue, etc. Meats and fish contain very small quantities of so-called "extractives." They include kreatin and allied compounds, and are the chief ingredients of beef tea and meat extract. They contain nitrogen, and hence are commonly classed with protein.

Fats, e. g., fat of meat; fat (butter) of milk; olive oil; oil of corn, wheat, etc.

Carbohydrates, e. g., sugar, starch, cellulose (woody fiber), etc.

Mineral matters, e. g., phosphate of lime, sodium chloride (common salt), etc.

Ways in Which Food Is Used in the Body.—Protein forms tissue (muscle, tendon, etc., and fat) and serves as fuel. Fats form fatty tissue (not muscle, etc.) and serve as fuel. Carbohydrates are transformed into fat and serve as fuel. All yield energy in form of heat and muscular strength. In being themselves burned to yield energy the nutrients protect each other from being consumed. The protein and fats of body tissue are used like those of food. An important use of the carbohydrates and fats is to protect protein (muscle, etc.) from consumption. Food supplies the wants of the body in several ways. It either is used to form the tissues and fluids of the body, is used to repair the wastes of tissues, is stored in the body for future consumption, is consumed as fuel, its potential energy being transformed into heat or muscular energy, or other forms of energy required by the body, or, in being consumed, protects tissues or other food from consumption.

CANALS OF THE WORLD.

Depth of Canals in the United States.—Ogeechee Canal, Ga., 3 feet; Galveston and Brazos, Tex., $3\frac{1}{2}$ feet; Black River, N. Y.; Hocking, Ohio; Ohio Canal; and Walhounding Branch, Ohio, each 4 feet; Des Moines Rapids; Morris, Pa., and N. J.; and Santa Fé, Fla., each 5 feet; Miami and Erie; and Susquehanna and Tidewater, Pa. and Md., each $5\frac{1}{2}$ feet; Champlain, N. Y.; Chesapeake and Ohio, Md. and D. C.; Company's La.; Delaware and Hudson, N. Y. and Pa.; Delaware Division, Pa.; Dismal Swamp, Va. and N. C.; Ill. and Mich., Ill.; Lehigh Coal and Nav. Co., Pa.; Muscle Shoals and Elk River Shoals, Tenn.; and Pennsylvania, Pa., each 6 feet; Schuylkill Nav. Co., Pa., $6\frac{1}{4}$ feet; Cayuga and Seneca, N. Y.; Delaware and Raritan, N. J.; Erie, N. Y.; Ill. and Miss., Ill.; and Oswego, N. Y., each 7 feet; Albemarle and Chesapeake, Va. and N. C., $7\frac{1}{2}$ feet; Chesapeake and Delaware, Md. and Del., 9 feet; Augusta, Ga., 11 feet; Welland, connects Lake Ontario and Lake Erie, 14 feet; Portage Lake and Lake Superior, Mich.; and Sturgeon Bay and Lake Mich., each 15 feet; Sault Ste. Marie, St. Mary's River, Mich., 18 feet; St. Mary's Falls, Mich., 21 feet.

The Harlem River Ship Canal, connecting the Hudson River and Long Island Sound, by way of Spuyten Duyvil Creek and Harlem River, opened for traffic June 17, 1895, and cost \$2,700,000.

New York Canals.—The whole number of tons of freight carried upon the state canals during 1897 was 3,617,804 tons, as compared with 3,714,894 tons for 1896.

St. Mary's Falls Canal.—Gross tonnage for 1897, was 18,982,755 tons, against 16,239,061 tons in 1896, and 15,062,580 tons in 1895.

Baltic Canal.—Also called the "North Sea and Baltic," and "Kiel" Canal. The traffic from Apr. 1, 1897, to Mar. 31, 1898, was 23,108 vessels, with a net carrying capacity of 2,469,795 registered tons, against 19,960 ships and 1,848,458 tons in the previous working year.

Manchester Canal.—Cost about \$77,000,000. The sea-going tonnage for six months ending June 30, 1898, was 979,992 tons, as compared with 783,280 tons during the corresponding period of 1897, while the barge traffic was 193,888 tons, against 173,930.

Suez Canal.—This canal was opened for traffic in 1869, the English Government acquiring by purchase, Nov. 25, 1875, shares to the amt. of £4,000,000, the present value of which is (Jan. 1, 1899) £24,435,000. The total length of the canal is 99 miles, with a width of 327 feet for 77 and 196 for the remaining 22 miles; the depth is 26 feet throughout. By an agreement signed Oct. 29, 1888, the canal was exempted from blockade, and vessels of all nations, whether armed or not, are to be allowed to pass through it in peace or war. It cost \$102,750,000 to construct it. For the year 1895, the receipts were \$15,147,184, received from 3,434 vessels, with a net tonnage of 8,448,383. In 1896, receipts \$15,787,046; vessels passed, 3,409; net tonnage, 8,560,283. In 1897 receipts \$14,129,122; vessels passed, 2,986; net tonnage, 7,899,374. For the first six months of 1898, the receipts were \$3,636,920 in dues, from 1,792 ships, with 4,842,078 net tons.

Nicaragua Canal.—Projected to connect the Atlantic and Pacific Oceans, using the waters of Lake Nicaragua. The total distance from ocean to ocean, 169.4 miles; depth of canal, 30 feet; least width at bottom, 100 feet; time transit from ocean to ocean, 44 hours; length of Lake Nicaragua, 110 miles; average width, 40 miles; surface area, about 2,600 square miles; area of watershed of lake, about 8,000 square miles. Estimated cost of construction of this waterway by the Nicaragua Canal Commission was \$125,000,000; time required for construction, 5 years. Distance from N. Y. to S. F., Cal., by water *via* Cape Horn, 14,549; by the Nicaragua Canal, the distance between the same points will be 4,907 miles, a saving of about 9,642 miles. Distance from N. Y. to the Pacific Ocean, *via* the Nicaragua Canal, 2,519 miles; to San Francisco *via* R. R., 3,250 miles; to San Diego, *via* R. R., 3,172 miles; to Tacoma, Wash., 3,209 miles; to Victoria, B. C., 3,619. Distance from N. Y. to Manila, P. I., *via* S. F., Cal., rail and water, 9,250 miles; *via* Nicaragua Canal, 11,746 miles; *via* Suez Canal, 11,565.

Panama Canal.—Length, $46\frac{1}{2}$ miles; estimated time of transit, 14 hours. The canal is practically finished from Colon to Bujee, 14 miles; this, however, is the least expensive part. The great trouble is in passing through the Culebra Ridge. The width of the canal will be 124 feet at the top, and 72 feet at the bottom, except through the ridge, where it will be 78 feet at the top and 29 feet at the bottom, and 30 feet in depth. About \$297,000,000 is estimated as having already been expended on the canal, resulting in the accomplishment of about 40 per cent of the entire amount of excavation that will be required. Time required for completion, about ten years.

CANALS (IN OPERATION) IN THE UNITED STATES,

CANALS BY STATES.	Points Connected.	Built, EnPrgd	Length Miles.	No. locks	Cost Construction
Delaware.					
Chesapeake & Del. *†.....	Del. City—Chesapeake..	14.00	3	\$ 3,730,230
Florida.					
Santa Fé *.....	Waldo—Melrose.....	1877-1880	10.50	70,000
Georgia.					
Augusta Canal †.....	Savannah R.—Augusta..	1847..	9.00	1,500,000
Ogeechee *.....	"—"Oge'ch'e R	1829-1840	16.00	5	407,318
Illinois.					
Ill. & Mich. Canal †.....	Chicago—La Salle.....	1836-1848	102.00	15	6,557,681
Louisiana.					
Carondelet C. & Nav. Co. †...	N. Orleans—Bayou St. J.	1794.....	2.00	750,000
Company's Canal †.....	Miss R.—Lake Salvador.	1847.....	3.00	1	90,000
Harvey's Canal †.....	".....	1830.....	5.75	3	150,000
Orleans Bank Canal ‡.....	N. Orleans—Ponchartr'n	1832-1835	6.50	1,000,000
Tagliaferro Canal †.....	Miss. R.—Bay. Barataria	1880-1881	1.75	2	40,000
Maryland.					
Chesapeake & Ohio *.....	Wash., D. C.—Cumberl'd	1828-1850	179.50	75	11,290,327
Susquehanna & Tide-water *.....	Pa. S. L.—Havre de Grace	1839.....	15.00
Michigan.					
L. S. Ship-canal, R. & I. Co. ...	L. Superior—Portage L.	1868-1873	2.12	3,925,300
St. Mary's Falls *†.....	St. Mary's F.—S. Mary's R	1853-1855	1.02	1	3,500,000
New Jersey.					
Del. and Raritan *†.....	N. Brunsw'k—Bordent'n	1834-1838	44.00	14	4,735,353
" " feeder.....	Bull's Island—Trenton..	1838.....	22.00	1
Morris Canal & Banking Co.	Easton, Pa.—Jersey C'y	1825-1845	103.00	a 46	6,000,000
Pa. Neck Canal †.....	Salem Creek—Del. R.....	1800-1872	2.02	41,000
New York.					
Black River Canal & I Co.....	Rome—Carthage.....	1836-1861	35.50	110	3,224,772
Cayuga & Seneca *.....	Montezuma—C. & S. L's	1825-1855	24.77	11	1,520,542
Champlain Canal c.....	Whitehall—Waterford..	1817-1870	81.00	33	2,378,919
Del. & Hudson *.....	Hones'dle, Pa.—Rond'ut	1826-1828	83.00	d 107	6,339,210
Erie Canal h.....	Albany—Buffalo.....	1817-1862	365.48	72	51,609,200
Onida R. Improvement.....	3 R's Point—Brewerton.	1839-1850	20.00	2	79,346
Oswego Canal.....	Syracuse—Oswego.....	1825-1862	18.00	18	3,077,429
North Carolina.					
Albemarle & Chesapeake	Canjock Bay—N. River.	1855.....	5.50
(N. C. cut) g†.....	Allig't'r R.—Mat'musk L	1868.....	4.50	100,000
Fairfield C. & Turnpike Co.	Clubfoot Cr.—Newp't'r R	1880-1882	3.00	200,000
New Berne & Beaufort *†...					
Ohio.					
Hocking Canal.....	Carroll—Nelsonville ..	1843.....	42.00	26	947,670
Miami & Erie * h.....	Cincinnati—Toledo.....	1825-1835	284.25	93	7,144,234
Muskingum Improvement..	Zanesville—Marietta....	1840.....	75.00	12	1,628,028
Ohio Canal h.....	Cleveland—Portsmouth	1825-1835	323.00	150	4,695,202
Walhonding Branch.....	Rochester—Roscoe.....	1843.....	25.00	11	607,360
Oregon.					
Willamette T. & Locks Co. †	Oregon City.....	1873.....	0.75	5	600,000
Pennsylvania.					
Delaware & Hudson *.....	(See New York).....	1826-1828	25.00
Delaware Division *.....	Easton—Bristol.....	1830.....	60.00	33	2,433,350
Lehigh Coal & N. Co.....	Coalport—Easton.....	1819-1821	48.00	57	3,000,000
Monongahela Nav. Co.....	Pittsburg—Geneva.....	1838-1844	85.00	5	1,115,452
Muncy Canal Co.....	Muncy—Penn. Canal.....	0.75	7,077
Penn. Canal Co. i.....	Columbia—Duncan's Isl.	1826-1834	46.00	15
" " " j.....	Clark's F'y—N'umberl'd	1828-1833	41.00	9
" " " k.....	N'umberl'd—Wilkesb're	1830.....	64.00	7
" " " l.....	Junction—Huntingdon..	1827-1834	90.00	26	7,731,750
" " " m.....	N'umberl'd—Flem'gton	1828-1833	68.00	18
" " " n.....	Clark's F'y—Millersburg	1838-1839	13.00	6
Schuylkill Nav. Co.....	Mill Creek—Phila.....	1816-1826	58.18	71	12,580,461
Susquehanna & Tide-water *	Columbia—Md. St. Line.	1837-1840	60.00	43	4,930,705
Union Canal Co.....	Middletown—Reading..	1819-1827	84.64	93	5,907,850
Texas.					
Galveston & Brazos Nav. Co. †	Galveston—Brazos R.....	1850-1851	8.00	340,000
Virginia.					
Albemarle & Chesapeake *†	Norfolk—Currituck.....	1855-1860	g 8.44	1	1,641,363
Alexandria & Georgetown *	W. Wash. D. C.—Al'xnd'a	1830.....	7.12	4	1,250,000
Dismal Swamp *†.....	Eliz'b'th R.—Pasquot'nk	1794.....	28.00	7	1,151,000
Total			72,695.04	1,224	170,028,630

* Canal Co.; † ship; ‡ old canal (ship); § new canal (ship); ¶ see Pa.; a 23 inclined planes and 23 lift-locks; b Salem Creek Con. Meadow Co.; c exclusive of 25 miles in Pa.; d and 2 way-locks; e 2stop-locks and 2 guard-locks; f feeder and dam; g slack water; h see Va.; i branches and feeders; j E. division; k Susquehanna division; l N. division; m Juniata division; n W. branch; o Wisconsin branch; p now extending to Nanticoke, 69 m's; q exclusive of 15 m. in Md.; r exclusive of 5.50 m. in N. C.; s including 180 m. slack water.

ANCIENT FREEMASONRY

An Extract from a Lecture entitled, "Freemasonry in General," by the Rev. O. C. Wheeler, D. D., LL. D., first delivered at Masonic Temple, Oakland, Cal., Feb. 21, 1882.

"Free Masonry has been the theme of thought, the object of envy, and the subject of persecution from remote ages.

Its friends have sought its origin, and watched its course. Its enemies have traduced its advocates, maligned its motives, and impeded its progress, until it seems to engage the attention of universal man. It has now reached a point where the man who throws light upon its true character and unrolls any portion of the endless scroll of its history, is as much a public benefactor as he who discovers a law of nature or develops a hidden science. Therefore, if my present effort shall in any measure increase the sum of your masonic knowledge, I shall not have labored in vain, nor spent my strength for naught.' For my ability to prepare this lecture, I am indebted to studies that have continued through more than twenty-five years, during which I have laid under contribution the works of such ancient authors as Sesostris, Misraim, Hermes, Plato, Zoroaster, Socrates, Pythagorus, Solon, Lycurgus, Alcibiades, Homer, Thales, Orpheus, Virgil, Hyppocrates, Pluche, Proctus, Heroditus, Claville, and Plutarch; and such modern ones as Rebolt, Strait, Macoy, Ussar, Wilder, Mackey, Wake, Westropp, Taylor, Pierson, Davies, King, Sanderson, Warburton, Oliver, Pike, Webb, La Plugeon, Zosismus, Pansanius, Knight, Rawlinson, Jablonski, Champolion, and others, and Hieroglyphics—to each and all of whom I make grateful acknowledgements. My method has been to read with care, make notes, full, free, and accurate; then compare, collate, and arrange data, from which to deduce facts and evolve principles—thus consolidating and digesting all accessible knowledge and learning on this subject. After all that, I have, in my own language, very seldom appropriating a phrase, or making a reference, written my discourse, and now give you what these numerous standard authors have taught me, together with my deductions therefrom. Should you ask me, 'Where did you find this or that fact, or idea,' I should probably not be able to tell you. Freemasonry, not only in the substance of its principles, but in its organized form and active labor, is older than any other institution now existing on earth. And that its honor is not inferior to its age, is attested by the fact that the princes and rulers, the highest and the noblest, the wisest and best men of every age, have been and still are proud to be able to say, 'I am a Freemason,' as the noble Roman ever was to say, 'I am a Roman citizen.' Nor was the latter ever a more sure protection from danger or potent guaranty of favor, than the former from remotest ages has been, now is, and to the end of time will be.

ANTIQUITY.—I have referred to the age of the institution of Freemasonry, as being superior to that of any other. The discovery of a key to the Egyptian Hieroglyphics on the 'Rosetta stone,' by Champolion, in the early part of the 19th century, has opened the past in such immensity as to confound the most learned Antiquarians, and to challenge the faith of the most credulous. Heroditus says, the secret institution of Isis—which the Hieroglyphics tell us was the real origin of Masonic mysteries—with its imposing ceremonies, made its appearance simultaneously with the organization of Egyptian society, and the birth of Egyptian civilization. Now as it takes about 100,000 years for Egypt—according to the teaching of her Hieroglyphics—to rise from primitive barbarism to the zenith of enlightened civilization and return to its first estate, and as Egypt, at the beginning of Bible history, had been twice to the pinnacle of learning and art, and was, for the third time at the depth of degradation, the sublime mysteries of Isis must have been, at that time, not less than 250,000 years old. With this state of facts before us, we can see how very possible was the account which has hitherto given our credence such a strain, viz: That the mysteries were carried to all the Oriental nations, from Egypt to India, by Brahma; to China and Japan by Buddha; to Persia, by Zoradhurst; to Greece, by Metampus; to Crete, by Minos; to Messene, by Canaan; to Thebes, by Methapus; to Athens, by Erectheus; to Italy, by Palasgi; to Gaul and Britain by Gomer; to Mexico, by Vitzlipultzli; to Peru, by Manco Capac; and to Judea, by Hiram Abiff. The antiquity, therefore, is established, not only beyond doubt, but almost beyond belief. How strangely this contrasts with the strange conclusion of Prof. Moses Stuart, of Andover Theological Seminary, who, in the days of the great Anti-Masonic excitement, on account of his superiority as an Oriental scholar, was appointed to examine into and report upon the question of the age of the institution of Free-Masonry. After several months of profound investigation, he came forward, and looking over his spectacles 'officially reported' to his employers, "Gentlemen, I assure you that the institution of Free-Masonry has no claims to antiquity."

(See next page.)

Brethren, that **Key**, on that '**Rosetta stone**' has, through the unlocking of the Egyptian Hieroglyphics, opened a door to, and given us a view of the past, so great that it was reckoned by tens of thousands of years, prior to the utmost stretch of Prof. Stewart's imaginings in the direction of antiquity. And the farther border of that incomprehensible vista, we trace the footsteps of our unequalled fraternity with all the distinctness of the most modern history.

INITIATORY DEGREE 25,000 YEARS B. C.—A brief description of some of the initiatory ceremonies practiced at and near the city of Memphis, (which was then the principal seat of the work) 25,000 years B. C., will not fail of interest. (The members of the '**Mystic Tie**' will not need that I stop to explain, others present will not expect me to.) The candidate satisfied the craft that he was worthy. He then spent a week in a chamber of reflection, with a light diet and frequent ablutions to purify his blood. He then entered the pyramid in the night, descended the narrow way, without steps, on his hands and knees, until he passed through a large room, and into another, on the walls of which, he read: "The mortal who shall travel over this road alone, without looking behind, be punished by fire, water, and air, without complaint or fear of death, shall be brought again to the light of day, and be prepared to receive the mysteries of the God Osiris." At this moment three Priests, masked with heads like Jackalls, and armed with swords, by act and word, and portrayal of awaiting dangers, still further tested his courage. If he did not falter, he was led to a hall of fire, where were a burning bush and other material all aflame, through which he had need to hasten, to save his life. Then he encountered a stream of water which he must swim across, holding in one hand a small lamp, the light of day being excluded. He landed on a small platform which gave way, and left him hanging by his arms over a dark abyss; from which came a gust of cold air, that extinguished his lamp, and left him in total darkness. Thus he had been tried by the four great purifying elements, **Air and Earth, Fire and Water**. After a few moments he was released and conducted to the Sanctuary of Isis, where, under a glow of light, the Priests were standing in two ranks, clad in ceremonial dresses, singing an ode of welcome, and congratulated him on his courage and escape. On the walls of this room he beheld the symbolical representations of the productive heat of the sun, the ceaseless duration of eternity, and the reproductive power of nature. He was then led to the altar, and obligated to reveal what he had thus far learned, to no one who had not had like experience. He was then lectured by an adept, and subjected to still further physical trials and exercises, not so much to test, as to augment his power of endurance. This done, he was prepared for his recognition as a completed novitiate, which took place with much pomp and ceremony, and a banquet, at which certain grave questions were propounded and discussed. After this he was again led to the altar and took another solemn obligation of perpetual fealty and fraternity; whereupon he was clad in a royal robe, conducted through the streets, crowned as a victor, invested with the insignia of the Order, and proclaimed an adept in the sublime mysteries, and was henceforth consecrated to a life of benevolence and virtue. He was also given a '**new name**.' This name was engraved upon a '**White Stone**,' together with a certain mystic sign, which stone he was expected to carry with him wherever he went, as a talisman against evil, and as a means of recognition among the craft. It was undoubtedly to this, then ancient custom, that St. John, in the Apocalypse, alludes, when he promises a '**White Stone**' and a '**new name**' to 'him that overcometh.' At a later period, the tragedy of Osiris was added to the initiatory ceremonies; giving to the initiate some of the most solemn and impressive lessons ever received by man; teaching, and illustrating to him the great doctrines of death, burial, and resurrection of every one who had attained a fidelity and fortitude that would sooner suffer death than forfeit his integrity.

ANCIENT SYMBOLISM.—As a study, is marvelously rich in result; and at times, tells tales not exactly to a fastidious taste. A lady in any walk in life, from the throne to the kitchen, regards the ring on her finger or bracelet on her wrist a thing of beauty; and so it is. No cultured mind can fail to admire it—and happy is the wearer in her ignorance of its origin. But, my lady friend, go back with me to a period 6,000 years before the earliest Pharaoh of Egypt, when the snake worshippers deafened the serpent, and of his body made a ring, by putting his tail in his mouth, and declaring the circle thus made to be the emblem of eternity; and wore his form in their ears, and around their fingers, wrists, and ankles, and then tell me, if it were not for the fact that your ring symbolizes your hope of an endless life, would it not at once have the charm of its beauty merged in the repulsive idea of the snake? And yet that was the real origin of your elegant ornament.

* * * We are far more nearly allied to ancient Egyptian Symbolism than we are accustomed to suspect. A case in point: It has been claimed the making of Asphaltum floors is a very recent invention. And yet Rassam, some 26 years ago, unearthed an Asphaltum floor in every essential like our own, in a room of a burial city on the Tigris, so old that when Moses wrote our earliest history it was an unknown ruin."

The lecture as a whole, contains nearly one hundred pages of manuscript, and required nearly two hours in delivery; it is purely statistical, and should be heard in its entirety to be appreciated.

CONCLUSION.

(Sec. 103.) There is no one thing known in the world, or in ethereal space above the earth, animate, or inanimate, that so many (known) sciences have to be brought to bear, or consulted, in the attempt to elucidate *its origin* as the 'Great Pyramid Jeezeh,' of Lower Egypt. A friend who has been watching the progress of the work on this volume for many months, asked us a few days since: "What has astronomy, higher mathematics, geography, and earthquakes got to do with the construction or use of the Great Pyramid?" While the party acknowledged that it required an extraordinary intelligent mind in the person of its architect. In reply will say: (1.) That without the aid of *astronomy*, the builders of the Great Pyramid, would not have been able to have found the geographical center of all the land of the earth; or a star in the northern heavens to look down the (present) passage-way, and light up the hidden recesses of that greatest of all buildings—nor, the distance to that Deific orb, the sun, that practically governs the whole universe.

(2.) *Higher Mathematics*, are a necessity to the study and thorough understanding of astronomy; and without its aid there would have been no 'coffer,' or 'King's Chamber,' or, even a (perfectly) square base for the structure in question to stand upon. Which silent *monitor* speaks in unmistakable (mathematical) language.

(3.) *Geography*—the more thorough understanding we possess about this science, the easier the mysteries of *geology* will unfold the formation of continents, and mountain building, together with the history of prehistoric races, and earthquakes.

(4.) *Earthquakes*—a complete and comprehensive theory of the phenomena of earth disturbances, tidal waves, and volcanic activities, by the builders of the Great Pyramid, was what caused them to place that structure where it now stands. That point being the center of all the land

of the earth, is the reason why 'earth disturbances' seldom or never visit it. The few that have occurred there in the last 2,000 years, were so slight that they were not a matter of record.

THE STORY THAT EARTHQUAKES REVEAL.

Taking up the subject of earth disturbances, and what they reveal; or, more particularly to expose what *we do not know*, will say: water seeping down from the surface of the land, and the flows of the oceans, to a bed of perpetual molten lava in the center of the earth; that is not over 500 miles below the surface anywhere, and within 30 to 100 miles throughout the '*torrid zone*.' This is a partial theory for there being more of such disturbances near the 'equator' than at the poles. The reason for the molten portion being nearer the surface in the 'tropics,' is: that the velocity of the earth turning upon its axis, from west to east at the 'equator,' is about 1042 miles an hour, against practically nothing at the poles. This keeps the crust of the earth worn away to the maximum thinness. This is another proof that *terrestrial gravity* does not extend down to the center of the earth. If it does extend down to the center of the globe (?) why is it, that the 'Mississippi river' continues to flow south towards the equator, when it is positively known that the mouth of said river, is 4 miles and over, farther from the center of the earth than at its source (?) and yet that river has a little over 3 inches fall to the mile, or over 10,250 feet, from its source to the Gulf of Mexico.

While there are more seismic disturbances throughout the '*torrid zone*' than in the '*polar regions*'; there are more seismic disturbances in the '*arctic*' than in the '*antarctic zone*.'

Our theory for this is: *pressure*; there being more land surface (above water) in the '*north frigid*,' than in the '*south frigid zone*.' Weight is constantly being added to the north frigid zone from its frozen waters; and here

we will indulge in another theory, that—when the ice gathers there in sufficient quantity, the earth will temporarily lose its polarity, and a cataclysm will be the result.

There should not be any regularity about this occurrence owing to planetary interference, so it is liable to vary from 50,000 to 150,000 years.

Most 'tidal waves' occur in the tropics and are supposed to be caused by eruptions at sea.

The 'Pacific Ocean,' from Alaska to Cape Horn, on the west side of North and South America, is slightly higher than the Atlantic, on the east side of these same continents. The difference in the elevation is: the Pacific is about 2 feet higher in Panama Bay, at Panama, than the Caribbean Sea on the Atlantic is at Aspinwall. The waters of the Pacific Ocean at high tide run through the Straits of Magellan toward the Atlantic; it comes to a standstill at low tide, but never ebbs.

If there is an underground outlet of the Pacific Ocean, under the continent of North America, to the Gulf of Mexico (and we think there is) the elevation of the Pacific mentioned above, would account for the 'Gulf Stream' both for its *force* and *heat*.

Volcanoes:—if it were not for the 1001 burning mountains on the face of the globe, to act as vent holes, in relieving the great force of molten lava, by allowing a portion to escape, (that produces the earthquakes) the earth would split open every day.

All continents have been built up from their west coasts (since the last change of polarity) and sink first from their east coasts. But the changes of this character, take place at very long intervals, by what we recognize as earthquakes. However, a change of polarity *might sink any continent*, with the *noted exception* of the territory that lies within a circuit of 100 miles, (more or less) of the Great Pyramid, and that will *not sink* in the next 250,000 years. (See Part I. for explanatory theory on this subject.)

All mountain ranges running east and west, are older, (by far) than those running north and south, if over five miles in length. And all mountain ranges running north and south, extending along the east coast of each continent, are older than the chains of mountains running north and south, extending along the west coast of each continent; where 500 miles or more intervene between ranges.

The subject of the formation of continents is too extensive and complex to treat—even in a single volume—much less in a single article.

A few notes, however, giving the exceptions to all general rules on this subject—will not be out of place here. Viz:—Yucatan, for instance, has been formed at (at least) three different intervals; the eastern portion being the oldest, and ranking in age with (a portion of) Panama, all of Easter Island, and Northern Egypt. While the western portion of Yucatan is second in age of formation, and we would place its formation to date with all the principal territory of the Central American states, extending from the Isthmus of Tehautepec, east to the western boundary of Panama. And the northern portion of Yucatan still later and ranking in age with the Isle of Cuba, which is older than Florida.

Our *earth disturbance theory* may still further be elucidated, by a glance at the map of the principal 'mineral fields' of the world. Viz.—(we have reference to the *precious metals*) gold and silver are found most extensively at the extreme ends or edges of continents. We claim that the principal depository of the precious or heaviest metals, are at or near the center of the earth, in a molten state. And are thrown to the ends of continents, during cataclysms and polar changes; when the earth is supposed to turn around in less time than the atmosphere that surrounds it; thereby disrupting the continents. We also believe that there are other metals of still *greater specific gravity* (than gold and silver) in a molten state, near the center of the earth, that we have never seen; they being too heavy to be forced to the surface.

Referring again to the subject of mountain building, will add: that the popular conception is that mountain chains are due to the folding and plication of strata; "but careful study (say the great lights of cyclopædia makers) of their structure shows that these are but accidents of structure in no way essential to the formation of mountains, and sometimes absent." The theories of De Montlosier and J. P. Lesley, on the nature and origin of mountains and valleys, and to James Hall for further elucidation and illustration of North American geology; are probably the most popular and best received of all writers on this subject.

But in the main, or principal theories of these gentlemen we beg to differ.

There are so many exceptions to their theories that it would take a volume larger than this one we here present, to combat each, even with a passing notice. We will indulge, however, with a few exceptions: *viz.*—in the State of Pennsylvania, the principal coal measures—varying from a few inches to 140 feet in thickness—are located underneath their highest mountains. One of the most productive coal mines in the State of Illinois, is located deep down beneath a level plain. And the most productive and most extensive coal mine in Chile, is located at Lota, on Coronell Bay, and extends under the Pacific Ocean. The entrance to which is on made land, that rose up during a great earthquake in the early part of the last century from the bottom of the Pacific Ocean. Previous to which, this spot was ten miles from shore. If the theory of the production of all coal *measures* is correct, that they were produced from *great forests of timber* once on the face of the earth; wherein are the theories of these scientific gentlemen to be taken?

In the State of Utah, there is a *small mountain* of 'rock salt,' that can be quarried out like stone; and yet this elevation is entirely covered with heavy timber.

The question of the geological age of mountains is twofold, including, first, that of the deposition of the rocks of which they are composed, and second, that of their uplifting and erosion. Elie de Beaumont, considering only the latter question, supposed all mountain chains having the same direction on the earth's surface to be of the same age; but this notion is no longer tenable, since a great mountain chain such as the Appalachians, exhibits considerable variations in different parts of its course, from a N. and S. direction in parts of New England to one nearly east and west in other parts of its extension. As regards the age of the rocks in this great chain, while the Green and White mountains, the Adirondacks, and the Blue Ridge are *eozoic*, the Catskills, the Alleghanies, the Unaka, and the Cumberland ranges are composed of *palæozoic* sediments and the whole Appalachian system was not uplifted until after the deposition of the coal measures.

ELECTRICITY AND NOT DIRECT HEAT THAT WE
RECEIVE FROM THE SUN.

It is supposed that *heat*, *light* and *motion* are component parts of each other; from the fact, that any two of the 'trio,' produces the third. But we do not know (at least, our principal scientists do not know) what heat is. Why? Because our greatest astronomers say: the 'sun' is *hot*. It is *not hot*; for the simple reason that the nearer you approach it the nearer you come to an *absolute zero*. To test it, clime to the top of any mountain over three miles in altitude, and see there the *ice* and *perpetual snow*. Or try a balloon ascension up to 18,000 or 20,000 feet, and *then say*: that it gets warmer as you approach the sun. We have witnessed both of these experiences. We will put your query, then why is it warmer on the earth in the sun-shine than in the shade? or at mid-day than at midnight? We will attempt the solution. It is an electric condition; but what is electricity? *No one knows*. All we can attempt to do with it is: to harness this invisible

'Deific substance,' and utilize its force for the benefit of mankind where power and light are needed. We designate it by many pet names, such as 'upper and lower current,' 'hard and soft side,' 'positive and negative poles,' etc.

For the lack of a better appellation, we will use the latter terms. Viz: 'positive' and 'negative.' And, after naming the sun as the depository of the great positive (force) battery of the *Universe*, and the planets that surround it as the depositories of the negative force, we will reason with you why the sun is not hot.

(1.) Because it contains only one component part of heat, 'the positive.' And, until it comes in contact with its opposite force 'the negative,' it is perfectly *passive* as to force, light, or heat. The earth as a negative battery, (to the sun) does not transmit its force to any inanimate substance upon its surface, or even the atmosphere; and it ceases with all *animate creatures* in proportion as their feet are taken above the level of the oceans. (2.) If the sun had contained real heat, instead of one of the component parts of heat it would have been burned out before it had been in position six months. (3.) Sunspots.—Did you ever look at the sun with a powerful glass, or telescope when (what are called) sun-spots were forming? and if so, within one hour see those spots increase from (apparently) the size of your thumb, to the size of your hand? What does it convey to you if you believe with the mass of scientists that solid matter is being destroyed? Simply this: that when you first saw the spot (apparently) the size of your thumb, it was a chasm 5,000 miles across it, and at the end of one hour it had increased to the size of your hand, or was over 185,000 miles across it. Does not any sane mathematician *know*, that if the space of 185,000 miles of solid matter was destroyed, on the face of the sun to any considerable depth, in one hour's time, that it would cease to exist inside of a year? Furthermore, the *combined heat of a thousand volcanoes concentrated into one spot*,

could not cremate that amount of solid matter in one hour's time.

The fact that the sun has been known to exist for several thousand years, is evidence that *solid* matter is not destroyed. *Then what is destroyed?* Prof. Mansill, in his great work 'A New System of Universal Natural Science,' says: "The sun is not hot, but is covered with *snow* many miles in depth; and it is this substance that is destroyed, or melted, and sent up in vapor, to return again as light snow, without any rain cloud, when cooled off, and the sun again becoming normal, after an electrical disturbance."

Which disturbance is caused by the extra (or over balancing) negative force thrown towards the sun, at a conjunction of planets, while passing from 'perihelion to aphelion'. A similar disturbance is sometimes produced (although in a several million times milder form) by a thunder and lightning storm passing over some high elevation where an electric telegraph line extends down into a valley; the extra *positive* current in this case wrecking the plant—if the forces are not separated at the first flash.

AN EPILOGUE OF MANSILL'S UNIVERSAL SYSTEM OF NATURAL SCIENCE OR THE RECIPROCATION OF MATTER AND THE FORCES.

"If all matter was evenly diffused through space there would be no motion of matter. But we find the matter collected together in a nucleus as sun and planets, and these present a system of motion of matter through matter. The most dense bodies move through space and matter with the greatest velocity in proportion to their densities. All planets, comets and satellites go through a reversible change of motion, volume, distance and density at their perihelions and aphelions each orbital revolution; this being effected through reciprocating electric currents or lines that exist and undulate between the sun and planetary bodies, and which currents are used to carry on these planet-

ary changes with. These changes continue from perihelion to aphelion and aphelion to perihelion again, and are in proportion to the amount of ellipticity in their several orbits—the greater the ellipticity the greater are the changes.

All bodies move through space in proportion to their densities—those most dense move with the greatest velocities on the average in proportion to their densities. All matter composing the earth, or any body of matter, denser than the average density, promotes its motion in the same proportion. All matter of less than the mean density helps to retard its motion through space in the same proportion.

The motion is the equivalent of the cohesive mass—the cohesiveness is the equivalent of the density of motion—or by this dense matter is held cohered together and balanced or rides on a cushion of motion. (Or hydrogen at the density of water can impel a motion of 20,000 miles an hour through space, while as hydrogen gas it could only produce a motion of $1\frac{2}{3}$ miles an hour. This is on the principal or base that all matter moves through space at the average of 20,000 miles an hour for each one time that it is the density of water or any part thereof.)

The heat which is supposed to be received from the sun by spontaneous emission, is in reality the electricity undulating and vibrating between the earth, the sun and every other kindred or solar planet, regulating their motions, densities, volumes and distances.

The earth and other planets consense and part with electricity to the sun and other planetary bodies while passing from perihelion to aphelion. The earth and other planets absorb electricity from the sun and planets as they expand while passing from aphelion to their perihelion.

All volatile matter, while receiving electricity, expands and moves its own average distance farther from its own center also from the sun, and it has a tendency to retard its

mean motion; while this is reversed when matter parts with electricity, it then condenses and has a tendency to move toward its own center and the sun (or center) and increases its average motion power in the same proportion.

It is when the planets are about passing their perihelions, aphelions, inferior, superior and longitudinal conjunctions, or anything that interrupts these electric lines or currents, that most of our worst earthly meteorological disturbances occur, such as unusual earthquakes, volcanic eruptions, great storms and tornadoes and electric ground currents and other electric phenomena—many of our epidemics and droughts are inaugurated and terminated also excessive rains—likewise depressions of atmospheric temperature, or the general results of meteoric irregularities, etc., take place about these times.

Matter and force are always the same in quantity, but the form of matter changes.

Kepler's third law is constructed so that the square of the periodic times of the planets around the sun are proportional to the cube of their mean distances from the sun. Kepler also found that the planets moved in elliptical orbits."

DOES THE SUN'S HEAT REACH THE EARTH AS IS
SUPPOSED? WE SAY NO.

[From Mansill's Almanac for 1901.]

"The earth's heat does not come from the sun's cold and zero surface. The sun does not radiate heat by spontaneous emission. The earth's heat or high temperature as maintained about the tropics does not come direct from the sun, but is produced on the earth's surface by and through the cold electric currents undulating between the sun and earth's atmosphere, and the volatility of the atmosphere and water keeps on absorbing this cold electricity and expanding, and at the same time producing a chemical effect among the vapors and volatile elements of the

earth's surface, and produces or generates the heat or high temperature in the earth's atmosphere. The water, or vapor of the atmosphere possesses a powerful electric absorbing and expanding force for the sun's cold, undulating electricity, which continues to permeate and re-permeate the atmosphere, generating heat and a high temperature in the earth's atmosphere. This expansive force of the water or vapors is seen when the vapors of the water are condensed into rain water of many hundreds of tons to the square mile for every inch of rainfall. While the fluid is in the form of water and vapor both the oxygen and hydrogen appear to have a strong expanding force but when the vapor moves on and about the earth's surface and comes in contact with the decomposing and germinating seeds, the oxygen unites with the carbon and other elements forming carbonic acid gas, and while rising with a part of the vapor in and about the forest and trees the oxygen now leaves the carbon and hydrogen and thus leaves carbon and hydrogen in the wood of trees through the influence of the cold undulating electricity acting between the earth and sun. Therefore, to procure the carbon again we must cut down the timber, construct a charcoal pit or pile, cover the pile of wood with turf sod, soil or sand, burn the pile to drive off the hydrogen and all other volatile matter or elements; this leaves tolerably pure carbon in the shape of charcoal.

These are natural and chemical processes going on under the tropic and in the temperate zones. If we go toward or near the poles of the earth we come in contact with a cold and finally, a zero temperature. If we climb a mountain or go up in a balloon we soon strike a cold, and finally a zero temperature. We have got but a small arc in which to exist. We cannot leave the face of this earth ten miles at any time or anywhere without coming in contact with a zero temperature. The highest atmospheric temperature on the face of the earth is at the level of the sea. The temperature diminishes at the rate of about 15 degrees

to the mile going toward the sun, so the nearer we approach the sun the colder it gets until we reach a zero temperature. This being the case, how and where does heat and high temperature get into the earth's surface from the sun's heat? through this 92,000,000 miles of zero temperature,—or where does the sun's heat, so-called; commence and terminate, etc.? Now, gentlemen philosophers, I would very much like for you to answer these questions in truth, as it would save me a great deal of trouble, as I am somewhat interested in the subject. * * * If you would inform me how the heat, so-called, from the sun reaches the surface of the earth through 92,000,000 miles of zero space or temperature, I should like it very much. * * *

There is but little matter in space, therefore there is none or but very little chemical action in space. As there is no heat, so-called, where there is no matter or chemical action going on, or a change of density taking place among the elements of matter—in fact there is no heat produced on the earth until the cold undulating electricity comes in contact with and permeates the earth's atmosphere and produces chemical action and a change of density among the volatile elements—the water and its vapors and the atmosphere; then the highest atmospheric temperature is generated at or about the level of the sea, and this atmospheric temperature, as above said, diminishes everywhere under this arc at about the rate of 15 degrees a mile for every mile that we leave the earth's surface going towards the sun—or at least until we strike or come in contact with a zero temperature; therefore there can be but little or no heat in cold, zero space, or yet but little chemical action. We contend that there cannot be any heat in space where there is but little matter, or chemical action, or change of density going on. Therefore as above said, we cannot anywhere leave the surface of this earth ten miles without moving into a zero temperature, even if we go toward the sun. Now as above said, if some one will tell us how the heat of or from the sun gets to the earth's

surface through the 92,000,000 (or exactly—91,840,000) miles of space and a zero temperature, and below, without getting cooled down to a zero temperature, we would like very much to know it. It is as easy for the cold electricity to move from the sun to the earth and planets to support their chemical changes of density—and to regulate their volume, density, motions, and distances—and elevate or generate a moderate atmospheric temperature in the earth's electric absorbing volatile elements about the earth's surface as it is for cool electricity generated at a power house to go or be sent to trolley cars to heat them—and furnish cold electricity to heat many other things—many miles from the electric machines or generators. The sun, without a doubt, is surrounded by a zero temperature and its outside shell is composed of snow and ice, but we believe, that like the earth, that its temperature increases and that it becomes quite warm as it reaches some 10,000 or 20,000 miles from its surface towards its center, which center is supposed to be some 400,000 miles or more. The sun, in this condition, could last and perform its work for millions of years, to supply and exchange or reciprocate electricity to and with the planets to support the earth and planetary bodies, changes with which, if it were a fire ball as it is supposed to be, it would not last 30 days—the whole solar system would go, where I do not know nor cannot imagine. It is advocated by some that the planet Mars is inhabited by human beings. This is very doubtful, for Mars has to go through too great a change of density and orbital revolution from perihelion to aphelion and from aphelion back to perihelion again, as there is about 26,000,000 miles of ellipticity in its orbit, and all planets go through a change of volume, density and motions each orbital revolution in proportion to the amount of ellipticity in their orbits. There might be a low class of animal life on Mars, such as fishes reptiles and insects or such things that can live in and about water. If there is anything like human beings living on any planet except the earth it is Venus, as the

planet Venus has the least ellipticity in its orbit of any other planet, therefore it has the least change of density to go through of any other known planet; hence human life could exist on that body."

FINAL CONCLUSIONS THAT OUR WHOLE SUBJECT
REVEALS REGARDING THE GREAT PYRAMID.

It is not a difficult proposition to speculate upon *any* 'mysterious subject,' that but few people have investigated and obtain followers for the theory. But a mysterious subject like that of the 'Great Pyramid,' that has been before the intelligent thinking inhabitants of the earth for over 5,000 years (that we have history for) during which period, the population has varied in numbers from a few thousand, to 1,555,000,000; and the intelligence has ranked from the *naked nomadic* 'Negrito' of the Philippines, to the most gifted 'scientist' of the age—it is not so easy to obtain followers, and recognition for a *new theory* regarding it. But few people change their theories of life-long standing, even though their opinions be classed by the masses as purely superstitious.

The Great Pyramid Jeezeh, of Lower Egypt, probably has been the subject of more speculation; caused more people to change their fixed ideas; and, has created more doubts, on more different subjects, than all other visible mysteries in the world combined. For the reasons above expressed, we may be excused for our effort—in the foregoing pages to demonstrate an entire original theory, for the *construction* and *use* of this "First Great Wonder of the World."

If you have closely scrutinized what we have presented for your eximination in the preceding sections of this work, and have read between the lines, where we have presented such opportunity, this recapitulation will have the tendency to refresh your memory. As many people make a tour of the world in eighty days, and try to shade that by a few hours—to such this condensed statement will be in place.

For, they have no time to listen to corroborative evidence, but upon all subjects constitute themselves "Barrister, Judge and Jury." However, to the student that desires to refresh his memory, for either conversation or instruction this statement will not be out of place.

In the endeavor to substantiate our theory regarding this "First Great Wonder of the World" we have diverged from the subject of *Architecture* and *Building*, at intervals, but for a purpose.

We think we have made out an excusable case, for having treated at some length, the subjects of Astronomy, Mathematics, and Seismology with our own theory for Earthquakes. And, also, for using the other "six wonders of the world" constructed by man, as comparisons; together with the "Seven Natural Wonders of the Earth."

It is only by comparison, illustration, contrast, etc., that we can demonstrate what little we do know.

We think, however, that we have demonstrated that through the aid of Astronomy, Geography, and Mathematics, the ancient builders of the Great Pyramid, found the "center of all the land of the earth," whereon to erect that remarkable structure; and through the aid of our "earthquake theory," and chronological list of principal earth disturbances, for nearly 2,000 years; that it is located upon the spot of least vibration, and most perfect security from future destruction, for thousands of years to come. *And its builders knew it.*

We stated at the outset of this work that *we* at least *believed* that this mysterious structure was built by a race of people that preseeded ours; with vastly more intelligence than we now possess, or are likely to attain in the next one hundred years to come. And that it was built for an "Initiatory Asylum"; from which all "secret orders" of today are partial imitations. (See index for "Initiatory Degree" in the Great Pyramid.) And, as the principal "Secret organization" of men, who built the Great Pyramid, ruled the whole earth at the time of its erection; it is per-

fectly natural that they should have dictated an "*International code of weights and measures.*" The tables of Pyramidal Weights and Measures, contained in this work based on the measurements within the Great Pyramid, stand out as proof of our theory on this subject.

As the principal rulers of the United States, Great Britain and Germany, at this writing (1907) *viz.*, President Theodore Roosevelt, King Edward VII., and Emperor William II., have each travelled from East to West, and, therefore, can see the necessity for the establishment of an International code of "Weights and Measures"; and King Edward VII., is in the position (with Egypt) to stop any further *depredations* in and about the Great Pyramid, and to suggest the repair of said structure. And this trio of *Illustrious* Rulers, are in such touch with the balance of the civilized world, as to have their confidence in suggesting said *code*. There are a number of men of *wealth* that could and would furnish the means for this purpose; but, it will require the consent of these three principal nations to inaugurate a starting point. Will they do it?

The Great Pyramid Jeezeh was built at least 50,000 years ago; and more likely in the year 55,677 B. C.; reasoning from the *standpoint*—that the whole race of people that lived at the time the Great Pyramid was built, were annihilated later by a cataclysm; and as no cataclysm has taken place (according to geology) under 50,000 years, we think the last named date (55,677 B. C.) more probable. We believe that it was built at some date when the star—"a *Draconis*," was in a direct line with the "pole," and looked straight down the (present) passage way, on the north side of the building. These occurrences only take place every 25,800 years; the last occurrence, and the only one during our present civilization, was in 2170 B. C.; and will not duplicate its position until the year 23,630 A. D.

We maintain that it could not have been built in 2170 B. C. as *ignorance* and *superstition* pervaded the whole earth at that period; and, there has as yet been no reasonable

argument produced to prove Divine assistance to its Architect, and assistant workmen, at that, or any other date during our civilization; as claimed by several Egyptological scholars. Further, we claim that it would be impossible to duplicate this building, in its entirety, in this enlightened age, by the combined skill and intelligence of all nations. For one reason alone, even if we could prepare the different parts, we could not place them in their present (perfect) position, by any known process in this enlightened day, owing to their immense size and weight. So the builders must have possessed the secret, (lost art) of "overcoming gravitation," or its equivalent, for this purpose. Further, we could not prepare, with the tools at our command, many of the hard pieces of granite that are in position, owing to their extreme delicacy of finish, and their immense size and weight. Our finest measuring rods fail to register the same result, twice hand-running, in the hands of our most skillful mechanics, on a building the size of the Great Pyramid. And yet, with all the measurements that have been made in and around this building, in the last one thousand years, we have been unable to prove any imperfection in its perfectly square base.

It is also *evident* that its passage ways and chambers were well lighted, by some process of *reflected* light, still unknown to us. It is almost positively certain that it was not lit up by lamps, or by *any* method that we are familiar with; for there is no evidence of any place whereon to hang or sit a lamp, and no receptacle wherein to burn any illuminating substance.

All the chambers give evidence that (when they were used) they were prepared for perfect ventilation, and no vitiated or impure air was tolerated by those ancient builders.

Does this not demonstrate that this building was not erected by an ignorant race of people?

Is there a more plausible theory than the one we have presented? We leave this portion of the subject with you. And—*so mote it be.*

Astronomy, Astronomical Symbols, Elements of the Solar System, and Theories Regarding the Planets, according to the Latest and Best Authorities.

EXPLANATIONS OF ASTRONOMICAL SYMBOLS.

Sun	-	-	☉	Venus	-	♀	Jupiter	-	♃	Neptune	-	♆	Opposition	-	⊘
Moon	-	-	☾	Earth	-	♁	Saturn	-	♄	Conjunction	-	☿	Ascending Node	-	♊
Mercury	-	-	☿	Mars	-	♂	Uranus	-	♅	Quadrature	-	☊	Descending Node	-	♋

The earth enters the sign ♈ (*Aries*) each year about Sept. 22d; it enters ♉ (*Taurus*) Oct. 21st, and ♊ (*Gemini*) Nov. 21st; ♋ (*Cancer*) Dec. 21st; ♌ (*Leo*) Jan. 20th; ♍ (*Virgo*) Feb. 20th; ♎ (*Libra*) March 20th; ♏ (*Scorpio*) April 20th; ♐ (*Sagittarius*) May 21st; ♑ (*Capricornus*) June 21st; ♒ (*Aquarius*) July 21st; ♓ (*Pisces*) Aug. 22d.

TABLE OF SOME OF THE ELEMENTS OF THE SOLAR SYSTEM.

NAME OF PLANET.	Diameter in miles.	Axial rotation.	Velocity in Orbit. Miles per hour.	Greatest distance from the sun in miles.	Least distance from the sun in miles.
		d. h. m.			
Sun.....	852,584	25 7 48			
Moon.....	2,160	27 7 43	2,273	* 251,947	* 225,719
		h. m. s.			
Mercury.....	2,962	24 5 30	105,336	42,665,560	28,119,716
Venus.....	7,510	23 21 23	77,050	66,585,947	65,677,009
Earth	7,925	23 56 4	65,533	92,965,489	89,894,951
Mars.....	4,920	24 37 23	53,090	152,283,936	126,340,516
Jupiter.....	88,390	9 55 21	28,744	498,603,768	452,782,530
Saturn.....	77,904	10 29 17	21,221	921,105,027	823,164,139
Uranus.....	33,024	9 30 ?	14,963	1,835,700,825	1,672,001,276
Neptune	36,620	?	11,958	2,770,217,344	2,722,325,120

	Mean distance from the sun in miles	Variation or inclination of orbit to the plane of the ecliptic.	Sideral period.	Synodic period.	Deg. longitude ascending Nodes.
		deg. min. sec.	Days.	Days.	
		5 8 39	27.32	29.5	
Moon.....	* 238,833				
Mercury.....	35,329,638	7 0 5	87.96	115.8	46
Venus.....	66,131,478	3 23 29	224.70	583.9	74
Earth.....	† 91,430,220	0 0 0	365.25		0
Mars.....	139,312,226	1 51 6	686.97	779.8	48
Jupiter.....	475,693,149	1 18 52	4,332.58	398.8	99
Saturn.....	872,134,583	2 29 36	10,759.22	378	112
Uranus.....	1,753,851,052	0 46 28	30,686.82	369.7	
Neptune.....	2,746,271,232	1 46 59	60,126.71	367.5	

The ecliptic circle, or earth's orbit, is divided into twelve equal parts of 30 degrees each. The zodiac is also divided into 12 parts, called signs of the zodiac, of 30 degrees each and including 9 degrees on each side of the ecliptic; these 12 signs of 30 degrees each constitute the 360 degrees of all celestial circles, and we may say at all distances from the center of the sun. The planets traverse around this circle in various periods of time, and each one at various distances from the sun, and at irregular motions.

Kepler's third law is constructed so that the square of the periodic times of the planets around the sun are proportional to the cube of their mean distances from the sun. Kepler also found that the planets moved in elliptical orbits.

All bodies of matter move through space in proportion to their density—those most dense move with the greatest velocities on the average in proportion to their densities. All matter composing the earth, or any body of matter, denser than the average density, promotes its motion in the same proportion. All matter of less than the mean density helps to retard its motion through space in the same proportion.

The motion is the equivalent of the cohesiveness—the cohesiveness is the equivalent of the density and motion—or by this dense matter is held cohered together and balanced, or rides on a cushion of motion.

* Distance from earth.
† It is 91,840,000 according to Wm. Petrie, C. E., from pyramidal measurement.

INDEX

Abbreviations.....	421	Astronomy Transcendentalisms of.....	383
Abrasion on Coin Shipped.....	509	Atmosphere Pressure of the.....	476
Absolute Length of Base-side of Pyr.....	187	Weights of.....	466, 476
Acre, Hills in the Area of an.....	433	Authorities (28) on Coffin Measure.....	314
Acres, Side of a Square Containing.....	433	Author's Conclusions.....	561-577
Acres Squared from 1 to 25.....	433	" Masonic Ancient.....	559
Actual Pyramid Measures.....	264	" " Modern.....	559
Age of the Earth.....	149, 391	" to be Studied on Gr. Pyr.....	170
Agnosticism.....	420	Avoirdupois and Troy W't, Compared.....	434
Air Chamber of Queen's Chamber.....	400	Axis, Earth's Polar.....	196
" Weight of.....	472	Vertical, And N. E. Corner.....	406
Alexandria, Pharos of.....	84, 85	Axial Rotation of Planets.....	578
Almanac Old and New Style.....	422	Babylon, Hanging Gardens of.....	78, 79
" Year 1 to 6000.....	422	Balls, Cast Iron and Lead, Weight of.....	504
Alloy, Amalgams, etc., Defined.....	465	Barrel of Beef, Pork, Flour, etc.....	461
" of English and French Coin.....	513	Barrels and Casks, Capacity of.....	488
" of United States Coin.....	512	Base Length of Different Pyramids.....	194
Al Mamoun's, Caliph, Discovery of.....	396	Base-side Length, Actual.....	187-189
Alphabet, The Hebrew.....	221-223	Beef Dressed, Weight of.....	504
Alpha, Ursæ, Minoris, The Pole Star of.....	204	Bells of the World, Weight of.....	466
A Mean Year.....	256	Belting, Leather, Measured.....	463
Analogy of John Taylor Tested.....	198	Belts, Horse Power of.....	477
" Pyramidal and Solar.....	198	Bible Fisherman, Notes on.....	285
Ancient Animal and Human Footprints.....	417	Biblical Deluge, Dates for.....	411, 412
" Architecture of Egypt.....	66	" Money.....	540
" Freemasonry.....	559, 560	" Weights and Measures.....	540
" Measures.....	540	Big Tree Grove of Calaveras Co., Cal.....	414
" Money (Not Biblical).....	540	Billion in Roman Numerals.....	428
" Rulers of Egypt.....	49, 50	Birth of Christ, Authorities for.....	296
" Sculpture of Egypt.....	69	Board Measure.....	498
" Symbolism.....	560	Boat Oar, Lumber Contained in a.....	500
Angle Measure of Gr. Pyr. Defined.....	158, 380	Boiling Points, by Altitudes.....	471
" of All Egyptian Pyramids.....	89	" " of Pure Water.....	471
Angles Defined.....	424	" " of Substances.....	471
Animal and Human Footprints in Nev.....	417	Boss on the Granite Leaf, 1 inch of.....	354
Annual Interest Tables.....	525-530	Botany of Egypt.....	58
Answers Sarcophagus Theory.....	311	Bottom of Coffin, Thickness of.....	331
Ansated Cross of the Egyptians.....	257	Brass and Copper Wire, Weight of.....	507
Ante-Chamber and Upper End of the		Brass, Gold and Silver, Thickness of.....	508
Grand Gallery, Illustration of.....	31	Brick, Sizes of, etc.....	463
Ante-Chamber Granite Symbolism.....	338	Burning of City of El Fostat.....	309
" Illustrations of.....	31, 33	Builders Arrangements Beforehand.....	343
" Particulars of.....	345, 357	" Chips, Where Are They?.....	191
" Rock Used In.....	160, 357	" of Great Pyramid, Supposed.....	157
" Symbolic Hints from.....	344	Building of Gr. Pyr., Dates for.....	168, 201
" Symbolisms of.....	350-353	Bushels in Cubic Contents.....	436
Antiquity, Scientists of.....	559	" Standard.....	436
Antipodes of Gr. Pyr., Geographical.....	206	Cairo, Egypt, History of.....	74-77
Apothecaries Signs for Formulas.....	421	Calculating, Signs Used In.....	421
" Weight.....	435	Calaveras Big Tree Grove.....	414, 415
" Metric.....	449, 458	Calendar, Perpetual.....	422
Arba Vita, Largest Trees in the World.....	414	Caliph Al Mamoun Enters Pyramid.....	303-308
Archæology of Egypt.....	70	Canals in Operation in U. S.....	558
Architect, Ancient, Questioned.....	351	" of the World, Depth of.....	557
" The Deified, More About.....	201	Cans, Dimensions of Circular.....	485, 486
Architectural Facts of Gr. Pyr.....	410	Capacity Measure of Coffin.....	325, 368
Area Computations by Mr. Parker.....	235	Capacity of Barrels and Casks.....	488
" of Great Pyramid.....	159, 211	Carbon First Condensed.....	154
Arc Formulas.....	426	Carat, Weight of.....	510
Are, Unit, Surface Measure Metric.....	445	Carson Prison Footprints.....	417, 418
Ark of the Covenant, Illustrated	282	Cascades and Waterfalls, Height of.....	532
Aristotle's System.....	419	Casing Stone Material.....	211
Arithmetical Progression Defined.....	423	" Preserved Part of a.....	179
Arrangements Beforehand, Extensive.....	343	Casing Stones, Angles of.....	158
Assayers' Gold Weight.....	510	" Found.....	175
Asteroids and Planets.....	144	" Gr. Pyr. Illustrated	21
Astronomical Symbols.....	578	" Remnants of, Illus.	21
Astronomy and the Solar System.....	136-155	Casks, Capacity of.....	488-491
" of Northern Heavens, Ills.	47	" Varieties of Shapes of.....	488

Castings and Patterns Compared.....	463	Construction Hypothesis, Illustrated	43
Cataclysm and Earthquake, Unlike.....	186	Contents of Dif. Chambers in Pyr. Ins.....	407
" The Last.....	90, 95	Continental Areas, Permanence of.....	98
Cataracts of the Nile, Height of.....	532	Copper Coins, England and France.....	513
Cement, Portland, Article on.....	465	" Mint Value of.....	510
Cental, Weight of a.....	461	Courses of Stone in King's Chamber.....	341
Centals in Cubic Contents.....	436	Covenant of Moses, Ark of.....	392
Center, Earth's Land, Illustrated	11	Creation and the Creator.....	146
Centigrade Thermometer Compared.....	377	Creator and the Creation.....	146
Cereals, Bushels of, Weight of.....	436	Critics on the Great Sphinx.....	404-406
Chambers and Passages of Pyr., Illus.	25	Cross, Ansatad Christian.....	257
" Other New Suggested.....	301	" From Cube, Illustrated	259
Champollion Discov's Rosetta Stone.....	409	Crucified Man of South America.....	260
Changes of the Seasons, Illustrated	141	Cube and Cross, Illustration of the.....	259
Characters, Mathematical.....	421	Cubical Elements of the Earth.....	372
" Miscellaneous Explained.....	421	Cubic Contents of Dif. Chambers.....	407
Charcoal, Weight and Measurements of.....	463	" Diagonals of Coffe.....	334
Chemical Elements and Symbols.....	540	" Feet in a Ton of Hay.....	463
Cheops Coffin, Chips of.....	336	" Measure.....	432
Chilean Money, Fineness of.....	518	" Measure Metric.....	448, 452
Chimneys and Monuments, Height of.....	532	Cubit, Length of a.....	461
China, Weights and Measures of.....	438	Curviform Figures.....	424
Chinese Copper Coins.....	518	Cycle of a Draconis at the Pole.....	384-385
Chips of the Builders, Where are the.....	191	Date of Erection of all Pyramids.....	89
Chorography of Gr. Pyr., Illustrated	13	Dates, Old and New Style.....	422
Christ, Birth of.....	296	Day and Year Standard Indicated.....	182, 183
Christian Era, Authorities on.....	296	" Length of Circular.....	254
" " Date of the.....	296	" " Sidereal.....	254
" Cross, Measure Origin of.....	257	" " Solar.....	254
Christ, Second Coming of.....	166	" of the Week of Any Date.....	422
Church Spires, Height of.....	532	" " Rules for Finding.....	422
Circle, Areas of the.....	492, 493	Days of the Week, Origin of the.....	296
" Circumference of the.....	492, 493	Decimal, Definition of.....	423
" Diameter of the.....	492, 493	" Parts of an Inch.....	461
" Geometrically Defined.....	156	" Parts of a Pound.....	461
" Measure of the.....	156	Decimals (154) Greatest Expressed.....	156
" " of, to 154 Decimals.....	156	Definitions, Mathematical.....	423
" Quadrature of the, by Parker.....	219	Definitions, Familiar, Untrue.....	239
Circular Day, Length of a.....	254	Degree of Heat at Which Metals Melt.....	379
" Measure.....	430	Deific Architect, Author of.....	165
Circumference of Circles.....	156, 492, 493	" Protection, Why Not?.....	325
Cisterns, Capacity of.....	484	" Theory, The, Combated.....	184
City of El Fostat Burned.....	309	Deified Architect, More About the.....	201
Climate of Egypt.....	54	Deity, Name of, In Various Tongues.....	360
Club Wheat, Weight of.....	436	Deluge of Noah, Biblical.....	411, 412
Coal Measures, Formation of.....	95-98	Density and Temperature.....	338
Coils, Measures of.....	463	Depository of Weights and Measures.....	169
Coinage, United States.....	510-512	Descending Passageway Measure of.....	271-273
" U. S., Mint Charges on.....	511	Deviations of Weights of U. S. Coins.....	511
Coins, Foreign, Value of.....	520	Dialectic, Transcendental.....	420
" U. S., First Coined.....	512	Diameters, Equatorial and Polar.....	270
Coffer Capacity, What Did It Prove?.....	337	" of Circles.....	492, 493
" Measure Authorities (28).....	314	" Several of the Earth's.....	197
" " by Simpson.....	363-366	Diamond, Description of.....	544
" Measures in Detail.....	325	" Weight.....	510
" Measure, King's Chamber.....	158, 361	Diamonds, Production of, in U. S.....	539
" Measure, Review of.....	315	Difference in Time of Cities.....	533
" Measure, Vyse and Greaves on.....	317	Different Thermometers Compared.....	377
" Theories, Number of.....	310	" Metals Melt.....	379, 471
" Why of that Size?.....	324	Discount or Rebate Defined.....	423
Coffer's Ledge, The.....	327	Discoveries, Recent, in Egypt.....	71
" Lid, The.....	335	Discovery of the Rosetta Stone.....	409
" Outside, Minuter Details.....	328	Distances bet. Cities of the U. S.....	534-538
Columns, Domes, Towers, Height of.....	532	" between Sun and Planets.....	578
Commercial Ratio of Silver to Gold.....	522	Distance to the Sun, Pyramid.....	199, 200
Compass, Pyr. Faces all 4 Points of.....	203	Distillation of one cord of Pitch Pine.....	499
Composition of Various Rocks.....	153	Dollar, Origin of the.....	513
" Mineral Substances.....	541-555	Domes, Spires and Towers, Height of.....	532
Compound Proportion.....	423	Draconis, a , Date at the Pole of.....	168, 201
Compounds, Familiar Examples of.....	556	Dram, Avoirdupois.....	434
Conclusions, Author's Final.....	561-577	Dry Measure.....	435
Cone, Definition of the.....	423	" Metric.....	449, 454, 455
Conic Sections, Definitions of.....	423		
Construction of the Great Pyramid.....	261		

Earth, Age of the.....	149-152, 391	Evolution, Definition of.....	423
“ and Pyramid Weighed.....	370	Expansion Defined.....	494
“ “ World Building.....	146	“ of Material.....	494
“ Crust of the.....	150-152	Expenditure, Annual, per Inhabitant.....	556
“ Linear Elements of the.....	372	Exterior Measures of Gr. Pyramid.....	209
“ The.....	139	External Measures of the Coffin.....	329, 330
Earthquake, At San Francisco, Cal.....	122	Fahrenheit Thermometer Compared.....	377
“ at Valparaiso, Chile.....	125	Falls of Niagara, 5th Natural Wonder.....	416
“ Most Destructive.....	103	Familiar Examples of Compounds.....	556
“ Longest Duration of an.....	105	Fats, Constitution of.....	556
“ Zone, The.....	99	Faulty Theory, Prof. Smyth's.....	390
Earthquakes and Cataclysms.....	90-95	Fellowship, Mathematically Defined.....	423
“ “ Unlike.....	186	Fineness of Foreign Coins.....	520
“ Authorities on.....	102	“ of U. S. Coins.....	512
“ Localities Free From.....	99	Fire at Baltimore, Md.....	123
“ Our Theory of.....	101	“ Chicago, Ill.....	123
“ Prof. David on.....	99	“ San Francisco, Cal.....	122
“ Prof. Milne on.....	100	Fires, Greatest Modern.....	122, 123
“ Records of.....	103-136	First Entrance into Gr. Pyramid Known.....	303
“ Since 17 A. D.....	103-136	Fishermen of the Bible.....	285, 286
“ Theory of.....	99-102	Fish, The Symbol of the.....	285, 286
“ What They Reveal.....	562	Five Point Star, Pyramid of a.....	291
Earth's Density Number in Gr. Pyr.....	346	Fives & Tens, Prominent Pyr. Numbers.....	192
“ Orbit, Illustrated	141	Flow of Water Through Nozzles.....	478
“ Polar Axis.....	196, 197	“ “ Pipe.....	474
“ Satellite, The Moon.....	142	Fluids, Pressure of Inelastic.....	472
“ Several Diameters.....	197	Food, Consumption of.....	556
Easter Isles in Mid-Pacific.....	260	“ How Used In the Body.....	556
Eccentricities of the Planets.....	146	“ Materials, Ingredients of.....	556
Ecliptic System.....	137	“ Supply and Cost of.....	556
Effect on Substances by Heat.....	322	Formulas and Propositions.....	426-428, 473
Egypt, Ancient Architecture of.....	66	“ in Mensuration.....	426
“ Sculpture of.....	69	Fractional Parts of an Inch.....	461
“ Archaeology of.....	70	“ “ a Pound.....	461
“ Botany of.....	58	Fraction, Definition of.....	423
“ Climate of.....	54	Freemasonry, Ancient.....	559, 560
“ Discoveries Recent in.....	71	“ Landmarks, by Oliver.....	291
“ Geology of.....	59	French Gramme, Different Weights of.....	195
“ Government of.....	61	Friction of Water in Pipe.....	475
“ History of.....	51-74	Frustum, Pedestal, Pyramid & Wedge.....	500
“ Inhabitants of.....	59	Future of the Great Pyramid.....	412
“ Irrigation of.....	54	Gases, Weight of.....	472
“ Minerology of.....	59	Gem Stones to be Found in the U. S.....	539
“ Pyramids of.....	17, 89, 157	Geographical Aptitudes of Gr. Pyr.....	206
“ Oases of.....	57	Geographical Position, of Gr. Pyr.....	204
“ Rulers of.....	49, 50	“ of Gr. Pyr., Ills.	11
“ Topography of.....	51	Geology of Egypt.....	59
“ Upper, Illustrated	11	Geometrical Definitions.....	424
“ Zoology of.....	57	“ Progression Defined.....	423
Egyptian Rulers from 2717 B. C.....	49, 50	“ “ Table.....	424
Egyptologists, Chronology of.....	409	“ Proportions of Gr. Pyr.....	167
Egypt's Meridian, More Land, Less Sea.....	207	Germes of Life, First on Earth.....	147
Electricity and Not Direct Heat that We.....		Glazing.....	463
Receive from the Sun.....	566	God, Name of, In Various Tongues.....	360
Electricity, Measures of.....	464	Gold and Ivory Statue of Jupiter.....	80
Elements of the Solar System.....	578	Gold and Silver Abrasion.....	509
“ Symbols of.....	540	“ “ Coins, Value of.....	520
Ellipse, Explanation of an.....	423, 426	“ “ Comparative Value.....	513
Eminent Men, Sizes of Hats Worn by.....	466	“ “ Fineness of.....	509
Engineer's Measure.....	429	“ “ In the World.....	509
Entrance Into Gr. Pyr., first known.....	303	“ Bullion, Mint Charges on.....	511
“ Passageway, Notes on.....	271-273	“ Coins, United States.....	512
“ to Gr. Pyramid, Discussed.....	401	“ Mint Value of.....	510
“ to Gr. Pyramid, Present.....	354	“ Pure in a \$20 Piece.....	512
“ to Gr. Pyramid, The Sphinx.....	401	Government of Egypt.....	61
Equatorial and Polar Diameters.....	270	Grades of Wheat, Liverpool.....	436
Equivalents of Eng. and Fr. Money.....	514-517	Grain, Avoirdupois.....	432
Era, Christian, Date of.....	296	“ English Quarter of.....	436
Errors of Travelers, Manifest.....	340	“ Origin of.....	432
Esoteric Explanation of Oliver.....	291-294	“ Weight of.....	436
“ Teaching Limited.....	287-289	Grant, Dr., Correct Measures of.....	362
Esotericism, Not Entirely Lost.....	289	Grant's, Dr. J. A. S., Boss Measure.....	354
Evidence that Parker's Quadrature of.....		Gramme, 14 Methods of the.....	195, 458
the Circle is Right.....	240	“ Metric.....	445, 458

Gramme, Variations in Grains of.....	195, 458	Inaccuracy of Different Measurements.....	188
Grand Canyon of Colorado River.....	413	Inch, Fractional Parts of an.....	461
Grand Gallery Measurements of.....	356	Measure of the Granite Leaf.....	353
" Pyramid Inch In.....	407	" Miner's, Different Measures.....	476
" " Rock Used In.....	160, 356	" of the Gr. Pyr. Illustrated	212
Grand Gallery's Ramps & Ramp Holes.....	407	Ingredients of Food Material.....	556
Granite Leaf Inch Measure of the.....	353	Inhabitants of Egypt.....	59
" Location of the.....	160	Initiatory Degree in Gr. Pyramid.....	560
" of Ante-Chamber.....	345	Inside Length and Breadth of Coffin.....	332
" or Limestone, Gr't Men Differ.....	320	Interest Compound.....	531
" or Porphyry, Which?.....	318	" from 5 to 12 per cent.....	525-530
" Symbolisms of Ante-Chamber.....	338	" on \$1. 1 Day to 20 Years.....	524-530
" Where It Came From.....	319	" on $\frac{1}{2}$ to 2 per cent. per Month.....	524
Gravity Defined.....	464	" Rules for Computing.....	523
Great Pyramid, Architectural Facts.....	410	Interior Measures of Gr. Pyramid.....	354
" Authors On.....	170	Internal Measures of the Coffin.....	332, 333
" Con. History of.....	157, 160	International Length Measures.....	376
" Correct Name of.....	157	" Weight Measures.....	373
" Construction of.....	261	Intoxicants and Tobacco Consumption.....	556
" Entered, First Time.....	303	Investigation of Circle Ceases.....	290
" Entrance, Present	354	Involution, Explanation of.....	423
" Entrance, Where is it?.....	401	Iron, Cast and Wrought.....	494
" First Great Wonder.....	77	" and Lead Balls, Weight of.....	504
" Future of the.....	412	" " Steel Plates, Weight of.....	505
" Grand Plan of, Illus.	19	" " Rope, Weight of.....	508
" Jeezeh.....	86-88	" " Wire, Weight of.....	506
" Length Standard of.....	180	" Weight of.....	501-508
" Modern Measures.....	314	Irregular Bodies, Contents of.....	500
" Numbers.....	192	Irrigation of Egypt.....	54
" Weight of.....	211, 371	Japanese Money	518
Greaves, Prof. Sketch of.....	316	" Weights and Measures.....	438
" Visits Great Pyramid.....	309	Jewelers' Gold Weight.....	510
Greenwich, Change of Latitude at.....	205	John Taylor's Theory Supported.....	176
Gun Barrels, Proportion of.....	465	Jomard, M., On Coffin Theory.....	312
Hand , Palm Span, Length of.....	461	Jupiter, Superior Planet of.....	144
Hanging Gardens of Babylon.....	78	Kabbalistic Description of King Solomon's Temple	282-284
Harlem River Ship Canal.....	557	Keys of Esotericism, Are They Lost?.....	289
Hats, Sizes Worn by Eminent Men.....	466	King Cheop's Tomb, Illustrated	45
Hatters, Measure.....	466	King Solomon's Temple.....	274-284
Hay, Measurement of.....	463	King's Chamber Illustrations	35, 37
" Ton, Cubic Feet in.....	463	" In Detail.....	349
Heat, Component Parts of.....	566	" In Feet and Inches.....	357
" Effect on Substances of.....	322	" Pyramid Inches In.....	407
" From the Sun, No Direct.....	566	" Rock Used In.....	160
" Measure, etc.....	464	" Standard Measures.....	263
" Through Glass by Colors.....	471	" Temperature.....	347
" Transmission of.....	471	" Vibration of.....	348
Hebrew Alphabet, The.....	221-223	" Wall Courses.....	339-341
Hebrews, First 4 Wonders of the.....	286, 287	Kilo, Weight of (Leather).....	466
Hegel and Aristotle.....	420	Knot, Nautical, Length of a.....	429
Height of all Egyptian Pyramids.....	89	Knowledge In Symbolism Still Extant.....	291
Heights of Stone Structures.....	202	Laths , Sizes of.....	463
Hills in the Area of an Acre.....	433	Latitude, Test of Geog'l Position of.....	204
History of Egypt.....	51-74	" Change at Greenwich.....	205
" Ancient.....	62	Lead, Weight of.....	504
" of Interior of Pyramid.....	297-302	Leather Belting, Measured in Rolls.....	463
Holy of Holies, Illustration of	282	" Weight, Kilo of.....	466
Horizontal Passage, Queen's Chamber.....	358	Ledge, The Coffin's.....	327
Horse Power Defined.....	465	Legal Tender in the United States.....	513
" of Belts and Pulleys.....	477	" " U. S. Definition of.....	513
" of Water.....	478, 479	Legendre and Playfair, Pi Values.....	236
Hose (Stockings) Length of Sizes of.....	466	Length Measures, International.....	376
Human Footprints in Carson Prison.....	417	" Pyramidal.....	375
Hydraulic Pipe.....	480, 481	" of Earth's Polar Axis.....	196, 197
" Pressure, Greatest.....	480, 481	" Unit of.....	429
Hydraulics, Notes on.....	474-476	Lid of the Coffin.....	335
Hydrogen and Oxygen.....	154	Life, First Germs of.....	147
Hyperbola, Mathematically Defined.....	423	Light, How Did They Obtain, For Pyr.....	342
H. Vyse, Supports Taylor's Theory.....	176	" Principal of, Defined.....	464
Idea, Evolution of the.....	420	Lime, Metallic Base of.....	154
Illustrated Cross from a Cube.....	259	Linear Elements of the Earth.....	372
" Inch of Great Pyramid.....	212	" Standard of the Gr. Pyramid.....	194
Illustrations of Great Pyramid.....	8-48	Limestone, or Granite? Men Differ.....	320
" Mathematical.....	39, 227-259		

Limestone, Reason for Using.....	323	Measures of Coffer, Pyr. Inches.....	160
Limitation of Esoteric Teaching.....	287	“ of Greaves and Vyse.....	317
Liquid Measure.....	435	“ of Great Pyramid's Exterior.....	209
“ Metric.....	448, 452, 453	“ Prof. Smyth's Ideal.....	262
Liquids Pressure of.....	472	“ Pyramid in English Feet.....	270
“ Weight & Specific Gravity of.....	466	“ Source of, Part II.....	216-296
Litre, Metric.....	445	Measurements in King's Chamber.....	349, 350
Logarithms, Mathematically Defined.....	423	“ Objected to.....	172
Logic, Hegel's.....	420	Mechanical Powers.....	465
“ Nature, Mind.....	420	Mechanics.....	464
Log Measurement.....	496-497	Medical Gallon.....	435
Logs, Feet of Boards Contained in.....	496	Melting Point of Alloys.....	379, 380, 471
“ Measurement of, Standard.....	496	“ “ Different Metals.....	379
Longitude at Each Degree of Latitude.....	533	“ “ Fusible Plugs.....	471
“ Time of Reckoning of.....	430	“ “ Metals.....	379, 380, 471
“ Zero Meridian of.....	206	“ “ Substances.....	471
Long Measure.....	429	Mensuration.....	424-428
“ Metric.....	450	Merchandise, Measurement of.....	459, 460
Lumber, Feet in a Car-load of.....	499	“ Ton and Car-load of.....	459, 460
“ Feet in a Telegraph Pole.....	500	Mercury, The Inferior Planet of.....	138
“ Measure.....	498-500	Meridian of Longitude for all Egypt.....	206
“ Weight of, Green or Dry.....	499	Metals, Melting Point of.....	379, 380, 471
Magnetic Pole.....	431	“ Specific Gravity of.....	467
Mails from the Pacific Coast, Time of.....	538	“ Tensile Strength of.....	494
Mammoth Cave of Kentucky.....	413	“ Weight of.....	501
Man Power.....	476	Metaphysical Philosophy.....	420
Mansill's Universal Forces.....	568	Metaphysics.....	420
Mars, The Superior Planet of.....	142	Metius, Peter, On Quadrature.....	232, 233
Mariners' Measure.....	429	Metric System.....	445-458
Masonic Authors, Ancient.....	559	“ Weights and Measures, Cond.	444
“ Modern.....	559	Mexican Coinage of Gold & Silver.....	519
Masonic Bodies, Modern, Have Possessed.....		“ Weights and Measures.....	439, 440
Some Keys of Esotericism.....	289	Mile, Statute and Nautical.....	429
Masonry Courses of Great Pyr.....	213-215	Military Pace.....	461
“ Courses, Thickness of.....	213-215	Million in Roman Numerals.....	428
“ Free, 25,000 Years Ago.....	559, 560	Milne's Theory of Earthquakes.....	100
Material, Strength of, Defined.....	465	Mind, Hegel's Idea of the.....	420
“ Used in the Great Pyramid.....	159	“ Nature, Logic.....	420
Materials, Expansion and Weight of.....	499	Mineral Matter in Food.....	556
“ Tensile Strength of.....	494	“ Substances, Formation of.....	153
Mathematical Definitions.....	423	Minerals, and Their Substances.....	541-555
“ Definitions, Untrue.....	239	“ Composition of.....	541-555
“ Investigators Barred.....	290	“ Every Variety of.....	555
“ Signs and Characters.....	421	“ New Species of.....	555
“ Terms Defined.....	423	“ Supplemental List of.....	555
“ Terms, Order of.....	423	“ Symbols of.....	540
Mathematics, Classification of.....	419	“ Weight & Specific Gravity of.....	466
Mathematical Statements Untrue.....	239	Minerology of Egypt.....	59
Matter, Reciprocation of.....	568	Miner's Inch of Water.....	474, 476, 477
Mausoleum, or Tomb of Mausolus.....	83	“ “ “ Dif. Co's.....	476
Measure, Circular.....	430	“ “ “ Illustrated	476
“ Cubic.....	432	“ “ “ In S. Calif.....	474
“ Druggists' Gallon.....	435	“ Inches in Gallons.....	474
“ Dry.....	435	Mint Charges for Coining.....	511
“ Hatters'.....	466	“ Regulations of the U. S.....	511
“ Hosiers'.....	466	“ Weight.....	433
“ Linear.....	429	Minuter Details of Coffer Outside.....	328
“ Liquid.....	435	Miracle of Fishing in the Jordan.....	285
“ Log and Lumber.....	496-499	Miscellaneous Weights and Measures.....	461
“ Mariners'.....	429	Modern Knowledge in Symbolism.....	291
“ of the Circle.....	156	“ Measures of Great Pyramid.....	314
“ Outside of Coffer.....	329, 330, 363	Molten Sea of King Solomon.....	393
“ Shoemakers.....	466	Money, English and French.....	513
“ Square.....	432	“ Foreign.....	520
“ Surveyors'.....	429	“ U. S., and in Circulation.....	512
“ Time.....	430	“ Why Not Pyramid.....	382, 383
“ Water.....	473-477	Monoliths, & Monuments, Height of.....	532
Measurement of Lumber.....	496-499	Monthly Interest Tables, $\frac{1}{2}$ to 2 per cent.....	524
“ Telegraph Pole.....	500	Months of the Year, Origin of.....	296
“ Water.....	473-477	Monuments & Chimneys, Height of.....	532
Measures and Weights.....	429-532	Moon, The Earth's Satellite.....	142
“ “ “ Metric.....	444-458	More Earth, Less Sea, in That Meridian.....	207
“ “ “ Miscellaneous.....	461	Moses, Ark of the Covenant of.....	392
“ “ “ of India.....	444		

Mortar, Best Made.....	465	Planet Venus, Facts Concerning.....	139
Muir, C., On Vertical Axis of Gr. Pyr.....	406	Planets, Asteroids, etc.....	431, 578
Myer's Quadrature of Circle, etc.....	284	" Days, Distances, Diameters.....	431
Mysticism.....	420	" Diameters of.....	578
Nails, Number of, in a Pound.....	461, 462	" Distances from the Earth.....	431
Name of Deity in Various Tongues.....	360	" The Theory of.....	137-146, 578
Nature, Divisions in.....	420	Plastering, Facts Regarding.....	463
" Says Parker is Right.....	240	Playfair & Legendre, Pi Values of.....	236
Natures Tone in King's Chamber.....	348	Playfair's Method, Curious Feature of.....	236
Nautical Mile, Length of a.....	429	Polar Axis, Length of Earth's.....	196-197
Neptune, Superior Planet of.....	145	" and Equatorial Diameters.....	270
Niagara Falls, 5th Wonder	416	Pole Star, Alpha Ursa Minoris	204
Nile River, Cataracts of, Height of.....	532	" Cycle of.....	384, 385
Nitrogen, Description of.....	548	Polygons Defined.....	425
Noachian Deluge of the Bible.....	411, 412	" Sides and Area of.....	427
Northern Heavens, Illustrated	47	" Table of.....	427
Notation and Numerals.....	428	Polyhedrons.....	425, 428
Number (6) Six As a Factor.....	265-270	" Tables on.....	428
Numbers, Reference to Gr. Pyramid's.....	192	Population of Egypt.....	59
Numerals or Notation.....	428	Porphry or Granite, Which?.....	318
Oases of Egypt	57	Portland Cement.....	465
Objectors, Pyramid Answered.....	173, 174	Position Mathematically Explained.....	423
" to Measurements.....	172	" of Coffin in King's Chamber.....	366
" Ans'd 173, 174.....	346	" of the Great Pyramid.....	157, 209
Observatories, Thermometers of.....	422	Positivism.....	419
Old and New Style Explained.....	291-294	Pound, Decimal Parts of a.....	461
Oliver's Emblem, Explanation of.....	161-172	" Weights of the World.....	373
Only Real Pyramid.....	203	Power, Man and Horse.....	476
Orientation of Sides of Gr. Pyramid.....	157	Practical Application of Coffin.....	367
Orthography for Name of Gr. Pyr.....	301	Precious Stones Found in U. S.....	539
Other Chambers in the Gr. Pyramid.....	87, 88	Pressure and Specific Gravities.....	369
" Pyramids, Purposes of.....	329, 330, 363	Printing, Reference Signs in.....	421
Outside Measure of Coffin.....	154	Probability Defined.....	423
Oxygen and Hydrogen, Description of.....	461	Problem of Three Revolving Bodies.....	242-256
Pace and Palm	557	Properties of Numbers Defined.....	423
Panama Canal, Facts Regarding.....	240	Propositions and Formulas.....	426, 473
Parker Is Right, Nature Says.....	217	" in Mensuration.....	426, 473
Parker's Quadrature Construction.....	25	Province of Ritualism.....	294, 295
Passage System of Gr. Pyr., Illus.	271-273	Pulleys, Horse Power of.....	477
Passageway (So-called) Measure of.....	297	Punchions, Capacity of.....	488-491
Part III., Interior of the Pyramid.....	216-295	Purpose of All Other Pyramids.....	87, 90
Part II., Source of Measures, etc.....	463	" of the Coffin.....	324
Patterns and Castings Compared.....	500	Pyramidal Length Measures.....	375
Pedestal or Frustum, Feet in.....	429	" Numbers Noted.....	193
Pendulum, Length of.....	430	Pyramid Angle Measure.....	380, 381
Pendulums, Different Vibrations of.....	291	" As Seen in 822 A. D., Illus.	48
Pentapla as a Pyramid.....	98	" and Solar Analogy.....	198
Permanence of Continental Areas.....	423	" and English Linear Measure.....	375
Permutation, Definition of.....	423	" Capacity Measure.....	368
Perpetuities, Definition of.....	84, 85	" Contents of.....	500
Pharos of Alexandria.....	420	" Entered, First Account of.....	303
Philosophy.....	419	" Entrance Discussion on.....	401
Physical Science.....	419	" Illustrated	23
Physics, Divisions of.....	177	" Future of the Great.....	412
Piazzi Smyth and Prof. Taylor Agree.....	156	" Inch Illustrated	212
"Pi" Carried to 154 Decimals.....	181, 182	" Measures Variation of.....	264
" Measure Values.....	181	" " in Egypt.....	270
" Standard of the Gr. Pyramid.....	236	" Money, Why Not?.....	382, 383
" Values of Legendre and Playfair.....	474	" of Five Point Star.....	291
Pipe, Flow of Water Through.....	488-491	" Orientation of the.....	203
Pipes, Capacity of.....	475	" Other Chambers of.....	395
Pistons, Water and Steam.....	144, 578	" Star Calculations.....	386, 387
Planetoids or Asteroids.....	146, 431	" Sun Distance of.....	199
Planets, Eccentricities of.....	578	" The Only Real.....	161
Planetary Symbols.....	578	" Thermometer Compared.....	377
" Theory.....	144	" System Specific Gravities.....	370
Planet Jupiter, Facts Concerning.....	142	" Weight Measure.....	368
" Mars, " ".....	138	" Weights and Measures.....	158, 212
" Mercury, " ".....	145	Pyramid's Base Length, Different.....	194
" Neptune, " ".....	144	" Builders of.....	157
" Saturn, " ".....	139	" Dates of Building the.....	89
" The Earth, " ".....	145	" Exterior Measures.....	209, 212
" Uranus, " ".....		" Height by Courses.....	213-215

Pyramid's Interior History.....	297-302	Signs Used in Reading and Writing....	421
“ Linear Elements.....	371	Silver and Gold in the World.....	509
“ Standard.....	194	“ Coins, Foreign.....	518-520
“ Names of the 38.....	89	“ Commercial Ratio of.....	521
“ of Egypt, All of the.....	89	“ Highest and Lowest Reached.....	521
“ of Egypt, All Illustrated	17	“ In a Dollar, From 80c per oz. up 522	
“ On Jeezeh Hill, Illustrated	15	“ to Gold, Ratio of.....	521
Quadrangles.....	425	“ Value in a Silver Dollar.....	522
Quadrature Construction by Parker.....	217	Simpson's Coffin Measure.....	363-366
“ of Circle, etc., by Myers.....	284	Six As a Factor Number.....	265-270
“ Illustrated	224-232	Sixth and Seventh Natural Wonders.....	417
“ by Parker	219, 224	Size of the Great Pyramid	371
“ of Peter Metius.....	232, 233	Sizes of Hat and Hose.....	466
“ Reflections On, by Parker	233	Skinner, on Source of Measures.....	216
Quarter, English Grain.....	436	Slate, Square of.....	464
Quartz, Composition of.....	152, 550	“ Composition of.....	552
Queen's Chamber, Air Channels.....	400	Smith, Prof. H. L., Discoveries of.....	399
“ Horizontal Passage.....	358	Smyth, Prof. P., on King's Chamber.....	349
“ In Gr. Pyr., Ilus.	29	“ Theory Faulty.....	390
“ Once Concealed.....	397-399	Sockets Found, The Original.....	171
“ Pyramid Inches In.....	407	Solar Analogy, Pyramid and.....	198
“ Rock Contained In.....	358	“ Day, Length of a.....	254
Quintal, Weight of a.....	461	“ System.....	136-155
Radium, Notes on.....	555	“ “ Astronomy of the.....	136-146
Ramp Stone of Gr. Pyr., Illustrated	27	“ “ Elements of the.....	141, 578
Ramps and Ramp Holes, Grand Gallery.....	407	“ Lunation.....	256
Raum, Geo. E., Sphinx Investigator	406	“ Year.....	256
Reaumur Thermometer Compared.....	377	Solid Measure.....	432
Reason for Using Limestone.....	323	Solids.....	425
Reciprocal, Mathematically Defined.....	423	Solomon's Molten Sea.....	393-395
Red Paint Marks Explained.....	162, 163	“ Temple, King.....	274-284
Reference Signs in Printing.....	421	Sound, Description of.....	472
Reflections on Quadrature by Parker	233	Source of Measures, Part II.	216-296
Reply to Sarcophagus Theory.....	311	Specific Gravities.....	369, 370
Research, Mathematical, Hooted Down.....	290	“ Gravity, Dif. Materials.....	466
Reservoirs, Capacity of.....	482	Sphinx, Description of the.....	403-406
“ of Circular.....	484	“ Has At Least 1 Investigator	406
Review of Coffin Measure.....	315	Spires and Domes, Height of.....	532
Revolving Bodies, Parker's View	243-252	Square Acres, Length of Side of.....	433
“ Problem of Three.....	242	“ Measure.....	432, 447
Rhoades, Colossus of.....	85-86	“ Root of Two, By Myers.....	284
Ritualism, Province of.....	294, 295	Standard Measures of King's Chamber.....	263
Rocking Stone of Truckee, Cal.....	417	“ of Length Employed.....	180
Rocks and Strata, Composition of.....	152	Star a Draconis , Cycle of.....	384, 385
Rocks, Composition of.....	153	Stars Cross the Pole, Dates of.....	386, 387
Rock, The First Formed.....	154	Statute of Jupiter, By Phidias.....	80, 81
Rolls and Coils Measured.....	463	Statute Mile, Feet in a.....	429
Roman Catholic Church Has Possessed.....		Stones in the King's Chamber.....	341
Esoteric Keys.....	289	Stone Structures, Heights of.....	202
Roman Numerals, Tables of.....	428	Story That Earthquakes Reveal.....	562
Rope, Wire and Hemp, Strength of.....	508	Submersions of Carboniferous Age.....	93
Royal Societies Refuse an Audience.....	290	Subterranean Chamber, Size of.....	160
Rosetta Stone, Discovery of.....	409	“ Unfinished.....	355
Rule of Three, Definition of.....	423	Style Old and New.....	422
Rulers of Egypt, From 2717 B. C.....	49, 50	Suez Canal, Statistics of.....	557
Salt , Varieties and Composition of.....	551	Sun, Article on the.....	136
Sarcophagus Theory Exploded.....	311	“ Distance, Pyramid Measure of.....	199
“ of Coffin.....	311, 334	“ Is It Hot?.....	137, 566
“ of Lid of.....	326	“ Is Not Hot, But Ice Cold	566
San Francisco, Earthquake of 1896 at.....	122	“ Sends Out No Direct Heat	566
Saturn, Superior Planet of.....	144	Sun's Heat, Does It Reach the Earth?.....	570
Scales and Balances.....	465	Surface Measure, Lineal.....	373, 429
“ and Thermometers.....	376, 377	Surveyors' Measure.....	429
Sciences, Classification of.....	419	Symbolic Hints from Ante-Chamber.....	344
Seasons, Changes of The, (See Cut).....	141	Symbolism, Modern Knowledge in.....	291
Seismograph, Longest Record by.....	128	Symbolisms of the Ante-Chamber.....	350-353
Seven Natural Wonders of the World.....	413	Symbols, Astronomical.....	578
“ Wonders By Hand of Man	77-86	“ of Elements.....	540
Shape of Material.....	210, 211	“ of Planets.....	578
Shoemakers' Measure.....	466	System of Angle Measures.....	380, 381
Siderial Day, Length of.....	254	Table of All Pyramids in Egypt.....	89
“ Lunation.....	256	Tacks In a Pound, Number of.....	461
Signs Mathematical and Miscellaneous.....	421	Tael, Haikwan, of China.....	518, 520
“ of the Zodiac.....	141, 578	Tauri (of the Pleiades) in 2248 B. C.....	387

Taylor's, John, Theory Supported	176, 177	Walls and Hanging Gardens of Babylon	78
“ Coffers Theory Examined	313	Wantage or Ullage, Table of	491
Temperature Corrections Shown	346	Waste in Coining	511
“ and Density	338	Water, Flowing, Miners Inches of	475
“ of the King's Chamber	347	“ Miners Inches of	474-477
“ Tropical & Polar, Why	97, 570	“ Pressure Greatest	481
Telegraph Pole, Feet in a	500	“ Weights and Measures of	473-477
Tellurium, Composition of	553	Waterfalls and Cascades, Height of	532
Temperatures and Pressures	369, 370	“ Yosemite Valley, Height	532
Temple of Diana of the Ephesians	81, 82	Waves and Tides	431
“ King Solomon	274-284	Wedge, Cubic Contents of a	500
Tensile Strength of Material	494	Weight and Specific Gravity	466-470
Testing of John Taylor's Analogy	198	“ Measure, Great Pyramid	368
The Hebrew Alphabet	221-223	“ Measures, International	373
Theories of Travelers, Much Mixed	339	“ of Atmospheric Air	469
Theory of a Deified Architect Ans'd	184	“ “ Cattle	504
“ John Taylor	312	“ “ Gases	472
Thermometers and Their Scales	376, 377	“ “ Grain and Products	436
“ at Observatories	346	“ “ Gramme, Variation of	195, 458
“ Different, Compared	158, 377	“ “ Great Pyramid	211, 371
The Source of Measures	216-295	“ “ Iron	501-504
“ Sphinx, Description of	403-406	“ “ Lead, Zinc and Wire	506
“ Well of Limestone	359	“ “ Liquids	466
Thickness of Bottom of Coffers	331	“ “ Lumber, Timber, etc	499
Three Revolving Bodies, Problem of	242	“ “ Metals	501-508
Tidal Waves and Earthquakes	103-136	“ “ the Earth, Pyramid Tons	372
Tides and Waves	431	“ “ Water	473
Timber, Lumber, Trees	495	“ “ Woods, Dry or Green	469, 499
“ Strength of	494, 495	Weights and Measures	429-458
“ Weight of, Green or Dry	499	“ “ “ Depository of	169
Time Has Not Affected Great Pyramid	185	“ “ “ Foreign	437-458
Tomb of King Cheops, Illustrated	45	“ “ “ Metric	445-458
“ Mausolus, King of Caria	83	“ “ “ Pyramidal	158
Ton of Merchandise	459	Well, The, of Limestone	359
Topography of Egypt	51	Wells, Artesian	487
Tourmaline, Composition of	553	“ Capacity of	484
Towers and Domes, Height of	532	What Did Coffers Capacity Prove?	337
Transcendentalism	420	Wheat, English Quarter of	436
Transcendentalisms of Astronomy	383	“ Grades of Liverpool	436
Travellers' Errors Made Manifest	340	Where the Granite Came From	319
Triangles Defined	424	“ To Enter the Great Pyramid	401-403
Trowel Face, The Pyramidal	273	Wheeler, Rev. O. C., On Antiquity	559, 560
Troy Weight	433	Who Built the Great Pyramid?	157
“ “ and Avoirdupois Comp'd	434	Why Was Coffers Built That Size?	324
“ “ Origin of	432	Wilkinson, Sir Gardner, On Coffers	312
Truckee Rocking Stone, 6th Wonder	417	Wind, Force and Velocity of	472
Twelve Signs of the Zodiac	141	Wire Nails, No. of in 1 lb., (Roebings)	462
Ullage or Wantage, Table of	491	“ “ Penny of	462
Ulexite, Composition of	554	“ “ Roebling's Gauge of	462
Undiscovered Rooms in Gr. Pyramid	395	“ “ Rope, Weight and Strength of	508
Unfinished Subterranean Chamber	355	Wisdom, Hegel's Idea of	420
Units of Measure	429	Wise Men Differ, Limestone or Granite	320
Uranus, Superior Planet of	145	Woods, Tensile Strength of	494
U. S. Seal, Reverse Side of, Ilus.	48	“ Weight and Specific Gravity of	469
Vara, Length of a	440, 461	Wonders of the World, Nature's 7	413
Valley, Yosemite, 4th Wonder	415	“ of the World, The Hebrew	286, 287
Valparaiso, Chile, Earthquake	125	“ of the World, The Seven	77-86
Value of Foreign Coins	520	World Building	146
“ Gold, Silver and Copper	510	Xylotile, Composition of	554
“ United States Coin	512	Year and Day Standard Indicated	182
Various Names of Deity	360	“ A Mean	256
“ Rocks, Composition of	153	“ A Solar	256
Velocity of the Wind	472	“ Days in each Planet's	431
“ Water in Pipes	474	“ Exact Length of a	422
“ “ Streams	475	Yosemite Falls, Height of	532
Venus, The Inferior Planet of	139	“ Valley, Area of	532
Versta, Russian Unit of Length	441	“ 4th Nat'l Wonder	415
Vertical Axis, etc., by Mr. C. Muir	406, 407	Young and Champoleon's Discovery	409
“ Section of Gr. Pyr., Ilus.	9	Zero Meridian of Longitude	206
Vibration of King's Chamber, “F”	348	Zinc, Composition of	153, 555
Volcanic Eruption of Mont Pelée	118	Zodiac, The, Twelve Signs of	141, 578
“ Eruptions Since 17 A. D.	103, 136	Zone, Free From Earthquakes	99
Vyse's, Howard, Theory Supported	176	“ The Earthquake	99
Wall Courses by Different Men	339	Zoology of Egypt	213 57

RETURN
TO →

CIRCULATION DEPARTMENT
202 Main Library

LOAN PERIOD 1
HOME USE

2

ICLF

3

6

ALL BOOKS MAY BE RECALLED AFTER 7 DAYS

1-month loans may be renewed by calling 642-3405

6-month loans may be recharged by bringing books to Circulation Desk

Renewals and recharges may be made 4 days prior to due date

DUE AS STAMPED BELOW

REC. CIR. AUG 0 2 '80

AN 28 1994

AUTO DISC CIRC FEB 05 '94

UNIVERSITY OF CALIFORNIA, BERKELEY

FORM NO. DD6, 60m, 3/80

BERKELEY, CA 94720

Ps

MAY 21 1954
NOV 15 63-3 PM

MAR 19 1978

LD 21-95m-7,'37

U. C. BERKELEY LIBRARIES



C046038561

984f
16/599 M123

THE UNIVERSITY OF CALIFORNIA LIBRARY

